



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 15, 2024 – 07:01 PM EDT

PDB ID : 4QH4  
Title : The GLIC pentameric Ligand-Gated Ion Channel (wild-type) crystallized in acetate buffer at pH3  
Authors : Fourati, Z.; Delarue, M.; Sauguet, L.  
Deposited on : 2014-05-26  
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	316	<div> <div>4%</div> <div> <div></div> <div>84%</div> <div>14%</div> <div></div> </div> <div>.</div> </div>
1	B	316	<div> <div>3%</div> <div> <div></div> <div>83%</div> <div>15%</div> <div></div> </div> <div>.</div> </div>
1	C	316	<div> <div>3%</div> <div> <div></div> <div>81%</div> <div>17%</div> <div></div> </div> <div>.</div> </div>
1	D	316	<div> <div>9%</div> <div> <div></div> <div>72%</div> <div>24%</div> <div></div> </div> <div>..</div> </div>
1	E	316	<div> <div>3%</div> <div> <div></div> <div>82%</div> <div>16%</div> <div></div> </div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	LMT	A	401	-	-	-	X
2	LMT	D	402	-	-	-	X
3	ACT	B	402	-	-	-	X
4	NA	C	402	-	-	-	X

2 Entry composition ⓘ


There are 5 unique types of molecules in this entry. The entry contains 12754 atoms, of which 9 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proton-gated ion channel.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	311	Total	C	N	O	S	0	0	0
			2525	1664	404	453	4			
1	B	311	Total	C	N	O	S	0	0	0
			2525	1664	404	453	4			
1	C	311	Total	C	N	O	S	0	0	0
			2525	1664	404	453	4			
1	D	311	Total	C	N	O	S	0	1	0
			2534	1669	405	456	4			
1	E	311	Total	C	N	O	S	0	0	0
			2525	1664	404	453	4			

- Molecule 2 is DODECYL-BETA-D-MALTOSE (three-letter code: LMT) (formula: C<sub>24</sub>H<sub>46</sub>O<sub>11</sub>).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	C	0	0
			12	12		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total C 12 12	0	0
2	C	1	Total C 12 12	0	0
2	D	1	Total C 12 12	0	0
2	D	1	Total C 12 12	0	0
2	E	1	Total C 12 12	0	0

- Molecule 3 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C H O 7 2 3 2	0	0
3	B	1	Total C H O 7 2 3 2	0	0
3	E	1	Total C H O 7 2 3 2	0	0

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	1	Total Na 1 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total 2	O 2	0	0
5	B	6	Total 6	O 6	0	0
5	C	7	Total 7	O 7	0	0
5	D	3	Total 3	O 3	0	0
5	E	8	Total 8	O 8	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Proton-gated ion channel



#### • Molecule 1: Proton-gated ion channel




#### • Molecule 1: Proton-gated ion channel





#### • Molecule 1: Proton-gated ion channel





● Molecule 1: Proton-gated ion channel





## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	180.80Å 133.38Å 159.61Å 90.00° 102.16° 90.00°	Depositor
Resolution (Å)	20.00 – 3.20 49.26 – 3.20	Depositor EDS
% Data completeness (in resolution range)	99.6 (20.00-3.20) 99.5 (49.26-3.20)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.76 (at 3.19Å)	Xtriage
Refinement program	REFMAC, BUSTER 2.11.4	Depositor
R, $R_{free}$	0.201 , 0.224 0.227 , 0.248	Depositor DCC
$R_{free}$ test set	3090 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	97.6	Xtriage
Anisotropy	0.409	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 113.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	12754	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	131.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.11% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: LMT, ACT, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.47	0/2593	0.65	0/3545
1	B	0.46	0/2593	0.64	0/3545
1	C	0.46	0/2593	0.65	0/3545
1	D	0.64	2/2602 (0.1%)	0.75	2/3557 (0.1%)
1	E	0.47	0/2593	0.65	0/3545
All	All	0.50	2/12974 (0.0%)	0.67	2/17737 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	209	LEU	CG-CD2	7.12	1.78	1.51
1	D	228	VAL	C-N	5.09	1.45	1.34

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	230	SER	C-N-CA	10.26	147.34	121.70
1	D	209	LEU	CD1-CG-CD2	5.21	126.14	110.50

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	230	SER	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2525	0	2545	46	0
1	B	2525	0	2545	35	0
1	C	2525	0	2545	52	1
1	D	2534	0	2550	91	0
1	E	2525	0	2545	38	1
2	A	12	0	23	1	0
2	B	12	0	23	1	0
2	C	12	0	23	1	0
2	D	24	0	46	3	0
2	E	12	0	23	0	0
3	A	4	3	3	0	0
3	B	4	3	3	0	0
3	E	4	3	3	0	0
4	C	1	0	0	0	0
5	A	2	0	0	0	0
5	B	6	0	0	2	0
5	C	7	0	0	0	0
5	D	3	0	0	0	0
5	E	8	0	0	0	0
All	All	12745	9	12877	251	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (251) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:209:LEU:CG	1:D:209:LEU:CD2	1.78	1.58
1:B:78:PHE:CD2	1:B:85:ARG:HD3	1.71	1.24
1:A:196:SER:HB3	5:B:506:HOH:O	1.33	1.23
1:D:226:THR:O	1:D:230:SER:HB2	1.39	1.20

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:226:THR:O	1:D:230:SER:CB	1.90	1.17
1:C:10:PRO:HB2	1:C:12:ALA:O	1.51	1.09
1:B:78:PHE:HD2	1:B:85:ARG:HD3	1.05	1.07
1:D:227:LEU:O	1:D:231:THR:HG21	1.54	1.07
1:E:10:PRO:HB2	1:E:12:ALA:O	1.54	1.06
1:E:85:ARG:HE	1:E:87:ALA:HB2	0.92	1.06
1:A:85:ARG:HH12	1:A:87:ALA:HB2	1.11	1.05
1:C:85:ARG:HH12	1:C:87:ALA:HB2	1.18	1.05
1:D:10:PRO:HB2	1:D:12:ALA:O	1.58	1.03
1:E:85:ARG:NE	1:E:87:ALA:HB2	1.73	1.01
1:C:133:ARG:NH2	1:C:179:ARG:HD2	1.78	0.98
1:A:78:PHE:HE2	1:A:85:ARG:HE	1.06	0.97
1:A:78:PHE:HE2	1:A:85:ARG:NE	1.65	0.94
1:C:78:PHE:HE2	1:C:85:ARG:HE	1.10	0.94
1:C:78:PHE:HE2	1:C:85:ARG:NE	1.68	0.92
1:A:85:ARG:NH1	1:A:87:ALA:HB2	1.82	0.92
1:D:133:ARG:NH2	1:D:179:ARG:HD2	1.85	0.92
1:C:85:ARG:HD2	1:C:106:PHE:CG	2.05	0.91
1:A:10:PRO:HB2	1:A:12:ALA:O	1.71	0.90
1:E:36:THR:HG22	1:E:111:LEU:HD23	1.53	0.90
1:C:85:ARG:NH1	1:C:87:ALA:HB2	1.86	0.89
1:A:85:ARG:HD2	1:A:106:PHE:CG	2.08	0.89
1:C:20:THR:HG21	1:C:130:LEU:CD1	2.04	0.88
1:B:36:THR:HG22	1:B:111:LEU:HD23	1.53	0.87
1:D:78:PHE:HE2	1:D:85:ARG:HH11	1.23	0.86
1:D:209:LEU:CD2	1:D:209:LEU:HG	2.02	0.86
1:D:227:LEU:O	1:D:231:THR:CG2	2.23	0.86
1:D:85:ARG:HD2	1:D:106:PHE:CB	2.06	0.85
1:C:20:THR:HG21	1:C:130:LEU:HD12	1.57	0.84
1:C:85:ARG:CG	1:C:106:PHE:HB2	2.08	0.84
1:C:91:ASP:CG	1:D:179:ARG:HH22	1.80	0.83
1:B:82:GLU:OE2	1:B:111:LEU:HD21	1.79	0.82
1:C:223:ALA:O	1:C:227:LEU:HG	1.80	0.81
1:A:85:ARG:CG	1:A:106:PHE:HB2	2.12	0.81
1:E:82:GLU:OE2	1:E:111:LEU:HD21	1.81	0.80
1:B:78:PHE:CE2	1:B:85:ARG:HD3	2.16	0.79
1:D:211:ILE:O	1:D:227:LEU:CD2	2.31	0.78
1:D:223:ALA:O	1:D:227:LEU:HB2	1.85	0.77
1:C:78:PHE:CE2	1:C:85:ARG:HD3	2.21	0.76
1:C:85:ARG:HD2	1:C:106:PHE:CB	2.15	0.76
1:C:85:ARG:HH11	1:C:85:ARG:HG2	1.50	0.76

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:85:ARG:HD2	1:D:106:PHE:HB2	1.66	0.75
1:D:85:ARG:CG	1:D:106:PHE:HB2	2.16	0.75
1:A:85:ARG:HD2	1:A:106:PHE:CB	2.17	0.75
1:A:85:ARG:HH11	1:A:85:ARG:HG2	1.51	0.75
1:D:78:PHE:HE2	1:D:85:ARG:HD3	1.52	0.74
1:A:85:ARG:HD2	1:A:106:PHE:CD1	2.22	0.73
1:C:85:ARG:HD2	1:C:106:PHE:CD1	2.23	0.73
1:B:83:ASN:HB2	5:B:501:HOH:O	1.88	0.73
1:D:226:THR:O	1:D:230:SER:HB3	1.87	0.72
1:D:78:PHE:CE2	1:D:85:ARG:HD3	2.25	0.72
1:C:78:PHE:CE2	1:C:85:ARG:CD	2.72	0.72
1:C:11:ILE:HG13	1:C:12:ALA:H	1.56	0.71
1:A:78:PHE:CE2	1:A:85:ARG:HD3	2.25	0.71
1:D:232:LEU:HD12	1:D:232:LEU:O	1.91	0.71
1:E:85:ARG:HE	1:E:87:ALA:CB	1.87	0.71
1:C:20:THR:CG2	1:C:130:LEU:CD1	2.69	0.71
1:C:78:PHE:HE2	1:C:85:ARG:CD	2.02	0.71
1:D:230:SER:HB3	1:D:231:THR:HG23	1.72	0.70
1:A:78:PHE:CE2	1:A:85:ARG:CD	2.73	0.70
1:B:48:LYS:HE3	1:B:97:ASP:OD2	1.92	0.70
1:D:211:ILE:O	1:D:227:LEU:HD23	1.92	0.69
1:A:78:PHE:HE2	1:A:85:ARG:CD	2.05	0.69
1:D:11:ILE:HD11	1:D:50:ARG:CZ	2.22	0.68
1:A:85:ARG:HD2	1:A:106:PHE:HB2	1.76	0.68
1:A:176:LEU:HD23	1:A:181:GLU:OE2	1.94	0.67
1:D:85:ARG:CD	1:D:106:PHE:HB2	2.24	0.67
1:C:78:PHE:CE2	1:C:85:ARG:NE	2.58	0.67
1:C:85:ARG:HD2	1:C:106:PHE:HB2	1.77	0.67
1:A:78:PHE:CE2	1:A:85:ARG:NE	2.53	0.67
1:D:208:ILE:HD13	1:D:234:ALA:HB1	1.76	0.67
1:B:176:LEU:HD23	1:B:181:GLU:OE2	1.95	0.66
1:E:176:LEU:HD23	1:E:181:GLU:OE2	1.96	0.66
1:B:293:ARG:HA	1:B:296:ARG:HD2	1.77	0.66
1:E:225:VAL:O	1:E:229:VAL:HB	1.97	0.64
1:C:85:ARG:CD	1:C:106:PHE:HB2	2.28	0.64
1:C:11:ILE:HG13	1:C:12:ALA:N	2.13	0.64
1:D:208:ILE:HD11	1:E:236:ILE:HD11	1.78	0.64
1:D:241:LEU:HD13	2:D:402:LMT:H42	1.80	0.64
1:E:11:ILE:HG13	1:E:12:ALA:N	2.13	0.64
1:C:176:LEU:HD23	1:C:181:GLU:OE2	1.97	0.63
1:E:11:ILE:HG13	1:E:12:ALA:H	1.64	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:208:ILE:HD11	1:E:236:ILE:CD1	2.28	0.63
1:A:85:ARG:CD	1:A:106:PHE:HB2	2.29	0.63
1:D:176:LEU:HD23	1:D:181:GLU:OE2	1.99	0.63
1:D:78:PHE:CE2	1:D:85:ARG:NH1	2.67	0.62
1:D:226:THR:O	1:D:230:SER:N	2.32	0.62
1:B:78:PHE:CE2	1:B:85:ARG:CD	2.83	0.61
1:B:78:PHE:CD2	1:B:85:ARG:CD	2.66	0.61
1:C:134:SER:HB3	1:C:139:ASN:HA	1.82	0.61
1:D:12:ALA:HB3	1:D:14:GLU:OE1	2.00	0.60
1:D:208:ILE:HG21	1:D:234:ALA:HB3	1.84	0.60
1:D:237:ALA:HB2	2:D:402:LMT:H111	1.81	0.60
1:E:85:ARG:HD2	1:E:104:GLU:OE2	2.00	0.60
1:E:134:SER:HB3	1:E:139:ASN:HA	1.82	0.60
1:B:134:SER:HB3	1:B:139:ASN:HA	1.83	0.60
1:A:134:SER:HB3	1:A:139:ASN:HA	1.82	0.59
1:D:134:SER:HB3	1:D:139:ASN:HA	1.83	0.59
1:A:11:ILE:HG13	1:A:12:ALA:N	2.18	0.59
1:C:225:VAL:O	1:C:229:VAL:HB	2.03	0.59
1:A:205:MET:CE	1:A:238:PHE:HB3	2.34	0.58
1:C:85:ARG:CG	1:C:85:ARG:HH11	2.15	0.58
1:A:11:ILE:HG13	1:A:12:ALA:H	1.68	0.57
1:C:63:VAL:HB	1:D:136:ASP:OD2	2.04	0.57
1:D:85:ARG:HD2	1:D:106:PHE:CG	2.40	0.57
1:D:293:ARG:HA	1:D:296:ARG:HD2	1.86	0.57
1:C:292:THR:O	1:C:296:ARG:HG3	2.04	0.57
1:C:16:LEU:HD11	1:C:47:TRP:HB2	1.87	0.56
1:A:16:LEU:HD11	1:A:47:TRP:HB2	1.86	0.56
1:B:16:LEU:HD11	1:B:47:TRP:HB2	1.88	0.56
1:C:21:GLY:HA3	1:C:44:SER:OG	2.06	0.56
2:C:401:LMT:H82	2:D:401:LMT:H91	1.88	0.56
1:E:61:VAL:HG12	1:E:62:ARG:N	2.20	0.55
1:B:63:VAL:HB	1:C:136:ASP:OD2	2.06	0.55
1:D:21:GLY:HA2	1:D:149:VAL:HG22	1.88	0.55
1:D:10:PRO:CB	1:D:12:ALA:O	2.46	0.55
1:D:120:PRO:HD2	1:D:121:PHE:CE2	2.40	0.55
1:A:85:ARG:CG	1:A:85:ARG:HH11	2.19	0.55
1:D:16:LEU:HD11	1:D:47:TRP:HB2	1.88	0.55
1:E:61:VAL:HG12	1:E:63:VAL:H	1.72	0.55
1:A:229:VAL:HG11	1:E:230:SER:CB	2.36	0.54
1:D:204:PRO:HB2	1:D:238:PHE:CZ	2.42	0.54
1:E:16:LEU:HD11	1:E:47:TRP:HB2	1.89	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:22:ILE:HD12	1:A:186:TYR:CG	2.43	0.53
1:D:226:THR:C	1:D:230:SER:HB2	2.25	0.53
1:D:255:THR:O	1:D:259:ILE:HG13	2.08	0.53
1:E:82:GLU:CD	1:E:111:LEU:HD21	2.29	0.53
1:D:85:ARG:CZ	1:D:104:GLU:OE2	2.57	0.52
1:D:208:ILE:CG2	1:D:231:THR:HA	2.39	0.52
1:A:85:ARG:HG2	1:A:106:PHE:HB2	1.90	0.52
1:D:208:ILE:HD13	1:D:234:ALA:CB	2.40	0.52
1:D:78:PHE:HE2	1:D:85:ARG:NH1	2.00	0.52
1:D:212:SER:HB2	1:D:266:TYR:HE1	1.74	0.51
1:D:226:THR:O	1:D:230:SER:CA	2.56	0.51
1:D:238:PHE:O	1:D:242:VAL:HG23	2.10	0.51
1:E:10:PRO:CB	1:E:12:ALA:O	2.44	0.51
1:C:85:ARG:HG2	1:C:106:PHE:HB2	1.88	0.51
1:A:205:MET:HE2	1:A:238:PHE:HB3	1.93	0.51
1:B:7:PRO:HG3	1:B:135:VAL:HG21	1.93	0.51
1:C:133:ARG:HH22	1:C:179:ARG:HD2	1.71	0.50
1:D:213:TRP:CD1	1:D:213:TRP:N	2.78	0.50
1:D:7:PRO:HG3	1:D:135:VAL:HG21	1.94	0.50
1:C:91:ASP:OD2	1:D:179:ARG:NH2	2.41	0.50
1:B:11:ILE:HD11	1:B:50:ARG:CD	2.42	0.49
1:E:152:ASN:HD21	1:E:154:ASP:HB2	1.76	0.49
1:C:224:ASN:HA	1:C:227:LEU:HD12	1.94	0.49
1:D:208:ILE:HG23	1:D:231:THR:HA	1.94	0.49
1:D:134:SER:HA	1:D:140:ILE:HD12	1.95	0.49
1:B:134:SER:HA	1:B:140:ILE:HD12	1.94	0.49
1:D:230:SER:OG	1:E:229:VAL:CG1	2.61	0.49
1:A:7:PRO:HG3	1:A:135:VAL:HG21	1.95	0.48
1:B:48:LYS:CE	1:B:97:ASP:OD2	2.60	0.48
1:A:134:SER:HA	1:A:140:ILE:HD12	1.94	0.48
1:A:241:LEU:HD22	1:B:240:ILE:HG12	1.93	0.48
1:C:134:SER:HA	1:C:140:ILE:HD12	1.95	0.48
1:E:7:PRO:HG3	1:E:135:VAL:HG21	1.96	0.48
1:C:7:PRO:HG3	1:C:135:VAL:HG21	1.96	0.47
1:A:176:LEU:HD23	1:A:181:GLU:CD	2.35	0.47
1:C:20:THR:HG22	1:C:186:TYR:OH	2.14	0.47
1:D:224:ASN:O	1:D:228:VAL:HG23	2.15	0.47
1:E:134:SER:HA	1:E:140:ILE:HD12	1.95	0.47
1:D:202:ILE:HG22	1:D:203:LEU:HD23	1.97	0.47
1:B:176:LEU:HD23	1:B:181:GLU:CD	2.35	0.46
1:D:11:ILE:HD11	1:D:50:ARG:NH1	2.29	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:83:ASN:ND2	1:E:109:ARG:HB2	2.30	0.46
1:C:85:ARG:HG3	1:C:106:PHE:HB2	1.95	0.46
1:A:208:ILE:HD12	1:A:266:TYR:OH	2.16	0.46
1:B:225:VAL:O	1:B:229:VAL:HB	2.16	0.46
1:D:160:TRP:CE3	1:D:190:ILE:HD12	2.50	0.46
1:D:215:ALA:HB1	1:D:224:ASN:HB3	1.97	0.46
1:B:240:ILE:HD12	2:B:401:LMT:H101	1.98	0.46
1:D:211:ILE:O	1:D:227:LEU:HD21	2.13	0.46
1:D:224:ASN:O	1:D:225:VAL:C	2.53	0.46
1:C:176:LEU:HD23	1:C:181:GLU:CD	2.36	0.46
1:A:237:ALA:HA	2:A:401:LMT:H102	1.96	0.46
1:B:142:LEU:O	1:B:171:PRO:HG3	2.16	0.46
1:B:205:MET:CE	1:B:238:PHE:HB3	2.45	0.46
1:A:205:MET:HE3	1:A:238:PHE:HB3	1.99	0.45
1:D:176:LEU:HD23	1:D:181:GLU:CD	2.36	0.45
1:D:225:VAL:O	1:D:229:VAL:HB	2.16	0.45
1:A:142:LEU:O	1:A:171:PRO:HG3	2.17	0.45
1:C:133:ARG:NH1	1:C:177:GLU:HB2	2.32	0.45
1:E:176:LEU:HD23	1:E:181:GLU:CD	2.36	0.44
1:D:216:PHE:HB3	1:D:296:ARG:HG3	1.99	0.44
1:D:209:LEU:CD2	1:D:209:LEU:CB	2.82	0.44
1:E:176:LEU:HB3	1:E:181:GLU:CD	2.37	0.44
1:D:133:ARG:NH1	1:D:177:GLU:HB2	2.33	0.44
1:C:142:LEU:O	1:C:171:PRO:HG3	2.17	0.44
1:D:142:LEU:O	1:D:171:PRO:HG3	2.16	0.44
1:A:160:TRP:CE3	1:A:190:ILE:HD12	2.53	0.44
1:D:213:TRP:C	1:D:215:ALA:N	2.71	0.44
1:D:222:GLU:N	1:D:222:GLU:OE1	2.51	0.44
1:E:142:LEU:O	1:E:171:PRO:HG3	2.18	0.44
1:D:176:LEU:HB3	1:D:181:GLU:CD	2.37	0.44
1:A:24:LEU:HD22	1:A:39:VAL:HG21	2.00	0.43
1:D:239:ASN:OD1	1:D:259:ILE:HG21	2.18	0.43
1:B:160:TRP:CE3	1:B:190:ILE:HD12	2.53	0.43
1:C:176:LEU:HB3	1:C:181:GLU:CD	2.38	0.43
1:C:160:TRP:CE3	1:C:190:ILE:HD12	2.53	0.43
1:D:212:SER:HB2	1:D:266:TYR:CE1	2.53	0.43
1:D:233:ILE:HG22	1:D:234:ALA:N	2.32	0.43
1:B:133:ARG:NH1	1:B:177:GLU:HB2	2.32	0.43
1:E:133:ARG:NH1	1:E:177:GLU:HB2	2.34	0.43
1:E:261:MET:HA	1:E:264:LEU:HD12	2.01	0.43
1:C:267:PHE:O	1:C:271:ILE:HG12	2.17	0.43

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:242:VAL:HG21	1:D:259:ILE:HD11	2.01	0.43
1:D:242:VAL:HG11	1:D:255:THR:HG21	2.01	0.43
1:B:176:LEU:HB3	1:B:181:GLU:CD	2.38	0.43
1:D:230:SER:OG	1:E:229:VAL:HG13	2.18	0.43
1:E:160:TRP:CE3	1:E:190:ILE:HD12	2.53	0.43
1:C:176:LEU:HD23	1:C:181:GLU:OE1	2.19	0.43
1:A:261:MET:HA	1:A:264:LEU:HD12	2.01	0.43
1:B:267:PHE:O	1:B:271:ILE:HG12	2.19	0.43
1:C:261:MET:HA	1:C:264:LEU:HD12	2.01	0.43
1:D:176:LEU:HD23	1:D:181:GLU:OE1	2.19	0.43
1:A:267:PHE:O	1:A:271:ILE:HG12	2.19	0.43
1:D:78:PHE:HE2	1:D:85:ARG:CD	2.27	0.42
1:E:209:LEU:HD13	1:E:262:ILE:HG23	2.01	0.42
1:A:176:LEU:HB3	1:A:181:GLU:CD	2.38	0.42
1:B:39:VAL:O	1:B:107:SER:HA	2.19	0.42
1:A:85:ARG:CZ	1:A:104:GLU:OE2	2.68	0.42
1:E:310:LEU:HD23	1:E:310:LEU:HA	1.91	0.42
1:D:126:LEU:HD12	1:D:188:LEU:HD23	2.01	0.42
1:E:61:VAL:HG12	1:E:62:ARG:H	1.83	0.42
1:D:227:LEU:O	1:D:231:THR:OG1	2.37	0.42
1:D:267:PHE:O	1:D:271:ILE:HG12	2.19	0.42
1:D:133:ARG:HH22	1:D:179:ARG:HD2	1.80	0.42
1:B:24:LEU:HD22	1:B:39:VAL:HG21	2.01	0.41
1:D:39:VAL:O	1:D:107:SER:HA	2.20	0.41
1:C:254:TYR:CZ	1:C:258:ILE:HD11	2.55	0.41
1:B:261:MET:HA	1:B:264:LEU:HD12	2.01	0.41
1:E:24:LEU:HD22	1:E:39:VAL:HG21	2.01	0.41
1:D:205:MET:CE	1:D:238:PHE:HB3	2.50	0.41
1:A:85:ARG:CD	1:A:106:PHE:CD1	3.01	0.41
1:C:120:PRO:HD3	1:C:255:THR:OG1	2.20	0.41
1:D:228:VAL:C	1:D:231:THR:OG1	2.58	0.41
1:B:176:LEU:HD23	1:B:181:GLU:OE1	2.20	0.41
1:D:85:ARG:HG3	1:D:106:PHE:HB2	2.01	0.41
1:D:254:TYR:CZ	1:D:258:ILE:HD11	2.56	0.41
1:A:176:LEU:HD23	1:A:181:GLU:OE1	2.21	0.41
1:A:211:ILE:HG12	1:B:270:VAL:HG11	2.03	0.41
1:B:195:PHE:HZ	1:C:252:MET:HG2	1.85	0.40
1:E:176:LEU:HD23	1:E:181:GLU:OE1	2.21	0.40
1:A:22:ILE:HD12	1:A:186:TYR:CD1	2.55	0.40
1:B:205:MET:HE1	1:B:238:PHE:HB3	2.01	0.40
1:D:269:ALA:HB2	1:D:299:PHE:CE1	2.57	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:61:VAL:HG11	1:E:63:VAL:O	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:145:ASP:OD1	1:E:147:GLU:OE1[4_545]	2.01	0.19

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	309/316 (98%)	297 (96%)	12 (4%)	0	100	100
1	B	309/316 (98%)	298 (96%)	11 (4%)	0	100	100
1	C	309/316 (98%)	296 (96%)	13 (4%)	0	100	100
1	D	310/316 (98%)	289 (93%)	19 (6%)	2 (1%)	25	64
1	E	309/316 (98%)	295 (96%)	14 (4%)	0	100	100
All	All	1546/1580 (98%)	1475 (95%)	69 (4%)	2 (0%)	51	83

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	230	SER
1	D	231	THR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	280/284 (99%)	273 (98%)	7 (2%)	47	77
1	B	280/284 (99%)	274 (98%)	6 (2%)	53	79
1	C	280/284 (99%)	272 (97%)	8 (3%)	42	74
1	D	281/284 (99%)	270 (96%)	11 (4%)	32	67
1	E	280/284 (99%)	271 (97%)	9 (3%)	39	71
All	All	1401/1420 (99%)	1360 (97%)	41 (3%)	42	74

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	THR
1	A	69	GLU
1	A	85	ARG
1	A	136	ASP
1	A	137	THR
1	A	163	GLU
1	A	282	GLU
1	B	17	THR
1	B	69	GLU
1	B	137	THR
1	B	163	GLU
1	B	208	ILE
1	B	304	LEU
1	C	17	THR
1	C	69	GLU
1	C	85	ARG
1	C	137	THR
1	C	163	GLU
1	C	170	LYS
1	C	282	GLU
1	C	304	LEU
1	D	17	THR
1	D	22	ILE
1	D	58	ARG
1	D	69	GLU
1	D	137	THR
1	D	163	GLU
1	D	170	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	214	THR
1	D	229	VAL
1	D	242	VAL
1	D	282	GLU
1	E	17	THR
1	E	69	GLU
1	E	136	ASP
1	E	137	THR
1	E	152	ASN
1	E	163	GLU
1	E	208	ILE
1	E	282	GLU
1	E	304	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	19	ASN
1	B	239	ASN
1	E	83	ASN
1	E	152	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 1 is monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	LMT	D	402	-	11,11,36	0.60	0	10,10,47	0.48	0
3	ACT	E	402	-	3,3,3	0.97	0	3,3,3	1.02	0
3	ACT	A	402	-	3,3,3	0.89	0	3,3,3	1.15	0
2	LMT	E	401	-	11,11,36	0.66	0	10,10,47	0.51	0
2	LMT	C	401	-	11,11,36	0.54	0	10,10,47	0.73	0
2	LMT	B	401	-	11,11,36	0.64	0	10,10,47	0.47	0
2	LMT	A	401	-	11,11,36	0.84	0	10,10,47	0.50	0
3	ACT	B	402	-	3,3,3	1.14	0	3,3,3	0.71	0
2	LMT	D	401	-	11,11,36	0.52	0	10,10,47	0.72	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LMT	D	402	-	-	2/9/9/61	-
2	LMT	E	401	-	-	0/9/9/61	-
2	LMT	C	401	-	-	1/9/9/61	-
2	LMT	B	401	-	-	1/9/9/61	-
2	LMT	A	401	-	-	0/9/9/61	-
2	LMT	D	401	-	-	0/9/9/61	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	401	LMT	C2-C3-C4-C5
2	D	402	LMT	C6-C7-C8-C9
2	B	401	LMT	C6-C7-C8-C9
2	D	402	LMT	C11-C10-C9-C8


There are no ring outliers.

5 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	402	LMT	2	0
2	C	401	LMT	1	0
2	B	401	LMT	1	0
2	A	401	LMT	1	0
2	D	401	LMT	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å²)	Q<0.9
1	A	311/316 (98%)	0.07	12 (3%)	39	25	91, 126, 203, 238	0
1	B	311/316 (98%)	0.22	11 (3%)	44	28	88, 125, 177, 203	0
1	C	311/316 (98%)	0.06	11 (3%)	44	28	87, 122, 193, 229	0
1	D	311/316 (98%)	0.39	28 (9%)	9	5	39, 124, 201, 240	0
1	E	311/316 (98%)	0.23	11 (3%)	44	28	89, 125, 190, 222	0
All	All	1555/1580 (98%)	0.19	73 (4%)	31	19	39, 124, 195, 240	0

All (73) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	58	ARG	7.0
1	E	56	PRO	6.7
1	C	57	VAL	6.3
1	E	57	VAL	5.2
1	E	58	ARG	5.0
1	D	57	VAL	4.5
1	C	56	PRO	4.1
1	C	61	VAL	4.1
1	D	104	GLU	4.0
1	D	92	ILE	3.7
1	D	56	PRO	3.6
1	D	102	TYR	3.6
1	D	89	VAL	3.6
1	D	61	VAL	3.4
1	A	58	ARG	3.4
1	D	52	LEU	3.4
1	A	56	PRO	3.3
1	E	172	ALA	3.2
1	D	191	SER	3.2
1	C	85	ARG	3.1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	66	TYR	3.1
1	B	66	TYR	3.1
1	C	66	TYR	3.1
1	D	100	VAL	3.1
1	D	91	ASP	3.0
1	C	55	ASP	3.0
1	A	57	VAL	3.0
1	A	312	PHE	3.0
1	D	55	ASP	2.8
1	B	293	ARG	2.8
1	E	64	LYS	2.8
1	B	69	GLU	2.8
1	E	55	ASP	2.7
1	B	102	TYR	2.7
1	A	64	LYS	2.7
1	D	66	TYR	2.6
1	C	59	SER	2.5
1	A	191	SER	2.5
1	E	183	LYS	2.5
1	C	60	GLY	2.4
1	B	68	PRO	2.4
1	C	64	LYS	2.4
1	E	250	PRO	2.3
1	D	47	TRP	2.3
1	C	163	GLU	2.3
1	D	21	GLY	2.3
1	D	13	ASP	2.3
1	E	161	ASP	2.2
1	D	149	VAL	2.2
1	E	230	SER	2.2
1	B	163	GLU	2.2
1	A	65	THR	2.2
1	B	114	LEU	2.2
1	D	83	ASN	2.2
1	A	163	GLU	2.1
1	B	13	ASP	2.1
1	D	54	PHE	2.1
1	D	64	LYS	2.1
1	D	42	PHE	2.1
1	E	66	TYR	2.1
1	D	94	VAL	2.1
1	D	103	LEU	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	90	VAL	2.1
1	A	67	GLU	2.1
1	D	85	ARG	2.1
1	B	70	ALA	2.1
1	D	59	SER	2.1
1	B	5	VAL	2.0
1	D	101	GLN	2.0
1	B	6	SER	2.0
1	D	154	ASP	2.0
1	A	92	ILE	2.0
1	A	83	ASN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	NA	C	402	1/1	0.47	2.20	147,147,147,147	0
3	ACT	B	402	4/4	0.74	0.63	130,130,130,134	0
2	LMT	A	401	12/35	0.79	0.40	74,82,88,89	0
2	LMT	D	402	12/35	0.80	0.53	108,112,115,115	0
2	LMT	B	401	12/35	0.83	0.32	86,89,103,105	0
3	ACT	E	402	4/4	0.85	0.26	136,138,138,138	0
2	LMT	E	401	12/35	0.85	0.45	87,97,115,117	0
3	ACT	A	402	4/4	0.89	0.19	139,139,140,147	0
2	LMT	C	401	12/35	0.91	0.30	77,90,104,107	0
2	LMT	D	401	12/35	0.93	0.49	79,82,107,109	0




The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







**Electron density around LMT D 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around LMT B 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.