



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 22, 2024 – 05:02 PM EDT

PDB ID : 4QYK
Title : Crystal structure of a canine parvovirus variant
Authors : Lukk, T.; Organtini, L.J.; Hafenstein, S.U.
Deposited on : 2014-07-24
Resolution : 3.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.20.1
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1094 (3.56-3.44)
Ramachandran outliers	177936	1032 (3.54-3.46)
Sidechain outliers	177891	1033 (3.54-3.46)
RSRZ outliers	164620	1093 (3.56-3.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	584	<div> <div>%</div> <div> <div></div> <div>90%</div> <div>6%</div> </div> </div>
1	B	584	<div> <div>%</div> <div> <div></div> <div>90%</div> <div>6%</div> </div> </div>
1	C	584	<div> <div>%</div> <div> <div></div> <div>89%</div> <div>6%</div> </div> </div>
1	D	584	<div> <div>%</div> <div> <div></div> <div>89%</div> <div>6%</div> </div> </div>
1	E	584	<div> <div>%</div> <div> <div></div> <div>90%</div> <div>6%</div> </div> </div>
1	F	584	<div> <div>%</div> <div> <div></div> <div>89%</div> <div>6%</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	584	
1	H	584	
1	I	584	
1	J	584	
1	K	584	
1	L	584	
1	M	584	
1	N	584	
1	O	584	
1	P	584	
1	Q	584	
1	R	584	
1	S	584	
1	T	584	
1	U	584	
1	V	584	
1	W	584	
1	X	584	
1	Y	584	
1	Z	584	
1	a	584	
1	b	584	
1	c	584	
1	d	584	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 130590 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Capsid protein VP1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	E	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	J	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	N	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	Q	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	B	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	C	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	D	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	F	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	G	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	H	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	I	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	K	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	L	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	M	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	O	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	P	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	R	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	S	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	T	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	U	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	V	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	W	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	X	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	Y	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	Z	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	a	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	b	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	c	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			
1	d	548	Total	C	N	O	S	0	0	0
			4352	2767	740	830	15			

There are 150 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	60	TYR	GLU	conflict	UNP P90456
A	104	GLU	GLN	conflict	UNP P90456
A	426	ASP	ASN	conflict	UNP P90456
A	509	GLN	GLU	conflict	UNP P90456
A	555	VAL	ILE	conflict	UNP P90456
E	60	TYR	GLU	conflict	UNP P90456
E	104	GLU	GLN	conflict	UNP P90456
E	426	ASP	ASN	conflict	UNP P90456
E	509	GLN	GLU	conflict	UNP P90456
E	555	VAL	ILE	conflict	UNP P90456
J	60	TYR	GLU	conflict	UNP P90456

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	104	GLU	GLN	conflict	UNP P90456
J	426	ASP	ASN	conflict	UNP P90456
J	509	GLN	GLU	conflict	UNP P90456
J	555	VAL	ILE	conflict	UNP P90456
N	60	TYR	GLU	conflict	UNP P90456
N	104	GLU	GLN	conflict	UNP P90456
N	426	ASP	ASN	conflict	UNP P90456
N	509	GLN	GLU	conflict	UNP P90456
N	555	VAL	ILE	conflict	UNP P90456
Q	60	TYR	GLU	conflict	UNP P90456
Q	104	GLU	GLN	conflict	UNP P90456
Q	426	ASP	ASN	conflict	UNP P90456
Q	509	GLN	GLU	conflict	UNP P90456
Q	555	VAL	ILE	conflict	UNP P90456
B	60	TYR	GLU	conflict	UNP P90456
B	104	GLU	GLN	conflict	UNP P90456
B	426	ASP	ASN	conflict	UNP P90456
B	509	GLN	GLU	conflict	UNP P90456
B	555	VAL	ILE	conflict	UNP P90456
C	60	TYR	GLU	conflict	UNP P90456
C	104	GLU	GLN	conflict	UNP P90456
C	426	ASP	ASN	conflict	UNP P90456
C	509	GLN	GLU	conflict	UNP P90456
C	555	VAL	ILE	conflict	UNP P90456
D	60	TYR	GLU	conflict	UNP P90456
D	104	GLU	GLN	conflict	UNP P90456
D	426	ASP	ASN	conflict	UNP P90456
D	509	GLN	GLU	conflict	UNP P90456
D	555	VAL	ILE	conflict	UNP P90456
F	60	TYR	GLU	conflict	UNP P90456
F	104	GLU	GLN	conflict	UNP P90456
F	426	ASP	ASN	conflict	UNP P90456
F	509	GLN	GLU	conflict	UNP P90456
F	555	VAL	ILE	conflict	UNP P90456
G	60	TYR	GLU	conflict	UNP P90456
G	104	GLU	GLN	conflict	UNP P90456
G	426	ASP	ASN	conflict	UNP P90456
G	509	GLN	GLU	conflict	UNP P90456
G	555	VAL	ILE	conflict	UNP P90456
H	60	TYR	GLU	conflict	UNP P90456
H	104	GLU	GLN	conflict	UNP P90456
H	426	ASP	ASN	conflict	UNP P90456

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	509	GLN	GLU	conflict	UNP P90456
H	555	VAL	ILE	conflict	UNP P90456
I	60	TYR	GLU	conflict	UNP P90456
I	104	GLU	GLN	conflict	UNP P90456
I	426	ASP	ASN	conflict	UNP P90456
I	509	GLN	GLU	conflict	UNP P90456
I	555	VAL	ILE	conflict	UNP P90456
K	60	TYR	GLU	conflict	UNP P90456
K	104	GLU	GLN	conflict	UNP P90456
K	426	ASP	ASN	conflict	UNP P90456
K	509	GLN	GLU	conflict	UNP P90456
K	555	VAL	ILE	conflict	UNP P90456
L	60	TYR	GLU	conflict	UNP P90456
L	104	GLU	GLN	conflict	UNP P90456
L	426	ASP	ASN	conflict	UNP P90456
L	509	GLN	GLU	conflict	UNP P90456
L	555	VAL	ILE	conflict	UNP P90456
M	60	TYR	GLU	conflict	UNP P90456
M	104	GLU	GLN	conflict	UNP P90456
M	426	ASP	ASN	conflict	UNP P90456
M	509	GLN	GLU	conflict	UNP P90456
M	555	VAL	ILE	conflict	UNP P90456
O	60	TYR	GLU	conflict	UNP P90456
O	104	GLU	GLN	conflict	UNP P90456
O	426	ASP	ASN	conflict	UNP P90456
O	509	GLN	GLU	conflict	UNP P90456
O	555	VAL	ILE	conflict	UNP P90456
P	60	TYR	GLU	conflict	UNP P90456
P	104	GLU	GLN	conflict	UNP P90456
P	426	ASP	ASN	conflict	UNP P90456
P	509	GLN	GLU	conflict	UNP P90456
P	555	VAL	ILE	conflict	UNP P90456
R	60	TYR	GLU	conflict	UNP P90456
R	104	GLU	GLN	conflict	UNP P90456
R	426	ASP	ASN	conflict	UNP P90456
R	509	GLN	GLU	conflict	UNP P90456
R	555	VAL	ILE	conflict	UNP P90456
S	60	TYR	GLU	conflict	UNP P90456
S	104	GLU	GLN	conflict	UNP P90456
S	426	ASP	ASN	conflict	UNP P90456
S	509	GLN	GLU	conflict	UNP P90456
S	555	VAL	ILE	conflict	UNP P90456

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
T	60	TYR	GLU	conflict	UNP P90456
T	104	GLU	GLN	conflict	UNP P90456
T	426	ASP	ASN	conflict	UNP P90456
T	509	GLN	GLU	conflict	UNP P90456
T	555	VAL	ILE	conflict	UNP P90456
U	60	TYR	GLU	conflict	UNP P90456
U	104	GLU	GLN	conflict	UNP P90456
U	426	ASP	ASN	conflict	UNP P90456
U	509	GLN	GLU	conflict	UNP P90456
U	555	VAL	ILE	conflict	UNP P90456
V	60	TYR	GLU	conflict	UNP P90456
V	104	GLU	GLN	conflict	UNP P90456
V	426	ASP	ASN	conflict	UNP P90456
V	509	GLN	GLU	conflict	UNP P90456
V	555	VAL	ILE	conflict	UNP P90456
W	60	TYR	GLU	conflict	UNP P90456
W	104	GLU	GLN	conflict	UNP P90456
W	426	ASP	ASN	conflict	UNP P90456
W	509	GLN	GLU	conflict	UNP P90456
W	555	VAL	ILE	conflict	UNP P90456
X	60	TYR	GLU	conflict	UNP P90456
X	104	GLU	GLN	conflict	UNP P90456
X	426	ASP	ASN	conflict	UNP P90456
X	509	GLN	GLU	conflict	UNP P90456
X	555	VAL	ILE	conflict	UNP P90456
Y	60	TYR	GLU	conflict	UNP P90456
Y	104	GLU	GLN	conflict	UNP P90456
Y	426	ASP	ASN	conflict	UNP P90456
Y	509	GLN	GLU	conflict	UNP P90456
Y	555	VAL	ILE	conflict	UNP P90456
Z	60	TYR	GLU	conflict	UNP P90456
Z	104	GLU	GLN	conflict	UNP P90456
Z	426	ASP	ASN	conflict	UNP P90456
Z	509	GLN	GLU	conflict	UNP P90456
Z	555	VAL	ILE	conflict	UNP P90456
a	60	TYR	GLU	conflict	UNP P90456
a	104	GLU	GLN	conflict	UNP P90456
a	426	ASP	ASN	conflict	UNP P90456
a	509	GLN	GLU	conflict	UNP P90456
a	555	VAL	ILE	conflict	UNP P90456
b	60	TYR	GLU	conflict	UNP P90456
b	104	GLU	GLN	conflict	UNP P90456

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
b	426	ASP	ASN	conflict	UNP P90456
b	509	GLN	GLU	conflict	UNP P90456
b	555	VAL	ILE	conflict	UNP P90456
c	60	TYR	GLU	conflict	UNP P90456
c	104	GLU	GLN	conflict	UNP P90456
c	426	ASP	ASN	conflict	UNP P90456
c	509	GLN	GLU	conflict	UNP P90456
c	555	VAL	ILE	conflict	UNP P90456
d	60	TYR	GLU	conflict	UNP P90456
d	104	GLU	GLN	conflict	UNP P90456
d	426	ASP	ASN	conflict	UNP P90456
d	509	GLN	GLU	conflict	UNP P90456
d	555	VAL	ILE	conflict	UNP P90456


- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Mg 1 1	0	0
2	E	2	Total Mg 2 2	0	0
2	J	2	Total Mg 2 2	0	0
2	N	1	Total Mg 1 1	0	0
2	Q	1	Total Mg 1 1	0	0
2	B	1	Total Mg 1 1	0	0
2	C	1	Total Mg 1 1	0	0
2	D	1	Total Mg 1 1	0	0
2	G	1	Total Mg 1 1	0	0
2	H	2	Total Mg 2 2	0	0
2	I	1	Total Mg 1 1	0	0
2	K	1	Total Mg 1 1	0	0
2	L	1	Total Mg 1 1	0	0



Continued on next page...

Continued from previous page...



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	M	1	Total 1	Mg 1	0	0
2	O	1	Total 1	Mg 1	0	0
2	P	1	Total 1	Mg 1	0	0
2	R	1	Total 1	Mg 1	0	0
2	S	1	Total 1	Mg 1	0	0
2	T	1	Total 1	Mg 1	0	0
2	W	1	Total 1	Mg 1	0	0
2	X	1	Total 1	Mg 1	0	0
2	Y	2	Total 2	Mg 2	0	0
2	Z	1	Total 1	Mg 1	0	0
2	c	1	Total 1	Mg 1	0	0
2	d	2	Total 2	Mg 2	0	0





• Molecule 1: Capsid protein VP1





• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1





- Molecule 1: Capsid protein VP1









- Molecule 1: Capsid protein VP1





- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1





- Molecule 1: Capsid protein VP1





- Molecule 1: Capsid protein VP1










• Molecule 1: Capsid protein VP1






• Molecule 1: Capsid protein VP1





• Molecule 1: Capsid protein VP1





• Molecule 1: Capsid protein VP1





- Molecule 1: Capsid protein VP1





- Molecule 1: Capsid protein VP1





- Molecule 1: Capsid protein VP1



- Molecule 1: Capsid protein VP1






- Molecule 1: Capsid protein VP1










- Molecule 1: Capsid protein VP1



- Molecule 1: Capsid protein VP1



- Molecule 1: Capsid protein VP1



4 Data and refinement statistics

Property	Value	Source
Space group	P 42 21 2	Depositor
Cell constants a, b, c, α , β , γ	453.10Å 453.10Å 319.02Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.99 – 3.50 49.99 – 3.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (49.99-3.50) 96.4 (49.99-3.50)	Depositor EDS
R_{merge}	0.22	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.30 (at 3.48Å)	Xtriage
Refinement program	PHENIX 1.8.4_1496	Depositor
R, R_{free}	0.180 , 0.221 0.183 , 0.222	Depositor DCC
R_{free} test set	20538 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	41.7	Xtriage
Anisotropy	0.304	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 42.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	130590	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.66	0/4483	0.70	2/6134 (0.0%)
1	B	0.63	0/4483	0.73	5/6134 (0.1%)
1	C	0.59	0/4483	0.73	4/6134 (0.1%)
1	D	0.58	0/4483	0.73	5/6134 (0.1%)
1	E	0.62	0/4483	0.73	4/6134 (0.1%)
1	F	0.63	1/4483 (0.0%)	0.84	9/6134 (0.1%)
1	G	0.59	0/4483	0.74	6/6134 (0.1%)
1	H	0.57	0/4483	0.72	3/6134 (0.0%)
1	I	0.64	0/4483	0.71	1/6134 (0.0%)
1	J	0.61	0/4483	0.71	5/6134 (0.1%)
1	K	0.67	0/4483	0.74	2/6134 (0.0%)
1	L	0.61	0/4483	0.73	3/6134 (0.0%)
1	M	0.66	0/4483	0.74	5/6134 (0.1%)
1	N	0.66	0/4483	0.72	6/6134 (0.1%)
1	O	0.58	0/4483	0.71	3/6134 (0.0%)
1	P	0.61	0/4483	0.73	4/6134 (0.1%)
1	Q	0.61	0/4483	0.72	5/6134 (0.1%)
1	R	0.63	0/4483	0.73	3/6134 (0.0%)
1	S	0.63	1/4483 (0.0%)	0.76	9/6134 (0.1%)
1	T	0.65	0/4483	0.72	4/6134 (0.1%)
1	U	0.60	0/4483	0.73	4/6134 (0.1%)
1	V	0.60	0/4483	0.70	1/6134 (0.0%)
1	W	0.55	0/4483	0.72	3/6134 (0.0%)
1	X	0.61	1/4483 (0.0%)	0.76	7/6134 (0.1%)
1	Y	0.56	0/4483	0.73	5/6134 (0.1%)
1	Z	0.60	2/4483 (0.0%)	0.74	4/6134 (0.1%)
1	a	0.55	0/4483	0.75	2/6134 (0.0%)
1	b	0.57	0/4483	0.73	3/6134 (0.0%)
1	c	0.58	0/4483	0.73	4/6134 (0.1%)
1	d	0.60	0/4483	0.76	7/6134 (0.1%)
All	All	0.61	5/134490 (0.0%)	0.73	128/184020 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	2
1	D	0	2
1	E	0	1
1	F	0	1
1	G	0	1
1	H	0	1
1	I	0	1
1	L	0	2
1	M	0	3
1	N	0	1
1	Q	0	1
1	R	0	2
1	S	0	2
1	U	0	1
1	W	0	1
1	X	0	1
1	Y	0	2
1	Z	0	1
1	a	0	1
1	b	0	1
1	c	0	2
1	d	0	3
All	All	0	34

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	Z	222	HIS	CG-CD2	-8.08	1.22	1.35
1	F	426	ASP	CB-CG	-7.62	1.35	1.51
1	S	438	GLY	C-O	-5.81	1.14	1.23
1	X	426	ASP	CB-CG	-5.05	1.41	1.51
1	Z	273	CYS	CB-SG	-5.00	1.73	1.81

All (128) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	426	ASP	CB-CG-OD2	-27.25	93.78	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	a	159	GLN	C-N-CD	-18.61	79.65	120.60
1	X	159	GLN	C-N-CD	-16.06	85.27	120.60
1	F	426	ASP	CB-CG-OD1	15.33	132.10	118.30
1	C	159	GLN	C-N-CD	-13.92	89.97	120.60
1	D	159	GLN	C-N-CD	-13.15	91.68	120.60
1	G	159	GLN	C-N-CD	-12.82	92.40	120.60
1	W	159	GLN	C-N-CD	-12.75	92.56	120.60
1	B	159	GLN	C-N-CD	-12.73	92.59	120.60
1	Q	159	GLN	C-N-CD	-12.71	92.63	120.60
1	K	159	GLN	C-N-CD	-12.62	92.84	120.60
1	Z	159	GLN	C-N-CD	-12.36	93.41	120.60
1	R	159	GLN	C-N-CD	-12.28	93.58	120.60
1	c	159	GLN	C-N-CD	-11.80	94.65	120.60
1	b	159	GLN	C-N-CD	-11.37	95.58	120.60
1	H	159	GLN	C-N-CD	-11.17	96.03	120.60
1	M	159	GLN	C-N-CD	-10.84	96.76	120.60
1	E	160	PRO	C-N-CD	-10.82	96.78	120.60
1	S	426	ASP	CB-CG-OD1	-10.47	108.87	118.30
1	Y	159	GLN	C-N-CD	-10.42	97.67	120.60
1	d	159	GLN	C-N-CD	-9.78	99.08	120.60
1	L	159	GLN	C-N-CD	-9.60	99.47	120.60
1	A	159	GLN	C-N-CD	-8.54	101.81	120.60
1	N	159	GLN	C-N-CD	-8.37	102.19	120.60
1	J	159	GLN	C-N-CD	-8.11	102.75	120.60
1	U	159	GLN	C-N-CD	-8.06	102.86	120.60
1	M	155	GLU	N-CA-C	-8.05	89.27	111.00
1	E	159	GLN	C-N-CD	-7.99	103.03	120.60
1	X	159	GLN	C-N-CA	7.91	155.21	122.00
1	S	159	GLN	C-N-CD	-7.88	103.26	120.60
1	O	159	GLN	C-N-CD	-7.64	103.80	120.60
1	a	159	GLN	C-N-CA	7.59	153.89	122.00
1	F	159	GLN	C-N-CD	-7.56	103.96	120.60
1	T	159	GLN	C-N-CD	-7.45	104.21	120.60
1	d	227	GLY	N-CA-C	-7.14	95.25	113.10
1	T	160	PRO	C-N-CD	-7.10	104.98	120.60
1	S	160	PRO	C-N-CD	-7.10	104.99	120.60
1	b	160	PRO	C-N-CD	-7.00	105.19	120.60
1	d	155	GLU	N-CA-C	-6.99	92.13	111.00
1	B	159	GLN	C-N-CA	6.91	151.03	122.00
1	M	160	PRO	C-N-CD	-6.90	105.42	120.60
1	J	227	GLY	N-CA-C	-6.88	95.89	113.10
1	S	155	GLU	N-CA-C	-6.71	92.87	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	U	160	PRO	N-CA-C	6.67	129.44	112.10
1	P	158	THR	N-CA-C	-6.57	93.26	111.00
1	N	158	THR	N-CA-C	-6.53	93.36	111.00
1	F	160	PRO	N-CA-C	6.47	128.94	112.10
1	L	227	GLY	N-CA-C	-6.46	96.94	113.10
1	d	160	PRO	C-N-CD	-6.43	106.44	120.60
1	S	227	GLY	N-CA-C	-6.42	97.06	113.10
1	d	422	LEU	CA-CB-CG	6.42	130.05	115.30
1	S	426	ASP	CB-CG-OD2	6.38	124.04	118.30
1	Z	160	PRO	C-N-CD	-6.29	106.75	120.60
1	P	159	GLN	C-N-CD	-6.28	106.79	120.60
1	Y	160	PRO	C-N-CD	-6.26	106.83	120.60
1	P	160	PRO	C-N-CD	-6.20	106.95	120.60
1	Z	159	GLN	N-CA-C	6.19	127.70	111.00
1	I	155	GLU	N-CA-C	-6.18	94.32	111.00
1	L	160	PRO	C-N-CD	-6.13	107.12	120.60
1	Q	160	PRO	C-N-CD	-6.11	107.17	120.60
1	X	160	PRO	C-N-CD	-5.96	107.48	120.60
1	A	160	PRO	C-N-CD	-5.86	107.71	120.60
1	E	160	PRO	C-N-CA	5.83	146.51	122.00
1	C	160	PRO	C-N-CD	-5.79	107.85	120.60
1	S	160	PRO	N-CA-C	5.79	127.15	112.10
1	D	160	PRO	C-N-CD	-5.74	107.97	120.60
1	O	160	PRO	C-N-CD	-5.72	108.01	120.60
1	J	160	PRO	C-N-CD	-5.72	108.02	120.60
1	X	227	GLY	N-CA-C	-5.71	98.83	113.10
1	B	159	GLN	CA-CB-CG	5.70	125.95	113.40
1	X	426	ASP	CB-CG-OD1	-5.70	113.17	118.30
1	G	209	ARG	CA-CB-CG	-5.68	100.90	113.40
1	F	426	ASP	OD1-CG-OD2	5.67	134.08	123.30
1	H	160	PRO	C-N-CD	-5.65	108.18	120.60
1	V	227	GLY	N-CA-C	-5.62	99.04	113.10
1	X	160	PRO	N-CA-C	5.60	126.67	112.10
1	T	160	PRO	N-CA-C	5.58	126.61	112.10
1	J	160	PRO	N-CA-C	5.56	126.55	112.10
1	N	160	PRO	N-CA-C	5.53	126.47	112.10
1	N	227	GLY	N-CA-C	-5.46	99.46	113.10
1	G	159	GLN	C-N-CA	5.45	144.91	122.00
1	W	160	PRO	C-N-CD	-5.44	108.63	120.60
1	c	160	PRO	C-N-CD	-5.44	108.63	120.60
1	W	155	GLU	N-CA-C	-5.44	96.31	111.00
1	Z	360	GLY	N-CA-C	-5.42	99.55	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	159	GLN	C-N-CA	5.42	144.76	122.00
1	S	160	PRO	C-N-CA	5.42	144.75	122.00
1	R	155	GLU	CA-CB-CG	5.39	125.25	113.40
1	Y	155	GLU	N-CA-C	-5.37	96.51	111.00
1	U	160	PRO	C-N-CD	-5.37	108.79	120.60
1	F	439	LYS	CG-CD-CE	-5.36	95.81	111.90
1	G	160	PRO	CA-N-CD	-5.35	104.01	111.50
1	R	160	PRO	C-N-CD	-5.34	108.84	120.60
1	D	155	GLU	N-CA-C	-5.34	96.59	111.00
1	Q	155	GLU	N-CA-C	-5.33	96.61	111.00
1	B	160	PRO	N-CA-C	5.33	125.96	112.10
1	b	160	PRO	C-N-CA	5.32	144.34	122.00
1	P	160	PRO	N-CA-C	5.31	125.91	112.10
1	M	553	ILE	C-N-CA	5.30	134.96	121.70
1	D	159	GLN	C-N-CA	5.29	144.23	122.00
1	c	155	GLU	N-CA-C	-5.29	96.72	111.00
1	Q	159	GLN	C-N-CA	5.28	144.19	122.00
1	D	154	SER	C-N-CA	5.28	134.90	121.70
1	O	160	PRO	N-CA-C	5.27	125.81	112.10
1	C	159	GLN	C-N-CA	5.27	144.15	122.00
1	F	439	LYS	CD-CE-NZ	5.25	123.77	111.70
1	Q	154	SER	C-N-CA	5.24	134.80	121.70
1	N	160	PRO	C-N-CD	-5.22	109.11	120.60
1	C	154	SER	C-N-CA	5.19	134.68	121.70
1	Y	154	SER	C-N-CA	5.19	134.66	121.70
1	N	553	ILE	C-N-CA	5.15	134.58	121.70
1	X	154	SER	C-N-CA	5.15	134.58	121.70
1	G	106	VAL	CB-CA-C	-5.09	101.72	111.40
1	K	553	ILE	C-N-CA	5.08	134.41	121.70
1	d	574	GLU	N-CA-C	5.08	124.71	111.00
1	E	553	ILE	C-N-CA	5.08	134.39	121.70
1	M	160	PRO	C-N-CA	5.07	143.29	122.00
1	d	154	SER	C-N-CA	5.07	134.36	121.70
1	T	160	PRO	C-N-CA	5.06	143.25	122.00
1	Y	553	ILE	C-N-CA	5.06	134.35	121.70
1	F	574	GLU	N-CA-C	5.05	124.63	111.00
1	U	159	GLN	C-N-CA	5.05	143.19	122.00
1	S	553	ILE	C-N-CA	5.02	134.26	121.70
1	c	553	ILE	C-N-CA	5.02	134.25	121.70
1	B	574	GLU	N-CA-C	5.02	124.54	111.00
1	G	160	PRO	C-N-CD	-5.01	109.57	120.60
1	H	553	ILE	C-N-CA	5.01	134.23	121.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	J	154	SER	C-N-CA	5.01	134.22	121.70

There are no chirality outliers.

All (34) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	159	GLN	Peptide
1	C	159	GLN	Peptide
1	C	226	SER	Peptide
1	D	159	GLN	Peptide
1	D	226	SER	Peptide
1	E	368	GLU	Peptide
1	F	226	SER	Peptide
1	G	159	GLN	Peptide
1	H	159	GLN	Peptide
1	I	226	SER	Peptide
1	L	159	GLN	Peptide
1	L	226	SER	Peptide
1	M	155	GLU	Peptide
1	M	156	SER	Peptide
1	M	159	GLN	Peptide
1	N	226	SER	Peptide
1	Q	159	GLN	Peptide
1	R	159	GLN	Peptide
1	R	226	SER	Peptide
1	S	159	GLN	Peptide
1	S	226	SER	Peptide
1	U	226	SER	Peptide
1	W	159	GLN	Peptide
1	X	226	SER	Peptide
1	Y	159	GLN	Peptide
1	Y	517	ASN	Peptide
1	Z	159	GLN	Peptide
1	a	159	GLN	Peptide
1	b	159	GLN	Peptide
1	c	155	GLU	Peptide
1	c	159	GLN	Peptide
1	d	155	GLU	Peptide
1	d	159	GLN	Peptide
1	d	360	GLY	Peptide

5.2 Too-close contacts ⓘ

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	546/584 (94%)	500 (92%)	31 (6%)	15 (3%)	4	28
1	B	546/584 (94%)	496 (91%)	32 (6%)	18 (3%)	3	25
1	C	546/584 (94%)	493 (90%)	39 (7%)	14 (3%)	4	28
1	D	546/584 (94%)	497 (91%)	32 (6%)	17 (3%)	3	26
1	E	546/584 (94%)	497 (91%)	33 (6%)	16 (3%)	3	27
1	F	546/584 (94%)	496 (91%)	33 (6%)	17 (3%)	3	26
1	G	546/584 (94%)	497 (91%)	32 (6%)	17 (3%)	3	26
1	H	546/584 (94%)	491 (90%)	38 (7%)	17 (3%)	3	26
1	I	546/584 (94%)	499 (91%)	34 (6%)	13 (2%)	5	30
1	J	546/584 (94%)	498 (91%)	33 (6%)	15 (3%)	4	28
1	K	546/584 (94%)	499 (91%)	31 (6%)	16 (3%)	3	27
1	L	546/584 (94%)	494 (90%)	35 (6%)	17 (3%)	3	26
1	M	546/584 (94%)	491 (90%)	40 (7%)	15 (3%)	4	28
1	N	546/584 (94%)	497 (91%)	34 (6%)	15 (3%)	4	28
1	O	546/584 (94%)	492 (90%)	35 (6%)	19 (4%)	3	24
1	P	546/584 (94%)	497 (91%)	32 (6%)	17 (3%)	3	26
1	Q	546/584 (94%)	496 (91%)	34 (6%)	16 (3%)	3	27
1	R	546/584 (94%)	490 (90%)	39 (7%)	17 (3%)	3	26
1	S	546/584 (94%)	500 (92%)	32 (6%)	14 (3%)	4	28
1	T	546/584 (94%)	501 (92%)	30 (6%)	15 (3%)	4	28
1	U	546/584 (94%)	496 (91%)	32 (6%)	18 (3%)	3	25

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	V	546/584 (94%)	492 (90%)	37 (7%)	17 (3%)	3	26
1	W	546/584 (94%)	491 (90%)	40 (7%)	15 (3%)	4	28
1	X	546/584 (94%)	495 (91%)	34 (6%)	17 (3%)	3	26
1	Y	546/584 (94%)	498 (91%)	30 (6%)	18 (3%)	3	25
1	Z	546/584 (94%)	497 (91%)	31 (6%)	18 (3%)	3	25
1	a	546/584 (94%)	497 (91%)	33 (6%)	16 (3%)	3	27
1	b	546/584 (94%)	489 (90%)	41 (8%)	16 (3%)	3	27
1	c	546/584 (94%)	499 (91%)	31 (6%)	16 (3%)	3	27
1	d	546/584 (94%)	498 (91%)	32 (6%)	16 (3%)	3	27
All	All	16380/17520 (94%)	14873 (91%)	1020 (6%)	487 (3%)	3	26

All (487) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	153	VAL
1	A	155	GLU
1	A	159	GLN
1	A	160	PRO
1	A	349	THR
1	A	370	GLN
1	A	382	ARG
1	A	517	ASN
1	A	582	LYS
1	E	153	VAL
1	E	155	GLU
1	E	160	PRO
1	E	349	THR
1	E	382	ARG
1	E	492	ASN
1	E	517	ASN
1	E	582	LYS
1	J	153	VAL
1	J	155	GLU
1	J	156	SER
1	J	160	PRO
1	J	349	THR
1	J	370	GLN
1	J	382	ARG
1	J	582	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	N	153	VAL
1	N	156	SER
1	N	160	PRO
1	N	349	THR
1	N	382	ARG
1	N	492	ASN
1	N	582	LYS
1	Q	153	VAL
1	Q	155	GLU
1	Q	160	PRO
1	Q	349	THR
1	Q	382	ARG
1	Q	558	GLN
1	Q	582	LYS
1	B	153	VAL
1	B	155	GLU
1	B	160	PRO
1	B	349	THR
1	B	366	THR
1	B	370	GLN
1	B	382	ARG
1	B	492	ASN
1	B	558	GLN
1	B	582	LYS
1	C	153	VAL
1	C	155	GLU
1	C	159	GLN
1	C	160	PRO
1	C	349	THR
1	C	359	ALA
1	C	370	GLN
1	C	382	ARG
1	C	558	GLN
1	C	582	LYS
1	D	153	VAL
1	D	155	GLU
1	D	159	GLN
1	D	160	PRO
1	D	349	THR
1	D	382	ARG
1	D	582	LYS
1	F	153	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	155	GLU
1	F	156	SER
1	F	160	PRO
1	F	349	THR
1	F	359	ALA
1	F	370	GLN
1	F	382	ARG
1	F	492	ASN
1	F	558	GLN
1	F	576	SER
1	F	582	LYS
1	G	153	VAL
1	G	155	GLU
1	G	156	SER
1	G	160	PRO
1	G	349	THR
1	G	359	ALA
1	G	366	THR
1	G	370	GLN
1	G	382	ARG
1	G	492	ASN
1	G	582	LYS
1	H	153	VAL
1	H	155	GLU
1	H	156	SER
1	H	159	GLN
1	H	160	PRO
1	H	349	THR
1	H	370	GLN
1	H	382	ARG
1	H	558	GLN
1	H	582	LYS
1	I	153	VAL
1	I	157	ALA
1	I	159	GLN
1	I	349	THR
1	I	382	ARG
1	I	492	ASN
1	I	582	LYS
1	K	155	GLU
1	K	160	PRO
1	K	349	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	K	370	GLN
1	K	382	ARG
1	K	492	ASN
1	K	582	LYS
1	L	153	VAL
1	L	155	GLU
1	L	160	PRO
1	L	349	THR
1	L	370	GLN
1	L	382	ARG
1	L	582	LYS
1	M	153	VAL
1	M	156	SER
1	M	159	GLN
1	M	160	PRO
1	M	349	THR
1	M	370	GLN
1	M	382	ARG
1	M	558	GLN
1	M	582	LYS
1	O	153	VAL
1	O	155	GLU
1	O	160	PRO
1	O	349	THR
1	O	359	ALA
1	O	382	ARG
1	O	492	ASN
1	O	582	LYS
1	P	153	VAL
1	P	155	GLU
1	P	160	PRO
1	P	349	THR
1	P	370	GLN
1	P	382	ARG
1	P	492	ASN
1	P	582	LYS
1	R	153	VAL
1	R	159	GLN
1	R	160	PRO
1	R	349	THR
1	R	359	ALA
1	R	370	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	R	382	ARG
1	R	517	ASN
1	R	582	LYS
1	S	153	VAL
1	S	156	SER
1	S	160	PRO
1	S	349	THR
1	S	364	ALA
1	S	382	ARG
1	S	558	GLN
1	S	582	LYS
1	T	153	VAL
1	T	155	GLU
1	T	160	PRO
1	T	349	THR
1	T	359	ALA
1	T	382	ARG
1	T	582	LYS
1	U	153	VAL
1	U	155	GLU
1	U	160	PRO
1	U	349	THR
1	U	359	ALA
1	U	370	GLN
1	U	382	ARG
1	U	492	ASN
1	U	518	MET
1	U	558	GLN
1	U	582	LYS
1	V	153	VAL
1	V	155	GLU
1	V	156	SER
1	V	349	THR
1	V	370	GLN
1	V	382	ARG
1	V	582	LYS
1	W	153	VAL
1	W	155	GLU
1	W	156	SER
1	W	160	PRO
1	W	349	THR
1	W	359	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	W	370	GLN
1	W	382	ARG
1	W	582	LYS
1	X	153	VAL
1	X	155	GLU
1	X	160	PRO
1	X	349	THR
1	X	382	ARG
1	X	493	ASN
1	X	582	LYS
1	Y	153	VAL
1	Y	155	GLU
1	Y	160	PRO
1	Y	349	THR
1	Y	359	ALA
1	Y	382	ARG
1	Y	492	ASN
1	Y	517	ASN
1	Y	582	LYS
1	Z	153	VAL
1	Z	155	GLU
1	Z	160	PRO
1	Z	349	THR
1	Z	359	ALA
1	Z	370	GLN
1	Z	382	ARG
1	Z	492	ASN
1	Z	558	GLN
1	Z	582	LYS
1	a	153	VAL
1	a	155	GLU
1	a	160	PRO
1	a	162	THR
1	a	349	THR
1	a	359	ALA
1	a	382	ARG
1	a	517	ASN
1	a	582	LYS
1	b	153	VAL
1	b	155	GLU
1	b	159	GLN
1	b	160	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	b	349	THR
1	b	366	THR
1	b	370	GLN
1	b	382	ARG
1	b	558	GLN
1	b	582	LYS
1	c	153	VAL
1	c	155	GLU
1	c	160	PRO
1	c	349	THR
1	c	382	ARG
1	c	492	ASN
1	c	582	LYS
1	d	153	VAL
1	d	155	GLU
1	d	159	GLN
1	d	160	PRO
1	d	349	THR
1	d	382	ARG
1	d	492	ASN
1	d	517	ASN
1	d	558	GLN
1	d	582	LYS
1	A	359	ALA
1	A	558	GLN
1	A	576	SER
1	E	558	GLN
1	J	558	GLN
1	J	576	SER
1	N	154	SER
1	N	359	ALA
1	N	364	ALA
1	N	558	GLN
1	N	576	SER
1	Q	359	ALA
1	Q	492	ASN
1	B	359	ALA
1	B	576	SER
1	C	576	SER
1	D	156	SER
1	D	359	ALA
1	D	370	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	558	GLN
1	D	576	SER
1	G	558	GLN
1	G	576	SER
1	H	359	ALA
1	I	155	GLU
1	I	364	ALA
1	I	558	GLN
1	K	153	VAL
1	K	154	SER
1	K	359	ALA
1	K	366	THR
1	K	558	GLN
1	K	576	SER
1	L	359	ALA
1	L	366	THR
1	L	493	ASN
1	L	554	ASN
1	L	558	GLN
1	L	576	SER
1	M	155	GLU
1	M	359	ALA
1	M	576	SER
1	O	156	SER
1	O	159	GLN
1	O	558	GLN
1	O	576	SER
1	P	359	ALA
1	P	558	GLN
1	P	576	SER
1	R	155	GLU
1	R	558	GLN
1	R	576	SER
1	S	155	GLU
1	S	359	ALA
1	S	576	SER
1	T	558	GLN
1	T	576	SER
1	U	576	SER
1	V	359	ALA
1	V	558	GLN
1	V	576	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	W	162	THR
1	W	558	GLN
1	X	359	ALA
1	X	364	ALA
1	X	491	GLN
1	X	558	GLN
1	X	576	SER
1	Y	159	GLN
1	Y	370	GLN
1	Y	558	GLN
1	Y	576	SER
1	Z	364	ALA
1	Z	576	SER
1	a	558	GLN
1	a	576	SER
1	b	359	ALA
1	c	159	GLN
1	c	359	ALA
1	c	364	ALA
1	c	558	GLN
1	c	576	SER
1	d	576	SER
1	A	364	ALA
1	E	359	ALA
1	E	370	GLN
1	E	554	ASN
1	E	576	SER
1	J	359	ALA
1	J	554	ASN
1	N	517	ASN
1	Q	162	THR
1	Q	227	GLY
1	Q	370	GLN
1	Q	554	ASN
1	Q	576	SER
1	B	554	ASN
1	D	364	ALA
1	F	162	THR
1	F	364	ALA
1	G	159	GLN
1	G	554	ASN
1	H	554	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	576	SER
1	I	554	ASN
1	I	576	SER
1	O	154	SER
1	O	554	ASN
1	P	364	ALA
1	R	156	SER
1	S	554	ASN
1	T	370	GLN
1	U	162	THR
1	U	364	ALA
1	V	159	GLN
1	V	554	ASN
1	W	576	SER
1	X	159	GLN
1	X	366	THR
1	X	554	ASN
1	Y	554	ASN
1	Z	93	ASN
1	Z	156	SER
1	Z	516	ALA
1	Z	554	ASN
1	a	370	GLN
1	b	554	ASN
1	b	576	SER
1	c	156	SER
1	d	359	ALA
1	d	554	ASN
1	A	93	ASN
1	E	159	GLN
1	J	93	ASN
1	J	159	GLN
1	N	159	GLN
1	N	554	ASN
1	B	93	ASN
1	B	159	GLN
1	C	554	ASN
1	D	554	ASN
1	F	93	ASN
1	F	159	GLN
1	H	364	ALA
1	H	516	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	K	159	GLN
1	K	554	ASN
1	L	364	ALA
1	L	518	MET
1	M	154	SER
1	M	554	ASN
1	O	93	ASN
1	O	364	ALA
1	O	370	GLN
1	O	493	ASN
1	P	93	ASN
1	P	159	GLN
1	P	516	ALA
1	P	554	ASN
1	R	154	SER
1	R	554	ASN
1	T	159	GLN
1	T	554	ASN
1	U	159	GLN
1	V	93	ASN
1	V	157	ALA
1	V	161	PRO
1	V	364	ALA
1	V	366	THR
1	W	492	ASN
1	W	493	ASN
1	W	554	ASN
1	Y	93	ASN
1	a	93	ASN
1	a	364	ALA
1	a	554	ASN
1	b	364	ALA
1	c	554	ASN
1	d	370	GLN
1	A	554	ASN
1	E	93	ASN
1	E	364	ALA
1	J	364	ALA
1	B	154	SER
1	B	162	THR
1	D	93	ASN
1	D	365	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	492	ASN
1	F	554	ASN
1	G	93	ASN
1	G	364	ALA
1	H	93	ASN
1	K	93	ASN
1	L	159	GLN
1	M	162	THR
1	R	162	THR
1	U	93	ASN
1	U	554	ASN
1	X	162	THR
1	Y	364	ALA
1	Y	371	ALA
1	Z	159	GLN
1	b	369	ASN
1	d	93	ASN
1	Q	364	ALA
1	B	364	ALA
1	C	93	ASN
1	C	154	SER
1	H	154	SER
1	I	93	ASN
1	L	93	ASN
1	R	93	ASN
1	S	93	ASN
1	S	159	GLN
1	T	93	ASN
1	T	154	SER
1	T	364	ALA
1	Z	162	THR
1	b	93	ASN
1	c	93	ASN
1	d	364	ALA
1	a	159	GLN
1	Q	159	GLN
1	P	566	ILE
1	X	566	ILE
1	O	566	ILE
1	U	566	ILE
1	Y	566	ILE
1	c	161	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	476/495 (96%)	468 (98%)	8 (2%)	56	75
1	B	476/495 (96%)	472 (99%)	4 (1%)	79	88
1	C	476/495 (96%)	467 (98%)	9 (2%)	52	73
1	D	476/495 (96%)	470 (99%)	6 (1%)	65	81
1	E	476/495 (96%)	471 (99%)	5 (1%)	70	83
1	F	476/495 (96%)	470 (99%)	6 (1%)	65	81
1	G	476/495 (96%)	468 (98%)	8 (2%)	56	75
1	H	476/495 (96%)	468 (98%)	8 (2%)	56	75
1	I	476/495 (96%)	463 (97%)	13 (3%)	40	65
1	J	476/495 (96%)	471 (99%)	5 (1%)	70	83
1	K	476/495 (96%)	467 (98%)	9 (2%)	52	73
1	L	476/495 (96%)	467 (98%)	9 (2%)	52	73
1	M	476/495 (96%)	470 (99%)	6 (1%)	65	81
1	N	476/495 (96%)	470 (99%)	6 (1%)	65	81
1	O	476/495 (96%)	473 (99%)	3 (1%)	84	91
1	P	476/495 (96%)	472 (99%)	4 (1%)	79	88
1	Q	476/495 (96%)	470 (99%)	6 (1%)	65	81
1	R	476/495 (96%)	468 (98%)	8 (2%)	56	75
1	S	476/495 (96%)	465 (98%)	11 (2%)	45	69
1	T	476/495 (96%)	468 (98%)	8 (2%)	56	75
1	U	476/495 (96%)	468 (98%)	8 (2%)	56	75
1	V	476/495 (96%)	471 (99%)	5 (1%)	70	83
1	W	476/495 (96%)	468 (98%)	8 (2%)	56	75
1	X	476/495 (96%)	468 (98%)	8 (2%)	56	75
1	Y	476/495 (96%)	474 (100%)	2 (0%)	89	95
1	Z	476/495 (96%)	471 (99%)	5 (1%)	70	83

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	a	476/495 (96%)	471 (99%)	5 (1%)	70	83
1	b	476/495 (96%)	468 (98%)	8 (2%)	56	75
1	c	476/495 (96%)	463 (97%)	13 (3%)	40	65
1	d	476/495 (96%)	465 (98%)	11 (2%)	45	69
All	All	14280/14850 (96%)	14065 (98%)	215 (2%)	60	77

All (215) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	THR
1	A	55	GLU
1	A	159	GLN
1	A	209	ARG
1	A	368	GLU
1	A	457	LEU
1	A	517	ASN
1	A	549	GLN
1	E	47	ASN
1	E	52	LYS
1	E	368	GLU
1	E	565	ASN
1	E	573	TYR
1	J	44	THR
1	J	209	ARG
1	J	457	LEU
1	J	551	MET
1	J	573	TYR
1	N	96	MET
1	N	162	THR
1	N	368	GLU
1	N	393	GLU
1	N	558	GLN
1	N	574	GLU
1	Q	369	ASN
1	Q	373	ASP
1	Q	384	HIS
1	Q	492	ASN
1	Q	557	ASN
1	Q	573	TYR
1	B	88	ASP
1	B	494	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	554	ASN
1	B	573	TYR
1	C	75	GLU
1	C	225	THR
1	C	367	ASP
1	C	457	LEU
1	C	493	ASN
1	C	513	ASP
1	C	555	VAL
1	C	573	TYR
1	C	574	GLU
1	D	96	MET
1	D	209	ARG
1	D	226	SER
1	D	271	LYS
1	D	361	ARG
1	D	518	MET
1	F	209	ARG
1	F	260	GLU
1	F	491	GLN
1	F	517	ASN
1	F	549	GLN
1	F	573	TYR
1	G	55	GLU
1	G	75	GLU
1	G	209	ARG
1	G	368	GLU
1	G	425	THR
1	G	492	ASN
1	G	573	TYR
1	G	574	GLU
1	H	367	ASP
1	H	387	LYS
1	H	457	LEU
1	H	536	LYS
1	H	549	GLN
1	H	565	ASN
1	H	573	TYR
1	H	574	GLU
1	I	88	ASP
1	I	96	MET
1	I	155	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	156	SER
1	I	163	LYS
1	I	209	ARG
1	I	226	SER
1	I	296	GLN
1	I	369	ASN
1	I	457	LEU
1	I	518	MET
1	I	554	ASN
1	I	574	GLU
1	K	47	ASN
1	K	55	GLU
1	K	155	GLU
1	K	163	LYS
1	K	457	LEU
1	K	549	GLN
1	K	553	ILE
1	K	558	GLN
1	K	574	GLU
1	L	159	GLN
1	L	162	THR
1	L	260	GLU
1	L	302	ASN
1	L	490	CYS
1	L	492	ASN
1	L	519	SER
1	L	573	TYR
1	L	582	LYS
1	M	155	GLU
1	M	302	ASN
1	M	368	GLU
1	M	543	HIS
1	M	553	ILE
1	M	573	TYR
1	O	163	LYS
1	O	457	LEU
1	O	573	TYR
1	P	361	ARG
1	P	519	SER
1	P	536	LYS
1	P	573	TYR
1	R	75	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	R	156	SER
1	R	209	ARG
1	R	457	LEU
1	R	508	ASN
1	R	509	GLN
1	R	519	SER
1	R	573	TYR
1	S	44	THR
1	S	96	MET
1	S	154	SER
1	S	296	GLN
1	S	302	ASN
1	S	427	ASP
1	S	457	LEU
1	S	549	GLN
1	S	554	ASN
1	S	558	GLN
1	S	573	TYR
1	T	88	ASP
1	T	384	HIS
1	T	457	LEU
1	T	492	ASN
1	T	509	GLN
1	T	536	LYS
1	T	565	ASN
1	T	573	TYR
1	U	159	GLN
1	U	370	GLN
1	U	457	LEU
1	U	492	ASN
1	U	543	HIS
1	U	553	ILE
1	U	565	ASN
1	U	573	TYR
1	V	159	GLN
1	V	365	GLN
1	V	493	ASN
1	V	494	CYS
1	V	573	TYR
1	W	159	GLN
1	W	309	GLN
1	W	387	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	W	553	ILE
1	W	556	ASP
1	W	573	TYR
1	W	574	GLU
1	W	582	LYS
1	X	96	MET
1	X	368	GLU
1	X	384	HIS
1	X	457	LEU
1	X	494	CYS
1	X	518	MET
1	X	558	GLN
1	X	582	LYS
1	Y	209	ARG
1	Y	573	TYR
1	Z	55	GLU
1	Z	209	ARG
1	Z	457	LEU
1	Z	509	GLN
1	Z	549	GLN
1	a	50	GLU
1	a	156	SER
1	a	163	LYS
1	a	226	SER
1	a	573	TYR
1	b	75	GLU
1	b	87	LEU
1	b	159	GLN
1	b	384	HIS
1	b	444	TYR
1	b	457	LEU
1	b	573	TYR
1	b	574	GLU
1	c	96	MET
1	c	155	GLU
1	c	209	ARG
1	c	280	GLN
1	c	309	GLN
1	c	361	ARG
1	c	368	GLU
1	c	384	HIS
1	c	416	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	c	457	LEU
1	c	518	MET
1	c	558	GLN
1	c	565	ASN
1	d	44	THR
1	d	88	ASP
1	d	260	GLU
1	d	271	LYS
1	d	457	LEU
1	d	517	ASN
1	d	518	MET
1	d	556	ASP
1	d	565	ASN
1	d	573	TYR
1	d	582	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (102) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	137	HIS
1	A	248	ASN
1	A	384	HIS
1	A	557	ASN
1	A	558	GLN
1	E	280	GLN
1	E	369	ASN
1	E	384	HIS
1	E	517	ASN
1	E	557	ASN
1	J	137	HIS
1	J	549	GLN
1	J	554	ASN
1	N	302	ASN
1	N	446	ASN
1	N	491	GLN
1	Q	280	GLN
1	Q	492	ASN
1	Q	558	GLN
1	B	56	ASN
1	B	137	HIS
1	B	384	HIS
1	C	386	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	549	GLN
1	C	558	GLN
1	D	280	GLN
1	D	384	HIS
1	D	557	ASN
1	D	558	GLN
1	F	137	HIS
1	F	248	ASN
1	F	384	HIS
1	F	554	ASN
1	G	302	ASN
1	G	384	HIS
1	G	446	ASN
1	G	492	ASN
1	G	554	ASN
1	G	558	GLN
1	H	446	ASN
1	H	549	GLN
1	H	554	ASN
1	H	558	GLN
1	I	558	GLN
1	K	492	ASN
1	L	159	GLN
1	L	384	HIS
1	L	558	GLN
1	M	384	HIS
1	O	302	ASN
1	O	549	GLN
1	O	557	ASN
1	P	159	GLN
1	P	384	HIS
1	P	419	ASN
1	P	446	ASN
1	P	554	ASN
1	P	558	GLN
1	R	70	HIS
1	R	137	HIS
1	R	280	GLN
1	R	302	ASN
1	R	554	ASN
1	S	137	HIS
1	T	280	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	T	302	ASN
1	T	446	ASN
1	T	549	GLN
1	U	248	ASN
1	U	369	ASN
1	U	384	HIS
1	U	446	ASN
1	U	558	GLN
1	V	280	GLN
1	V	370	GLN
1	V	384	HIS
1	V	416	GLN
1	V	558	GLN
1	W	280	GLN
1	W	554	ASN
1	W	558	GLN
1	W	565	ASN
1	X	137	HIS
1	X	459	ASN
1	X	557	ASN
1	Y	137	HIS
1	Y	384	HIS
1	Y	557	ASN
1	Z	46	ASN
1	Z	419	ASN
1	Z	446	ASN
1	Z	558	GLN
1	a	302	ASN
1	a	384	HIS
1	a	554	ASN
1	b	137	HIS
1	b	248	ASN
1	b	280	GLN
1	c	492	ASN
1	c	554	ASN
1	d	384	HIS
1	d	491	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 30 ligands modelled in this entry, 30 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	548/584 (93%)	-0.41	4 (0%) 84 69	3, 17, 60, 119	0
1	B	548/584 (93%)	-0.39	6 (1%) 77 59	4, 19, 64, 124	0
1	C	548/584 (93%)	-0.28	8 (1%) 71 53	3, 20, 64, 121	0
1	D	548/584 (93%)	-0.31	6 (1%) 77 59	5, 20, 63, 131	0
1	E	548/584 (93%)	-0.35	6 (1%) 77 59	4, 18, 62, 120	0
1	F	548/584 (93%)	-0.36	5 (0%) 81 64	3, 18, 61, 118	0
1	G	548/584 (93%)	-0.31	5 (0%) 81 64	4, 20, 62, 126	0
1	H	548/584 (93%)	-0.33	7 (1%) 74 56	4, 19, 62, 118	0
1	I	548/584 (93%)	-0.32	12 (2%) 62 43	5, 19, 62, 127	0
1	J	548/584 (93%)	-0.39	5 (0%) 81 64	3, 19, 61, 122	0
1	K	548/584 (93%)	-0.36	13 (2%) 59 41	3, 17, 61, 122	0
1	L	548/584 (93%)	-0.28	7 (1%) 74 56	4, 19, 60, 125	0
1	M	548/584 (93%)	-0.39	4 (0%) 84 69	3, 18, 62, 121	0
1	N	548/584 (93%)	-0.36	9 (1%) 70 51	5, 19, 62, 126	0
1	O	548/584 (93%)	-0.30	4 (0%) 84 69	3, 20, 64, 123	0
1	P	548/584 (93%)	-0.35	7 (1%) 74 56	3, 18, 61, 119	0
1	Q	548/584 (93%)	-0.38	6 (1%) 77 59	4, 19, 61, 130	0
1	R	548/584 (93%)	-0.36	7 (1%) 74 56	4, 18, 62, 121	0
1	S	548/584 (93%)	-0.31	8 (1%) 71 53	5, 19, 61, 131	0
1	T	548/584 (93%)	-0.35	7 (1%) 74 56	4, 18, 64, 120	0
1	U	548/584 (93%)	-0.34	9 (1%) 70 51	3, 18, 65, 118	0
1	V	548/584 (93%)	-0.29	9 (1%) 70 51	4, 19, 62, 126	0
1	W	548/584 (93%)	-0.29	5 (0%) 81 64	4, 21, 66, 121	0
1	X	548/584 (93%)	-0.33	5 (0%) 81 64	4, 19, 60, 131	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	Y	548/584 (93%)	-0.29	7 (1%) 74 56	4, 19, 64, 123	0
1	Z	548/584 (93%)	-0.23	7 (1%) 74 56	3, 20, 64, 116	0
1	a	548/584 (93%)	-0.20	9 (1%) 70 51	4, 21, 67, 123	0
1	b	548/584 (93%)	-0.33	5 (0%) 81 64	3, 20, 66, 124	0
1	c	548/584 (93%)	-0.22	3 (0%) 87 75	4, 22, 61, 130	0
1	d	548/584 (93%)	-0.27	7 (1%) 74 56	4, 19, 64, 125	0
All	All	16440/17520 (93%)	-0.32	202 (1%) 76 57	3, 19, 64, 131	0

All (202) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	a	156	SER	5.2
1	M	156	SER	4.8
1	G	368	GLU	4.6
1	K	156	SER	4.6
1	N	158	THR	4.5
1	c	156	SER	4.4
1	T	156	SER	4.2
1	Q	516	ALA	4.2
1	M	155	GLU	4.1
1	N	156	SER	4.1
1	C	156	SER	4.1
1	T	517	ASN	4.0
1	X	156	SER	3.9
1	Q	156	SER	3.9
1	R	516	ALA	3.8
1	W	156	SER	3.7
1	d	516	ALA	3.7
1	D	156	SER	3.7
1	O	156	SER	3.7
1	Q	515	SER	3.7
1	N	516	ALA	3.6
1	S	300	GLY	3.6
1	d	156	SER	3.5
1	H	518	MET	3.5
1	F	156	SER	3.5
1	V	159	GLN	3.5
1	I	154	SER	3.5
1	c	516	ALA	3.4
1	V	156	SER	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	V	160	PRO	3.3
1	U	516	ALA	3.3
1	G	156	SER	3.3
1	I	224	GLY	3.3
1	A	156	SER	3.2
1	K	157	ALA	3.2
1	U	157	ALA	3.2
1	T	516	ALA	3.1
1	d	158	THR	3.1
1	C	365	GLN	3.1
1	V	516	ALA	3.1
1	K	300	GLY	3.1
1	J	365	GLN	3.0
1	K	155	GLU	3.0
1	b	156	SER	3.0
1	X	224	GLY	3.0
1	P	156	SER	3.0
1	H	156	SER	3.0
1	H	300	GLY	3.0
1	I	225	THR	3.0
1	K	158	THR	3.0
1	I	155	GLU	2.9
1	D	157	ALA	2.9
1	K	518	MET	2.9
1	b	518	MET	2.8
1	I	516	ALA	2.8
1	Q	517	ASN	2.8
1	I	517	ASN	2.8
1	U	160	PRO	2.8
1	Z	518	MET	2.8
1	J	156	SER	2.8
1	M	154	SER	2.8
1	U	156	SER	2.8
1	S	224	GLY	2.8
1	Y	156	SER	2.8
1	A	517	ASN	2.8
1	E	517	ASN	2.8
1	B	159	GLN	2.7
1	P	158	THR	2.7
1	L	160	PRO	2.7
1	a	516	ALA	2.7
1	L	159	GLN	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	157	ALA	2.7
1	O	517	ASN	2.7
1	E	364	ALA	2.7
1	N	300	GLY	2.7
1	I	157	ALA	2.7
1	A	155	GLU	2.7
1	E	516	ALA	2.6
1	a	157	ALA	2.6
1	a	160	PRO	2.6
1	G	155	GLU	2.6
1	C	157	ALA	2.6
1	X	157	ALA	2.6
1	T	160	PRO	2.6
1	S	156	SER	2.6
1	O	516	ALA	2.6
1	L	155	GLU	2.6
1	R	156	SER	2.6
1	T	159	GLN	2.6
1	c	158	THR	2.6
1	B	156	SER	2.6
1	T	364	ALA	2.6
1	V	518	MET	2.6
1	Z	516	ALA	2.5
1	Z	158	THR	2.5
1	V	157	ALA	2.5
1	I	158	THR	2.5
1	U	161	PRO	2.5
1	B	155	GLU	2.5
1	d	518	MET	2.5
1	L	515	SER	2.5
1	b	160	PRO	2.5
1	C	302	ASN	2.5
1	Y	160	PRO	2.4
1	F	224	GLY	2.4
1	C	154	SER	2.4
1	E	156	SER	2.4
1	J	517	ASN	2.4
1	Q	159	GLN	2.4
1	H	160	PRO	2.4
1	R	515	SER	2.4
1	S	159	GLN	2.4
1	M	517	ASN	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	N	518	MET	2.4
1	R	158	THR	2.3
1	K	160	PRO	2.3
1	P	161	PRO	2.3
1	I	159	GLN	2.3
1	Y	159	GLN	2.3
1	L	156	SER	2.3
1	R	518	MET	2.3
1	d	226	SER	2.3
1	C	517	ASN	2.3
1	d	160	PRO	2.3
1	A	160	PRO	2.3
1	J	516	ALA	2.3
1	N	155	GLU	2.3
1	R	365	GLN	2.3
1	b	159	GLN	2.3
1	O	300	GLY	2.3
1	G	161	PRO	2.3
1	W	155	GLU	2.3
1	P	159	GLN	2.3
1	S	158	THR	2.3
1	a	228	THR	2.3
1	F	160	PRO	2.3
1	T	365	GLN	2.3
1	W	300	GLY	2.3
1	N	88	ASP	2.3
1	H	162	THR	2.3
1	b	516	ALA	2.3
1	Q	160	PRO	2.2
1	E	365	GLN	2.2
1	d	300	GLY	2.2
1	L	157	ALA	2.2
1	L	158	THR	2.2
1	Z	156	SER	2.2
1	a	163	LYS	2.2
1	a	161	PRO	2.2
1	D	153	VAL	2.2
1	K	568	GLY	2.2
1	C	225	THR	2.2
1	U	513	ASP	2.2
1	F	360	GLY	2.2
1	W	516	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	S	225	THR	2.2
1	N	517	ASN	2.2
1	K	515	SER	2.2
1	Z	154	SER	2.2
1	S	155	GLU	2.2
1	a	518	MET	2.2
1	P	160	PRO	2.2
1	U	158	THR	2.2
1	E	515	SER	2.2
1	I	300	GLY	2.1
1	U	227	GLY	2.1
1	S	157	ALA	2.1
1	G	209	ARG	2.1
1	I	494	CYS	2.1
1	D	516	ALA	2.1
1	V	228	THR	2.1
1	Y	75	GLU	2.1
1	Z	554	ASN	2.1
1	W	392	GLY	2.1
1	B	157	ALA	2.1
1	X	159	GLN	2.1
1	a	158	THR	2.1
1	H	155	GLU	2.1
1	N	360	GLY	2.1
1	P	516	ALA	2.1
1	K	159	GLN	2.1
1	Y	517	ASN	2.1
1	B	543	HIS	2.1
1	P	517	ASN	2.1
1	V	154	SER	2.1
1	B	160	PRO	2.0
1	I	160	PRO	2.0
1	K	163	LYS	2.0
1	V	568	GLY	2.0
1	H	154	SER	2.0
1	U	554	ASN	2.0
1	D	159	GLN	2.0
1	K	365	GLN	2.0
1	R	159	GLN	2.0
1	Z	160	PRO	2.0
1	J	300	GLY	2.0
1	C	516	ALA	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	227	GLY	2.0
1	X	155	GLU	2.0
1	Y	516	ALA	2.0
1	Y	269	ASP	2.0
1	K	161	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MG	Y	602	1/1	0.78	0.36	52,52,52,52	0
2	MG	K	800	1/1	0.82	0.37	39,39,39,39	0
2	MG	D	800	1/1	0.86	0.16	43,43,43,43	0
2	MG	M	800	1/1	0.87	0.29	41,41,41,41	0
2	MG	d	602	1/1	0.87	0.31	56,56,56,56	0
2	MG	T	800	1/1	0.88	0.29	43,43,43,43	0
2	MG	N	800	1/1	0.89	0.26	39,39,39,39	0
2	MG	G	800	1/1	0.90	0.24	44,44,44,44	0
2	MG	Q	800	1/1	0.90	0.25	41,41,41,41	0
2	MG	H	602	1/1	0.91	0.22	54,54,54,54	0
2	MG	O	800	1/1	0.91	0.18	41,41,41,41	0
2	MG	R	800	1/1	0.91	0.21	37,37,37,37	0
2	MG	W	800	1/1	0.92	0.18	47,47,47,47	0
2	MG	L	800	1/1	0.93	0.19	41,41,41,41	0
2	MG	C	800	1/1	0.94	0.21	41,41,41,41	0
2	MG	Y	601	1/1	0.94	0.17	47,47,47,47	0
2	MG	H	601	1/1	0.94	0.16	36,36,36,36	0
2	MG	c	800	1/1	0.94	0.17	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	MG	E	601	1/1	0.94	0.17	40,40,40,40	0
2	MG	I	800	1/1	0.95	0.21	43,43,43,43	0
2	MG	J	602	1/1	0.95	0.23	38,38,38,38	0
2	MG	d	601	1/1	0.95	0.14	37,37,37,37	0
2	MG	E	602	1/1	0.95	0.15	38,38,38,38	0
2	MG	X	800	1/1	0.96	0.15	43,43,43,43	0
2	MG	P	800	1/1	0.96	0.19	39,39,39,39	0
2	MG	A	800	1/1	0.96	0.14	32,32,32,32	0
2	MG	S	800	1/1	0.96	0.17	39,39,39,39	0
2	MG	B	800	1/1	0.96	0.17	41,41,41,41	0
2	MG	J	601	1/1	0.96	0.16	40,40,40,40	0
2	MG	Z	800	1/1	0.99	0.14	47,47,47,47	0

6.5 Other polymers [i](#)

There are no such residues in this entry.