



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 12, 2024 – 09:46 PM EDT

PDB ID : 3R6N
Title : Crystal structure of a rigid four spectrin repeat fragment of the human desmo-
plakin plakin domain
Authors : Choi, H.-J.; Weis, W.I.
Deposited on : 2011-03-22
Resolution : 2.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	2.36.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3104 (3.00-2.92)
Clashscore	141614	3462 (3.00-2.92)
Ramachandran outliers	138981	3340 (3.00-2.92)
Sidechain outliers	138945	3343 (3.00-2.92)
RSRZ outliers	127900	2986 (3.00-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	450	 74% 24% .
1	B	450	 73% 26% ..

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 7486 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Desmoplakin.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	450	Total	C	N	O	S	0	0	0
			3738	2363	644	708	23			
1	B	447	Total	C	N	O	S	0	0	0
			3716	2349	641	703	23			

- Molecule 2 is (4S,5S)-1,2-DITHIANE-4,5-DIOL (three-letter code: D1D) (formula: $C_4H_8O_2S_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	S	0	0
			8	4	2	2		
2	B	1	Total	C	O	S	0	0
			8	4	2	2		

- Molecule 3 is 2,3-DIHYDROXY-1,4-DITHIOBUTANE (three-letter code: DTT) (formula: $C_4H_{10}O_2S_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	S	0	0
			8	4	2	2		
3	B	1	Total	C	O	S	0	0
			8	4	2	2		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Desmoplakin



• Molecule 1: Desmoplakin



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	157.52Å 82.52Å 139.98Å 90.00° 125.54° 90.00°	Depositor
Resolution (Å)	45.65 – 2.95 45.65 – 2.95	Depositor EDS
% Data completeness (in resolution range)	99.3 (45.65-2.95) 99.4 (45.65-2.95)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.23 (at 2.96Å)	Xtriage
Refinement program	PHENIX 1.7 _650	Depositor
R, R_{free}	0.216 , 0.265 0.213 , 0.264	Depositor DCC
R_{free} test set	3093 reflections (10.04%)	wwPDB-VP
Wilson B-factor (Å ²)	86.6	Xtriage
Anisotropy	0.125	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 50.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.012 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7486	wwPDB-VP
Average B, all atoms (Å ²)	105.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: D1D, DTT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.24	0/3812	0.38	0/5136
1	B	0.22	0/3789	0.37	0/5105
All	All	0.23	0/7601	0.37	0/10241

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3738	0	3710	72	0
1	B	3716	0	3687	87	0
2	A	8	0	8	2	0
2	B	8	0	8	0	0
3	A	8	0	10	0	0
3	B	8	0	10	1	0
All	All	7486	0	7433	159	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:312:PHE:CD1	1:B:368:ILE:HD11	2.13	0.84
1:A:553:CYS:O	1:A:557:ILE:HG12	1.84	0.76
1:B:315:ARG:HH11	1:B:315:ARG:HG3	1.50	0.76
1:A:621:THR:O	1:A:625:GLN:HG2	1.92	0.70
1:B:450:PRO:HB2	1:B:512:ILE:HD13	1.74	0.69
1:A:453:PRO:HB3	1:A:488:ASN:HA	1.72	0.69
1:A:483:ILE:HB	1:A:496:THR:HG23	1.73	0.69
1:B:425:ARG:HD3	1:B:537:TRP:CH2	2.28	0.69
1:A:482:CYS:HB3	1:A:495:VAL:HG13	1.75	0.68
1:A:461:ILE:HD12	1:A:484:LEU:HD23	1.76	0.67
1:B:389:GLU:HG2	1:B:393:LYS:HE3	1.76	0.66
1:B:406:ASP:HB3	1:B:409:MET:HB3	1.77	0.65
1:B:312:PHE:CE1	1:B:368:ILE:HD11	2.32	0.65
1:B:224:ILE:O	1:B:228:ILE:HG23	1.96	0.64
1:A:358:TRP:O	1:A:361:ILE:HG22	1.97	0.63
1:A:327:ASN:O	1:A:331:GLN:HG2	1.99	0.62
1:A:361:ILE:O	1:A:365:THR:HG23	2.00	0.61
1:A:418:ILE:O	1:A:422:GLU:HG3	1.99	0.61
1:B:282:GLU:HG3	1:B:326:LEU:CD2	2.32	0.60
1:A:607:LYS:O	1:A:611:GLN:HG3	2.02	0.59
1:B:543:ASN:O	1:B:546:SER:HB3	2.02	0.59
1:A:198:GLN:O	1:A:202:MET:HG2	2.03	0.58
1:B:328:LYS:HA	1:B:331:GLN:HG3	1.84	0.58
1:B:364:ILE:O	1:B:368:ILE:HG23	2.03	0.58
1:A:626:LEU:HB2	1:A:627:PRO:HD3	1.86	0.57
1:B:315:ARG:HG3	1:B:315:ARG:NH1	2.20	0.56
1:A:282:GLU:HG3	1:A:326:LEU:HD21	1.86	0.56
1:B:461:ILE:HD12	1:B:484:LEU:HD23	1.88	0.56
1:A:476:VAL:HG13	1:A:503:MET:SD	2.46	0.55
1:A:609:GLN:HE21	1:A:609:GLN:HA	1.71	0.55
1:A:395:LEU:HB3	1:A:533:ILE:HD11	1.89	0.54
1:A:482:CYS:HB3	1:A:495:VAL:CG1	2.37	0.54
1:A:294:LEU:HD12	1:A:508:VAL:HG21	1.88	0.54
1:B:484:LEU:HD21	1:B:487:ASN:HD21	1.73	0.54
1:B:406:ASP:O	1:B:409:MET:HG2	2.08	0.54
1:A:282:GLU:OE1	1:A:282:GLU:HA	2.07	0.53
1:A:496:THR:OG1	1:A:497:GLY:N	2.40	0.53
1:B:522:LEU:O	1:B:526:ILE:HG13	2.08	0.53
1:A:428:ILE:HA	1:A:431:TYR:CD2	2.44	0.53
1:B:576:TYR:O	1:B:579:THR:HG22	2.09	0.53
1:B:618:HIS:O	1:B:622:LEU:HD13	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:285:TRP:CZ3	1:B:322:LYS:HG3	2.43	0.52
1:B:403:TYR:N	1:B:404:PRO:HD3	2.23	0.52
1:A:525:LYS:HG2	1:A:529:TYR:HE1	1.74	0.52
1:B:399:ILE:HD11	1:B:537:TRP:HD1	1.75	0.52
1:A:489:GLU:HB3	1:A:492:LYS:O	2.10	0.51
1:A:550:TRP:O	1:A:554:MET:HG2	2.10	0.51
1:B:492:LYS:HB3	1:B:504:LEU:HD22	1.93	0.51
1:B:260:LYS:O	1:B:264:GLU:HG3	2.11	0.51
1:B:405:CYS:HB3	1:B:599:MET:HE3	1.93	0.51
1:A:414:LEU:HD21	1:A:547:LEU:HD23	1.93	0.51
1:B:556:ASP:O	1:B:560:ILE:HG12	2.11	0.51
1:A:194:TRP:O	1:A:198:GLN:HG2	2.11	0.50
1:B:399:ILE:HD11	1:B:537:TRP:CD1	2.46	0.50
1:B:405:CYS:HB3	1:B:599:MET:CE	2.42	0.50
1:A:218:ILE:CD1	1:A:269:LEU:HB3	2.42	0.49
1:A:224:ILE:O	1:A:228:ILE:HG23	2.12	0.49
1:A:610:SER:HA	1:A:613:THR:HG22	1.93	0.49
1:B:425:ARG:HB2	1:B:537:TRP:CZ2	2.47	0.49
1:A:559:LYS:O	1:A:563:MET:HG3	2.13	0.49
1:B:389:GLU:O	1:B:393:LYS:HG3	2.13	0.48
1:B:282:GLU:HA	1:B:282:GLU:OE1	2.12	0.48
1:B:182:GLU:HA	1:B:185:LYS:HB2	1.94	0.48
1:B:484:LEU:HD21	1:B:487:ASN:OD1	2.14	0.48
1:A:330:LYS:HD2	2:A:1:D1D:H1C2	1.95	0.48
1:A:367:CYS:HB2	1:A:466:LEU:CD1	2.43	0.48
1:B:463:LEU:HD11	1:B:484:LEU:HD13	1.96	0.48
1:A:446:VAL:HG22	1:A:512:ILE:O	2.14	0.48
1:A:619:TYR:O	1:A:623:VAL:HG23	2.14	0.48
1:B:597:SER:HB3	1:B:605:LYS:HZ3	1.79	0.47
1:A:326:LEU:HD22	1:A:354:LEU:HD21	1.95	0.47
1:B:310:GLU:O	1:B:314:ILE:HG12	2.14	0.47
1:A:201:GLU:O	1:A:204:MET:HG2	2.14	0.47
1:A:367:CYS:HB2	1:A:466:LEU:HD13	1.96	0.47
1:B:298:TRP:CE3	1:B:371:HIS:HB3	2.49	0.47
1:B:597:SER:HB3	1:B:605:LYS:NZ	2.30	0.47
1:A:301:LYS:HE3	1:A:452:ASN:ND2	2.29	0.47
1:B:473:GLN:O	1:B:473:GLN:HG2	2.15	0.47
1:A:450:PRO:HB2	1:A:512:ILE:HD13	1.96	0.46
1:B:536:LEU:HD23	1:B:536:LEU:O	2.15	0.46
1:B:524:CYS:O	1:B:527:GLU:HB2	2.14	0.46
1:A:304:ASN:C	1:A:306:ALA:H	2.18	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:239:LYS:HZ3	1:B:252:GLU:CD	2.19	0.46
1:B:288:ASP:HB3	3:B:4:DTT:H12	1.96	0.46
1:B:409:MET:HB2	1:B:410:PRO:HD2	1.97	0.46
1:B:450:PRO:HB2	1:B:512:ILE:CD1	2.44	0.46
1:A:350:TYR:O	1:A:353:THR:HB	2.15	0.46
1:B:393:LYS:HA	1:B:529:TYR:OH	2.15	0.46
1:B:472:ASP:O	1:B:473:GLN:HB3	2.15	0.46
1:A:178:SER:HA	1:A:185:LYS:HE2	1.97	0.46
1:A:282:GLU:CG	1:A:326:LEU:HD21	2.46	0.46
1:B:282:GLU:OE1	1:B:322:LYS:HE3	2.16	0.46
1:A:330:LYS:HD2	2:A:1:D1D:C1	2.45	0.46
1:B:316:MET:O	1:B:320:GLU:HG3	2.16	0.46
1:A:343:ALA:O	1:A:347:ILE:HG23	2.16	0.45
1:B:564:THR:O	1:B:568:LEU:HB2	2.17	0.45
1:A:293:GLU:HB3	1:A:368:ILE:HD11	1.99	0.45
1:A:450:PRO:HB2	1:A:512:ILE:CD1	2.46	0.45
1:B:276:ILE:HA	1:B:279:THR:HG22	1.99	0.45
1:B:550:TRP:CD1	1:B:608:ILE:HD12	2.52	0.45
1:A:184:THR:HG23	1:A:242:LEU:HD22	1.99	0.45
1:A:209:VAL:HA	1:A:276:ILE:HD13	1.99	0.45
1:B:201:GLU:O	1:B:205:VAL:HG23	2.16	0.45
1:B:228:ILE:HD11	1:B:259:LEU:HA	1.99	0.44
1:A:272:LEU:O	1:A:275:ILE:HG22	2.17	0.44
1:A:180:TRP:CG	1:A:244:GLU:HG2	2.53	0.44
1:A:620:GLN:O	1:A:624:ILE:HG12	2.17	0.44
1:B:243:ARG:HA	1:B:243:ARG:HD3	1.79	0.44
1:B:602:ASP:O	1:B:606:ARG:HG3	2.17	0.44
1:B:308:LYS:O	1:B:308:LYS:HD3	2.18	0.44
1:A:267:ASP:O	1:A:271:GLN:HG3	2.18	0.43
1:B:207:TRP:CZ3	1:B:269:LEU:HD23	2.53	0.43
1:B:567:LYS:O	1:B:567:LYS:HG2	2.18	0.43
1:B:385:ALA:HA	1:B:438:LEU:HD21	2.00	0.43
1:A:180:TRP:O	1:A:185:LYS:HE3	2.18	0.43
1:B:514:PRO:CB	1:B:515:PRO:HA	2.48	0.43
1:B:484:LEU:HD21	1:B:487:ASN:ND2	2.31	0.43
1:A:534:LEU:HD12	1:A:534:LEU:HA	1.87	0.43
1:B:199:ARG:HA	1:B:202:MET:HE2	2.01	0.43
1:B:491:SER:O	1:B:506:PRO:HA	2.18	0.43
1:B:449:LYS:HB2	1:B:450:PRO:HD3	2.01	0.42
1:A:450:PRO:HB3	1:A:461:ILE:HD13	2.01	0.42
1:A:505:VAL:HA	1:A:506:PRO:HD3	1.93	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:476:VAL:HG13	1:B:476:VAL:O	2.19	0.42
1:B:566:ALA:C	1:B:568:LEU:H	2.22	0.42
1:B:435:VAL:O	1:B:439:VAL:HG23	2.19	0.42
1:B:541:TYR:CE2	1:B:545:LYS:HD3	2.55	0.42
1:A:406:ASP:H	1:A:409:MET:HE2	1.84	0.42
1:B:354:LEU:HD23	1:B:354:LEU:O	2.19	0.42
1:A:232:ARG:HB2	1:A:255:TYR:OH	2.19	0.42
1:A:347:ILE:O	1:A:351:MET:HG2	2.18	0.42
1:A:580:ILE:HG21	1:A:619:TYR:CD2	2.55	0.42
1:A:449:LYS:N	1:A:450:PRO:CD	2.83	0.42
1:A:179:GLY:N	1:A:185:LYS:HE2	2.34	0.41
1:A:294:LEU:HD12	1:A:508:VAL:CG2	2.50	0.41
1:A:425:ARG:HB2	1:A:537:TRP:CZ2	2.55	0.41
1:A:452:ASN:HA	1:A:453:PRO:HD3	1.81	0.41
1:A:540:LEU:O	1:A:544:MET:HG3	2.19	0.41
1:B:465:ALA:HA	1:B:510:LEU:HD23	2.01	0.41
1:B:472:ASP:OD1	1:B:472:ASP:N	2.52	0.41
1:B:239:LYS:NZ	1:B:252:GLU:HG2	2.35	0.41
1:B:327:ASN:O	1:B:331:GLN:HG2	2.20	0.41
1:B:495:VAL:HG12	1:B:496:THR:N	2.36	0.41
1:B:182:GLU:HA	1:B:185:LYS:CB	2.50	0.41
1:A:218:ILE:HD11	1:A:269:LEU:HB3	2.01	0.41
1:A:551:HIS:O	1:A:555:ILE:HG12	2.20	0.41
1:B:322:LYS:O	1:B:326:LEU:HG	2.20	0.41
1:B:472:ASP:HB2	1:B:474:LYS:HB2	2.03	0.41
1:B:483:ILE:HG23	1:B:496:THR:HB	2.01	0.41
1:B:341:HIS:HA	1:B:342:PRO:HD3	1.95	0.41
1:B:486:ASP:HB3	1:B:494:TYR:HB2	2.03	0.41
1:B:538:ASN:O	1:B:542:ILE:HG23	2.20	0.41
1:B:282:GLU:HG3	1:B:326:LEU:HD21	2.03	0.40
1:B:294:LEU:CD2	1:B:506:PRO:HB3	2.51	0.40
1:A:626:LEU:CB	1:A:627:PRO:HD3	2.51	0.40
1:B:579:THR:O	1:B:582:ASP:HB2	2.22	0.40
1:A:544:MET:O	1:A:548:VAL:HG23	2.21	0.40
1:B:565:ILE:HG23	1:B:566:ALA:N	2.37	0.40
1:B:529:TYR:O	1:B:533:ILE:HG13	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	448/450 (100%)	436 (97%)	11 (2%)	1 (0%)	47	79
1	B	445/450 (99%)	426 (96%)	19 (4%)	0	100	100
All	All	893/900 (99%)	862 (96%)	30 (3%)	1 (0%)	51	83

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	472	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	414/414 (100%)	396 (96%)	18 (4%)	29	62
1	B	411/414 (99%)	400 (97%)	11 (3%)	44	74
All	All	825/828 (100%)	796 (96%)	29 (4%)	36	68

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	234	GLN
1	A	258	LEU
1	A	265	ARG
1	A	267	ASP
1	A	280	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	282	GLU
1	A	303	THR
1	A	347	ILE
1	A	391	TYR
1	A	446	VAL
1	A	470	LYS
1	A	475	ILE
1	A	496	THR
1	A	505	VAL
1	A	507	SER
1	A	508	VAL
1	A	602	ASP
1	A	609	GLN
1	B	203	ASP
1	B	216	GLN
1	B	228	ILE
1	B	282	GLU
1	B	300	ASP
1	B	362	LEU
1	B	368	ILE
1	B	411	LEU
1	B	468	ASP
1	B	472	ASP
1	B	505	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	307	GLN
1	A	396	GLN
1	A	436	GLN
1	A	437	ASN
1	A	440	ASN
1	A	488	ASN
1	A	551	HIS
1	A	595	GLN
1	A	609	GLN
1	B	198	GLN
1	B	216	GLN
1	B	226	ASN
1	B	287	ASN
1	B	335	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	380	GLN
1	B	417	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	DTT	A	3	-	7,7,7	0.34	0	4,8,8	0.51	0
2	D1D	B	2	-	8,8,8	2.37	2 (25%)	6,10,10	0.52	0
2	D1D	A	1	-	8,8,8	2.38	2 (25%)	6,10,10	0.61	0
3	DTT	B	4	-	7,7,7	0.33	0	4,8,8	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	D1D	A	1	-	-	-	1/1/1/1
2	D1D	B	2	-	-	-	1/1/1/1
3	DTT	A	3	-	-	0/8/8/8	-
3	DTT	B	4	-	-	0/8/8/8	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2	D1D	C4-S4	-4.84	1.76	1.82
2	A	1	D1D	C4-S4	-4.77	1.76	1.82
2	A	1	D1D	C1-S1	-4.60	1.76	1.82
2	B	2	D1D	C1-S1	-4.49	1.76	1.82

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

All (2) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	2	D1D	C1-C2-C3-C4-S1-S4
2	A	1	D1D	C1-C2-C3-C4-S1-S4

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	D1D	2	0
3	B	4	DTT	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	450/450 (100%)	0.03	3 (0%) 87 76	52, 93, 138, 182	0
1	B	447/450 (99%)	-0.02	4 (0%) 84 71	56, 109, 161, 194	0
All	All	897/900 (99%)	0.01	7 (0%) 86 73	52, 102, 153, 194	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	233	TRP	3.1
1	B	403	TYR	2.5
1	B	399	ILE	2.5
1	A	626	LEU	2.1
1	A	431	TYR	2.1
1	B	625	GLN	2.0
1	B	573	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	DTT	B	4	8/8	0.67	0.36	172,173,174,175	0
3	DTT	A	3	8/8	0.82	0.24	126,131,133,134	0
2	D1D	A	1	8/8	0.88	0.29	166,170,174,174	0
2	D1D	B	2	8/8	0.91	0.17	145,154,156,157	0

6.5 Other polymers [i](#)

There are no such residues in this entry.