



## wwPDB EM Validation Summary Report ⓘ

Oct 6, 2024 – 03:22 am BST

PDB ID : 6RFQ  
EMDB ID : EMD-4872  
Title : Cryo-EM structure of a respiratory complex I assembly intermediate with ND-UFAF2  
Authors : Parey, K.; Vonck, J.  
Deposited on : 2019-04-16  
Resolution : 3.30 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


|                                |   |  |
|--------------------------------|---|--|
| EMDB validation analysis       | : | 0.0.1.dev113   |
| Mogul                          | : | 1.8.4, CSD as541be (2020)  |
| MolProbity                     | : | 4.02b-467  |
| buster-report                  | : | 1.1.7 (2018)   |
| Percentile statistics          | : | 20231227.v01 (using entries in the PDB archive December 27th 2023) |
| MapQ                           | : | 1.9.13   |
| Ideal geometry (proteins)      | : | Engh & Huber (2001)  |
| Ideal geometry (DNA, RNA)      | : | Parkinson et al. (1996)  |
| Validation Pipeline (wwPDB-VP) | : | 2.39   |

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric                | Whole archive<br>(#Entries) | EM structures<br>(#Entries) |
|-----------------------|-----------------------------|-----------------------------|
| Ramachandran outliers | 207382                      | 16835                       |
| Sidechain outliers    | 206894                      | 16415                       |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain  |
|-----|-------|--------|---|
| 1   | A     | 728    | <div> <div>12%</div> <div>94%</div> <div>5%</div> </div>  |
| 2   | B     | 488    | <div> <div>22%</div> <div>89%</div> <div>10%</div> </div> |
| 3   | C     | 466    | <div> <div>5%</div> <div>90%</div> <div>8%</div> </div>   |
| 4   | D     | 87     | <div> <div>98%</div> <div>..</div> </div>                 |
| 5   | E     | 375    | <div> <div>15%</div> <div>68%</div> <div>30%</div> </div> |
| 6   | F     | 144    | <div> <div>8%</div> <div>83%</div> <div>16%</div> </div>  |
| 7   | G     | 281    | <div> <div>72%</div> <div>25%</div> </div>                |
| 8   | H     | 243    | <div> <div>28%</div> <div>86%</div> <div>12%</div> </div> |
| 9   | I     | 229    | <div> <div>6%</div> <div>83%</div> <div>17%</div> </div>  |








*Continued on next page...*

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 10  | J     | 198    |                  |
| 11  | K     | 210    |                  |
| 12  | L     | 89     |                  |
| 13  | O     | 109    |                  |
| 14  | P     | 124    |                  |
| 15  | Q     | 132    |                  |
| 16  | R     | 109    |                  |
| 17  | S     | 249    |                  |
| 18  | U     | 172    |                  |
| 19  | W     | 123    |                  |
| 20  | X     | 169    |                  |
| 21  | Y     | 161    |                  |
| 22  | Z     | 182    |                  |
| 23  | a     | 149    |                  |
| 24  | b     | 74     |                  |
| 25  | c     | 60     |                  |
| 26  | d     | 92     |                  |
| 27  | e     | 67     |                  |
| 28  | f     | 87     |                  |
| 29  | g     | 78     |                  |
| 30  | i     | 90     |                  |
| 31  | j     | 93     |                  |
| 32  | k     | 237    |                  |
| 33  | n     | 120    |                  |
| 34  | l     | 341    |                  |

Continued on next page...

*Continued from previous page...*

| Mol | Chain | Length | Quality of chain  |
|-----|-------|--------|---|
| 35  | 2     | 469    | <br>97%         |
| 36  | 3     | 128    | <br>14% 80% 16% |
| 37  | 4     | 486    | <br>95%         |
| 38  | 5     | 655    | <br>95%         |
| 39  | 6     | 185    | <br>95%         |
| 40  | 8     | 99     | <br>14% 79% 17% |
| 41  | 9     | 89     | <br>18% 96%     |

## 2 Entry composition

There are 52 unique types of molecules in this entry. The entry contains 62052 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Subunit NUAM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |      |     |      |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|------|----|---------|-------|
| 1   | A     | 694      | Total | C    | N   | O    | S  | 0       | 0     |
|     |       |          | 5274  | 3275 | 928 | 1042 | 29 |         |       |

- Molecule 2 is a protein called Subunit NUBM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 2   | B     | 441      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 3421  | 2161 | 601 | 635 | 24 |         |       |

- Molecule 3 is a protein called Subunit NUCM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 3   | C     | 430      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 3415  | 2170 | 583 | 640 | 22 |         |       |

- Molecule 4 is a protein called Subunit NIMM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 4   | D     | 86       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 681   | 432 | 127 | 119 | 3 |         |       |

- Molecule 5 is a protein called Subunit NUEM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |      |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 5   | E     | 263      | Total | C    | N   | O   | S | 0       | 0     |
|     |       |          | 2075  | 1315 | 362 | 390 | 8 |         |       |

- Molecule 6 is a protein called Subunit NUFM of NADH:Ubiquinone Oxidoreductase (Complex I).

plex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 6   | F     | 121      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 990   | 629 | 166 | 193 | 2 |         |       |

- Molecule 7 is a protein called Subunit NUGM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |      |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 7   | G     | 210      | Total | C    | N   | O   | S | 0       | 0     |
|     |       |          | 1739  | 1119 | 297 | 319 | 4 |         |       |

- Molecule 8 is a protein called Subunit NUHM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 8   | H     | 215      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 1680  | 1054 | 283 | 325 | 18 |         |       |

- Molecule 9 is a protein called Subunit NUIM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 9   | I     | 190      | Total | C   | N   | O   | S  | 0       | 0     |
|     |       |          | 1519  | 966 | 254 | 289 | 10 |         |       |

- Molecule 10 is a protein called Subunit NUJM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 10  | J     | 179      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1329  | 844 | 241 | 239 | 5 |         |       |

- Molecule 11 is a protein called Subunit NUKM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 11  | K     | 153      | Total | C   | N   | O   | S  | 0       | 0     |
|     |       |          | 1190  | 756 | 206 | 214 | 14 |         |       |

- Molecule 12 is a protein called Subunit NULM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 12  | L     | 89       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 691   | 464 | 109 | 115 | 3 |         |       |

- Molecule 13 is a protein called Acyl carrier protein ACPM1 of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |    |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|-----|---|---------|-------|
| 13  | O     | 77       | Total | C   | N  | O   | S | 0       | 0     |
|     |       |          | 591   | 373 | 93 | 125 |   |         |       |

- Molecule 14 is a protein called Subunit NB4M of protein NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 14  | P     | 123      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1036  | 667 | 182 | 185 | 2 |         |       |

- Molecule 15 is a protein called Acyl carrier protein ACPM2 of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 15  | Q     | 85       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 648   | 405 | 103 | 138 | 2 |         |       |

- Molecule 16 is a protein called Subunit NI2M of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 16  | R     | 106      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 884   | 562 | 168 | 151 | 3 |         |       |

- Molecule 17 is a protein called Subunit NESM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 17  | S     | 174      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1430  | 920 | 245 | 263 | 2 |         |       |

- Molecule 18 is a protein called Subunit NUPM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 18  | U     | 171      | Total | C   | N   | O   | S  | 0       | 0     |
|     |       |          | 1345  | 847 | 236 | 252 | 10 |         |       |

- Molecule 19 is a protein called Subunit NB6M of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 19  | W     | 119      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 961   | 615 | 176 | 165 | 5 |         |       |

- Molecule 20 is a protein called Subunit NUXM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 20  | X     | 168      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1305  | 845 | 223 | 233 | 4 |         |       |

- Molecule 21 is a protein called Subunit NUYM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 21  | Y     | 123      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1021  | 651 | 187 | 181 | 2 |         |       |

- Molecule 22 is a protein called Subunit NUZM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 22  | Z     | 120      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 922   | 589 | 158 | 174 | 1 |         |       |

- Molecule 23 is a protein called Subunit NIAM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 23  | a     | 124      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1030  | 669 | 165 | 194 | 2 |         |       |

- Molecule 24 is a protein called Subunit NEBM of NADH:Ubiquinone Oxidoreductase (Complex I).



| Mol | Chain | Residues | Atoms |     |    |    | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---------|-------|
| 24  | b     | 64       | Total | C   | N  | O  | 0       | 0     |
|     |       |          | 490   | 326 | 83 | 81 |         |       |

- Molecule 25 is a protein called Subunit NB2M of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |    |    | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---------|-------|
| 25  | c     | 44       | Total | C   | N  | O  | 0       | 0     |
|     |       |          | 353   | 229 | 67 | 57 |         |       |

- Molecule 26 is a protein called Subunit NIDM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 26  | d     | 90       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 760   | 472 | 137 | 148 | 3 |         |       |

- Molecule 27 is a protein called Subunit NUVM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 27  | e     | 52       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 436   | 293 | 75 | 65 | 3 |         |       |

- Molecule 28 is a protein called Subunit NI8M of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 28  | f     | 79       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 620   | 389 | 118 | 112 | 1 |         |       |

- Molecule 29 is a protein called Subunit NI9M of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 29  | g     | 76       | Total | C   | N   | O   | 0       | 0     |
|     |       |          | 617   | 405 | 112 | 100 |         |       |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment  | Reference      |
|-------|---------|----------|--------|----------|----------------|
| g     | 71      | GLY      | GLN    | conflict | UNP A0A1D8NJR0 |

- Molecule 30 is a protein called Subunit N7BM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 30  | i     | 83       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 646   | 413 | 117 | 115 | 1 |         |       |

- Molecule 31 is a protein called Subunit NUUM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |  | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|--|---------|-------|
| 31  | j     | 90       | Total | C   | N   | O   |  | 0       | 0     |
|     |       |          | 724   | 465 | 132 | 127 |  |         |       |

- Molecule 32 is a protein called Subunit N7BML assembly factor.

| Mol | Chain | Residues | Atoms |     |     |     |  | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|--|---------|-------|
| 32  | k     | 98       | Total | C   | N   | O   |  | 0       | 0     |
|     |       |          | 828   | 538 | 148 | 142 |  |         |       |

- Molecule 33 is a protein called Subunit NUNM of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 33  | n     | 114      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 914   | 588 | 156 | 169 | 1 |         |       |

- Molecule 34 is a protein called Subunit NU1M of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |      |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 34  | 1     | 318      | Total | C    | N   | O   | S | 0       | 0     |
|     |       |          | 2540  | 1738 | 369 | 426 | 7 |         |       |

- Molecule 35 is a protein called Subunit NU2M of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 35  | 2     | 469      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 3774  | 2557 | 550 | 655 | 12 |         |       |

- Molecule 36 is a protein called Subunit NU3M of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 36  | 3     | 108      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 869   | 600 | 127 | 140 | 2 |         |       |

- Molecule 37 is a protein called Subunit NU4M of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 37  | 4     | 486      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 3855  | 2600 | 586 | 654 | 15 |         |       |

- Molecule 38 is a protein called Subunit NU5M of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 38  | 5     | 654      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 5197  | 3479 | 785 | 905 | 28 |         |       |

- Molecule 39 is a protein called Subunit NU6M of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 39  | 6     | 183      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1443  | 979 | 207 | 249 | 8 |         |       |

- Molecule 40 is a protein called Subunit NB8M of NADH:Ubiquinone Oxidoreductase (Complex I).

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 40  | 8     | 82       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 672   | 426 | 122 | 116 | 8 |         |       |

- Molecule 41 is a protein called Subunit NIPM of NADH:Ubiquinone Oxidoreductase (Complex I).


| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 41  | 9     | 86       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 672   | 422 | 122 | 122 | 6 |         |       |

- Molecule 42 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe<sub>4</sub>S<sub>4</sub>).




| Mol | Chain | Residues | Atoms |    |   | AltConf |
|-----|-------|----------|-------|----|---|---------|
| 42  | A     | 1        | Total | Fe | S | 0       |
|     |       |          | 8     | 4  | 4 |         |
| 42  | A     | 1        | Total | Fe | S | 0       |
|     |       |          | 8     | 4  | 4 |         |
| 42  | B     | 1        | Total | Fe | S | 0       |
|     |       |          | 8     | 4  | 4 |         |
| 42  | I     | 1        | Total | Fe | S | 0       |
|     |       |          | 8     | 4  | 4 |         |
| 42  | I     | 1        | Total | Fe | S | 0       |
|     |       |          | 8     | 4  | 4 |         |
| 42  | K     | 1        | Total | Fe | S | 0       |
|     |       |          | 8     | 4  | 4 |         |

- Molecule 43 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe<sub>2</sub>S<sub>2</sub>).



| Mol | Chain | Residues | Atoms |    |   | AltConf |
|-----|-------|----------|-------|----|---|---------|
| 43  | A     | 1        | Total | Fe | S | 0       |
|     |       |          | 4     | 2  | 2 |         |
| 43  | H     | 1        | Total | Fe | S | 0       |
|     |       |          | 4     | 2  | 2 |         |


- Molecule 44 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C<sub>17</sub>H<sub>21</sub>N<sub>4</sub>O<sub>9</sub>P).



| Mol | Chain | Residues | Atoms |    |   |   |   | AltConf |
|-----|-------|----------|-------|----|---|---|---|---------|
| 44  | B     | 1        | Total | C  | N | O | P | 0       |
|     |       |          | 31    | 17 | 4 | 9 | 1 |         |


- Molecule 45 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE

PHOSPHATE (three-letter code: NDP) (formula:  $C_{21}H_{30}N_7O_{17}P_3$ ).



| Mol | Chain | Residues | Atoms       |         |        |         |        | AltConf |
|-----|-------|----------|-------------|---------|--------|---------|--------|---------|
| 45  | E     | 1        | Total<br>48 | C<br>21 | N<br>7 | O<br>17 | P<br>3 | 0       |

- Molecule 46 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (three-letter code: 3PE) (formula:  $\text{C}_{41}\text{H}_{82}\text{NO}_8\text{P}$ ).




| Mol | Chain | Residues | Atoms       |         |        |        |        | AltConf |
|-----|-------|----------|-------------|---------|--------|--------|--------|---------|
| 46  | I     | 1        | Total<br>51 | C<br>41 | N<br>1 | O<br>8 | P<br>1 | 0       |

Continued on next page...

Continued from previous page...


| Mol | Chain | Residues | Atoms |    |   |   |   | AltConf |
|-----|-------|----------|-------|----|---|---|---|---------|
| 46  | J     | 1        | Total | C  | N | O | P | 0       |
|     |       |          | 41    | 31 | 1 | 8 | 1 |         |
| 46  | J     | 1        | Total | C  | N | O | P | 0       |
|     |       |          | 44    | 34 | 1 | 8 | 1 |         |
| 46  | g     | 1        | Total | C  | N | O | P | 0       |
|     |       |          | 43    | 33 | 1 | 8 | 1 |         |
| 46  | 4     | 1        | Total | C  | N | O | P | 0       |
|     |       |          | 43    | 33 | 1 | 8 | 1 |         |
| 46  | 4     | 1        | Total | C  | N | O | P | 0       |
|     |       |          | 42    | 32 | 1 | 8 | 1 |         |
| 46  | 4     | 1        | Total | C  | N | O | P | 0       |
|     |       |          | 51    | 41 | 1 | 8 | 1 |         |
| 46  | 5     | 1        | Total | C  | N | O | P | 0       |
|     |       |          | 42    | 32 | 1 | 8 | 1 |         |
| 46  | 5     | 1        | Total | C  | N | O | P | 0       |
|     |       |          | 51    | 41 | 1 | 8 | 1 |         |
| 46  | 6     | 1        | Total | C  | N | O | P | 0       |
|     |       |          | 36    | 26 | 1 | 8 | 1 |         |

- Molecule 47 is Lauryl Maltose Neopentyl Glycol (three-letter code: LMN) (formula: C<sub>47</sub>H<sub>88</sub>O<sub>22</sub>).



| Mol | Chain | Residues | Atoms |    |    | AltConf |
|-----|-------|----------|-------|----|----|---------|
| 47  | J     | 1        | Total | C  | O  | 0       |
|     |       |          | 69    | 47 | 22 |         |
| 47  | j     | 1        | Total | C  | O  | 0       |
|     |       |          | 65    | 43 | 22 |         |


- Molecule 48 is CARDIOLIPIN (three-letter code: CDL) (formula:  $C_{81}H_{156}O_{17}P_2$ ).



| Mol | Chain | Residues | Atoms |    |    |   | AltConf |
|-----|-------|----------|-------|----|----|---|---------|
|     |       |          | Total | C  | O  | P |         |
| 48  | J     | 1        | 78    | 59 | 17 | 2 | 0       |
| 48  | X     | 1        | 82    | 63 | 17 | 2 | 0       |
| 48  | g     | 1        | 83    | 64 | 17 | 2 | 0       |
| 48  | 4     | 1        | 92    | 73 | 17 | 2 | 0       |


- Molecule 49 is S-[2-({N-[(2S)-2-hydroxy-3,3-dimethyl-4-(phosphonooxy)butanoyl]-beta-alanyl}amino)ethyl] tetradecanethioate (three-letter code: ZMP) (formula:  $C_{25}H_{49}N_2O_8PS$ ).





| Mol | Chain | Residues | Atoms |    |   |   |   |   | AltConf |
|-----|-------|----------|-------|----|---|---|---|---|---------|
| 49  | O     | 1        | Total | C  | N | O | P | S | 0       |
|     |       |          | 33    | 22 | 2 | 7 | 1 | 1 |         |
| 49  | Q     | 1        | Total | C  | N | O | P | S | 0       |
|     |       |          | 33    | 22 | 2 | 7 | 1 | 1 |         |

- Molecule 50 is DIUNDECYL PHOSPHATIDYL CHOLINE (three-letter code: PLC) (formula: C<sub>32</sub>H<sub>65</sub>NO<sub>8</sub>P).




| Mol | Chain | Residues | Atoms |    |   |   |   | AltConf |
|-----|-------|----------|-------|----|---|---|---|---------|
| 50  | W     | 1        | Total | C  | N | O | P | 0       |
|     |       |          | 41    | 31 | 1 | 8 | 1 |         |

*Continued on next page...*

Continued from previous page...


| Mol | Chain | Residues | Atoms |    |   |   |   | AltConf |
|-----|-------|----------|-------|----|---|---|---|---------|
| 50  | W     | 1        | Total | C  | N | O | P | 0       |
|     |       |          | 42    | 32 | 1 | 8 | 1 |         |
| 50  | n     | 1        | Total | C  | N | O | P | 0       |
|     |       |          | 42    | 32 | 1 | 8 | 1 |         |
| 50  | 5     | 1        | Total | C  | N | O | P | 0       |
|     |       |          | 31    | 21 | 1 | 8 | 1 |         |

- Molecule 51 is Phosphatidylinositol (three-letter code: T7X) (formula: C<sub>47</sub>H<sub>83</sub>O<sub>13</sub>P).



| Mol | Chain | Residues | Atoms |    |    |   | AltConf |
|-----|-------|----------|-------|----|----|---|---------|
| 51  | 2     | 1        | Total | C  | O  | P | 0       |
|     |       |          | 48    | 34 | 13 | 1 |         |
| 51  | 2     | 1        | Total | C  | O  | P | 0       |
|     |       |          | 52    | 38 | 13 | 1 |         |
| 51  | 4     | 1        | Total | C  | O  | P | 0       |
|     |       |          | 43    | 29 | 13 | 1 |         |


- Molecule 52 is 1-PALMITOYL-2-LINOLEOYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: CPL) (formula: C<sub>42</sub>H<sub>80</sub>NO<sub>8</sub>P).




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Subunit NUAM of NADH:Ubiquinone Oxidoreductase (Complex I)




- Molecule 2: Subunit NUBM of NADH:Ubiquinone Oxidoreductase (Complex I)




- Molecule 3: Subunit NUCM of NADH:Ubiquinone Oxidoreductase (Complex I)




- Molecule 4: Subunit NIMM of NADH:Ubiquinone Oxidoreductase (Complex I)



- Molecule 5: Subunit NUEM of NADH:Ubiquinone Oxidoreductase (Complex I)




- Molecule 6: Subunit NUFM of NADH:Ubiquinone Oxidoreductase (Complex I)





- Molecule 7: Subunit NUGM of NADH:Ubiquinone Oxidoreductase (Complex I)









• Molecule 8: Subunit NUHM of NADH:Ubiquinone Oxidoreductase (Complex I)





• Molecule 9: Subunit NUIM of NADH:Ubiquinone Oxidoreductase (Complex I)



• Molecule 10: Subunit NUJM of NADH:Ubiquinone Oxidoreductase (Complex I)




• Molecule 11: Subunit NUKM of NADH:Ubiquinone Oxidoreductase (Complex I)






- Molecule 12: Subunit NULM of NADH:Ubiquinone Oxidoreductase (Complex I)

Chain L:  100%




- Molecule 13: Acyl carrier protein ACPM1 of NADH:Ubiquinone Oxidoreductase (Complex I)

Chain O:  47% 71% 29%





- Molecule 14: Subunit NB4M of protein NADH:Ubiquinone Oxidoreductase (Complex I)

Chain P:  13% 98%




- Molecule 15: Acyl carrier protein ACPM2 of NADH:Ubiquinone Oxidoreductase (Complex I)

Chain Q:  12% 64% 36%




- Molecule 16: Subunit NI2M of NADH:Ubiquinone Oxidoreductase (Complex I)


Chain R:  8% 94%




- Molecule 17: Subunit NESM of NADH:Ubiquinone Oxidoreductase (Complex I)




- Molecule 18: Subunit NUPM of NADH:Ubiquinone Oxidoreductase (Complex I)




- Molecule 19: Subunit NB6M of NADH:Ubiquinone Oxidoreductase (Complex I)




- Molecule 20: Subunit NUXM of NADH:Ubiquinone Oxidoreductase (Complex I)




- Molecule 21: Subunit NUYM of NADH:Ubiquinone Oxidoreductase (Complex I)





- Molecule 22: Subunit NUZM of NADH:Ubiquinone Oxidoreductase (Complex I)










- Molecule 23: Subunit NIAM of NADH:Ubiquinone Oxidoreductase (Complex I)




- Molecule 24: Subunit NEBM of NADH:Ubiquinone Oxidoreductase (Complex I)





- Molecule 25: Subunit NB2M of NADH:Ubiquinone Oxidoreductase (Complex I)




- Molecule 26: Subunit NIDM of NADH:Ubiquinone Oxidoreductase (Complex I)



- Molecule 27: Subunit NUVM of NADH:Ubiquinone Oxidoreductase (Complex I)





- Molecule 28: Subunit NI8M of NADH:Ubiquinone Oxidoreductase (Complex I)




- Molecule 29: Subunit NI9M of NADH:Ubiquinone Oxidoreductase (Complex I)


- Chain i:  92% 8%



- Chain j:  5% 95% . .




- Chain k:  27% 40% 59%



- Chain n:  92% 5%





- Chain 1:  9% 90% 7%



- Molecule 35: Subunit NU2M of NADH:Ubiquinone Oxidoreductase (Complex I)




- Molecule 36: Subunit NU3M of NADH:Ubiquinone Oxidoreductase (Complex I)




- Molecule 37: Subunit NU4M of NADH:Ubiquinone Oxidoreductase (Complex I)





- Molecule 38: Subunit NU5M of NADH:Ubiquinone Oxidoreductase (Complex I)




- Molecule 39: Subunit NU6M of NADH:Ubiquinone Oxidoreductase (Complex I)



- Molecule 40: Subunit NB8M of NADH:Ubiquinone Oxidoreductase (Complex I)



● Molecule 41: Subunit NIPM of NADH:Ubiquinone Oxidoreductase (Complex I)



## 4 Experimental information

| Property                             | Value                                   | Source    |
|--------------------------------------|---|-----------|
| EM reconstruction method             | SINGLE PARTICLE                         | Depositor |
| Imposed symmetry                     | POINT, C1                               | Depositor |
| Number of particles used             | 112418                                  | Depositor |
| Resolution determination method      | FSC 0.143 CUT-OFF                       | Depositor |
| CTF correction method                | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope                           | FEI TITAN KRIOS                         | Depositor |
| Voltage (kV)                         | 300                                     | Depositor |
| Electron dose ( $e^-/\text{\AA}^2$ ) | 40                                      | Depositor |
| Minimum defocus (nm)                 | 1500                                    | Depositor |
| Maximum defocus (nm)                 | 2500                                    | Depositor |
| Magnification                        | 46425                                   | Depositor |
| Image detector                       | GATAN K2 SUMMIT (4k x 4k)               | Depositor |
| Maximum map value                    | 0.202                                   | Depositor |
| Minimum map value                    | -0.072                                  | Depositor |
| Average map value                    | -0.000                                  | Depositor |
| Map value standard deviation         | 0.004                                   | Depositor |
| Recommended contour level            | 0.021                                   | Depositor |
| Map size (Å)                         | 491.112, 491.112, 491.112               | wwPDB     |
| Map dimensions                       | 456, 456, 456                           | wwPDB     |
| Map angles (°)                       | 90.0, 90.0, 90.0                        | wwPDB     |
| Pixel spacing (Å)                    | 1.077, 1.077, 1.077                     | Depositor |

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: T7X, 3PE, PLC, FES, SF4, FMN, ZMP, NDP, CDL, LMN, CPL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths |               | Bond angles |                |
|-----|-------|--------------|---------------|-------------|----------------|
|     |       | RMSZ         | $\# Z  > 5$   | RMSZ        | $\# Z  > 5$    |
| 1   | A     | 0.51         | 2/5368 (0.0%) | 0.69        | 4/7285 (0.1%)  |
| 2   | B     | 0.56         | 5/3496 (0.1%) | 0.79        | 10/4717 (0.2%) |
| 3   | C     | 0.63         | 0/3492        | 0.83        | 8/4729 (0.2%)  |
| 4   | D     | 0.56         | 0/697         | 0.78        | 2/940 (0.2%)   |
| 5   | E     | 0.48         | 0/2113        | 0.78        | 8/2854 (0.3%)  |
| 6   | F     | 0.45         | 0/1011        | 0.74        | 2/1371 (0.1%)  |
| 7   | G     | 0.64         | 0/1793        | 0.81        | 5/2441 (0.2%)  |
| 8   | H     | 0.40         | 0/1717        | 0.69        | 2/2332 (0.1%)  |
| 9   | I     | 0.62         | 0/1557        | 0.75        | 1/2110 (0.0%)  |
| 10  | J     | 0.52         | 1/1362 (0.1%) | 0.75        | 2/1855 (0.1%)  |
| 11  | K     | 0.65         | 0/1220        | 0.79        | 1/1656 (0.1%)  |
| 12  | L     | 0.60         | 0/700         | 0.83        | 0/947          |
| 13  | O     | 0.33         | 0/598         | 0.60        | 0/813          |
| 14  | P     | 0.50         | 0/1061        | 0.70        | 2/1427 (0.1%)  |
| 15  | Q     | 0.41         | 0/654         | 0.66        | 0/890          |
| 16  | R     | 0.53         | 1/909 (0.1%)  | 0.72        | 0/1229         |
| 17  | S     | 0.49         | 0/1454        | 0.75        | 3/1960 (0.2%)  |
| 18  | U     | 0.52         | 0/1374        | 0.81        | 5/1856 (0.3%)  |
| 19  | W     | 0.50         | 0/984         | 0.72        | 2/1327 (0.2%)  |
| 20  | X     | 0.57         | 0/1344        | 0.71        | 5/1822 (0.3%)  |
| 21  | Y     | 0.51         | 0/1051        | 0.69        | 3/1420 (0.2%)  |
| 22  | Z     | 0.46         | 0/947         | 0.72        | 3/1291 (0.2%)  |
| 23  | a     | 0.60         | 0/1064        | 0.79        | 3/1439 (0.2%)  |
| 24  | b     | 0.48         | 0/503         | 0.78        | 1/679 (0.1%)   |
| 25  | c     | 0.48         | 0/364         | 0.59        | 0/491          |
| 26  | d     | 0.64         | 0/776         | 0.75        | 0/1043         |
| 27  | e     | 0.43         | 0/456         | 0.62        | 0/619          |
| 28  | f     | 0.39         | 0/630         | 0.71        | 1/844 (0.1%)   |
| 29  | g     | 0.47         | 0/643         | 0.64        | 1/880 (0.1%)   |
| 30  | i     | 0.52         | 0/666         | 0.65        | 0/907          |
| 31  | j     | 0.52         | 0/745         | 0.65        | 0/1006         |
| 32  | k     | 0.46         | 0/856         | 0.75        | 0/1163         |

| Mol | Chain | Bond lengths |                 | Bond angles |                  |
|-----|-------|--------------|-----------------|-------------|------------------|
|     |       | RMSZ         | # Z  >5         | RMSZ        | # Z  >5          |
| 33  | n     | 0.58         | 0/943           | 0.77        | 2/1279 (0.2%)    |
| 34  | 1     | 0.67         | 0/2608          | 0.94        | 10/3558 (0.3%)   |
| 35  | 2     | 0.78         | 3/3854 (0.1%)   | 0.94        | 14/5252 (0.3%)   |
| 36  | 3     | 0.56         | 0/888           | 0.95        | 5/1210 (0.4%)    |
| 37  | 4     | 0.72         | 1/3949 (0.0%)   | 0.91        | 18/5392 (0.3%)   |
| 38  | 5     | 0.67         | 2/5327 (0.0%)   | 0.87        | 20/7273 (0.3%)   |
| 39  | 6     | 0.58         | 0/1468          | 0.90        | 8/2003 (0.4%)    |
| 40  | 8     | 0.59         | 1/686 (0.1%)    | 0.76        | 2/918 (0.2%)     |
| 41  | 9     | 0.57         | 1/684 (0.1%)    | 0.72        | 0/918            |
| All | All   | 0.59         | 17/62012 (0.0%) | 0.80        | 153/84146 (0.2%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 1   | A     | 0                   | 1                   |
| 3   | C     | 0                   | 2                   |
| 5   | E     | 0                   | 1                   |
| 7   | G     | 0                   | 1                   |
| 8   | H     | 0                   | 5                   |
| 16  | R     | 0                   | 2                   |
| 17  | S     | 0                   | 1                   |
| 18  | U     | 0                   | 3                   |
| 19  | W     | 0                   | 1                   |
| 22  | Z     | 0                   | 1                   |
| 26  | d     | 0                   | 1                   |
| 31  | j     | 0                   | 1                   |
| 32  | k     | 0                   | 2                   |
| 34  | 1     | 0                   | 2                   |
| 37  | 4     | 0                   | 3                   |
| 38  | 5     | 0                   | 5                   |
| 40  | 8     | 0                   | 1                   |
| All | All   | 0                   | 33                  |

The worst 5 of 17 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms  | Z     | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|--------|-------|-------------|----------|
| 2   | B     | 113 | ARG  | NE-CZ  | 13.65 | 1.50        | 1.33     |
| 2   | B     | 113 | ARG  | CZ-NH2 | -8.99 | 1.21        | 1.33     |
| 1   | A     | 80  | CYS  | CB-SG  | -7.53 | 1.69        | 1.82     |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | Atoms | Z     | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|-------|-------------|----------|
| 35  | 2     | 135 | TYR  | CB-CG | -7.03 | 1.41        | 1.51     |
| 2   | B     | 113 | ARG  | CD-NE | -6.99 | 1.34        | 1.46     |

The worst 5 of 153 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms     | Z     | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-----------|-------|-------------|----------|
| 2   | B     | 113 | ARG  | NE-CZ-NH1 | 22.27 | 131.43      | 120.30   |
| 33  | n     | 10  | LEU  | C-N-CA    | 11.35 | 150.08      | 121.70   |
| 35  | 2     | 26  | ARG  | NE-CZ-NH1 | 11.26 | 125.93      | 120.30   |
| 3   | C     | 381 | LEU  | CA-CB-CG  | 11.24 | 141.14      | 115.30   |
| 10  | J     | 147 | LEU  | CA-CB-CG  | 10.68 | 139.87      | 115.30   |

There are no chirality outliers.

5 of 33 planarity outliers are listed below:

| Mol | Chain | Res | Type | Group     |
|-----|-------|-----|------|-----------|
| 1   | A     | 568 | PHE  | Peptide   |
| 3   | C     | 269 | ARG  | Sidechain |
| 3   | C     | 336 | ARG  | Sidechain |
| 5   | E     | 51  | ARG  | Sidechain |
| 7   | G     | 148 | ARG  | Sidechain |

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed      | Favoured  | Allowed | Outliers | Percentiles |     |
|-----|-------|---------------|-----------|---------|----------|-------------|-----|
| 1   | A     | 692/728 (95%) | 642 (93%) | 50 (7%) | 0        | 100         | 100 |
| 2   | B     | 439/488 (90%) | 409 (93%) | 30 (7%) | 0        | 100         | 100 |

*Continued on next page...*



*Continued from previous page...*

| Mol | Chain | Analysed      | Favoured  | Allowed  | Outliers | Percentiles |     |
|-----|-------|---------------|-----------|----------|----------|-------------|-----|
| 3   | C     | 426/466 (91%) | 396 (93%) | 30 (7%)  | 0        | 100         | 100 |
| 4   | D     | 84/87 (97%)   | 79 (94%)  | 5 (6%)   | 0        | 100         | 100 |
| 5   | E     | 255/375 (68%) | 241 (94%) | 14 (6%)  | 0        | 100         | 100 |
| 6   | F     | 119/144 (83%) | 109 (92%) | 10 (8%)  | 0        | 100         | 100 |
| 7   | G     | 208/281 (74%) | 195 (94%) | 13 (6%)  | 0        | 100         | 100 |
| 8   | H     | 213/243 (88%) | 191 (90%) | 22 (10%) | 0        | 100         | 100 |
| 9   | I     | 188/229 (82%) | 176 (94%) | 12 (6%)  | 0        | 100         | 100 |
| 10  | J     | 177/198 (89%) | 164 (93%) | 13 (7%)  | 0        | 100         | 100 |
| 11  | K     | 147/210 (70%) | 136 (92%) | 11 (8%)  | 0        | 100         | 100 |
| 12  | L     | 87/89 (98%)   | 84 (97%)  | 3 (3%)   | 0        | 100         | 100 |
| 13  | O     | 75/109 (69%)  | 71 (95%)  | 4 (5%)   | 0        | 100         | 100 |
| 14  | P     | 121/124 (98%) | 113 (93%) | 8 (7%)   | 0        | 100         | 100 |
| 15  | Q     | 83/132 (63%)  | 80 (96%)  | 3 (4%)   | 0        | 100         | 100 |
| 16  | R     | 104/109 (95%) | 93 (89%)  | 11 (11%) | 0        | 100         | 100 |
| 17  | S     | 168/249 (68%) | 156 (93%) | 12 (7%)  | 0        | 100         | 100 |
| 18  | U     | 169/172 (98%) | 153 (90%) | 15 (9%)  | 1 (1%)   | 22          | 53  |
| 19  | W     | 117/123 (95%) | 112 (96%) | 5 (4%)   | 0        | 100         | 100 |
| 20  | X     | 166/169 (98%) | 156 (94%) | 10 (6%)  | 0        | 100         | 100 |
| 21  | Y     | 121/161 (75%) | 113 (93%) | 8 (7%)   | 0        | 100         | 100 |
| 22  | Z     | 118/182 (65%) | 107 (91%) | 11 (9%)  | 0        | 100         | 100 |
| 23  | a     | 122/149 (82%) | 109 (89%) | 13 (11%) | 0        | 100         | 100 |
| 24  | b     | 62/74 (84%)   | 60 (97%)  | 2 (3%)   | 0        | 100         | 100 |
| 25  | c     | 42/60 (70%)   | 38 (90%)  | 4 (10%)  | 0        | 100         | 100 |
| 26  | d     | 88/92 (96%)   | 82 (93%)  | 5 (6%)   | 1 (1%)   | 12          | 40  |
| 27  | e     | 50/67 (75%)   | 49 (98%)  | 1 (2%)   | 0        | 100         | 100 |
| 28  | f     | 77/87 (88%)   | 67 (87%)  | 10 (13%) | 0        | 100         | 100 |
| 29  | g     | 74/78 (95%)   | 64 (86%)  | 10 (14%) | 0        | 100         | 100 |
| 30  | i     | 81/90 (90%)   | 77 (95%)  | 4 (5%)   | 0        | 100         | 100 |
| 31  | j     | 88/93 (95%)   | 81 (92%)  | 6 (7%)   | 1 (1%)   | 12          | 40  |
| 32  | k     | 94/237 (40%)  | 86 (92%)  | 6 (6%)   | 2 (2%)   | 5           | 27  |
| 33  | n     | 112/120 (93%) | 96 (86%)  | 15 (13%) | 1 (1%)   | 14          | 44  |

*Continued on next page...*

Continued from previous page...

| Mol | Chain | Analysed        | Favoured   | Allowed  | Outliers | Percentiles |     |
|-----|-------|-----------------|------------|----------|----------|-------------|-----|
| 34  | 1     | 312/341 (92%)   | 292 (94%)  | 20 (6%)  | 0        | 100         | 100 |
| 35  | 2     | 467/469 (100%)  | 436 (93%)  | 30 (6%)  | 1 (0%)   | 44          | 71  |
| 36  | 3     | 104/128 (81%)   | 98 (94%)   | 6 (6%)   | 0        | 100         | 100 |
| 37  | 4     | 484/486 (100%)  | 455 (94%)  | 28 (6%)  | 1 (0%)   | 44          | 71  |
| 38  | 5     | 652/655 (100%)  | 605 (93%)  | 44 (7%)  | 3 (0%)   | 25          | 56  |
| 39  | 6     | 181/185 (98%)   | 166 (92%)  | 15 (8%)  | 0        | 100         | 100 |
| 40  | 8     | 80/99 (81%)     | 75 (94%)   | 5 (6%)   | 0        | 100         | 100 |
| 41  | 9     | 84/89 (94%)     | 78 (93%)   | 6 (7%)   | 0        | 100         | 100 |
| All | All   | 7531/8667 (87%) | 6990 (93%) | 530 (7%) | 11 (0%)  | 50          | 76  |

5 of 11 Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 32  | k     | 40  | VAL  |
| 32  | k     | 55  | VAL  |
| 38  | 5     | 555 | VAL  |
| 38  | 5     | 556 | SER  |
| 35  | 2     | 188 | ASP  |

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed      | Rotameric  | Outliers | Percentiles |     |
|-----|-------|---------------|------------|----------|-------------|-----|
| 1   | A     | 566/595 (95%) | 563 (100%) | 3 (0%)   | 86          | 91  |
| 2   | B     | 353/389 (91%) | 353 (100%) | 0        | 100         | 100 |
| 3   | C     | 369/394 (94%) | 368 (100%) | 1 (0%)   | 91          | 94  |
| 4   | D     | 68/69 (99%)   | 68 (100%)  | 0        | 100         | 100 |
| 5   | E     | 225/329 (68%) | 224 (100%) | 1 (0%)   | 89          | 93  |
| 6   | F     | 109/129 (84%) | 109 (100%) | 0        | 100         | 100 |
| 7   | G     | 188/245 (77%) | 187 (100%) | 1 (0%)   | 86          | 91  |
| 8   | H     | 190/212 (90%) | 190 (100%) | 0        | 100         | 100 |

Continued on next page...

*Continued from previous page...*

| Mol | Chain | Analysed       | Rotameric  | Outliers | Percentiles |     |
|-----|-------|----------------|------------|----------|-------------|-----|
| 9   | I     | 156/187 (83%)  | 156 (100%) | 0        | 100         | 100 |
| 10  | J     | 130/147 (88%)  | 130 (100%) | 0        | 100         | 100 |
| 11  | K     | 131/180 (73%)  | 131 (100%) | 0        | 100         | 100 |
| 12  | L     | 77/77 (100%)   | 77 (100%)  | 0        | 100         | 100 |
| 13  | O     | 65/91 (71%)    | 65 (100%)  | 0        | 100         | 100 |
| 14  | P     | 109/110 (99%)  | 109 (100%) | 0        | 100         | 100 |
| 15  | Q     | 72/111 (65%)   | 72 (100%)  | 0        | 100         | 100 |
| 16  | R     | 97/100 (97%)   | 97 (100%)  | 0        | 100         | 100 |
| 17  | S     | 149/211 (71%)  | 148 (99%)  | 1 (1%)   | 81          | 88  |
| 18  | U     | 147/148 (99%)  | 147 (100%) | 0        | 100         | 100 |
| 19  | W     | 98/102 (96%)   | 98 (100%)  | 0        | 100         | 100 |
| 20  | X     | 132/133 (99%)  | 132 (100%) | 0        | 100         | 100 |
| 21  | Y     | 105/140 (75%)  | 105 (100%) | 0        | 100         | 100 |
| 22  | Z     | 95/148 (64%)   | 95 (100%)  | 0        | 100         | 100 |
| 23  | a     | 108/129 (84%)  | 108 (100%) | 0        | 100         | 100 |
| 24  | b     | 50/59 (85%)    | 50 (100%)  | 0        | 100         | 100 |
| 25  | c     | 30/45 (67%)    | 30 (100%)  | 0        | 100         | 100 |
| 26  | d     | 83/85 (98%)    | 82 (99%)   | 1 (1%)   | 67          | 80  |
| 27  | e     | 44/55 (80%)    | 44 (100%)  | 0        | 100         | 100 |
| 28  | f     | 68/73 (93%)    | 68 (100%)  | 0        | 100         | 100 |
| 29  | g     | 62/64 (97%)    | 62 (100%)  | 0        | 100         | 100 |
| 30  | i     | 64/68 (94%)    | 64 (100%)  | 0        | 100         | 100 |
| 31  | j     | 71/73 (97%)    | 71 (100%)  | 0        | 100         | 100 |
| 32  | k     | 86/207 (42%)   | 86 (100%)  | 0        | 100         | 100 |
| 33  | n     | 98/102 (96%)   | 98 (100%)  | 0        | 100         | 100 |
| 34  | 1     | 282/302 (93%)  | 282 (100%) | 0        | 100         | 100 |
| 35  | 2     | 433/433 (100%) | 433 (100%) | 0        | 100         | 100 |
| 36  | 3     | 97/114 (85%)   | 97 (100%)  | 0        | 100         | 100 |
| 37  | 4     | 434/434 (100%) | 434 (100%) | 0        | 100         | 100 |
| 38  | 5     | 579/580 (100%) | 578 (100%) | 1 (0%)   | 92          | 95  |
| 39  | 6     | 165/167 (99%)  | 165 (100%) | 0        | 100         | 100 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Analysed        | Rotameric   | Outliers | Percentiles |     |
|-----|-------|-----------------|-------------|----------|-------------|-----|
| 40  | 8     | 69/76 (91%)     | 69 (100%)   | 0        | 100         | 100 |
| 41  | 9     | 73/76 (96%)     | 73 (100%)   | 0        | 100         | 100 |
| All | All   | 6527/7389 (88%) | 6518 (100%) | 9 (0%)   | 92          | 96  |

5 of 9 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 26  | d     | 13  | ASP  |
| 38  | 5     | 477 | LYS  |
| 3   | C     | 98  | LEU  |
| 5   | E     | 162 | ARG  |
| 7   | G     | 197 | ARG  |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 74 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 37  | 4     | 335 | HIS  |
| 39  | 6     | 152 | ASN  |
| 37  | 4     | 469 | GLN  |
| 38  | 5     | 529 | ASN  |
| 18  | U     | 17  | ASN  |

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

36 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res  | Link | Bond lengths |      |             | Bond angles |      |             |
|-----|------|-------|------|------|--------------|------|-------------|-------------|------|-------------|
|     |      |       |      |      | Counts       | RMSZ | # $ Z  > 2$ | Counts      | RMSZ | # $ Z  > 2$ |
| 50  | PLC  | 5     | 902  | -    | 30,30,41     | 1.48 | 6 (20%)     | 36,38,49    | 1.03 | 3 (8%)      |
| 52  | CPL  | 2     | 502  | -    | 51,51,51     | 0.99 | 4 (7%)      | 57,59,59    | 1.10 | 3 (5%)      |
| 48  | CDL  | J     | 204  | -    | 77,77,99     | 1.04 | 4 (5%)      | 83,89,111   | 1.14 | 8 (9%)      |
| 48  | CDL  | 4     | 502  | -    | 91,91,99     | 0.94 | 8 (8%)      | 97,103,111  | 1.18 | 6 (6%)      |
| 49  | ZMP  | Q     | 201  | 15   | 26,32,36     | 1.87 | 5 (19%)     | 31,39,45    | 1.99 | 8 (25%)     |
| 46  | 3PE  | 4     | 505  | -    | 50,50,50     | 0.82 | 3 (6%)      | 53,55,55    | 1.20 | 4 (7%)      |
| 44  | FMN  | B     | 502  | -    | 33,33,33     | 2.87 | 12 (36%)    | 48,50,50    | 1.60 | 9 (18%)     |
| 50  | PLC  | W     | 402  | -    | 41,41,41     | 1.29 | 5 (12%)     | 47,49,49    | 1.21 | 2 (4%)      |
| 42  | SF4  | K     | 301  | 11   | 0,12,12      | -    | -           | -           |      |             |
| 42  | SF4  | B     | 501  | 2    | 0,12,12      | -    | -           | -           |      |             |
| 42  | SF4  | A     | 802  | 1    | 0,12,12      | -    | -           | -           |      |             |
| 48  | CDL  | X     | 201  | -    | 81,81,99     | 0.97 | 7 (8%)      | 87,93,111   | 1.20 | 5 (5%)      |
| 46  | 3PE  | 4     | 501  | -    | 42,42,50     | 0.94 | 3 (7%)      | 45,47,55    | 1.23 | 3 (6%)      |
| 49  | ZMP  | O     | 201  | 13   | 26,32,36     | 1.75 | 5 (19%)     | 31,39,45    | 1.86 | 8 (25%)     |
| 51  | T7X  | 2     | 501  | -    | 48,48,61     | 0.95 | 3 (6%)      | 57,60,73    | 1.29 | 7 (12%)     |
| 46  | 3PE  | 4     | 503  | -    | 41,41,50     | 0.93 | 3 (7%)      | 44,46,55    | 1.13 | 3 (6%)      |
| 46  | 3PE  | g     | 202  | -    | 42,42,50     | 0.91 | 3 (7%)      | 45,47,55    | 1.32 | 2 (4%)      |
| 47  | LMN  | j     | 101  | -    | 68,68,72     | 1.61 | 12 (17%)    | 92,94,98    | 1.49 | 16 (17%)    |
| 42  | SF4  | I     | 301  | 9    | 0,12,12      | -    | -           | -           |      |             |
| 50  | PLC  | n     | 1101 | -    | 41,41,41     | 1.32 | 5 (12%)     | 47,49,49    | 1.05 | 2 (4%)      |
| 46  | 3PE  | 5     | 901  | -    | 41,41,50     | 0.98 | 3 (7%)      | 44,46,55    | 1.19 | 3 (6%)      |
| 45  | NDP  | E     | 401  | -    | 45,52,52     | 3.97 | 18 (40%)    | 53,80,80    | 2.44 | 7 (13%)     |
| 51  | T7X  | 4     | 504  | -    | 43,43,61     | 0.96 | 3 (6%)      | 53,55,73    | 1.42 | 5 (9%)      |
| 46  | 3PE  | 5     | 903  | -    | 50,50,50     | 0.89 | 3 (6%)      | 53,55,55    | 1.17 | 2 (3%)      |
| 46  | 3PE  | J     | 203  | -    | 43,43,50     | 0.91 | 3 (6%)      | 46,48,55    | 1.16 | 2 (4%)      |
| 48  | CDL  | g     | 201  | -    | 82,82,99     | 0.95 | 6 (7%)      | 88,94,111   | 1.25 | 5 (5%)      |
| 42  | SF4  | I     | 302  | 9    | 0,12,12      | -    | -           | -           |      |             |
| 51  | T7X  | 2     | 503  | -    | 52,52,61     | 0.93 | 4 (7%)      | 62,64,73    | 1.27 | 7 (11%)     |
| 43  | FES  | A     | 803  | 1    | 0,4,4        | -    | -           | -           |      |             |
| 46  | 3PE  | I     | 303  | -    | 50,50,50     | 0.88 | 4 (8%)      | 53,55,55    | 1.36 | 3 (5%)      |

| Mol | Type | Chain | Res | Link | Bond lengths |      |          | Bond angles |      |          |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
|     |      |       |     |      | Counts       | RMSZ | # Z  > 2 | Counts      | RMSZ | # Z  > 2 |
| 47  | LMN  | J     | 202 | -    | 72,72,72     | 1.50 | 8 (11%)  | 96,98,98    | 1.58 | 17 (17%) |
| 42  | SF4  | A     | 801 | 1    | 0,12,12      | -    | -        | -           |      |          |
| 43  | FES  | H     | 301 | 8    | 0,4,4        | -    | -        | -           |      |          |
| 50  | PLC  | W     | 401 | -    | 40,40,41     | 1.34 | 6 (15%)  | 46,48,49    | 1.22 | 3 (6%)   |
| 46  | 3PE  | J     | 201 | -    | 40,40,50     | 0.98 | 3 (7%)   | 43,45,55    | 1.29 | 3 (6%)   |
| 46  | 3PE  | 6     | 301 | -    | 35,35,50     | 1.01 | 4 (11%)  | 38,40,55    | 1.12 | 2 (5%)   |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res  | Link | Chirals | Torsions       | Rings   |
|-----|------|-------|------|------|---------|----------------|---------|
| 50  | PLC  | 5     | 902  | -    | -       | 18/34/34/45    | -       |
| 52  | CPL  | 2     | 502  | -    | -       | 26/55/55/55    | -       |
| 48  | CDL  | J     | 204  | -    | -       | 21/88/88/110   | -       |
| 48  | CDL  | 4     | 502  | -    | -       | 53/102/102/110 | -       |
| 49  | ZMP  | Q     | 201  | 15   | -       | 7/37/39/43     | -       |
| 46  | 3PE  | 4     | 505  | -    | -       | 23/54/54/54    | -       |
| 44  | FMN  | B     | 502  | -    | -       | 10/18/18/18    | 0/3/3/3 |
| 50  | PLC  | W     | 402  | -    | -       | 24/45/45/45    | -       |
| 42  | SF4  | K     | 301  | 11   | -       | -              | 0/6/5/5 |
| 42  | SF4  | B     | 501  | 2    | -       | -              | 0/6/5/5 |
| 48  | CDL  | X     | 201  | -    | -       | 27/92/92/110   | -       |
| 42  | SF4  | A     | 802  | 1    | -       | -              | 0/6/5/5 |
| 46  | 3PE  | 4     | 501  | -    | -       | 22/46/46/54    | -       |
| 49  | ZMP  | O     | 201  | 13   | -       | 13/37/39/43    | -       |
| 51  | T7X  | 2     | 501  | -    | -       | 14/43/67/80    | 0/1/1/1 |
| 46  | 3PE  | 4     | 503  | -    | -       | 21/45/45/54    | -       |
| 46  | 3PE  | g     | 202  | -    | -       | 21/46/46/54    | -       |
| 47  | LMN  | j     | 101  | -    | -       | 20/46/126/130  | 0/4/4/4 |
| 50  | PLC  | n     | 1101 | -    | -       | 11/45/45/45    | -       |
| 42  | SF4  | I     | 301  | 9    | -       | -              | 0/6/5/5 |
| 46  | 3PE  | 5     | 901  | -    | -       | 21/45/45/54    | -       |
| 45  | NDP  | E     | 401  | -    | -       | 14/30/77/77    | 0/5/5/5 |
| 51  | T7X  | 4     | 504  | -    | -       | 26/38/62/80    | 0/1/1/1 |
| 46  | 3PE  | 5     | 903  | -    | -       | 19/54/54/54    | -       |

*Continued on next page...*

*Continued from previous page...*

| Mol | Type | Chain | Res | Link | Chirals | Torsions      | Rings   |
|-----|------|-------|-----|------|---------|---------------|---------|
| 46  | 3PE  | J     | 203 | -    | -       | 23/47/47/54   | -       |
| 48  | CDL  | g     | 201 | -    | -       | 38/93/93/110  | -       |
| 42  | SF4  | I     | 302 | 9    | -       | -             | 0/6/5/5 |
| 51  | T7X  | 2     | 503 | -    | -       | 20/47/71/80   | 0/1/1/1 |
| 43  | FES  | A     | 803 | 1    | -       | -             | 0/1/1/1 |
| 46  | 3PE  | I     | 303 | -    | -       | 24/54/54/54   | -       |
| 47  | LMN  | J     | 202 | -    | -       | 26/50/130/130 | 0/4/4/4 |
| 42  | SF4  | A     | 801 | 1    | -       | -             | 0/6/5/5 |
| 43  | FES  | H     | 301 | 8    | -       | -             | 0/1/1/1 |
| 50  | PLC  | W     | 401 | -    | -       | 21/44/44/45   | -       |
| 46  | 3PE  | J     | 201 | -    | -       | 21/44/44/54   | -       |
| 46  | 3PE  | 6     | 301 | -    | -       | 21/39/39/54   | -       |

The worst 5 of 153 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms   | Z     | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|---------|-------|-------------|----------|
| 45  | E     | 401 | NDP  | O4B-C1B | 13.50 | 1.59        | 1.41     |
| 45  | E     | 401 | NDP  | C6N-C5N | 12.22 | 1.55        | 1.33     |
| 45  | E     | 401 | NDP  | O4D-C1D | 7.56  | 1.59        | 1.42     |
| 44  | B     | 502 | FMN  | C4A-N5  | 7.35  | 1.45        | 1.30     |
| 45  | E     | 401 | NDP  | C2D-C1D | -7.27 | 1.30        | 1.53     |

The worst 5 of 148 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms       | Z     | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-------------|-------|-------------|----------|
| 45  | E     | 401 | NDP  | C5A-C6A-N6A | 10.31 | 136.02      | 120.35   |
| 45  | E     | 401 | NDP  | C1B-N9A-C4A | -8.63 | 111.49      | 126.64   |
| 45  | E     | 401 | NDP  | N6A-C6A-N1A | -7.26 | 103.49      | 118.57   |
| 49  | Q     | 201 | ZMP  | C9-C10-S1   | 6.27  | 120.75      | 113.46   |
| 45  | E     | 401 | NDP  | N3A-C2A-N1A | -6.03 | 119.25      | 128.68   |

There are no chirality outliers.


5 of 605 torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms           |
|-----|-------|-----|------|-----------------|
| 44  | B     | 502 | FMN  | N10-C1'-C2'-O2' |
| 44  | B     | 502 | FMN  | N10-C1'-C2'-C3' |
| 44  | B     | 502 | FMN  | C1'-C2'-C3'-O3' |
| 44  | B     | 502 | FMN  | C1'-C2'-C3'-C4' |
| 44  | B     | 502 | FMN  | O2'-C2'-C3'-O3' |


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

































































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4872. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 228



Y Index: 228




Z Index: 228


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 193



Y Index: 272




Z Index: 196


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.021. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 333  $\text{nm}^3$ ; this corresponds to an approximate mass of 300 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.303  $\text{\AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.303 Å<sup>-1</sup>



## 8.2 Resolution estimates [i](#)


| Resolution estimate (Å)   | Estimation criterion (FSC cut-off) |      |          |
|---------------------------|------------------------------------|------|----------|
|                           | 0.143                              | 0.5  | Half-bit |
| Reported by author        | 3.30                               | -    | -        |
| Author-provided FSC curve | 3.31                               | 3.79 | 3.35     |
| Unmasked-calculated*      | -                                  | -    | -        |

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-4872 and PDB model 6RFQ. Per-residue inclusion information can be found in section 3 on page 20.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.021 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.021).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 69% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ















The table lists the average atom inclusion at the recommended contour level (0.021) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion   | Q-score  |
|-------|--|--|
| All   |  0.6930   |  0.4610   |
| 1     |  0.6690   |  0.4590   |
| 2     |  0.8160   |  0.5260   |
| 3     |  0.6280   |  0.4540   |
| 4     |  0.7960   |  0.5180   |
| 5     |  0.7880   |  0.5070   |
| 6     |  0.6860   |  0.4790   |
| 8     |  0.6240   |  0.3730   |
| 9     |  0.6450   |  0.4420   |
| A     |  0.6570   |  0.4430   |
| B     |  0.5670   |  0.4070   |
| C     |  0.7390   |  0.4810   |
| D     |  0.7270   |  0.4740   |
| E     |  0.5790   |  0.4320   |
| F     |  0.6790  |  0.4350  |
| G     |  0.7890 |  0.5030 |
| H     |  0.5090 |  0.3680 |
| I     |  0.7490 |  0.4830 |
| J     |  0.7240 |  0.4610 |
| K     |  0.6240 |  0.4520 |
| L     |  0.7550 |  0.4760 |
| O     |  0.3310 |  0.3060 |
| P     |  0.6350 |  0.4270 |
| Q     |  0.5900 |  0.3990 |
| R     |  0.6970 |  0.4260 |
| S     |  0.6480 |  0.3910 |
| U     |  0.6920 |  0.4590 |
| W     |  0.6840 |  0.4630 |
| X     |  0.7590 |  0.4860 |
| Y     |  0.7060 |  0.4810 |
| Z     |  0.6550 |  0.4430 |
| a     |  0.7480 |  0.4430 |
| b     |  0.7930 |  0.5000 |
| c     |  0.6870 |  0.4150 |
| d     |  0.7840 |  0.4840 |



*Continued on next page...*

*Continued from previous page...*

| Chain | Atom inclusion   | Q-score  |
|-------|--|--|
| e     |  0.6990 |  0.4640 |
| f     |  0.4840 |  0.3600 |
| g     |  0.7760 |  0.5230 |
| i     |  0.7540 |  0.4620 |
| j     |  0.7250 |  0.4790 |
| k     |  0.3270 |  0.3570 |
| n     |  0.7130 |  0.4680 |