



# Full wwPDB X-ray Structure Validation Report ⓘ

Apr 21, 2025 – 11:27 AM EDT

PDB ID : 5RL7 / pdb\_00005rl7  
Title : PanDDA analysis group deposition – Crystal Structure of SARS-CoV-2 helicase in complex with Z364321922  
Authors : Newman, J.A.; Yosaatmadja, Y.; Douangamath, A.; Aimon, A.; Powell, A.J.; Dias, A.; Fearon, D.; Dunnett, L.; Brandao-Neto, J.; Krojer, T.; Skyner, R.; Gorrie-Stone, T.; Thompson, W.; von Delft, F.; Arrowsmith, C.H.; Edwards, A.; Bountra, C.; Gileadi, O.  
Deposited on : 2020-09-16  
Resolution : 1.89 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0rc1
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.006 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	7293 (1.90-1.90)
Clashscore	180529	8090 (1.90-1.90)
Ramachandran outliers	177936	8022 (1.90-1.90)
Sidechain outliers	177891	8022 (1.90-1.90)
RSRZ outliers	164620	7292 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	601	
1	B	601	

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.42

## 2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 9433 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Helicase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	585	Total	C	N	O	S	0	1	0
			4508	2875	750	848	35			
1	A	572	Total	C	N	O	S	0	0	0
			4417	2816	737	832	32			

- Molecule 2 is 5-(acetylamino)-2-fluorobenzoic acid (CCD ID: VVD) (formula:  $C_9H_8FNO_3$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	F	N	O	0	0
			14	9	1	1	3		
2	A	1	Total	C	F	N	O	0	0
			14	9	1	1	3		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula:  $Zn$ ).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	3	Total	Zn	0	0
			3	3		
3	A	3	Total	Zn	0	0
			3	3		

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula:  $O_4P$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	251	Total	O	0	0
			251	251		
5	A	203	Total	O	0	0
			203	203		


### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Helicase



#### • Molecule 1: Helicase





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	59.15Å 70.28Å 85.59Å 102.73° 96.54° 112.33°	Depositor
Resolution (Å)	81.45 – 1.89 81.45 – 1.89	Depositor EDS
% Data completeness (in resolution range)	95.9 (81.45-1.89) 96.0 (81.45-1.89)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.08 (at 1.88Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, $R_{free}$	0.227 , 0.269 0.239 , 0.277	Depositor DCC
$R_{free}$ test set	4978 reflections (5.12%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	33.8	Xtriage
Anisotropy	0.147	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 28.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	9433	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.79% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, ZN, VVD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.69	0/4517	0.81	0/6156
1	B	0.68	0/4610	0.84	0/6283
All	All	0.69	0/9127	0.83	0/12439

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4417	0	4322	59	1
1	B	4508	0	4424	64	1
2	A	14	0	0	0	0
2	B	14	0	0	0	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0
4	A	10	0	0	0	0
4	B	10	0	0	1	0
5	A	203	0	0	8	0
5	B	251	0	0	7	0
All	All	9433	0	8746	122	1



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:27:CYS:SG	5:B:839:HOH:O	1.93	1.21
1:B:12:THR:HG21	1:B:25:LEU:O	1.66	0.95
1:B:510:VAL:HG21	1:B:541:TYR:CD1	2.18	0.79
1:B:13:SER:O	1:B:44:SER:HA	1.85	0.77
1:B:508:LYS:HD3	5:B:995:HOH:O	1.86	0.75
1:A:584:LYS:NZ	5:A:802:HOH:O	2.18	0.72
1:B:8:CYS:SG	1:B:99:GLY:O	2.50	0.69
1:A:510:VAL:HG21	1:A:541:TYR:CD1	2.28	0.69
1:B:47:PRO:O	5:B:801:HOH:O	2.11	0.68
1:B:129:ARG:O	1:B:129:ARG:HD3	1.93	0.68
1:B:8:CYS:SG	1:B:99:GLY:N	2.70	0.65
1:A:368:ALA:O	1:A:393:ALA:HA	1.97	0.65
1:B:474[A]:MET:SD	1:B:495:VAL:HG11	2.37	0.65
1:A:486:SER:OG	1:A:517:SER:OG	2.07	0.64
1:A:275:GLN:O	1:A:395:HIS:ND1	2.29	0.64
1:A:7:LEU:HD13	1:A:103:VAL:HG22	1.80	0.63
1:A:339:ARG:NH2	5:A:808:HOH:O	2.31	0.63
1:B:184:GLY:C	1:B:195:ILE:HG22	2.19	0.62
1:A:320:LYS:NZ	5:A:811:HOH:O	2.32	0.62
1:A:7:LEU:HD21	1:A:106:PHE:HB2	1.82	0.62
1:A:261:GLU:OE1	1:A:324:TYR:OH	2.12	0.61
1:A:59:ASP:OD1	1:A:61:THR:OG1	2.15	0.61
1:B:7:LEU:HD21	1:B:106:PHE:HB2	1.85	0.59
1:B:271:LYS:NZ	5:B:807:HOH:O	2.32	0.59
1:B:315:ASP:O	1:B:318:CYS:HB2	2.04	0.57
1:B:7:LEU:CD1	1:B:103:VAL:HG22	2.35	0.57
1:A:44:SER:OG	1:A:45:VAL:N	2.37	0.57
1:A:16:CYS:SG	1:A:18:ALA:HB3	2.45	0.57
1:A:277:TYR:HA	1:A:396:TYR:O	2.04	0.57
1:A:64:TYR:O	1:A:70:TYR:HA	2.05	0.56
1:B:474[B]:MET:HG2	1:B:590:LEU:HB2	1.88	0.55
1:A:13:SER:OG	1:A:44:SER:HB2	2.06	0.55
1:A:235:LEU:HD21	1:A:382:TYR:CE2	2.42	0.54
1:B:8:CYS:SG	1:B:99:GLY:CA	2.96	0.54
1:B:333:ILE:HB	1:B:358:CYS:SG	2.48	0.54
1:B:279:THR:HB	1:B:429:MET:HE2	1.89	0.53
1:A:224:TYR:OH	5:A:801:HOH:O	2.07	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:34:VAL:HA	1:A:39:HIS:O	2.08	0.53
1:B:2:VAL:N	5:B:817:HOH:O	2.42	0.53
1:A:194:GLN:O	1:A:196:GLY:N	2.35	0.53
1:B:277:TYR:HA	1:B:396:TYR:O	2.11	0.51
1:A:327:ILE:HD11	1:A:345:LYS:O	2.09	0.51
1:B:48:TYR:O	5:B:803:HOH:O	2.19	0.51
1:B:376:ILE:HG21	1:B:429:MET:HE3	1.91	0.51
1:A:367:THR:HA	1:A:392:ARG:O	2.11	0.50
1:A:106:PHE:CE1	1:A:133:PHE:CE2	3.00	0.50
1:A:296:ALA:O	1:A:300:PRO:HA	2.11	0.50
1:A:304:ILE:HG12	1:A:370:ILE:HB	1.93	0.50
1:B:13:SER:HB2	1:B:92:LEU:HB2	1.94	0.49
1:B:323:LYS:O	1:B:323:LYS:HG2	2.13	0.49
1:A:4:ALA:O	1:A:24:PHE:HB2	2.13	0.48
1:A:519:ASN:HB3	1:A:530:THR:HG23	1.95	0.48
1:B:167:TRP:CZ3	1:B:174:PRO:HD2	2.48	0.48
1:B:28:LYS:O	1:B:32:ASP:OD1	2.30	0.48
1:A:20:ILE:HG22	5:A:888:HOH:O	2.13	0.48
1:B:252:LEU:HB3	1:B:299:TYR:CD1	2.49	0.48
1:B:249:ILE:HG23	1:B:273:GLY:HA3	1.96	0.47
1:A:512:ILE:O	1:A:546:PHE:HA	2.15	0.47
1:A:561:PHE:CZ	1:A:585:LEU:HD21	2.49	0.47
1:B:15:ARG:HG3	1:B:24:PHE:CD2	2.50	0.47
1:B:129:ARG:HD3	1:B:129:ARG:C	2.32	0.47
1:B:103:VAL:CG1	1:B:103:VAL:O	2.63	0.47
1:B:371:VAL:HG23	1:B:393:ALA:HB2	1.96	0.47
1:A:361:ASN:OD1	5:A:803:HOH:O	2.21	0.46
1:B:477:LYS:NZ	1:B:551:GLU:OE2	2.40	0.46
1:A:280:LEU:HD11	1:A:438:LEU:HG	1.98	0.46
1:A:35:ILE:O	1:A:35:ILE:HG12	2.16	0.46
1:A:12:THR:HG21	1:A:25:LEU:O	2.15	0.46
1:B:147:LEU:HD21	1:B:229:SER:OG	2.16	0.46
1:A:445:PRO:HD2	1:A:448:ILE:HD12	1.98	0.46
1:B:195:ILE:HG23	1:B:195:ILE:O	2.15	0.46
1:A:1:ALA:N	5:A:826:HOH:O	2.48	0.46
1:A:261:GLU:OE1	1:A:324:TYR:CZ	2.69	0.45
1:A:331:SER:HB2	1:A:353:GLU:HG3	1.98	0.45
1:B:234:PRO:CD	1:A:352:LEU:HD11	2.46	0.45
1:B:8:CYS:SG	1:B:99:GLY:C	2.94	0.45
1:B:61:THR:HG22	1:B:84:CYS:SG	2.57	0.44
1:A:19:CYS:HB2	1:A:23:PRO:HD2	1.99	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:13:SER:O	1:B:44:SER:CA	2.63	0.44
1:B:357:PHE:CD1	1:B:357:PHE:N	2.86	0.44
1:B:510:VAL:HG21	1:B:541:TYR:CG	2.53	0.44
1:A:331:SER:HA	1:A:347:LYS:O	2.18	0.44
1:B:124:ASN:OD1	1:B:381:ASN:ND2	2.48	0.43
1:B:19:CYS:HB2	1:B:23:PRO:HD2	2.00	0.43
1:B:376:ILE:HG22	1:B:400:GLY:HA3	1.99	0.43
1:B:373:PHE:CE1	1:B:387:VAL:HG21	2.54	0.43
1:A:163:LEU:HD23	1:A:211:TYR:CD2	2.53	0.43
1:B:57:VAL:HG12	1:B:63:LEU:HD21	2.00	0.43
1:A:512:ILE:HA	1:A:531:GLN:O	2.18	0.43
1:A:60:VAL:HB	5:A:929:HOH:O	2.20	0.42
1:B:516:ASN:ND2	5:B:831:HOH:O	2.52	0.42
1:A:276:LYS:O	1:A:395:HIS:HA	2.20	0.42
1:A:329:LYS:HE2	1:A:354:GLN:OE1	2.19	0.42
1:A:333:ILE:HB	1:A:358:CYS:SG	2.59	0.42
1:B:378:MET:O	1:B:407:ALA:HB2	2.20	0.42
1:A:351:THR:HG23	1:A:364:PRO:HG3	2.01	0.42
1:B:404:GLN:NE2	4:B:706:PO4:O2	2.47	0.42
1:B:12:THR:CG2	1:B:26:CYS:HA	2.50	0.42
1:B:455:LEU:HG	1:B:456:VAL:HG13	2.02	0.42
1:B:284:PRO:HG2	1:B:566:THR:HG21	2.02	0.41
1:B:505:ALA:O	1:B:508:LYS:HG2	2.20	0.41
1:B:518:GLN:HA	1:B:518:GLN:OE1	2.20	0.41
1:B:34:VAL:O	1:B:40:LYS:NZ	2.43	0.41
1:B:279:THR:HB	1:B:429:MET:CE	2.49	0.41
1:B:7:LEU:HD12	1:B:103:VAL:HG22	2.02	0.41
1:B:35:ILE:HD12	1:B:35:ILE:C	2.41	0.41
1:B:303:ARG:NH2	1:B:366:THR:OG1	2.53	0.41
1:A:48:TYR:OH	1:A:90:PHE:O	2.23	0.41
1:A:303:ARG:NH1	1:A:353:GLU:O	2.53	0.41
1:B:103:VAL:O	1:B:103:VAL:HG13	2.21	0.41
1:A:275:GLN:O	1:A:395:HIS:CE1	2.73	0.41
1:A:490:ARG:HB2	1:A:491:PRO:HD3	2.03	0.41
1:B:115:THR:HA	1:B:411:LEU:O	2.20	0.41
1:A:12:THR:HG22	1:A:14:LEU:H	1.86	0.41
1:A:519:ASN:HB3	1:A:530:THR:CG2	2.51	0.41
1:A:533:VAL:HG11	1:A:560:ARG:O	2.21	0.41
1:A:353:GLU:OE2	1:A:353:GLU:HA	2.21	0.41
1:A:480:ILE:HG21	1:A:550:THR:HG22	2.03	0.41
1:B:59:ASP:C	1:B:59:ASP:OD1	2.59	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:486:SER:CB	1:A:517:SER:OG	2.70	0.40
1:B:544:VAL:O	1:B:572:ILE:HA	2.21	0.40
1:A:278:SER:HB2	1:A:436:MET:CE	2.51	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:442:ARG:NH1	1:A:501:THR:O[1_666]	2.13	0.07

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	564/601 (94%)	528 (94%)	31 (6%)	5 (1%)	14	7
1	B	580/601 (96%)	545 (94%)	34 (6%)	1 (0%)	44	36
All	All	1144/1202 (95%)	1073 (94%)	65 (6%)	6 (0%)	25	17

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	195	ILE
1	A	218	LYS
1	A	484	VAL
1	A	228	THR
1	A	45	VAL
1	B	195	ILE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	485/523 (93%)	466 (96%)	19 (4%)	27	20
1	B	498/523 (95%)	482 (97%)	16 (3%)	34	27
All	All	983/1046 (94%)	948 (96%)	35 (4%)	30	23

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	69	SER
1	B	74	SER
1	B	96	THR
1	B	97	CYS
1	B	129	ARG
1	B	155	ARG
1	B	160	ASP
1	B	162	GLU
1	B	188	THR
1	B	192	LYS
1	B	215	THR
1	B	223	ASP
1	B	231	THR
1	B	259	SER
1	B	373	PHE
1	B	486	SER
1	A	8	CYS
1	A	12	THR
1	A	35	ILE
1	A	44	SER
1	A	46	ASN
1	A	51	ASN
1	A	127	THR
1	A	156	GLU
1	A	236	SER
1	A	255	THR
1	A	259	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	373	PHE
1	A	424	SER
1	A	485	SER
1	A	517	SER
1	A	523	SER
1	A	530	THR
1	A	531	GLN
1	A	591	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	88	GLN
1	B	179	ASN
1	B	516	ASN
1	A	86	ASN
1	A	179	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 6 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	PO4	A	705	-	4,4,4	0.83	0	6,6,6	0.48	0
2	VVD	A	701	-	14,14,14	0.56	0	19,19,19	0.71	0
4	PO4	B	705	-	4,4,4	0.54	0	6,6,6	0.57	0
4	PO4	B	706	-	4,4,4	1.38	1 (25%)	6,6,6	0.64	0
4	PO4	A	706	-	4,4,4	1.38	0	6,6,6	0.48	0
2	VVD	B	701	-	14,14,14	0.69	0	19,19,19	0.59	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	VVD	A	701	-	-	6/8/8/8	0/1/1/1
2	VVD	B	701	-	-	2/8/8/8	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	706	PO4	P-O3	-2.18	1.48	1.54

There are no bond angle outliers.

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	701	VVD	C1-C2-N1-C3
2	B	701	VVD	O1-C2-N1-C3
2	A	701	VVD	C6-C7-C9-O2
2	A	701	VVD	C6-C7-C9-O3
2	A	701	VVD	C4-C3-N1-C2
2	A	701	VVD	C8-C7-C9-O3
2	A	701	VVD	C8-C7-C9-O2
2	A	701	VVD	C8-C3-N1-C2

There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	706	PO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	572/601 (95%)	1.47	188 (32%) <b>1</b> <b>1</b>	24, 50, 134, 175	0
1	B	585/601 (97%)	0.70	82 (14%) <b>7</b> <b>7</b>	6, 39, 84, 131	7 (1%)
All	All	1157/1202 (96%)	1.08	270 (23%) <b>2</b> <b>2</b>	6, 45, 114, 175	7 (0%)

All (270) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	219	LEU	7.3
1	A	592	ILE	7.3
1	B	127	THR	7.2
1	A	149	TYR	7.1
1	A	152	ALA	7.1
1	A	229	SER	7.0
1	B	126	CYS	6.9
1	B	193	VAL	6.5
1	A	151	ILE	6.4
1	B	474[A]	MET	6.2
1	A	209	VAL	6.2
1	A	169	VAL	6.2
1	A	7	LEU	6.1
1	B	130	LEU	6.0
1	A	181	VAL	5.7
1	A	210	VAL	5.6
1	A	247	VAL	5.4
1	A	179	ASN	5.2
1	A	6	VAL	5.2
1	A	170	GLY	5.2
1	A	336	ALA	5.1
1	A	167	TRP	5.1
1	A	81	PHE	5.0
1	A	185	TYR	5.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	208	ALA	5.0
1	A	226	VAL	5.0
1	A	227	LEU	5.0
1	B	45	VAL	4.9
1	B	131	LYS	4.9
1	A	217	TYR	4.8
1	A	176	LEU	4.8
1	A	158	LEU	4.8
1	A	45	VAL	4.7
1	A	221	VAL	4.7
1	B	129	ARG	4.7
1	A	224	TYR	4.7
1	B	203	GLY	4.5
1	A	305	VAL	4.5
1	B	214	THR	4.5
1	B	2	VAL	4.5
1	B	97	CYS	4.5
1	A	154	VAL	4.4
1	A	200	PHE	4.4
1	A	222	GLY	4.4
1	B	217	TYR	4.3
1	A	352	LEU	4.3
1	A	145	PHE	4.3
1	A	153	THR	4.3
1	A	195	ILE	4.3
1	A	256	LEU	4.3
1	A	94	LYS	4.2
1	B	195	ILE	4.2
1	A	387	VAL	4.2
1	A	103	VAL	4.0
1	B	340	VAL	4.0
1	A	180	TYR	4.0
1	A	25	LEU	4.0
1	B	53	PRO	3.9
1	A	157	VAL	3.9
1	A	334	ILE	3.9
1	B	128	GLU	3.9
1	A	12	THR	3.9
1	A	165	LEU	3.9
1	A	202	LYS	3.8
1	B	79	ILE	3.8
1	A	232	VAL	3.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	230	HIS	3.8
1	A	215	THR	3.8
1	A	300	PRO	3.8
1	B	592	ILE	3.8
1	B	78	PRO	3.7
1	B	593	PRO	3.7
1	A	225	PHE	3.7
1	B	198	TYR	3.7
1	A	198	TYR	3.7
1	A	178	ARG	3.7
1	A	127	THR	3.7
1	A	43	LEU	3.7
1	A	296	ALA	3.6
1	A	258	ILE	3.6
1	B	102	ASN	3.6
1	A	177	ASN	3.6
1	B	6	VAL	3.6
1	B	218	LYS	3.5
1	B	194	GLN	3.5
1	A	155	ARG	3.5
1	B	219	LEU	3.5
1	A	8	CYS	3.5
1	A	326	PRO	3.4
1	A	164	HIS	3.4
1	A	257	ASN	3.4
1	B	187	VAL	3.4
1	B	208	ALA	3.4
1	A	132	LEU	3.4
1	A	199	THR	3.4
1	A	356	VAL	3.4
1	B	196	GLY	3.4
1	A	27	CYS	3.4
1	A	146	LYS	3.3
1	B	98	VAL	3.3
1	B	12	THR	3.3
1	B	336	ALA	3.3
1	B	96	THR	3.3
1	A	241	VAL	3.3
1	A	362	ALA	3.3
1	A	328	ASP	3.2
1	A	92	LEU	3.2
1	A	231	THR	3.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	304	ILE	3.2
1	A	370	ILE	3.2
1	A	147	LEU	3.2
1	A	311	HIS	3.2
1	A	246	TYR	3.2
1	A	182	PHE	3.2
1	A	42	VAL	3.2
1	B	176	LEU	3.2
1	A	306	TYR	3.2
1	B	81	PHE	3.2
1	A	335	PRO	3.2
1	A	163	LEU	3.1
1	A	183	THR	3.1
1	A	216	THR	3.1
1	A	333	ILE	3.1
1	A	253	TYR	3.1
1	B	52	ALA	3.1
1	A	1	ALA	3.1
1	A	235	LEU	3.1
1	B	4	ALA	3.0
1	A	214	THR	3.0
1	A	361	ASN	3.0
1	A	144	THR	3.0
1	A	348	VAL	3.0
1	A	223	ASP	3.0
1	A	254	PRO	3.0
1	A	166	SER	3.0
1	A	14	LEU	3.0
1	B	68	MET	3.0
1	A	312	ALA	2.9
1	A	90	PHE	2.9
1	B	57	VAL	2.9
1	A	374	ASP	2.9
1	A	268	ASN	2.9
1	A	218	LYS	2.9
1	A	228	THR	2.9
1	A	340	VAL	2.9
1	A	372	VAL	2.9
1	A	212	ARG	2.9
1	A	307	THR	2.9
1	A	2	VAL	2.9
1	A	49	VAL	2.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	67	GLY	2.9
1	A	211	TYR	2.8
1	B	221	VAL	2.8
1	A	484	VAL	2.7
1	B	8	CYS	2.7
1	A	29	CYS	2.7
1	A	35	ILE	2.7
1	B	180	TYR	2.7
1	A	357	PHE	2.7
1	A	396	TYR	2.7
1	B	181	VAL	2.7
1	A	371	VAL	2.7
1	B	215	THR	2.7
1	B	159	SER	2.7
1	B	54	GLY	2.7
1	A	133	PHE	2.7
1	A	524	LYS	2.7
1	A	416	THR	2.6
1	A	18	ALA	2.6
1	A	350	SER	2.6
1	A	174	PRO	2.6
1	A	24	PHE	2.6
1	B	211	TYR	2.6
1	A	150	GLY	2.6
1	A	16	CYS	2.6
1	A	172	PRO	2.6
1	B	158	LEU	2.6
1	B	256	LEU	2.6
1	A	297	LEU	2.6
1	A	366	THR	2.6
1	A	329	LYS	2.6
1	A	337	ARG	2.6
1	B	92	LEU	2.6
1	A	508	LYS	2.5
1	A	330	CYS	2.5
1	B	179	ASN	2.5
1	B	163	LEU	2.5
1	A	308	ALA	2.5
1	A	325	LEU	2.5
1	B	101	ASP	2.5
1	A	156	GLU	2.5
1	B	212	ARG	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	352	LEU	2.5
1	A	4	ALA	2.5
1	B	413	THR	2.4
1	B	414	LYS	2.4
1	A	161	ARG	2.4
1	A	303	ARG	2.4
1	A	507	ARG	2.4
1	B	26	CYS	2.4
1	A	19	CYS	2.4
1	A	338	ALA	2.4
1	A	13	SER	2.4
1	A	44	SER	2.4
1	A	48	TYR	2.4
1	B	257	ASN	2.4
1	A	339	ARG	2.4
1	A	28	LYS	2.4
1	B	5	CYS	2.4
1	A	358	CYS	2.4
1	A	355	TYR	2.4
1	B	7	LEU	2.3
1	A	363	LEU	2.3
1	A	11	GLN	2.3
1	A	266	VAL	2.3
1	A	220	ASN	2.3
1	A	93	TYR	2.3
1	A	3	GLY	2.3
1	A	91	GLY	2.3
1	A	360	VAL	2.3
1	A	397	VAL	2.3
1	B	145	PHE	2.3
1	B	199	THR	2.3
1	A	346	PHE	2.3
1	A	299	TYR	2.3
1	A	194	GLN	2.3
1	B	190	ASN	2.3
1	B	49	VAL	2.3
1	B	103	VAL	2.3
1	B	197	GLU	2.3
1	A	207	ASP	2.3
1	A	591	GLU	2.3
1	A	411	LEU	2.3
1	A	15	ARG	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	87	GLY	2.2
1	A	341	GLU	2.2
1	B	229	SER	2.2
1	B	188	THR	2.2
1	A	278	SER	2.2
1	B	227	LEU	2.2
1	A	314	VAL	2.2
1	B	185	TYR	2.2
1	B	178	ARG	2.2
1	A	104	THR	2.1
1	A	84	CYS	2.1
1	A	373	PHE	2.1
1	A	41	LEU	2.1
1	A	389	ALA	2.1
1	B	161	ARG	2.1
1	A	23	PRO	2.1
1	A	250	THR	2.1
1	A	171	LYS	2.1
1	A	130	LEU	2.1
1	A	302	ALA	2.1
1	A	364	PRO	2.1
1	A	277	TYR	2.1
1	B	516	ASN	2.1
1	A	89	VAL	2.1
1	A	342	CYS	2.1
1	B	14	LEU	2.1
1	A	175	PRO	2.1
1	B	498	GLU	2.1
1	B	46	ASN	2.1
1	B	75	HIS	2.0
1	A	415	GLY	2.1
1	A	30	CYS	2.0
1	A	323	LYS	2.0
1	B	231	THR	2.0
1	B	44	SER	2.0
1	A	86	ASN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.



## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	VVD	A	701	14/14	0.78	0.13	52,59,64,66	0
2	VVD	B	701	14/14	0.81	0.17	71,82,94,96	0
4	PO4	B	705	5/5	0.94	0.08	38,40,42,44	0
3	ZN	A	703	1/1	0.96	0.06	54,54,54,54	0
4	PO4	B	706	5/5	0.96	0.08	35,36,38,49	0
3	ZN	B	703	1/1	0.97	0.05	52,52,52,52	0
3	ZN	A	704	1/1	0.97	0.05	79,79,79,79	0
3	ZN	B	704	1/1	0.98	0.05	72,72,72,72	0
4	PO4	A	705	5/5	0.98	0.06	34,35,40,41	0
4	PO4	A	706	5/5	0.98	0.06	30,36,38,43	0
3	ZN	B	702	1/1	0.99	0.02	36,36,36,36	0
3	ZN	A	702	1/1	0.99	0.03	44,44,44,44	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around VVD A 701:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around VVD B 701:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.