



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 24, 2025 – 10:28 AM EDT

PDB ID : 8SSK
Title : *Citrobacter rodentium* contact dependent growth inhibition (CDI) entry and toxin (CdiA-CT) domains
Authors : Cuthbert, B.J.; Goulding, C.W.; Hayes, C.S.; Nhan, D.Q.
Deposited on : 2023-05-08
Resolution : 1.90 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.21
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.41.4


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	7293 (1.90-1.90)
Clashscore	180529	8090 (1.90-1.90)
Ramachandran outliers	177936	8022 (1.90-1.90)
Sidechain outliers	177891	8022 (1.90-1.90)
RSRZ outliers	164620	7292 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	318	<div> <div>2%</div> <div>90%</div> <div>6%</div> <div>.</div> </div>
1	B	318	<div> <div>%</div> <div>91%</div> <div>5%</div> <div>.</div> </div>
1	C	318	<div> <div>%</div> <div>91%</div> <div>5%</div> <div>.</div> </div>
1	D	318	<div> <div>2%</div> <div>89%</div> <div>6%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	ACT	C	426	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 18978 atoms, of which 8671 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fimbrial usher protein StbD.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	304	Total	C	H	N	O	S	0	6	0
			4322	1383	2114	376	439	10			
1	B	304	Total	C	H	N	O	S	0	7	0
			4337	1391	2115	374	446	11			
1	C	305	Total	C	H	N	O	S	0	5	0
			4420	1405	2178	382	445	10			
1	D	306	Total	C	H	N	O	S	0	10	0
			4378	1401	2139	377	450	11			

There are 88 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-16	MET	-	expression tag	UNP A0A482PFX0
A	-15	HIS	-	expression tag	UNP A0A482PFX0
A	-14	HIS	-	expression tag	UNP A0A482PFX0
A	-13	HIS	-	expression tag	UNP A0A482PFX0
A	-12	HIS	-	expression tag	UNP A0A482PFX0
A	-11	HIS	-	expression tag	UNP A0A482PFX0
A	-10	HIS	-	expression tag	UNP A0A482PFX0
A	-9	SER	-	expression tag	UNP A0A482PFX0
A	-8	SER	-	expression tag	UNP A0A482PFX0
A	-7	GLY	-	expression tag	UNP A0A482PFX0
A	-6	VAL	-	expression tag	UNP A0A482PFX0
A	-5	ASP	-	expression tag	UNP A0A482PFX0
A	-4	LEU	-	expression tag	UNP A0A482PFX0
A	-3	GLY	-	expression tag	UNP A0A482PFX0
A	-2	THR	-	expression tag	UNP A0A482PFX0
A	-1	GLU	-	expression tag	UNP A0A482PFX0
A	0	ASN	-	expression tag	UNP A0A482PFX0
A	1	LEU	-	expression tag	UNP A0A482PFX0
A	2	TYR	-	expression tag	UNP A0A482PFX0
A	3	PHE	-	expression tag	UNP A0A482PFX0
A	4	GLN	-	expression tag	UNP A0A482PFX0

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	183	ALA	CYS	conflict	UNP A0A482PFX0
B	-16	MET	-	expression tag	UNP A0A482PFX0
B	-15	HIS	-	expression tag	UNP A0A482PFX0
B	-14	HIS	-	expression tag	UNP A0A482PFX0
B	-13	HIS	-	expression tag	UNP A0A482PFX0
B	-12	HIS	-	expression tag	UNP A0A482PFX0
B	-11	HIS	-	expression tag	UNP A0A482PFX0
B	-10	HIS	-	expression tag	UNP A0A482PFX0
B	-9	SER	-	expression tag	UNP A0A482PFX0
B	-8	SER	-	expression tag	UNP A0A482PFX0
B	-7	GLY	-	expression tag	UNP A0A482PFX0
B	-6	VAL	-	expression tag	UNP A0A482PFX0
B	-5	ASP	-	expression tag	UNP A0A482PFX0
B	-4	LEU	-	expression tag	UNP A0A482PFX0
B	-3	GLY	-	expression tag	UNP A0A482PFX0
B	-2	THR	-	expression tag	UNP A0A482PFX0
B	-1	GLU	-	expression tag	UNP A0A482PFX0
B	0	ASN	-	expression tag	UNP A0A482PFX0
B	1	LEU	-	expression tag	UNP A0A482PFX0
B	2	TYR	-	expression tag	UNP A0A482PFX0
B	3	PHE	-	expression tag	UNP A0A482PFX0
B	4	GLN	-	expression tag	UNP A0A482PFX0
B	183	ALA	CYS	conflict	UNP A0A482PFX0
C	-16	MET	-	expression tag	UNP A0A482PFX0
C	-15	HIS	-	expression tag	UNP A0A482PFX0
C	-14	HIS	-	expression tag	UNP A0A482PFX0
C	-13	HIS	-	expression tag	UNP A0A482PFX0
C	-12	HIS	-	expression tag	UNP A0A482PFX0
C	-11	HIS	-	expression tag	UNP A0A482PFX0
C	-10	HIS	-	expression tag	UNP A0A482PFX0
C	-9	SER	-	expression tag	UNP A0A482PFX0
C	-8	SER	-	expression tag	UNP A0A482PFX0
C	-7	GLY	-	expression tag	UNP A0A482PFX0
C	-6	VAL	-	expression tag	UNP A0A482PFX0
C	-5	ASP	-	expression tag	UNP A0A482PFX0
C	-4	LEU	-	expression tag	UNP A0A482PFX0
C	-3	GLY	-	expression tag	UNP A0A482PFX0
C	-2	THR	-	expression tag	UNP A0A482PFX0
C	-1	GLU	-	expression tag	UNP A0A482PFX0
C	0	ASN	-	expression tag	UNP A0A482PFX0
C	1	LEU	-	expression tag	UNP A0A482PFX0
C	2	TYR	-	expression tag	UNP A0A482PFX0

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	3	PHE	-	expression tag	UNP A0A482PFX0
C	4	GLN	-	expression tag	UNP A0A482PFX0
C	183	ALA	CYS	conflict	UNP A0A482PFX0
D	-16	MET	-	expression tag	UNP A0A482PFX0
D	-15	HIS	-	expression tag	UNP A0A482PFX0
D	-14	HIS	-	expression tag	UNP A0A482PFX0
D	-13	HIS	-	expression tag	UNP A0A482PFX0
D	-12	HIS	-	expression tag	UNP A0A482PFX0
D	-11	HIS	-	expression tag	UNP A0A482PFX0
D	-10	HIS	-	expression tag	UNP A0A482PFX0
D	-9	SER	-	expression tag	UNP A0A482PFX0
D	-8	SER	-	expression tag	UNP A0A482PFX0
D	-7	GLY	-	expression tag	UNP A0A482PFX0
D	-6	VAL	-	expression tag	UNP A0A482PFX0
D	-5	ASP	-	expression tag	UNP A0A482PFX0
D	-4	LEU	-	expression tag	UNP A0A482PFX0
D	-3	GLY	-	expression tag	UNP A0A482PFX0
D	-2	THR	-	expression tag	UNP A0A482PFX0
D	-1	GLU	-	expression tag	UNP A0A482PFX0
D	0	ASN	-	expression tag	UNP A0A482PFX0
D	1	LEU	-	expression tag	UNP A0A482PFX0
D	2	TYR	-	expression tag	UNP A0A482PFX0
D	3	PHE	-	expression tag	UNP A0A482PFX0
D	4	GLN	-	expression tag	UNP A0A482PFX0
D	183	ALA	CYS	conflict	UNP A0A482PFX0

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	H	O	0	0
			13	3	7	3		
3	A	1	Total	C	H	O	0	0
			14	3	8	3		
3	B	1	Total	C	H	O	0	0
			13	3	7	3		
3	B	1	Total	C	H	O	0	0
			12	3	6	3		
3	B	1	Total	C	H	O	0	0
			14	3	8	3		
3	C	1	Total	C	H	O	0	0
			14	3	8	3		
3	C	1	Total	C	H	O	0	0
			14	3	8	3		
3	D	1	Total	C	H	O	0	0
			13	3	7	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	D	1	Total	C	H	O	0	0
			14	3	8	3		
3	D	1	Total	C	H	O	0	0
			14	3	8	3		
3	D	1	Total	C	H	O	0	0
			14	3	8	3		

- Molecule 4 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H	O	0	0
			7	2	3	2		
4	A	1	Total	C	H	O	0	0
			7	2	3	2		
4	B	1	Total	C	H	O	0	0
			7	2	3	2		
4	B	1	Total	C	H	O	0	0
			7	2	3	2		
4	C	1	Total	C	H	O	0	0
			7	2	3	2		
4	C	1	Total	C	H	O	0	0
			7	2	3	2		
4	C	1	Total	C	H	O	0	0
			7	2	3	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	C	1	Total	C	H	O	0	0
			7	2	3	2		
4	C	1	Total	C	H	O	0	0
			7	2	3	2		
4	C	1	Total	C	H	O	0	0
			7	2	3	2		
4	D	1	Total	C	H	O	0	0
			7	2	3	2		
4	D	1	Total	C	H	O	0	0
			7	2	3	2		
4	D	1	Total	C	H	O	0	0
			7	2	3	2		

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Ca	0	0
			1	1		
5	B	1	Total	Ca	0	0
			1	1		
5	C	1	Total	Ca	0	0
			1	1		
5	D	1	Total	Ca	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	299	Total	O	0	0
			299	299		
6	B	299	Total	O	0	0
			299	299		
6	C	334	Total	O	0	0
			334	334		
6	D	318	Total	O	0	0
			318	318		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fimbrial usher protein StbD




- Molecule 1: Fimbrial usher protein StbD



- Molecule 1: Fimbrial usher protein StbD



- Molecule 1: Fimbrial usher protein StbD



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	66.87Å 113.98Å 87.35Å 90.00° 92.39° 90.00°	Depositor
Resolution (Å)	39.26 – 1.90 39.26 – 1.90	Depositor EDS
% Data completeness (in resolution range)	98.4 (39.26-1.90) 98.4 (39.26-1.90)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.57 (at 1.89Å)	Xtriage
Refinement program	PHENIX 1.21.2_5419	Depositor
R, R_{free}	0.166 , 0.194 0.166 , 0.194	Depositor DCC
R_{free} test set	92776 reflections (9.95%)	wwPDB-VP
Wilson B-factor (Å ²)	22.8	Xtriage
Anisotropy	0.241	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 50.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.016 for h,-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	18978	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 33.21 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.2946e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4, CA, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.30	0/2266	0.50	0/3075
1	B	0.29	0/2283	0.50	0/3099
1	C	0.30	0/2298	0.50	0/3113
1	D	0.30	0/2308	0.50	1/3134 (0.0%)
All	All	0.30	0/9155	0.50	1/12421 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	83	ASP	CB-CG-OD1	-5.44	113.40	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2208	2114	2116	12	0
1	B	2222	2115	2117	10	0
1	C	2242	2178	2180	14	0
1	D	2239	2139	2133	15	0
2	A	10	0	0	0	0
2	C	10	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	12	15	16	1	0
3	B	18	21	24	0	0
3	C	12	16	16	1	0
3	D	24	31	32	4	0
4	A	8	6	6	1	0
4	B	8	6	6	0	0
4	C	28	21	21	4	0
4	D	12	9	9	2	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
6	A	299	0	0	1	0
6	B	299	0	0	1	0
6	C	334	0	0	2	0
6	D	318	0	0	2	0
All	All	10307	8671	8676	49	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 49 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:152:PRO:HG2	4:A:422:ACT:H1	1.63	0.81
4:D:1519:ACT:H3	6:D:1898:HOH:O	1.90	0.71
1:D:70:CYS:SG	1:D:77[B]:CYS:HB2	2.32	0.69
1:A:70:CYS:HA	1:A:77[B]:CYS:SG	2.36	0.66
1:D:12:ARG:HH22	3:D:1522:GOL:H2	1.60	0.65

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	306/318 (96%)	301 (98%)	5 (2%)	0	100	100
1	B	307/318 (96%)	304 (99%)	3 (1%)	0	100	100
1	C	308/318 (97%)	305 (99%)	3 (1%)	0	100	100
1	D	312/318 (98%)	308 (99%)	4 (1%)	0	100	100
All	All	1233/1272 (97%)	1218 (99%)	15 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	220/243 (90%)	218 (99%)	2 (1%)	75	77
1	B	222/243 (91%)	221 (100%)	1 (0%)	86	88
1	C	227/243 (93%)	225 (99%)	2 (1%)	75	77
1	D	225/243 (93%)	222 (99%)	3 (1%)	65	65
All	All	894/972 (92%)	886 (99%)	8 (1%)	75	77

5 of 8 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	300	ASN
1	D	143	SER
1	C	300	ASN
1	C	86	LYS
1	D	137	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 33 ligands modelled in this entry, 4 are monoatomic - leaving 29 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	ACT	C	422	-	3,3,3	1.52	1 (33%)	3,3,3	1.09	0
3	GOL	C	427	-	5,5,5	0.42	0	5,5,5	0.23	0
3	GOL	B	521	-	5,5,5	0.24	0	5,5,5	0.80	0
4	ACT	B	519	-	3,3,3	1.53	1 (33%)	3,3,3	0.80	0
3	GOL	B	522	-	5,5,5	0.15	0	5,5,5	0.24	0
4	ACT	C	426	-	3,3,3	1.53	1 (33%)	3,3,3	1.31	0
3	GOL	C	419	-	5,5,5	0.18	0	5,5,5	0.81	0
3	GOL	D	1520	-	5,5,5	0.20	0	5,5,5	0.36	0
4	ACT	B	518	-	3,3,3	1.51	1 (33%)	3,3,3	0.83	0
4	ACT	D	1519	-	3,3,3	1.46	1 (33%)	3,3,3	1.20	0
3	GOL	D	1522	-	5,5,5	0.20	0	5,5,5	0.53	0
2	SO4	C	418	-	4,4,4	0.77	0	6,6,6	0.19	0
2	SO4	C	428	-	4,4,4	0.66	0	6,6,6	0.13	0
4	ACT	C	423	-	3,3,3	1.52	1 (33%)	3,3,3	1.33	0
4	ACT	D	1524	-	3,3,3	1.52	1 (33%)	3,3,3	0.79	0
3	GOL	A	419	-	5,5,5	0.26	0	5,5,5	0.67	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ACT	A	420	-	3,3,3	1.49	1 (33%)	3,3,3	1.13	0
2	SO4	A	423	-	4,4,4	0.85	0	6,6,6	0.18	0
3	GOL	A	421	-	5,5,5	0.20	0	5,5,5	0.37	0
4	ACT	C	425	-	3,3,3	1.63	1 (33%)	3,3,3	0.93	0
4	ACT	C	424	-	3,3,3	1.49	1 (33%)	3,3,3	1.03	0
3	GOL	D	1521	-	5,5,5	0.17	0	5,5,5	0.44	0
3	GOL	D	1523	-	5,5,5	0.25	0	5,5,5	0.59	0
4	ACT	A	422	-	3,3,3	1.35	0	3,3,3	1.19	0
3	GOL	B	520	-	5,5,5	0.21	0	5,5,5	0.53	0
4	ACT	C	421	-	3,3,3	1.58	1 (33%)	3,3,3	0.96	0
4	ACT	C	420	-	3,3,3	1.57	1 (33%)	3,3,3	1.26	0
2	SO4	A	418	-	4,4,4	0.79	0	6,6,6	0.31	0
4	ACT	D	1518	-	3,3,3	1.56	1 (33%)	3,3,3	0.94	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	B	520	-	-	0/4/4/4	-
3	GOL	C	427	-	-	2/4/4/4	-
3	GOL	A	419	-	-	1/4/4/4	-
3	GOL	B	521	-	-	1/4/4/4	-
3	GOL	A	421	-	-	1/4/4/4	-
3	GOL	D	1522	-	-	2/4/4/4	-
3	GOL	D	1521	-	-	3/4/4/4	-
3	GOL	D	1523	-	-	0/4/4/4	-
3	GOL	B	522	-	-	2/4/4/4	-
3	GOL	C	419	-	-	0/4/4/4	-
3	GOL	D	1520	-	-	2/4/4/4	-

The worst 5 of 13 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	421	ACT	CH3-C	2.32	1.58	1.49
4	C	420	ACT	CH3-C	2.27	1.58	1.49
4	C	422	ACT	CH3-C	2.23	1.57	1.49
4	D	1518	ACT	CH3-C	2.22	1.57	1.49
4	B	519	ACT	CH3-C	2.22	1.57	1.49

There are no bond angle outliers.

There are no chirality outliers.

5 of 14 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	522	GOL	O1-C1-C2-C3
3	D	1520	GOL	O1-C1-C2-C3
3	D	1522	GOL	C1-C2-C3-O3
3	D	1520	GOL	O1-C1-C2-O2
3	A	421	GOL	O1-C1-C2-C3

There are no ring outliers.

11 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	427	GOL	1	0
4	C	426	ACT	3	0
3	D	1520	GOL	1	0
4	D	1519	ACT	1	0
3	D	1522	GOL	1	0
2	C	428	SO4	1	0
4	D	1524	ACT	1	0
3	A	419	GOL	1	0
4	C	424	ACT	1	0
3	D	1521	GOL	2	0
4	A	422	ACT	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	304/318 (95%)	-0.23	5 (1%) 70 72	13, 28, 51, 71	6 (1%)
1	B	304/318 (95%)	-0.22	3 (0%) 79 81	12, 28, 50, 69	7 (2%)
1	C	305/318 (95%)	-0.41	2 (0%) 84 86	12, 26, 49, 74	5 (1%)
1	D	306/318 (96%)	-0.28	5 (1%) 70 72	13, 28, 52, 73	9 (2%)
All	All	1219/1272 (95%)	-0.29	15 (1%) 76 78	12, 28, 50, 74	27 (2%)

The worst 5 of 15 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	-5	ASP	4.1
1	D	-4	LEU	4.0
1	B	-4	LEU	3.7
1	D	143	SER	3.4
1	C	-3	GLY	3.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	ACT	C	422	4/4	0.66	0.18	37,39,44,49	0
4	ACT	C	421	4/4	0.71	0.16	42,46,51,53	7
3	GOL	D	1522	6/6	0.71	0.14	42,54,64,70	0
3	GOL	B	522	6/6	0.72	0.16	41,55,67,67	0
4	ACT	D	1524	4/4	0.73	0.16	51,52,63,63	0
3	GOL	A	421	6/6	0.75	0.14	48,58,66,78	0
3	GOL	D	1523	6/6	0.77	0.18	39,49,59,68	14
3	GOL	C	427	6/6	0.78	0.14	43,62,73,87	0
4	ACT	C	425	4/4	0.81	0.18	36,43,52,52	7
4	ACT	C	424	4/4	0.81	0.19	37,44,45,47	0
3	GOL	D	1521	6/6	0.82	0.12	33,49,60,63	0
4	ACT	B	518	4/4	0.83	0.17	45,49,58,58	0
4	ACT	D	1518	4/4	0.83	0.22	33,38,42,42	0
4	ACT	A	420	4/4	0.83	0.13	54,55,64,64	0
4	ACT	B	519	4/4	0.85	0.12	42,48,56,56	0
3	GOL	B	521	6/6	0.86	0.11	31,37,40,49	0
4	ACT	A	422	4/4	0.87	0.14	47,53,71,71	0
4	ACT	C	423	4/4	0.87	0.10	48,51,57,57	0
4	ACT	D	1519	4/4	0.88	0.11	36,46,54,54	0
3	GOL	D	1520	6/6	0.88	0.11	31,37,43,44	0
4	ACT	C	426	4/4	0.91	0.14	45,51,58,58	0
3	GOL	A	419	6/6	0.91	0.09	25,31,35,38	0
4	ACT	C	420	4/4	0.92	0.11	36,41,57,57	0
3	GOL	B	520	6/6	0.92	0.09	25,32,39,39	0
3	GOL	C	419	6/6	0.94	0.08	25,30,36,36	0
2	SO4	C	428	5/5	0.96	0.12	17,25,26,31	5
2	SO4	A	418	5/5	0.97	0.07	27,29,30,36	0
2	SO4	A	423	5/5	0.98	0.06	26,27,28,36	0
2	SO4	C	418	5/5	0.99	0.04	21,25,26,28	0
5	CA	C	429	1/1	0.99	0.03	23,23,23,23	0
5	CA	B	523	1/1	1.00	0.05	21,21,21,21	0
5	CA	A	424	1/1	1.00	0.02	18,18,18,18	0
5	CA	D	1525	1/1	1.00	0.03	22,22,22,22	0

6.5 Other polymers ⓘ

There are no such residues in this entry.