



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 24, 2024 – 07:53 AM EDT

PDB ID : 6SZQ
Title : Crystal structure of human DDAH-1
Authors : Hennig, S.; Vetter, I.R.; Schade, D.
Deposited on : 2019-10-02
Resolution : 2.41 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.20.1
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4647 (2.44-2.40)
Clashscore	141614	5161 (2.44-2.40)
Ramachandran outliers	138981	5073 (2.44-2.40)
Sidechain outliers	138945	5074 (2.44-2.40)
RSRZ outliers	127900	4543 (2.44-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	297	<div><div>2%</div><div><div></div><div>85%</div><div>7%</div><div>7%</div></div></div>
1	B	297	<div><div>2%</div><div><div></div><div>83%</div><div>9%</div><div>7%</div></div></div>
1	C	297	<div><div>2%</div><div><div></div><div>82%</div><div>11%</div><div>5%</div></div></div>
1	D	297	<div><div>5%</div><div><div></div><div>86%</div><div>10%</div><div></div></div></div>
1	E	297	<div><div>4%</div><div><div></div><div>81%</div><div>14%</div><div>5%</div></div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	297	<div><div></div><div>7%</div><div>75%</div><div>16%</div><div>•• 6%</div></div>

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 13242 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called N(G),N(G)-dimethylarginine dimethylaminohydrolase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	276	Total	C	N	O	S	0	0	0
			2117	1329	367	407	14			
1	B	276	Total	C	N	O	S	0	0	0
			2117	1329	367	407	14			
1	C	281	Total	C	N	O	S	0	0	0
			2148	1348	374	412	14			
1	D	286	Total	C	N	O	S	0	0	0
			2183	1369	381	418	15			
1	E	283	Total	C	N	O	S	0	0	0
			2163	1358	376	414	15			
1	F	278	Total	C	N	O	S	0	0	0
			2134	1340	371	409	14			

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	initiating methionine	UNP O94760
A	-10	ARG	-	expression tag	UNP O94760
A	-9	GLY	-	expression tag	UNP O94760
A	-8	SER	-	expression tag	UNP O94760
A	-7	HIS	-	expression tag	UNP O94760
A	-6	HIS	-	expression tag	UNP O94760
A	-5	HIS	-	expression tag	UNP O94760
A	-4	HIS	-	expression tag	UNP O94760
A	-3	HIS	-	expression tag	UNP O94760
A	-2	HIS	-	expression tag	UNP O94760
A	-1	GLY	-	expression tag	UNP O94760
A	0	SER	-	expression tag	UNP O94760
B	-11	MET	-	initiating methionine	UNP O94760
B	-10	ARG	-	expression tag	UNP O94760
B	-9	GLY	-	expression tag	UNP O94760
B	-8	SER	-	expression tag	UNP O94760
B	-7	HIS	-	expression tag	UNP O94760

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-6	HIS	-	expression tag	UNP O94760
B	-5	HIS	-	expression tag	UNP O94760
B	-4	HIS	-	expression tag	UNP O94760
B	-3	HIS	-	expression tag	UNP O94760
B	-2	HIS	-	expression tag	UNP O94760
B	-1	GLY	-	expression tag	UNP O94760
B	0	SER	-	expression tag	UNP O94760
C	-11	MET	-	initiating methionine	UNP O94760
C	-10	ARG	-	expression tag	UNP O94760
C	-9	GLY	-	expression tag	UNP O94760
C	-8	SER	-	expression tag	UNP O94760
C	-7	HIS	-	expression tag	UNP O94760
C	-6	HIS	-	expression tag	UNP O94760
C	-5	HIS	-	expression tag	UNP O94760
C	-4	HIS	-	expression tag	UNP O94760
C	-3	HIS	-	expression tag	UNP O94760
C	-2	HIS	-	expression tag	UNP O94760
C	-1	GLY	-	expression tag	UNP O94760
C	0	SER	-	expression tag	UNP O94760
D	-11	MET	-	initiating methionine	UNP O94760
D	-10	ARG	-	expression tag	UNP O94760
D	-9	GLY	-	expression tag	UNP O94760
D	-8	SER	-	expression tag	UNP O94760
D	-7	HIS	-	expression tag	UNP O94760
D	-6	HIS	-	expression tag	UNP O94760
D	-5	HIS	-	expression tag	UNP O94760
D	-4	HIS	-	expression tag	UNP O94760
D	-3	HIS	-	expression tag	UNP O94760
D	-2	HIS	-	expression tag	UNP O94760
D	-1	GLY	-	expression tag	UNP O94760
D	0	SER	-	expression tag	UNP O94760
E	-11	MET	-	initiating methionine	UNP O94760
E	-10	ARG	-	expression tag	UNP O94760
E	-9	GLY	-	expression tag	UNP O94760
E	-8	SER	-	expression tag	UNP O94760
E	-7	HIS	-	expression tag	UNP O94760
E	-6	HIS	-	expression tag	UNP O94760
E	-5	HIS	-	expression tag	UNP O94760
E	-4	HIS	-	expression tag	UNP O94760
E	-3	HIS	-	expression tag	UNP O94760
E	-2	HIS	-	expression tag	UNP O94760
E	-1	GLY	-	expression tag	UNP O94760

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	0	SER	-	expression tag	UNP O94760
F	-11	MET	-	initiating methionine	UNP O94760
F	-10	ARG	-	expression tag	UNP O94760
F	-9	GLY	-	expression tag	UNP O94760
F	-8	SER	-	expression tag	UNP O94760
F	-7	HIS	-	expression tag	UNP O94760
F	-6	HIS	-	expression tag	UNP O94760
F	-5	HIS	-	expression tag	UNP O94760
F	-4	HIS	-	expression tag	UNP O94760
F	-3	HIS	-	expression tag	UNP O94760
F	-2	HIS	-	expression tag	UNP O94760
F	-1	GLY	-	expression tag	UNP O94760
F	0	SER	-	expression tag	UNP O94760


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	69	Total O 69 69	0	0
2	B	71	Total O 71 71	0	0
2	C	96	Total O 96 96	0	0
2	D	44	Total O 44 44	0	0
2	E	59	Total O 59 59	0	0
2	F	41	Total O 41 41	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: N(G),N(G)-dimethylarginine dimethylaminohydrolase 1




- Molecule 1: N(G),N(G)-dimethylarginine dimethylaminohydrolase 1




- Molecule 1: N(G),N(G)-dimethylarginine dimethylaminohydrolase 1



- Molecule 1: N(G),N(G)-dimethylarginine dimethylaminohydrolase 1





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	89.15Å 76.15Å 116.84Å 90.00° 95.47° 90.00°	Depositor
Resolution (Å)	46.65 – 2.41 46.64 – 2.41	Depositor EDS
% Data completeness (in resolution range)	99.1 (46.65-2.41) 99.5 (46.64-2.41)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.72 (at 2.42Å)	Xtriage
Refinement program	PHENIX 1.14_3260	Depositor
R, R_{free}	0.223 , 0.270 0.225 , 0.270	Depositor DCC
R_{free} test set	2100 reflections (3.50%)	wwPDB-VP
Wilson B-factor (Å ²)	43.2	Xtriage
Anisotropy	0.367	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 40.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13242	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 43.86 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.6580e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.74	2/2149 (0.1%)	0.99	10/2904 (0.3%)
1	B	0.70	3/2150 (0.1%)	0.97	10/2905 (0.3%)
1	C	0.74	5/2182 (0.2%)	0.96	9/2949 (0.3%)
1	D	0.77	6/2218 (0.3%)	1.09	14/2997 (0.5%)
1	E	0.86	8/2197 (0.4%)	1.15	21/2969 (0.7%)
1	F	0.90	5/2168 (0.2%)	1.26	31/2931 (1.1%)
All	All	0.79	29/13064 (0.2%)	1.08	95/17655 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	2
1	F	0	6
All	All	0	10

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	107	GLU	CD-OE1	11.18	1.38	1.25
1	F	110	GLU	CD-OE1	-10.41	1.14	1.25
1	B	222	CYS	CB-SG	-7.78	1.69	1.82
1	C	240	GLU	CB-CG	7.43	1.66	1.52
1	E	23	GLU	CB-CG	7.39	1.66	1.52
1	C	178	CYS	CB-SG	-7.03	1.70	1.82
1	D	214	VAL	CB-CG2	-6.91	1.38	1.52
1	E	244	GLU	CD-OE1	6.77	1.33	1.25
1	E	110	GLU	CD-OE2	6.52	1.32	1.25
1	C	107	GLU	CG-CD	6.51	1.61	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	166	VAL	CA-C	6.51	1.69	1.52
1	A	240	GLU	CB-CG	6.44	1.64	1.52
1	F	270	GLY	CA-C	-6.36	1.41	1.51
1	D	178	CYS	CB-SG	-6.28	1.71	1.82
1	D	122	GLU	CG-CD	6.18	1.61	1.51
1	B	214	VAL	CB-CG2	-6.00	1.40	1.52
1	E	192	GLU	CB-CG	5.81	1.63	1.52
1	E	281	LYS	CB-CG	-5.77	1.36	1.52
1	F	36	GLU	CB-CG	5.70	1.62	1.52
1	C	214	VAL	CB-CG2	-5.69	1.41	1.52
1	E	61	GLN	CG-CD	5.66	1.64	1.51
1	C	222	CYS	CB-SG	-5.64	1.72	1.81
1	E	78	GLU	CG-CD	-5.62	1.43	1.51
1	D	122	GLU	CB-CG	5.55	1.62	1.52
1	E	240	GLU	CB-CG	5.48	1.62	1.52
1	F	203	GLN	CG-CD	5.38	1.63	1.51
1	D	166	VAL	CA-C	5.32	1.66	1.52
1	D	45	ARG	CZ-NH1	-5.12	1.26	1.33
1	B	178	CYS	CB-SG	-5.10	1.73	1.81

All (95) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	198	LEU	CB-CG-CD2	-17.73	80.85	111.00
1	C	4	LEU	CA-CB-CG	14.88	149.53	115.30
1	D	45	ARG	NE-CZ-NH2	14.77	127.69	120.30
1	D	48	GLN	CA-CB-CG	12.30	140.45	113.40
1	F	109	LEU	CA-CB-CG	11.65	142.11	115.30
1	A	34	LYS	CB-CG-CD	10.56	139.06	111.60
1	E	136	ARG	NE-CZ-NH1	-10.46	115.07	120.30
1	F	48	GLN	N-CA-CB	10.27	129.08	110.60
1	B	254	ASP	CB-CA-C	-9.89	90.62	110.40
1	F	247	LYS	CD-CE-NZ	-9.88	88.98	111.70
1	E	144	LYS	CD-CE-NZ	9.64	133.88	111.70
1	D	45	ARG	NE-CZ-NH1	-9.57	115.52	120.30
1	D	48	GLN	CB-CG-CD	9.42	136.10	111.60
1	D	4	LEU	CA-CB-CG	9.33	136.76	115.30
1	E	208	ARG	CB-CG-CD	-9.23	87.59	111.60
1	E	254	ASP	CB-CG-OD1	9.08	126.48	118.30
1	F	253	LYS	CB-CA-C	-8.90	92.61	110.40
1	F	262	MET	CG-SD-CE	-8.71	86.26	100.20
1	E	114	LEU	CA-CB-CG	8.69	135.29	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	30	LEU	CA-CB-CG	8.17	134.08	115.30
1	D	48	GLN	CB-CA-C	-8.12	94.16	110.40
1	E	23	GLU	CA-CB-CG	8.02	131.05	113.40
1	C	37	GLU	CA-CB-CG	-8.00	95.79	113.40
1	E	203	GLN	CA-CB-CG	7.89	130.77	113.40
1	B	254	ASP	CB-CG-OD1	-7.84	111.24	118.30
1	A	267	LYS	CD-CE-NZ	7.82	129.69	111.70
1	E	34	LYS	CA-CB-CG	7.81	130.57	113.40
1	F	48	GLN	CA-CB-CG	7.66	130.25	113.40
1	F	253	LYS	CD-CE-NZ	7.66	129.31	111.70
1	A	107	GLU	CG-CD-OE2	-7.65	103.00	118.30
1	B	170	ASP	CB-CG-OD2	7.31	124.88	118.30
1	C	107	GLU	CA-CB-CG	7.25	129.36	113.40
1	F	111	LYS	CA-CB-CG	7.25	129.34	113.40
1	F	251	LYS	CD-CE-NZ	7.21	128.28	111.70
1	F	208	ARG	NE-CZ-NH1	7.20	123.90	120.30
1	E	34	LYS	CD-CE-NZ	-7.19	95.16	111.70
1	C	208	ARG	CG-CD-NE	-7.15	96.79	111.80
1	F	21	LEU	CB-CG-CD1	-6.98	99.13	111.00
1	F	25	LEU	CB-CG-CD1	-6.96	99.17	111.00
1	D	32	SER	CB-CA-C	6.92	123.24	110.10
1	B	196	LYS	CG-CD-CE	-6.89	91.22	111.90
1	F	39	ASP	CB-CG-OD1	6.78	124.40	118.30
1	F	48	GLN	CB-CA-C	-6.76	96.89	110.40
1	E	208	ARG	N-CA-CB	-6.69	98.55	110.60
1	E	34	LYS	CB-CG-CD	-6.67	94.25	111.60
1	F	253	LYS	CA-CB-CG	6.52	127.74	113.40
1	A	34	LYS	CG-CD-CE	-6.50	92.41	111.90
1	D	34	LYS	CD-CE-NZ	-6.45	96.87	111.70
1	D	64	GLU	CG-CD-OE2	-6.34	105.63	118.30
1	F	253	LYS	CB-CG-CD	-6.30	95.21	111.60
1	C	208	ARG	NE-CZ-NH2	-6.30	117.15	120.30
1	B	170	ASP	CB-CG-OD1	-6.27	112.66	118.30
1	B	230	LYS	CD-CE-NZ	6.22	126.00	111.70
1	F	110	GLU	CA-CB-CG	6.20	127.05	113.40
1	A	257	LEU	CB-CG-CD1	-6.18	100.50	111.00
1	E	159	LYS	CD-CE-NZ	-6.16	97.54	111.70
1	D	30	LEU	CA-CB-CG	6.12	129.37	115.30
1	F	111	LYS	CD-CE-NZ	-6.11	97.65	111.70
1	F	254	ASP	N-CA-CB	-6.08	99.66	110.60
1	D	198	LEU	CA-CB-CG	6.06	129.24	115.30
1	C	68	ASP	CB-CG-OD2	6.05	123.74	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	100	LYS	N-CA-CB	-6.03	99.75	110.60
1	A	136	ARG	CA-CB-CG	5.80	126.15	113.40
1	E	107	GLU	CA-CB-CG	5.79	126.13	113.40
1	F	34	LYS	CG-CD-CE	-5.74	94.69	111.90
1	E	144	LYS	CG-CD-CE	-5.73	94.71	111.90
1	E	281	LYS	CB-CG-CD	-5.73	96.70	111.60
1	F	21	LEU	CA-CB-CG	5.73	128.47	115.30
1	F	106	LYS	CD-CE-NZ	-5.64	98.74	111.70
1	D	107	GLU	CA-CB-CG	5.60	125.71	113.40
1	C	57	LYS	CA-CB-CG	5.58	125.68	113.40
1	A	136	ARG	CB-CG-CD	5.49	125.88	111.60
1	E	247	LYS	CB-CA-C	-5.44	99.52	110.40
1	E	262	MET	CA-CB-CG	5.42	122.52	113.30
1	F	115	ASN	CB-CA-C	-5.29	99.82	110.40
1	E	144	LYS	N-CA-CB	-5.27	101.11	110.60
1	A	208	ARG	CB-CG-CD	5.26	125.27	111.60
1	B	196	LYS	CB-CG-CD	5.25	125.26	111.60
1	C	21	LEU	CA-CB-CG	5.25	127.39	115.30
1	E	240	GLU	CA-CB-CG	-5.22	101.92	113.40
1	A	240	GLU	OE1-CD-OE2	-5.20	117.06	123.30
1	F	229	ASN	CB-CA-C	5.16	120.71	110.40
1	B	230	LYS	CA-CB-CG	5.15	124.73	113.40
1	F	166	VAL	CA-CB-CG1	5.14	118.61	110.90
1	F	250	GLU	OE1-CD-OE2	-5.14	117.13	123.30
1	F	144	LYS	CD-CE-NZ	-5.14	99.88	111.70
1	A	107	GLU	N-CA-CB	-5.13	101.36	110.60
1	E	85	GLU	CA-CB-CG	5.12	124.65	113.40
1	B	170	ASP	N-CA-C	5.11	124.78	111.00
1	D	166	VAL	CA-CB-CG2	5.09	118.54	110.90
1	C	4	LEU	CB-CG-CD2	-5.09	102.35	111.00
1	B	281	LYS	CD-CE-NZ	-5.07	100.04	111.70
1	F	254	ASP	CB-CG-OD1	-5.04	113.77	118.30
1	E	44	GLU	CB-CA-C	-5.03	100.35	110.40
1	F	235	LEU	CA-CB-CG	5.00	126.80	115.30

There are no chirality outliers.

All (10) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	61	GLN	Sidechain
1	B	61	GLN	Sidechain
1	C	5	GLY	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	C	7	PRO	Peptide
1	F	106	LYS	Mainchain
1	F	250	GLU	Peptide,Sidechain
1	F	35	GLY	Peptide
1	F	6	HIS	Peptide
1	F	64	GLU	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2117	0	2148	12	0
1	B	2117	0	2147	7	0
1	C	2148	0	2175	12	0
1	D	2183	0	2211	8	0
1	E	2163	0	2196	11	0
1	F	2134	0	2162	22	0
2	A	69	0	0	0	0
2	B	71	0	0	0	0
2	C	96	0	0	0	0
2	D	44	0	0	1	0
2	E	59	0	0	0	0
2	F	41	0	0	0	0
All	All	13242	0	13039	70	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (70) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:250:GLU:OE2	1:F:257:LEU:HD13	1.67	0.93
1:A:12:ARG:NH2	1:E:206:ASP:OD2	2.05	0.89
1:F:45:ARG:HD2	1:F:48:GLN:HE22	1.36	0.89
1:F:90:ILE:HD12	1:F:116:ILE:HG23	1.73	0.71
1:F:136:ARG:HH12	1:F:184:ASN:ND2	1.90	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:90:ILE:HD12	1:D:116:ILE:HG23	1.76	0.68
1:F:136:ARG:NH1	1:F:207:HIS:CD2	2.63	0.67
1:C:106:LYS:NZ	1:C:118:GLU:OE2	2.29	0.66
1:A:12:ARG:HH22	1:E:206:ASP:CG	1.98	0.65
1:E:198:LEU:HD21	1:E:211:LYS:HD2	1.84	0.59
1:D:71:LEU:HD11	1:D:100:LYS:HB2	1.87	0.57
1:F:45:ARG:CD	1:F:48:GLN:HE22	2.14	0.56
1:B:196:LYS:HE3	1:B:200:ILE:HD11	1.86	0.56
1:B:230:LYS:NZ	1:B:256:MET:SD	2.71	0.56
1:C:198:LEU:HD21	1:C:211:LYS:HD2	1.87	0.55
1:F:93:PRO:HD2	1:F:99:ARG:HG2	1.89	0.54
1:E:15:HIS:HB2	1:E:279:ILE:HB	1.91	0.52
1:F:136:ARG:CZ	1:F:207:HIS:CD2	2.94	0.51
1:F:45:ARG:NH1	1:F:48:GLN:NE2	2.59	0.50
1:A:15:HIS:HB2	1:A:279:ILE:HB	1.92	0.50
1:A:36:GLU:CB	1:A:267:LYS:HZ3	2.25	0.50
1:C:65:LEU:HD22	1:C:104:MET:HG3	1.94	0.49
1:E:138:PHE:HB2	1:E:163:VAL:HG22	1.94	0.49
1:A:36:GLU:CB	1:A:267:LYS:NZ	2.76	0.49
1:F:136:ARG:CZ	1:F:207:HIS:NE2	2.76	0.48
1:F:71:LEU:HD21	1:F:100:LYS:HD3	1.94	0.48
1:C:237:ARG:NH2	1:C:266:GLU:OE1	2.46	0.48
1:F:188:ILE:HG21	1:F:211:LYS:HE2	1.95	0.48
1:F:31:ARG:HG2	1:F:33:ALA:H	1.79	0.48
1:C:65:LEU:HD21	1:C:108:ALA:HB2	1.96	0.47
1:F:45:ARG:HD2	1:F:48:GLN:NE2	2.17	0.47
1:F:63:VAL:HG21	1:F:112:LEU:HD11	1.97	0.47
1:C:188:ILE:HG12	1:C:198:LEU:HD22	1.96	0.47
1:E:93:PRO:HD2	1:E:99:ARG:HG2	1.96	0.47
1:A:36:GLU:HB3	1:A:267:LYS:NZ	2.30	0.46
1:D:138:PHE:HB2	1:D:163:VAL:HG22	1.97	0.46
1:C:234:LEU:HB3	1:C:257:LEU:HD23	1.98	0.46
1:F:90:ILE:HD13	1:F:106:LYS:HB2	1.98	0.46
1:C:79:ASP:HA	1:C:128:GLY:H	1.81	0.45
1:A:37:GLU:O	1:A:267:LYS:NZ	2.49	0.45
1:C:42:ARG:HB3	1:C:264:GLU:HG3	1.98	0.45
1:E:238:THR:HG22	1:E:259:PRO:HB2	1.99	0.45
1:C:96:PRO:HA	1:C:99:ARG:HG3	1.99	0.45
1:D:93:PRO:HD2	1:D:99:ARG:HG3	1.98	0.45
1:F:79:ASP:HA	1:F:128:GLY:H	1.82	0.45
1:F:136:ARG:HH12	1:F:184:ASN:HD22	1.64	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:254:ASP:OD1	1:F:254:ASP:N	2.46	0.45
1:B:79:ASP:HA	1:B:128:GLY:H	1.82	0.44
1:E:188:ILE:HG12	1:E:198:LEU:HD22	1.99	0.44
1:F:51:VAL:HG13	1:F:62:VAL:HG11	1.98	0.44
1:C:212:LEU:HD12	1:C:212:LEU:HA	1.94	0.43
1:B:78:GLU:HB3	1:B:274:CYS:HA	1.99	0.42
1:A:106:LYS:HE2	1:A:106:LYS:HB3	1.89	0.42
1:D:79:ASP:HA	1:D:128:GLY:H	1.85	0.42
1:A:78:GLU:HB3	1:A:274:CYS:HA	2.01	0.42
1:B:90:ILE:HG13	1:B:106:LYS:HG3	2.01	0.42
1:F:45:ARG:CZ	1:F:48:GLN:NE2	2.83	0.42
1:B:15:HIS:HB2	1:B:279:ILE:HB	2.02	0.42
1:A:65:LEU:HD21	1:A:108:ALA:HB2	2.01	0.42
1:D:19:ARG:NH1	2:D:304:HOH:O	2.50	0.42
1:D:78:GLU:HB3	1:D:274:CYS:HA	2.02	0.41
1:C:34:LYS:HD3	1:C:34:LYS:HA	1.76	0.41
1:D:90:ILE:CD1	1:D:116:ILE:HG23	2.48	0.41
1:E:180:MET:SD	1:E:186:ILE:HD13	2.61	0.41
1:F:238:THR:HG22	1:F:259:PRO:HB2	2.02	0.41
1:A:36:GLU:HB2	1:A:267:LYS:NZ	2.36	0.40
1:E:251:LYS:HD3	1:E:251:LYS:HA	1.92	0.40
1:A:80:VAL:HG11	1:A:101:GLU:HB2	2.03	0.40
1:B:238:THR:HG22	1:B:259:PRO:HB2	2.02	0.40
1:E:181:ALA:HB2	1:E:187:ALA:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	274/297 (92%)	267 (97%)	7 (3%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	274/297 (92%)	266 (97%)	7 (3%)	1 (0%)	34	47
1	C	279/297 (94%)	269 (96%)	10 (4%)	0	100	100
1	D	284/297 (96%)	274 (96%)	9 (3%)	1 (0%)	34	47
1	E	281/297 (95%)	274 (98%)	7 (2%)	0	100	100
1	F	276/297 (93%)	265 (96%)	11 (4%)	0	100	100
All	All	1668/1782 (94%)	1615 (97%)	51 (3%)	2 (0%)	51	67

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	170	ASP
1	D	35	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/249 (94%)	226 (97%)	7 (3%)	41	59
1	B	233/249 (94%)	225 (97%)	8 (3%)	37	54
1	C	235/249 (94%)	229 (97%)	6 (3%)	46	64
1	D	239/249 (96%)	233 (98%)	6 (2%)	47	66
1	E	237/249 (95%)	230 (97%)	7 (3%)	41	59
1	F	235/249 (94%)	227 (97%)	8 (3%)	37	54
All	All	1412/1494 (94%)	1370 (97%)	42 (3%)	41	59

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	ARG
1	A	45	ARG
1	A	78	GLU
1	A	126	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	208	ARG
1	A	217	ASP
1	A	281	LYS
1	B	21	LEU
1	B	45	ARG
1	B	126	LEU
1	B	154	LEU
1	B	198	LEU
1	B	206	ASP
1	B	211	LYS
1	B	253	LYS
1	C	21	LEU
1	C	34	LYS
1	C	85	GLU
1	C	106	LYS
1	C	148	GLN
1	C	281	LYS
1	D	0	SER
1	D	1	MET
1	D	68	ASP
1	D	99	ARG
1	D	126	LEU
1	D	149	ARG
1	E	25	LEU
1	E	32	SER
1	E	56	SER
1	E	114	LEU
1	E	136	ARG
1	E	199	LYS
1	E	217	ASP
1	F	10	PHE
1	F	34	LYS
1	F	61	GLN
1	F	126	LEU
1	F	196	LYS
1	F	203	GLN
1	F	217	ASP
1	F	257	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	195	GLN
1	D	48	GLN
1	F	48	GLN
1	F	184	ASN
1	F	229	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	276/297 (92%)	0.03	5 (1%) 68 65	29, 42, 65, 82	0
1	B	276/297 (92%)	0.00	5 (1%) 68 65	29, 42, 63, 74	0
1	C	281/297 (94%)	0.10	7 (2%) 57 54	26, 40, 64, 92	0
1	D	286/297 (96%)	0.36	16 (5%) 24 22	33, 52, 76, 88	0
1	E	283/297 (95%)	0.18	12 (4%) 36 34	31, 45, 71, 91	0
1	F	278/297 (93%)	0.48	20 (7%) 15 13	36, 56, 81, 93	0
All	All	1680/1782 (94%)	0.19	65 (3%) 39 37	26, 46, 73, 93	0

All (65) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	32	SER	8.9
1	D	3	GLY	8.7
1	D	4	LEU	7.7
1	D	2	ALA	6.2
1	C	3	GLY	5.7
1	C	4	LEU	5.5
1	E	6	HIS	5.3
1	C	6	HIS	5.0
1	D	5	GLY	5.0
1	C	7	PRO	4.8
1	F	8	ALA	4.8
1	F	6	HIS	4.4
1	E	5	GLY	4.2
1	F	135	GLY	3.8
1	E	7	PRO	3.8
1	A	171	GLY	3.8
1	D	-2	HIS	3.7
1	F	33	ALA	3.6
1	F	283	VAL	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	250	GLU	3.5
1	D	103	ASP	3.2
1	F	170	ASP	3.2
1	D	-1	GLY	3.1
1	D	109	LEU	3.0
1	F	229	ASN	3.0
1	D	122	GLU	2.9
1	A	170	ASP	2.8
1	A	283	VAL	2.8
1	C	8	ALA	2.8
1	B	7	PRO	2.7
1	C	171	GLY	2.7
1	E	192	GLU	2.7
1	E	110	GLU	2.7
1	F	114	LEU	2.7
1	B	229	ASN	2.6
1	D	114	LEU	2.6
1	D	6	HIS	2.6
1	E	3	GLY	2.6
1	D	192	GLU	2.6
1	F	7	PRO	2.6
1	E	1	MET	2.5
1	E	113	GLN	2.5
1	A	282	LYS	2.5
1	B	230	LYS	2.5
1	F	159	LYS	2.5
1	D	64	GLU	2.5
1	F	270	GLY	2.4
1	E	107	GLU	2.4
1	C	107	GLU	2.3
1	F	171	GLY	2.2
1	D	32	SER	2.2
1	F	257	LEU	2.2
1	A	8	ALA	2.2
1	D	112	LEU	2.2
1	B	170	ASP	2.1
1	B	8	ALA	2.1
1	F	156	ASP	2.1
1	F	163	VAL	2.1
1	F	48	GLN	2.1
1	F	28	HIS	2.0
1	E	112	LEU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	34	LYS	2.0
1	E	34	LYS	2.0
1	F	164	SER	2.0
1	E	252	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.