



Full wwPDB EM Validation Report ⓘ

Oct 26, 2024 – 09:33 AM EDT

PDB ID : 5T0I
EMDB ID : EMD-8336
Title : Structural basis for dynamic regulation of the human 26S proteasome
Authors : Chen, S.; Wu, J.; Lu, Y.; Ma, Y.B.; Lee, B.H.; Yu, Z.; Ouyang, Q.; Finley, D.;
Kirschner, M.W.; Mao, Y.
Deposited on : 2016-08-16
Resolution : 8.00 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 8.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	433	<div> <div>24%</div> <div>81%</div> <div>17%</div> </div>
2	B	440	<div> <div>33%</div> <div>77%</div> <div>21%</div> </div>
3	C	398	<div> <div>35%</div> <div>93%</div> <div>• •</div> </div>
4	D	418	<div> <div>30%</div> <div>90%</div> <div>• 9%</div> </div>
5	E	403	<div> <div>32%</div> <div>87%</div> <div>• 12%</div> </div>
6	F	439	<div> <div>26%</div> <div>82%</div> <div>• 17%</div> </div>
7	G	245	<div> <div>27%</div> <div>96%</div> <div>• •</div> </div>
8	H	233	<div> <div>18%</div> <div>100%</div> </div>
9	I	260	<div> <div>24%</div> <div>95%</div> <div>• •</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	J	247	
11	K	240	
12	L	268	
13	M	254	
14	N	238	
15	O	276	
16	P	204	
17	Q	201	
18	R	262	
19	S	240	
20	T	263	
21	U	953	
22	V	533	
23	W	456	
24	X	422	
25	Y	389	
26	Z	324	
27	a	376	
28	b	377	
29	c	309	
30	d	349	
31	e	70	
32	f	749	

2 Entry composition

There are 34 unique types of molecules in this entry. The entry contains 76616 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 26S protease regulatory subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	361	Total	C	N	O	S	0	0
			2835	1788	501	528	18		

- Molecule 2 is a protein called 26S protease regulatory subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	348	Total	C	N	O	S	0	0
			2717	1708	460	537	12		

- Molecule 3 is a protein called 26S protease regulatory subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	384	Total	C	N	O	S	0	0
			3015	1894	540	564	17		

- Molecule 4 is a protein called 26S protease regulatory subunit 6B.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	380	Total	C	N	O	S	0	0
			3040	1923	524	580	13		

- Molecule 5 is a protein called 26S protease regulatory subunit 10B.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	353	Total	C	N	O	S	0	0
			2790	1755	494	525	16		

- Molecule 6 is a protein called 26S protease regulatory subunit 6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	366	Total	C	N	O	S	0	0
			2863	1802	496	549	16		

- Molecule 7 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	240	Total	C	N	O	S	0	0
			1826	1160	305	348	13		

- Molecule 8 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	233	Total	C	N	O	S	0	0
			1713	1084	290	334	5		

- Molecule 9 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	250	Total	C	N	O	S	0	0
			1912	1204	329	371	8		

- Molecule 10 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	239	Total	C	N	O	S	0	0
			1704	1056	308	335	5		

- Molecule 11 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	228	Total	C	N	O	S	0	0
			1722	1080	284	348	10		

- Molecule 12 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	238	Total	C	N	O	S	0	0
			1850	1159	334	346	11		

- Molecule 13 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	M	240	Total	C	N	O	S	0	0
			1856	1178	314	353	11		

- Molecule 14 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	N	191	Total	C	N	O	S	0	0
			1430	893	245	280	12		

- Molecule 15 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	O	220	Total	C	N	O	S	0	0
			1643	1033	280	318	12		

- Molecule 16 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	P	204	Total	C	N	O	S	0	0
			1585	1010	262	294	19		

- Molecule 17 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Q	199	Total	C	N	O	S	0	0
			1570	1006	265	290	9		

- Molecule 18 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	R	201	Total	C	N	O	S	0	0
			1548	974	273	292	9		

- Molecule 19 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	S	213	Total	C	N	O	S	0	0
			1641	1036	282	313	10		

- Molecule 20 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	T	215	Total	C	N	O	S	0	0
			1667	1052	285	318	12		

- Molecule 21 is a protein called 26S proteasome non-ATPase regulatory subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	U	806	Total	C	N	O	S	0	0
			6287	3990	1075	1178	44		

- Molecule 22 is a protein called 26S proteasome non-ATPase regulatory subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	V	480	Total	C	N	O	S	0	0
			3852	2444	684	710	14		

- Molecule 23 is a protein called 26S proteasome non-ATPase regulatory subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	W	456	Total	C	N	O	S	0	0
			3703	2339	635	704	25		

- Molecule 24 is a protein called 26S proteasome non-ATPase regulatory subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	X	241	Total	C	N	O	S	0	0
			1905	1212	320	365	8		

- Molecule 25 is a protein called 26S proteasome non-ATPase regulatory subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Y	378	Total	C	N	O	S	0	0
			3115	1987	533	578	17		

- Molecule 26 is a protein called 26S proteasome non-ATPase regulatory subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	Z	286	Total	C	N	O	S	0	0
			2281	1457	392	427	5		

- Molecule 27 is a protein called 26S proteasome non-ATPase regulatory subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	a	373	Total	C	N	O	S	0	0
			2995	1911	510	559	15		

- Molecule 28 is a protein called 26S proteasome non-ATPase regulatory subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	b	191	Total	C	N	O	S	0	0
			1458	910	261	279	8		

- Molecule 29 is a protein called 26S proteasome non-ATPase regulatory subunit 14.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	c	278	Total	C	N	O	S	0	0
			2187	1389	374	406	18		

- Molecule 30 is a protein called 26S proteasome non-ATPase regulatory subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	d	257	Total	C	N	O	S	0	0
			2116	1371	346	390	9		


- Molecule 31 is a protein called 26S proteasome complex subunit DSS1.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	e	40	Total	C	N	O	S	0	0
			334	200	55	77	2		

- Molecule 32 is a protein called 26S proteasome non-ATPase regulatory subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	f	694	Total	C	N	O	S	0	0
			5331	3364	899	1027	41		


- Molecule 33 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃).




Mol	Chain	Residues	Atoms					AltConf
33	A	1	Total 31	C 10	N 5	O 13	P 3	0
33	D	1	Total 31	C 10	N 5	O 13	P 3	0
33	E	1	Total 31	C 10	N 5	O 13	P 3	0
33	F	1	Total 31	C 10	N 5	O 13	P 3	0

- Molecule 34 is ZINC ION (three-letter code: ZN) (formula: Zn).



Mol	Chain	Residues	Atoms	AltConf
34	c	1	Total Zn 1 1	0




• Molecule 3: 26S protease regulatory subunit 8




• Molecule 4: 26S protease regulatory subunit 6B





• Molecule 5: 26S protease regulatory subunit 10B







• Molecule 6: 26S protease regulatory subunit 6A




• Molecule 7: Proteasome subunit alpha type-6




- Molecule 8: Proteasome subunit alpha type-2




- Molecule 9: Proteasome subunit alpha type-4





- Molecule 10: Proteasome subunit alpha type-7




- Molecule 11: Proteasome subunit alpha type-5





- Molecule 12: Proteasome subunit alpha type-1





• Molecule 13: Proteasome subunit alpha type-3




• Molecule 14: Proteasome subunit beta type-6




• Molecule 15: Proteasome subunit beta type-7





• Molecule 16: Proteasome subunit beta type-3





• Molecule 17: Proteasome subunit beta type-2




• Molecule 18: Proteasome subunit beta type-5




• Molecule 19: Proteasome subunit beta type-1




• Molecule 20: Proteasome subunit beta type-4






- Molecule 21: 26S proteasome non-ATPase regulatory subunit 1

Chain U: 11% 84% 15%




- Molecule 22: 26S proteasome non-ATPase regulatory subunit 3


Chain V: 27% 88% 10%




ALA GLU GLU ARG ARG ARG ARG ARG ARG ARG
GLN GLN ASP LEU LEU PHE ALA LYS GLU MET MET GLU ASP ASP ASP ASP SER PHE PRO


• Molecule 23: 26S proteasome non-ATPase regulatory subunit 12


Chain W:  77% 98%




• Molecule 24: 26S proteasome non-ATPase regulatory subunit 11

Chain X:  44% 57% 43%








- Molecule 28: 26S proteasome non-ATPase regulatory subunit 4




- Molecule 29: 26S proteasome non-ATPase regulatory subunit 14







- Molecule 30: 26S proteasome non-ATPase regulatory subunit 8




- Molecule 31: 26S proteasome complex subunit DSS1



- Molecule 32: 26S proteasome non-ATPase regulatory subunit 2





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	10622	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TECNAI ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.005	Depositor
Minimum map value	-0.002	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.0015	Depositor
Map size (Å)	309.6, 309.6, 309.6	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.86, 0.86, 0.86	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.25	0/2886	0.48	0/3899
2	B	0.26	0/2757	0.57	0/3724
3	C	0.26	0/3054	0.48	0/4107
4	D	0.24	0/3090	0.46	0/4168
5	E	0.24	0/2835	0.44	0/3821
6	F	1.42	6/2903 (0.2%)	0.49	0/3912
7	G	0.24	0/1859	0.44	0/2523
8	H	0.24	0/1747	0.44	0/2376
9	I	0.24	0/1942	0.45	0/2628
10	J	0.25	0/1728	0.45	0/2358
11	K	1.56	1/1747 (0.1%)	0.53	2/2364 (0.1%)
12	L	0.24	0/1885	0.44	0/2552
13	M	0.25	0/1891	0.44	0/2552
14	N	0.24	0/1454	0.41	0/1967
15	O	0.24	0/1669	0.46	0/2262
16	P	0.24	0/1613	0.41	0/2174
17	Q	0.24	0/1603	0.42	0/2174
18	R	0.23	0/1579	0.39	0/2134
19	S	0.24	0/1671	0.41	0/2253
20	T	0.23	0/1700	0.41	0/2305
21	U	0.23	0/6396	0.41	0/8646
22	V	1.26	6/3929 (0.2%)	0.51	0/5309
23	W	0.24	0/3751	0.48	3/5042 (0.1%)
24	X	0.23	0/1936	0.43	0/2614
25	Y	0.24	0/3173	0.49	1/4273 (0.0%)
26	Z	0.24	0/2324	0.49	0/3150
27	a	0.23	0/3053	0.43	0/4133
28	b	0.25	0/1478	0.44	0/2001
29	c	0.27	1/2226 (0.0%)	0.48	0/3007
30	d	0.25	0/2162	0.50	0/2919
31	e	3.67	1/338 (0.3%)	0.74	2/450 (0.4%)
32	f	0.35	1/5413 (0.0%)	0.52	2/7317 (0.0%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
All	All	0.57	16/77792 (0.0%)	0.47	10/105114 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
2	B	0	2
3	C	0	2
22	V	0	2
23	W	0	1
25	Y	0	1
27	a	0	1
30	d	0	1
32	f	0	1
All	All	0	12

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	e	4	LYS	CD-CE	67.35	3.19	1.51
11	K	20	ARG	CB-CG	64.16	3.25	1.52
22	V	212	TYR	CD2-CE2	40.36	1.99	1.39
22	V	212	TYR	CD1-CE1	40.15	1.99	1.39
6	F	438	TYR	CD2-CE2	39.43	1.98	1.39
6	F	438	TYR	CD1-CE1	38.54	1.97	1.39
22	V	212	TYR	CE1-CZ	29.35	1.76	1.38
6	F	438	TYR	CE2-CZ	28.75	1.75	1.38
6	F	438	TYR	CE1-CZ	28.65	1.75	1.38
22	V	212	TYR	CE2-CZ	28.64	1.75	1.38
22	V	212	TYR	CG-CD2	22.95	1.69	1.39
22	V	212	TYR	CG-CD1	22.77	1.68	1.39
6	F	438	TYR	CG-CD2	22.05	1.67	1.39
6	F	438	TYR	CG-CD1	21.68	1.67	1.39
32	f	681	LEU	C-N	18.07	1.68	1.34
29	c	104	ARG	C-N	6.56	1.46	1.34

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	K	20	ARG	CA-CB-CG	10.22	135.88	113.40
11	K	20	ARG	CB-CG-CD	8.29	133.16	111.60
31	e	4	LYS	CD-CE-NZ	8.20	130.57	111.70
31	e	4	LYS	CG-CD-CE	7.33	133.88	111.90
32	f	459	GLU	N-CA-C	6.21	127.77	111.00
25	Y	63	TRP	C-N-CA	5.57	135.62	121.70
32	f	636	GLY	N-CA-C	5.29	126.32	113.10
23	W	92	LYS	C-N-CA	5.25	134.84	121.70
23	W	135	LYS	C-N-CA	5.24	134.80	121.70
23	W	40	LEU	CA-CB-CG	5.04	126.88	115.30

There are no chirality outliers.

All (12) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	311	PRO	Peptide
2	B	176	VAL	Peptide
2	B	278	ALA	Peptide
3	C	171	HIS	Peptide
3	C	255	GLY	Peptide
22	V	101	LEU	Peptide
22	V	319	HIS	Peptide
23	W	416	GLN	Peptide
25	Y	357	ASN	Peptide
27	a	286	ALA	Peptide
30	d	3	GLU	Peptide
32	f	459	GLU	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	359/433 (83%)	311 (87%)	44 (12%)	4 (1%)	12	47
2	B	346/440 (79%)	297 (86%)	46 (13%)	3 (1%)	14	52
3	C	382/398 (96%)	339 (89%)	41 (11%)	2 (0%)	25	64
4	D	378/418 (90%)	333 (88%)	44 (12%)	1 (0%)	37	73
5	E	351/403 (87%)	322 (92%)	28 (8%)	1 (0%)	37	73
6	F	362/439 (82%)	322 (89%)	38 (10%)	2 (1%)	22	60
7	G	238/245 (97%)	213 (90%)	23 (10%)	2 (1%)	16	55
8	H	229/233 (98%)	211 (92%)	18 (8%)	0	100	100
9	I	248/260 (95%)	220 (89%)	28 (11%)	0	100	100
10	J	237/247 (96%)	214 (90%)	20 (8%)	3 (1%)	10	43
11	K	224/240 (93%)	204 (91%)	18 (8%)	2 (1%)	14	52
12	L	236/268 (88%)	222 (94%)	14 (6%)	0	100	100
13	M	238/254 (94%)	216 (91%)	22 (9%)	0	100	100
14	N	189/238 (79%)	180 (95%)	9 (5%)	0	100	100
15	O	216/276 (78%)	197 (91%)	19 (9%)	0	100	100
16	P	200/204 (98%)	185 (92%)	15 (8%)	0	100	100
17	Q	197/201 (98%)	180 (91%)	17 (9%)	0	100	100
18	R	199/262 (76%)	184 (92%)	15 (8%)	0	100	100
19	S	211/240 (88%)	200 (95%)	11 (5%)	0	100	100
20	T	213/263 (81%)	208 (98%)	5 (2%)	0	100	100
21	U	798/953 (84%)	735 (92%)	62 (8%)	1 (0%)	48	83
22	V	478/533 (90%)	413 (86%)	63 (13%)	2 (0%)	30	68
23	W	454/456 (100%)	407 (90%)	44 (10%)	3 (1%)	19	57
24	X	239/422 (57%)	213 (89%)	26 (11%)	0	100	100
25	Y	376/389 (97%)	335 (89%)	39 (10%)	2 (0%)	25	64
26	Z	284/324 (88%)	253 (89%)	30 (11%)	1 (0%)	30	68
27	a	371/376 (99%)	331 (89%)	38 (10%)	2 (0%)	25	64
28	b	189/377 (50%)	174 (92%)	15 (8%)	0	100	100
29	c	274/309 (89%)	242 (88%)	28 (10%)	4 (2%)	8	40
30	d	255/349 (73%)	227 (89%)	27 (11%)	1 (0%)	30	68
31	e	36/70 (51%)	31 (86%)	5 (14%)	0	100	100
32	f	686/749 (92%)	573 (84%)	109 (16%)	4 (1%)	22	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	9693/11269 (86%)	8692 (90%)	961 (10%)	40 (0%)	32	68

All (40) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	161	VAL
10	J	104	VAL
11	K	12	VAL
11	K	109	VAL
21	U	364	VAL
23	W	68	VAL
23	W	136	ILE
25	Y	350	VAL
32	f	62	ILE
32	f	447	VAL
2	B	176	VAL
3	C	214	VAL
29	c	157	ILE
29	c	227	GLU
32	f	131	VAL
1	A	206	ILE
1	A	317	VAL
2	B	218	PRO
4	D	151	ILE
10	J	199	VAL
27	a	340	VAL
32	f	281	ILE
3	C	298	ILE
6	F	282	ILE
7	G	15	ILE
23	W	138	VAL
25	Y	67	VAL
29	c	156	VAL
22	V	241	ARG
26	Z	144	VAL
30	d	213	ARG
22	V	101	LEU
27	a	336	VAL
2	B	325	VAL
29	c	189	ILE
1	A	172	VAL
6	F	326	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	G	170	VAL
10	J	98	VAL
5	E	175	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	308/372 (83%)	303 (98%)	5 (2%)	58	73
2	B	304/385 (79%)	298 (98%)	6 (2%)	50	68
3	C	332/346 (96%)	321 (97%)	11 (3%)	33	52
4	D	333/366 (91%)	330 (99%)	3 (1%)	75	83
5	E	308/353 (87%)	306 (99%)	2 (1%)	84	88
6	F	312/379 (82%)	306 (98%)	6 (2%)	52	69
7	G	193/209 (92%)	190 (98%)	3 (2%)	58	73
8	H	164/190 (86%)	164 (100%)	0	100	100
9	I	193/220 (88%)	191 (99%)	2 (1%)	73	82
10	J	152/210 (72%)	150 (99%)	2 (1%)	65	77
11	K	186/202 (92%)	184 (99%)	2 (1%)	70	80
12	L	198/229 (86%)	197 (100%)	1 (0%)	86	89
13	M	192/211 (91%)	190 (99%)	2 (1%)	73	82
14	N	148/180 (82%)	147 (99%)	1 (1%)	81	87
15	O	177/227 (78%)	176 (99%)	1 (1%)	84	88
16	P	172/173 (99%)	171 (99%)	1 (1%)	84	88
17	Q	164/171 (96%)	163 (99%)	1 (1%)	84	88
18	R	153/201 (76%)	153 (100%)	0	100	100
19	S	174/198 (88%)	173 (99%)	1 (1%)	84	88
20	T	175/214 (82%)	175 (100%)	0	100	100
21	U	685/816 (84%)	681 (99%)	4 (1%)	84	88

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
22	V	414/459 (90%)	409 (99%)	5 (1%)	67	78
23	W	416/416 (100%)	412 (99%)	4 (1%)	73	82
24	X	208/362 (58%)	207 (100%)	1 (0%)	86	89
25	Y	334/344 (97%)	332 (99%)	2 (1%)	84	88
26	Z	257/295 (87%)	252 (98%)	5 (2%)	52	69
27	a	333/336 (99%)	331 (99%)	2 (1%)	84	88
28	b	167/312 (54%)	165 (99%)	2 (1%)	67	78
29	c	243/267 (91%)	240 (99%)	3 (1%)	67	78
30	d	231/293 (79%)	229 (99%)	2 (1%)	75	83
31	e	38/63 (60%)	38 (100%)	0	100	100
32	f	582/628 (93%)	571 (98%)	11 (2%)	52	69
All	All	8246/9627 (86%)	8155 (99%)	91 (1%)	69	80

All (91) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	153	LEU
1	A	157	ILE
1	A	161	VAL
1	A	220	THR
1	A	250	VAL
2	B	105	THR
2	B	136	LEU
2	B	164	MET
2	B	173	VAL
2	B	190	LEU
2	B	259	TYR
3	C	11	LEU
3	C	66	LEU
3	C	99	VAL
3	C	131	VAL
3	C	138	MET
3	C	148	TYR
3	C	235	PHE
3	C	249	ASP
3	C	259	LEU
3	C	286	THR
3	C	295	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	186	THR
4	D	234	GLU
4	D	344	ILE
5	E	80	VAL
5	E	204	VAL
6	F	85	THR
6	F	169	ASP
6	F	231	THR
6	F	272	PHE
6	F	282	ILE
6	F	283	ILE
7	G	22	LEU
7	G	109	ILE
7	G	230	LEU
9	I	55	LEU
9	I	206	LEU
10	J	96	LEU
10	J	104	VAL
11	K	20	ARG
11	K	186	HIS
12	L	46	LEU
13	M	165	ILE
13	M	233	GLU
14	N	75	LEU
15	O	66	HIS
16	P	137	VAL
17	Q	151	ILE
19	S	168	LEU
21	U	473	VAL
21	U	603	LEU
21	U	629	THR
21	U	773	PHE
22	V	221	LEU
22	V	224	LEU
22	V	255	LEU
22	V	320	THR
22	V	453	HIS
23	W	250	ILE
23	W	297	GLU
23	W	371	THR
23	W	455	LEU
24	X	200	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	Y	356	THR
25	Y	377	LEU
26	Z	91	ILE
26	Z	176	LEU
26	Z	186	THR
26	Z	196	HIS
26	Z	249	PHE
27	a	28	LEU
27	a	33	LEU
28	b	53	THR
28	b	97	LEU
29	c	69	VAL
29	c	229	LEU
29	c	275	VAL
30	d	122	LEU
30	d	158	ILE
32	f	15	ASP
32	f	107	LEU
32	f	301	ASP
32	f	317	THR
32	f	334	ASN
32	f	339	LEU
32	f	391	LEU
32	f	526	THR
32	f	600	LEU
32	f	663	VAL
32	f	685	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (96) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	304	ASN
1	A	305	GLN
1	A	314	ASN
2	B	154	HIS
2	B	241	ASN
3	C	50	ASN
3	C	205	HIS
3	C	241	HIS
4	D	187	HIS
4	D	302	ASN
4	D	376	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	412	GLN
5	E	190	GLN
5	E	220	ASN
5	E	316	HIS
5	E	364	GLN
6	F	255	GLN
6	F	323	ASN
6	F	325	GLN
6	F	395	GLN
7	G	128	ASN
8	H	119	GLN
9	I	95	GLN
9	I	119	GLN
10	J	92	GLN
10	J	146	GLN
11	K	13	ASN
11	K	23	GLN
11	K	97	GLN
11	K	178	GLN
11	K	214	ASN
12	L	20	HIS
12	L	21	GLN
14	N	187	GLN
15	O	66	HIS
16	P	169	GLN
17	Q	8	GLN
17	Q	71	ASN
17	Q	99	HIS
18	R	29	GLN
18	R	119	ASN
18	R	162	GLN
20	T	65	GLN
21	U	70	HIS
21	U	107	HIS
21	U	145	HIS
21	U	258	GLN
21	U	345	ASN
21	U	389	ASN
21	U	438	GLN
21	U	453	HIS
21	U	475	HIS
21	U	698	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
21	U	734	GLN
21	U	777	HIS
22	V	177	ASN
22	V	279	GLN
22	V	281	ASN
22	V	427	GLN
22	V	459	GLN
22	V	477	HIS
22	V	487	HIS
23	W	235	GLN
23	W	246	HIS
23	W	426	ASN
23	W	444	HIS
24	X	207	GLN
24	X	262	ASN
24	X	406	ASN
25	Y	302	HIS
25	Y	363	ASN
25	Y	365	GLN
25	Y	378	ASN
26	Z	102	HIS
26	Z	194	GLN
26	Z	224	HIS
27	a	23	HIS
27	a	249	GLN
27	a	290	GLN
27	a	337	GLN
28	b	76	HIS
28	b	142	ASN
29	c	30	GLN
29	c	115	HIS
29	c	199	HIS
29	c	219	ASN
29	c	283	HIS
30	d	102	ASN
30	d	109	GLN
31	e	6	GLN
32	f	228	GLN
32	f	246	HIS
32	f	269	GLN
32	f	293	ASN
32	f	406	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
32	f	611	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
33	ATP	D	501	-	28,33,33	1.01	2 (7%)	34,52,52	1.46	4 (11%)
33	ATP	A	501	-	28,33,33	0.98	0	34,52,52	1.24	3 (8%)
33	ATP	F	501	-	28,33,33	0.95	0	34,52,52	1.15	2 (5%)
33	ATP	E	401	-	28,33,33	0.98	0	34,52,52	1.16	2 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
33	ATP	D	501	-	-	4/18/38/38	0/3/3/3
33	ATP	A	501	-	-	3/18/38/38	0/3/3/3
33	ATP	F	501	-	-	4/18/38/38	0/3/3/3
33	ATP	E	401	-	-	3/18/38/38	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
33	D	501	ATP	PA-O3A	2.05	1.61	1.59
33	D	501	ATP	O4'-C1'	2.04	1.43	1.40

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
33	D	501	ATP	O4'-C1'-N9	4.49	114.69	108.75
33	A	501	ATP	N3-C2-N1	-3.82	123.49	128.67
33	E	401	ATP	N3-C2-N1	-3.71	123.64	128.67
33	D	501	ATP	N3-C2-N1	-3.55	123.85	128.67
33	D	501	ATP	C4'-O4'-C1'	-3.53	106.69	109.92
33	F	501	ATP	N3-C2-N1	-3.51	123.91	128.67
33	A	501	ATP	C4-C5-N7	-2.66	106.53	109.34
33	D	501	ATP	C4-C5-N7	-2.60	106.59	109.34
33	F	501	ATP	C4-C5-N7	-2.60	106.59	109.34
33	E	401	ATP	C4-C5-N7	-2.48	106.71	109.34
33	A	501	ATP	O4'-C1'-N9	2.13	111.56	108.75

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
33	D	501	ATP	C5'-O5'-PA-O1A
33	F	501	ATP	C5'-O5'-PA-O3A
33	F	501	ATP	O4'-C4'-C5'-O5'
33	F	501	ATP	C3'-C4'-C5'-O5'
33	D	501	ATP	PB-O3A-PA-O5'
33	E	401	ATP	PB-O3A-PA-O1A
33	A	501	ATP	O4'-C4'-C5'-O5'
33	A	501	ATP	C5'-O5'-PA-O1A
33	D	501	ATP	C5'-O5'-PA-O2A
33	D	501	ATP	C5'-O5'-PA-O3A
33	E	401	ATP	C5'-O5'-PA-O1A

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
33	F	501	ATP	C5'-O5'-PA-O1A
33	A	501	ATP	C3'-C4'-C5'-O5'
33	E	401	ATP	PG-O3B-PB-O1B


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
32	f	4
16	P	1
15	O	1
8	H	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	f	110:ALA	C	111:LEU	N	9.37
1	f	79:ASN	C	80:TYR	N	8.13

Continued on next page...

Continued from previous page...

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	f	348:ASP	C	349:SER	N	6.07
1	P	81:GLN	C	82:ILE	N	4.19
1	O	74:PRO	C	75:ARG	N	3.14
1	H	79:MET	C	80:GLY	N	3.08
1	f	681:LEU	C	682:PRO	N	1.68


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8336. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 150



Y Index: 174




Z Index: 216


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.0015. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 868 nm³; this corresponds to an approximate mass of 784 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.125 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-8336 and PDB model 5T0I. Per-residue inclusion information can be found in section 3 on page 10.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0015 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0015).



































































9.4 Atom inclusion [i](#)



At the recommended contour level, 66% of all backbone atoms, 54% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0015) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5360	 0.0930
A	 0.5950	 0.1120
B	 0.4740	 0.1100
C	 0.5090	 0.1010
D	 0.5380	 0.1100
E	 0.5180	 0.1120
F	 0.5610	 0.1080
G	 0.6320	 0.1080
H	 0.6790	 0.1010
I	 0.6170	 0.1140
J	 0.5880	 0.1120
K	 0.6520	 0.0980
L	 0.7030	 0.1200
M	 0.5990	 0.1010
N	 0.5820	 0.0900
O	 0.6750	 0.1000
P	 0.6570	 0.0950
Q	 0.5970	 0.0910
R	 0.6080	 0.0760
S	 0.6940	 0.1000
T	 0.7150	 0.1020
U	 0.7090	 0.1140
V	 0.5630	 0.1080
W	 0.2230	 0.0720
X	 0.2170	 0.0470
Y	 0.6030	 0.0880
Z	 0.5070	 0.0810
a	 0.2840	 0.0690
b	 0.1120	 0.0440
c	 0.5220	 0.1080
d	 0.5140	 0.0820
e	 0.6000	 0.0890
f	 0.4160	 0.0390

