



wwPDB EM Validation Summary Report ⓘ

Nov 3, 2024 – 06:36 AM EST

PDB ID : 7TO4
EMDB ID : EMD-26029
Title : Structural and functional impact by SARS-CoV-2 Omicron spike mutations
Authors : Zhang, J.; Xiao, T.S.; Cai, Y.F.; Peng, H.Q.; Volloch, S.R.; Chen, B.
Deposited on : 2022-01-22
Resolution : 3.40 Å(reported)
Based on initial model : 7KRR

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1270	
1	B	1270	
1	C	1270	
2	D	2	
2	E	2	
2	F	2	
2	G	2	
2	H	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	L	2	 50% 50%
2	N	2	 100%
2	P	2	 50% 50%
2	V	2	 50% 50%
2	X	2	 50% 50%
2	a	2	 100%
3	I	3	 100%
3	S	3	 67% 33%
3	d	3	 33% 67%
4	J	3	 100%
4	K	3	 100%
4	M	3	 100%
4	O	3	 100%
4	Q	3	 100%
4	R	3	 100%
4	T	3	 33% 67%
4	U	3	 100%
4	W	3	 33% 67%
4	Y	3	 100%
4	Z	3	 100%
4	b	3	 100%
4	c	3	 100%
4	e	3	 100%
4	f	3	 100%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 27672 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1112	Total	C	N	O	S	0	0
			8737	5593	1458	1646	40		
1	B	1119	Total	C	N	O	S	0	0
			8789	5624	1466	1659	40		
1	C	1119	Total	C	N	O	S	0	0
			8789	5624	1466	1659	40		

There are 123 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	67	VAL	ALA	variant	UNP P0DTC2
A	?	-	HIS	deletion	UNP P0DTC2
A	?	-	VAL	deletion	UNP P0DTC2
A	95	ILE	THR	variant	UNP P0DTC2
A	?	-	LEU	deletion	UNP P0DTC2
A	?	-	GLY	deletion	UNP P0DTC2
A	?	-	VAL	deletion	UNP P0DTC2
A	144	PHE	TYR	variant	UNP P0DTC2
A	145	ASP	TYR	variant	UNP P0DTC2
A	212	ILE	-	insertion	UNP P0DTC2
A	213	VAL	-	insertion	UNP P0DTC2
A	214	ARG	ASN	variant	UNP P0DTC2
A	214A	GLU	LEU	variant	UNP P0DTC2
A	214B	PRO	VAL	variant	UNP P0DTC2
A	214C	GLU	ARG	variant	UNP P0DTC2
A	339	ASP	GLY	variant	UNP P0DTC2
A	371	LEU	SER	variant	UNP P0DTC2
A	373	PRO	SER	variant	UNP P0DTC2
A	375	PHE	SER	variant	UNP P0DTC2
A	417	ASN	LYS	variant	UNP P0DTC2
A	440	LYS	ASN	variant	UNP P0DTC2
A	446	SER	GLY	variant	UNP P0DTC2
A	477	ASN	SER	variant	UNP P0DTC2
A	478	LYS	THR	variant	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	484	ALA	GLU	variant	UNP P0DTC2
A	493	ARG	GLN	variant	UNP P0DTC2
A	496	SER	GLY	variant	UNP P0DTC2
A	498	ARG	GLN	variant	UNP P0DTC2
A	501	TYR	ASN	variant	UNP P0DTC2
A	505	HIS	TYR	variant	UNP P0DTC2
A	547	LYS	THR	variant	UNP P0DTC2
A	614	GLY	ASP	variant	UNP P0DTC2
A	655	TYR	HIS	variant	UNP P0DTC2
A	679	LYS	ASN	variant	UNP P0DTC2
A	681	HIS	PRO	variant	UNP P0DTC2
A	764	LYS	ASN	variant	UNP P0DTC2
A	796	TYR	ASP	variant	UNP P0DTC2
A	856	LYS	ASN	variant	UNP P0DTC2
A	954	HIS	GLN	variant	UNP P0DTC2
A	969	LYS	ASN	variant	UNP P0DTC2
A	981	PHE	LEU	variant	UNP P0DTC2
B	67	VAL	ALA	variant	UNP P0DTC2
B	?	-	HIS	deletion	UNP P0DTC2
B	?	-	VAL	deletion	UNP P0DTC2
B	95	ILE	THR	variant	UNP P0DTC2
B	?	-	LEU	deletion	UNP P0DTC2
B	?	-	GLY	deletion	UNP P0DTC2
B	?	-	VAL	deletion	UNP P0DTC2
B	144	PHE	TYR	variant	UNP P0DTC2
B	145	ASP	TYR	variant	UNP P0DTC2
B	212	ILE	-	insertion	UNP P0DTC2
B	213	VAL	-	insertion	UNP P0DTC2
B	214	ARG	ASN	variant	UNP P0DTC2
B	214A	GLU	LEU	variant	UNP P0DTC2
B	214B	PRO	VAL	variant	UNP P0DTC2
B	214C	GLU	ARG	variant	UNP P0DTC2
B	339	ASP	GLY	variant	UNP P0DTC2
B	371	LEU	SER	variant	UNP P0DTC2
B	373	PRO	SER	variant	UNP P0DTC2
B	375	PHE	SER	variant	UNP P0DTC2
B	417	ASN	LYS	variant	UNP P0DTC2
B	440	LYS	ASN	variant	UNP P0DTC2
B	446	SER	GLY	variant	UNP P0DTC2
B	477	ASN	SER	variant	UNP P0DTC2
B	478	LYS	THR	variant	UNP P0DTC2
B	484	ALA	GLU	variant	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	493	ARG	GLN	variant	UNP P0DTC2
B	496	SER	GLY	variant	UNP P0DTC2
B	498	ARG	GLN	variant	UNP P0DTC2
B	501	TYR	ASN	variant	UNP P0DTC2
B	505	HIS	TYR	variant	UNP P0DTC2
B	547	LYS	THR	variant	UNP P0DTC2
B	614	GLY	ASP	variant	UNP P0DTC2
B	655	TYR	HIS	variant	UNP P0DTC2
B	679	LYS	ASN	variant	UNP P0DTC2
B	681	HIS	PRO	variant	UNP P0DTC2
B	764	LYS	ASN	variant	UNP P0DTC2
B	796	TYR	ASP	variant	UNP P0DTC2
B	856	LYS	ASN	variant	UNP P0DTC2
B	954	HIS	GLN	variant	UNP P0DTC2
B	969	LYS	ASN	variant	UNP P0DTC2
B	981	PHE	LEU	variant	UNP P0DTC2
C	67	VAL	ALA	variant	UNP P0DTC2
C	?	-	HIS	deletion	UNP P0DTC2
C	?	-	VAL	deletion	UNP P0DTC2
C	95	ILE	THR	variant	UNP P0DTC2
C	?	-	LEU	deletion	UNP P0DTC2
C	?	-	GLY	deletion	UNP P0DTC2
C	?	-	VAL	deletion	UNP P0DTC2
C	144	PHE	TYR	variant	UNP P0DTC2
C	145	ASP	TYR	variant	UNP P0DTC2
C	212	ILE	-	insertion	UNP P0DTC2
C	213	VAL	-	insertion	UNP P0DTC2
C	214	ARG	ASN	variant	UNP P0DTC2
C	214A	GLU	LEU	variant	UNP P0DTC2
C	214B	PRO	VAL	variant	UNP P0DTC2
C	214C	GLU	ARG	variant	UNP P0DTC2
C	339	ASP	GLY	variant	UNP P0DTC2
C	371	LEU	SER	variant	UNP P0DTC2
C	373	PRO	SER	variant	UNP P0DTC2
C	375	PHE	SER	variant	UNP P0DTC2
C	417	ASN	LYS	variant	UNP P0DTC2
C	440	LYS	ASN	variant	UNP P0DTC2
C	446	SER	GLY	variant	UNP P0DTC2
C	477	ASN	SER	variant	UNP P0DTC2
C	478	LYS	THR	variant	UNP P0DTC2
C	484	ALA	GLU	variant	UNP P0DTC2
C	493	ARG	GLN	variant	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	496	SER	GLY	variant	UNP P0DTC2
C	498	ARG	GLN	variant	UNP P0DTC2
C	501	TYR	ASN	variant	UNP P0DTC2
C	505	HIS	TYR	variant	UNP P0DTC2
C	547	LYS	THR	variant	UNP P0DTC2
C	614	GLY	ASP	variant	UNP P0DTC2
C	655	TYR	HIS	variant	UNP P0DTC2
C	679	LYS	ASN	variant	UNP P0DTC2
C	681	HIS	PRO	variant	UNP P0DTC2
C	764	LYS	ASN	variant	UNP P0DTC2
C	796	TYR	ASP	variant	UNP P0DTC2
C	856	LYS	ASN	variant	UNP P0DTC2
C	954	HIS	GLN	variant	UNP P0DTC2
C	969	LYS	ASN	variant	UNP P0DTC2
C	981	PHE	LEU	variant	UNP P0DTC2

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
2	D	2	Total	C	N	O	0	0
			28	16	2	10		
2	E	2	Total	C	N	O	0	0
			28	16	2	10		
2	F	2	Total	C	N	O	0	0
			28	16	2	10		
2	G	2	Total	C	N	O	0	0
			28	16	2	10		
2	H	2	Total	C	N	O	0	0
			28	16	2	10		
2	L	2	Total	C	N	O	0	0
			28	16	2	10		
2	N	2	Total	C	N	O	0	0
			28	16	2	10		
2	P	2	Total	C	N	O	0	0
			28	16	2	10		
2	V	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
2	X	2	Total	C	N	O	0	0
			28	16	2	10		
2	a	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
3	I	3	Total	C	N	O	0	0
			38	22	2	14		
3	S	3	Total	C	N	O	0	0
			38	22	2	14		
3	d	3	Total	C	N	O	0	0
			38	22	2	14		

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
4	J	3	Total	C	N	O	0	0
			39	22	2	15		
4	K	3	Total	C	N	O	0	0
			39	22	2	15		
4	M	3	Total	C	N	O	0	0
			39	22	2	15		
4	O	3	Total	C	N	O	0	0
			39	22	2	15		
4	Q	3	Total	C	N	O	0	0
			39	22	2	15		
4	R	3	Total	C	N	O	0	0
			39	22	2	15		
4	T	3	Total	C	N	O	0	0
			39	22	2	15		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
4	U	3	Total	C	N	O	0	0
			39	22	2	15		
4	W	3	Total	C	N	O	0	0
			39	22	2	15		
4	Y	3	Total	C	N	O	0	0
			39	22	2	15		
4	Z	3	Total	C	N	O	0	0
			39	22	2	15		
4	b	3	Total	C	N	O	0	0
			39	22	2	15		
4	c	3	Total	C	N	O	0	0
			39	22	2	15		
4	e	3	Total	C	N	O	0	0
			39	22	2	15		
4	f	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				AltConf
5	A	1	Total	C	N	O	0
			14	8	1	5	
5	A	1	Total	C	N	O	0
			14	8	1	5	
5	A	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	C	1	Total 14	C 8	N 1	O 5	0
5	C	1	Total 14	C 8	N 1	O 5	0
5	C	1	Total 14	C 8	N 1	O 5	0
5	C	1	Total 14	C 8	N 1	O 5	0
5	C	1	Total 14	C 8	N 1	O 5	0
5	C	1	Total 14	C 8	N 1	O 5	0



Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
5	C	1	14	8	1	5	0




• Molecule 1: Spike glycoprotein



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%

NAG1
NAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%

NAG1
NAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%


NAG1
NAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  50% 50%



NAG1
NAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%

NAG1
NAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  50% 50%

NAG1
NAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



NAG1
NAG2
MAN3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%

NAG1
NAG2
MAN3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%

NAG1
NAG2
MAN3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  100%


NAG1
NAG2
MAN3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  100%

NAG1
NAG2
MAN3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  100%

NAG1
NAG2
MAN3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  33%  67%

NAG1
NAG2
MAN3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  100%

MAG1
MAG2
MAN3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  33%  67%

MAG1
MAG2
MAN3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  100%

MAG1
MAG2
MAN3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  100%

MAG1
MAG2
MAN3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  100%

MAG1
MAG2
MAN3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  100%

MAG1
MAG2
MAN3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  100%

MAG1
MAG2
MAN3

- Molecule 4: α -D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:

100%

MAG1
MAG2
MAN3

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	87330	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	53.592	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	2.063	Depositor
Minimum map value	-0.003	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.040	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	398.4, 398.4, 398.4	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.83, 0.83, 0.83	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FUC, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.68	0/8942	0.97	0/12156
1	B	0.66	0/8996	0.96	0/12233
1	C	0.67	0/8996	0.96	0/12233
All	All	0.67	0/26934	0.96	0/36622

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8737	0	8544	96	0
1	B	8789	0	8591	110	0
1	C	8789	0	8592	120	0
2	D	28	0	25	0	0
2	E	28	0	25	3	0
2	F	28	0	25	0	0
2	G	28	0	25	0	0
2	H	28	0	25	0	0
2	L	28	0	25	0	0
2	N	28	0	25	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	P	28	0	25	2	0
2	V	28	0	25	1	0
2	X	28	0	25	0	0
2	a	28	0	25	0	0
3	I	38	0	34	0	0
3	S	38	0	34	1	0
3	d	38	0	34	0	0
4	J	39	0	34	0	0
4	K	39	0	34	0	0
4	M	39	0	34	0	0
4	O	39	0	34	0	0
4	Q	39	0	34	0	0
4	R	39	0	34	0	0
4	T	39	0	34	1	0
4	U	39	0	34	0	0
4	W	39	0	34	4	0
4	Y	39	0	34	3	0
4	Z	39	0	34	0	0
4	b	39	0	34	0	0
4	c	39	0	34	0	0
4	e	39	0	34	0	0
4	f	39	0	34	0	0
5	A	140	0	130	0	0
5	B	112	0	104	1	0
5	C	98	0	91	0	0
All	All	27672	0	26939	301	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 301 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:904:TYR:CE2	1:C:1107:ARG:HD3	1.40	1.53
1:B:57:PRO:HB3	1:B:273:ARG:NH2	1.39	1.38
1:C:905:ARG:NH1	1:C:1050:MET:HB3	1.47	1.27
1:B:110:LEU:HB2	1:B:135:PHE:CD2	1.70	1.25
1:B:105:ILE:HD11	1:B:118:LEU:CD1	1.65	1.25

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1102/1270 (87%)	1015 (92%)	82 (7%)	5 (0%)	25	54
1	B	1111/1270 (88%)	1030 (93%)	73 (7%)	8 (1%)	19	47
1	C	1111/1270 (88%)	1014 (91%)	84 (8%)	13 (1%)	11	35
All	All	3324/3810 (87%)	3059 (92%)	239 (7%)	26 (1%)	19	44

5 of 26 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	449	TYR
1	B	32	PHE
1	C	830	ASP
1	A	333	THR
1	B	112	SER

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	971/1112 (87%)	947 (98%)	24 (2%)	42	65
1	B	978/1112 (88%)	957 (98%)	21 (2%)	48	69
1	C	978/1112 (88%)	941 (96%)	37 (4%)	28	54
All	All	2927/3336 (88%)	2845 (97%)	82 (3%)	40	62

5 of 82 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	365	TYR
1	C	697	MET
1	C	394	ASN
1	C	523	THR
1	C	1002	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 12 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	505	HIS
1	C	544	ASN
1	C	913	GLN
1	C	564	GLN
1	B	207	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

76 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	D	1	2,1	14,14,15	1.35	3 (21%)	17,19,21	1.20	1 (5%)
2	NAG	D	2	2	14,14,15	1.17	2 (14%)	17,19,21	0.90	0
2	NAG	E	1	2,1	14,14,15	1.21	1 (7%)	17,19,21	1.02	1 (5%)
2	NAG	E	2	2	14,14,15	0.28	0	17,19,21	0.48	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	F	1	2,1	14,14,15	1.26	3 (21%)	17,19,21	1.06	1 (5%)
2	NAG	F	2	2	14,14,15	1.38	2 (14%)	17,19,21	0.80	1 (5%)
2	NAG	G	1	2,1	14,14,15	1.23	2 (14%)	17,19,21	0.86	0
2	NAG	G	2	2	14,14,15	1.19	2 (14%)	17,19,21	0.81	1 (5%)
2	NAG	H	1	2,1	14,14,15	1.02	1 (7%)	17,19,21	0.79	0
2	NAG	H	2	2	14,14,15	1.34	2 (14%)	17,19,21	1.00	1 (5%)
3	NAG	I	1	3,1	14,14,15	1.32	1 (7%)	17,19,21	0.85	0
3	NAG	I	2	3	14,14,15	1.23	1 (7%)	17,19,21	0.86	1 (5%)
3	FUC	I	3	3	10,10,11	1.55	2 (20%)	14,14,16	1.15	2 (14%)
4	NAG	J	1	4,1	14,14,15	1.17	1 (7%)	17,19,21	1.02	2 (11%)
4	NAG	J	2	4	14,14,15	1.12	1 (7%)	17,19,21	0.77	1 (5%)
4	MAN	J	3	4	11,11,12	1.61	2 (18%)	15,15,17	0.77	0
4	NAG	K	1	4,1	14,14,15	1.05	1 (7%)	17,19,21	0.92	0
4	NAG	K	2	4	14,14,15	1.16	1 (7%)	17,19,21	0.93	1 (5%)
4	MAN	K	3	4	11,11,12	1.57	2 (18%)	15,15,17	1.18	1 (6%)
2	NAG	L	1	2,1	14,14,15	0.26	0	17,19,21	0.39	0
2	NAG	L	2	2	14,14,15	1.12	1 (7%)	17,19,21	0.86	1 (5%)
4	NAG	M	1	4,1	14,14,15	1.37	2 (14%)	17,19,21	0.95	1 (5%)
4	NAG	M	2	4	14,14,15	1.45	3 (21%)	17,19,21	1.12	1 (5%)
4	MAN	M	3	4	11,11,12	1.40	2 (18%)	15,15,17	1.31	1 (6%)
2	NAG	N	1	2,1	14,14,15	0.27	0	17,19,21	0.39	0
2	NAG	N	2	2	14,14,15	1.13	1 (7%)	17,19,21	0.86	1 (5%)
4	NAG	O	1	4,1	14,14,15	1.40	2 (14%)	17,19,21	1.83	2 (11%)
4	NAG	O	2	4	14,14,15	1.33	2 (14%)	17,19,21	0.94	1 (5%)
4	MAN	O	3	4	11,11,12	1.57	2 (18%)	15,15,17	0.91	1 (6%)
2	NAG	P	1	2,1	14,14,15	0.17	0	17,19,21	0.49	0
2	NAG	P	2	2	14,14,15	1.03	1 (7%)	17,19,21	0.75	0
4	NAG	Q	1	4,1	14,14,15	1.23	2 (14%)	17,19,21	1.03	0
4	NAG	Q	2	4	14,14,15	1.30	2 (14%)	17,19,21	1.00	1 (5%)
4	MAN	Q	3	4	11,11,12	1.57	2 (18%)	15,15,17	1.32	1 (6%)
4	NAG	R	1	4,1	14,14,15	1.04	2 (14%)	17,19,21	0.58	0
4	NAG	R	2	4	14,14,15	1.26	1 (7%)	17,19,21	1.07	2 (11%)
4	MAN	R	3	4	11,11,12	1.37	1 (9%)	15,15,17	0.80	0
3	NAG	S	1	3,1	14,14,15	0.28	0	17,19,21	0.58	0
3	NAG	S	2	3	14,14,15	1.10	1 (7%)	17,19,21	1.04	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FUC	S	3	3	10,10,11	1.33	1 (10%)	14,14,16	1.13	2 (14%)
4	NAG	T	1	4,1	14,14,15	1.41	2 (14%)	17,19,21	1.16	1 (5%)
4	NAG	T	2	4	14,14,15	1.30	2 (14%)	17,19,21	0.96	1 (5%)
4	MAN	T	3	4	11,11,12	1.52	2 (18%)	15,15,17	1.26	2 (13%)
4	NAG	U	1	4,1	14,14,15	1.14	1 (7%)	17,19,21	0.67	0
4	NAG	U	2	4	14,14,15	1.31	3 (21%)	17,19,21	1.01	1 (5%)
4	MAN	U	3	4	11,11,12	1.71	2 (18%)	15,15,17	1.12	1 (6%)
2	NAG	V	1	2,1	14,14,15	1.25	2 (14%)	17,19,21	1.04	1 (5%)
2	NAG	V	2	2	14,14,15	1.34	2 (14%)	17,19,21	1.17	1 (5%)
4	NAG	W	1	4,1	14,14,15	1.06	1 (7%)	17,19,21	1.84	2 (11%)
4	NAG	W	2	4	14,14,15	1.34	3 (21%)	17,19,21	1.18	1 (5%)
4	MAN	W	3	4	11,11,12	1.40	2 (18%)	15,15,17	0.97	1 (6%)
2	NAG	X	1	2,1	14,14,15	0.17	0	17,19,21	0.48	0
2	NAG	X	2	2	14,14,15	1.22	1 (7%)	17,19,21	0.84	0
4	NAG	Y	1	4,1	14,14,15	0.35	0	17,19,21	0.53	0
4	NAG	Y	2	4	14,14,15	1.10	2 (14%)	17,19,21	0.95	1 (5%)
4	MAN	Y	3	4	11,11,12	1.51	2 (18%)	15,15,17	0.90	1 (6%)
4	NAG	Z	1	4,1	14,14,15	1.35	3 (21%)	17,19,21	0.80	0
4	NAG	Z	2	4	14,14,15	1.39	3 (21%)	17,19,21	0.95	2 (11%)
4	MAN	Z	3	4	11,11,12	1.68	2 (18%)	15,15,17	0.84	0
2	NAG	a	1	2,1	14,14,15	1.34	2 (14%)	17,19,21	0.82	0
2	NAG	a	2	2	14,14,15	1.33	1 (7%)	17,19,21	0.78	1 (5%)
4	NAG	b	1	4,1	14,14,15	1.25	3 (21%)	17,19,21	0.99	2 (11%)
4	NAG	b	2	4	14,14,15	1.32	2 (14%)	17,19,21	0.65	0
4	MAN	b	3	4	11,11,12	1.61	2 (18%)	15,15,17	1.34	1 (6%)
4	NAG	c	1	4,1	14,14,15	1.10	1 (7%)	17,19,21	0.66	0
4	NAG	c	2	4	14,14,15	1.37	3 (21%)	17,19,21	0.98	1 (5%)
4	MAN	c	3	4	11,11,12	1.33	1 (9%)	15,15,17	0.87	0
3	NAG	d	1	3,1	14,14,15	0.35	0	17,19,21	0.47	0
3	NAG	d	2	3	14,14,15	1.05	1 (7%)	17,19,21	0.81	1 (5%)
3	FUC	d	3	3	10,10,11	1.45	2 (20%)	14,14,16	1.31	2 (14%)
4	NAG	e	1	4,1	14,14,15	1.11	1 (7%)	17,19,21	1.10	2 (11%)
4	NAG	e	2	4	14,14,15	1.28	2 (14%)	17,19,21	1.00	2 (11%)
4	MAN	e	3	4	11,11,12	1.40	2 (18%)	15,15,17	1.05	2 (13%)
4	NAG	f	1	4,1	14,14,15	1.33	3 (21%)	17,19,21	0.75	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	f	2	4	14,14,15	1.29	2 (14%)	17,19,21	0.69	0
4	MAN	f	3	4	11,11,12	1.65	2 (18%)	15,15,17	1.16	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	D	2	2	-	0/6/23/26	0/1/1/1
2	NAG	E	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
2	NAG	F	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	F	2	2	-	0/6/23/26	0/1/1/1
2	NAG	G	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	0/6/23/26	0/1/1/1
2	NAG	H	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	H	2	2	-	0/6/23/26	0/1/1/1
3	NAG	I	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	I	2	3	-	0/6/23/26	0/1/1/1
3	FUC	I	3	3	-	-	0/1/1/1
4	NAG	J	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	J	2	4	-	0/6/23/26	0/1/1/1
4	MAN	J	3	4	-	1/2/19/22	1/1/1/1
4	NAG	K	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	K	2	4	-	0/6/23/26	0/1/1/1
4	MAN	K	3	4	-	1/2/19/22	0/1/1/1
2	NAG	L	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	L	2	2	-	0/6/23/26	0/1/1/1
4	NAG	M	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	M	2	4	-	0/6/23/26	0/1/1/1
4	MAN	M	3	4	-	1/2/19/22	0/1/1/1
2	NAG	N	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	N	2	2	-	0/6/23/26	0/1/1/1
4	NAG	O	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	O	2	4	-	0/6/23/26	0/1/1/1
4	MAN	O	3	4	-	0/2/19/22	1/1/1/1
2	NAG	P	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	P	2	2	-	1/6/23/26	0/1/1/1
4	NAG	Q	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	Q	2	4	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MAN	Q	3	4	-	0/2/19/22	1/1/1/1
4	NAG	R	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	R	2	4	-	0/6/23/26	0/1/1/1
4	MAN	R	3	4	-	1/2/19/22	0/1/1/1
3	NAG	S	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	S	2	3	-	2/6/23/26	0/1/1/1
3	FUC	S	3	3	-	-	0/1/1/1
4	NAG	T	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	T	2	4	-	0/6/23/26	0/1/1/1
4	MAN	T	3	4	-	1/2/19/22	0/1/1/1
4	NAG	U	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	U	2	4	-	0/6/23/26	0/1/1/1
4	MAN	U	3	4	-	0/2/19/22	1/1/1/1
2	NAG	V	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	V	2	2	-	0/6/23/26	0/1/1/1
4	NAG	W	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	W	2	4	-	0/6/23/26	0/1/1/1
4	MAN	W	3	4	-	1/2/19/22	0/1/1/1
2	NAG	X	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	X	2	2	-	0/6/23/26	0/1/1/1
4	NAG	Y	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	Y	2	4	-	0/6/23/26	0/1/1/1
4	MAN	Y	3	4	-	0/2/19/22	1/1/1/1
4	NAG	Z	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	Z	2	4	-	0/6/23/26	0/1/1/1
4	MAN	Z	3	4	-	0/2/19/22	1/1/1/1
2	NAG	a	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	a	2	2	-	1/6/23/26	0/1/1/1
4	NAG	b	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	b	2	4	-	0/6/23/26	0/1/1/1
4	MAN	b	3	4	-	0/2/19/22	1/1/1/1
4	NAG	c	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	c	2	4	-	0/6/23/26	0/1/1/1
4	MAN	c	3	4	-	1/2/19/22	0/1/1/1
3	NAG	d	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	d	2	3	-	0/6/23/26	0/1/1/1
3	FUC	d	3	3	-	-	0/1/1/1
4	NAG	e	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	e	2	4	-	0/6/23/26	0/1/1/1
4	MAN	e	3	4	-	0/2/19/22	1/1/1/1
4	NAG	f	1	4,1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	f	2	4	-	0/6/23/26	0/1/1/1
4	MAN	f	3	4	-	0/2/19/22	1/1/1/1

The worst 5 of 123 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	T	1	NAG	O5-C1	-4.59	1.36	1.43
2	E	1	NAG	O5-C1	-4.12	1.36	1.43
2	X	2	NAG	O5-C5	3.82	1.50	1.43
4	f	3	MAN	O5-C5	3.58	1.50	1.43
4	Z	3	MAN	O5-C5	3.55	1.50	1.43

The worst 5 of 62 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	W	1	NAG	C1-O5-C5	6.45	120.83	112.19
4	O	1	NAG	C1-O5-C5	6.34	120.69	112.19
4	b	3	MAN	C1-O5-C5	4.45	118.15	112.19
4	Q	3	MAN	C1-O5-C5	4.30	117.95	112.19
2	V	2	NAG	C1-O5-C5	3.76	117.23	112.19

There are no chirality outliers.

5 of 29 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	V	1	NAG	C1-C2-N2-C7
3	I	1	NAG	O5-C5-C6-O6
3	S	1	NAG	O5-C5-C6-O6
3	d	1	NAG	O5-C5-C6-O6
2	E	1	NAG	O5-C5-C6-O6


5 of 9 ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	Y	3	MAN	C1-C2-C3-C4-C5-O5
4	U	3	MAN	C1-C2-C3-C4-C5-O5
4	Z	3	MAN	C1-C2-C3-C4-C5-O5
4	Q	3	MAN	C1-C2-C3-C4-C5-O5
4	f	3	MAN	C1-C2-C3-C4-C5-O5


13 monomers are involved in 16 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	S	1	NAG	1	0
4	Y	1	NAG	3	0
2	E	2	NAG	1	0
3	S	2	NAG	1	0
4	T	2	NAG	1	0
2	P	2	NAG	1	0
4	T	1	NAG	1	0
2	E	1	NAG	3	0
2	P	1	NAG	2	0
4	W	2	NAG	2	0
2	N	1	NAG	1	0
4	W	1	NAG	2	0
2	V	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





































































5.6 Ligand geometry [i](#)

25 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	B	1307	1	14,14,15	1.27	1 (7%)	17,19,21	0.94	0
5	NAG	A	1301	1	14,14,15	1.42	3 (21%)	17,19,21	0.81	0
5	NAG	A	1303	1	14,14,15	1.31	3 (21%)	17,19,21	0.65	0
5	NAG	B	1306	1	14,14,15	1.19	1 (7%)	17,19,21	0.83	0
5	NAG	A	1310	1	14,14,15	1.44	3 (21%)	17,19,21	0.72	0
5	NAG	A	1302	1	14,14,15	1.28	1 (7%)	17,19,21	0.93	0
5	NAG	C	1301	1	14,14,15	1.32	3 (21%)	17,19,21	0.90	1 (5%)
5	NAG	C	1303	1	14,14,15	1.34	3 (21%)	17,19,21	0.94	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	A	1309	1	14,14,15	0.36	0	17,19,21	0.36	0
5	NAG	B	1301	1	14,14,15	1.37	2 (14%)	17,19,21	1.47	2 (11%)
5	NAG	C	1302	1	14,14,15	1.10	1 (7%)	17,19,21	0.84	1 (5%)
5	NAG	A	1306	1	14,14,15	1.33	1 (7%)	17,19,21	0.72	0
5	NAG	B	1302	1	14,14,15	0.21	0	17,19,21	0.50	0
5	NAG	C	1304	1	14,14,15	1.41	3 (21%)	17,19,21	1.13	1 (5%)
5	NAG	A	1307	1	14,14,15	1.29	2 (14%)	17,19,21	0.60	0
5	NAG	C	1305	1	14,14,15	1.17	1 (7%)	17,19,21	0.72	0
5	NAG	B	1304	1	14,14,15	1.18	1 (7%)	17,19,21	0.88	1 (5%)
5	NAG	B	1308	1	14,14,15	1.41	3 (21%)	17,19,21	1.16	1 (5%)
5	NAG	B	1305	1	14,14,15	0.23	0	17,19,21	0.43	0
5	NAG	A	1304	1	14,14,15	1.24	2 (14%)	17,19,21	0.64	0
5	NAG	A	1305	1	14,14,15	1.33	2 (14%)	17,19,21	0.88	0
5	NAG	A	1308	1	14,14,15	1.30	3 (21%)	17,19,21	0.56	0
5	NAG	C	1307	1	14,14,15	1.28	2 (14%)	17,19,21	0.73	0
5	NAG	B	1303	1	14,14,15	1.38	2 (14%)	17,19,21	1.07	1 (5%)
5	NAG	C	1306	1	14,14,15	1.24	2 (14%)	17,19,21	0.94	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	B	1307	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1301	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1303	1	-	0/6/23/26	0/1/1/1
5	NAG	B	1306	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1310	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1302	1	-	0/6/23/26	0/1/1/1
5	NAG	C	1301	1	-	1/6/23/26	0/1/1/1
5	NAG	C	1303	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1309	1	-	0/6/23/26	0/1/1/1
5	NAG	B	1301	1	-	0/6/23/26	0/1/1/1
5	NAG	C	1302	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1306	1	-	0/6/23/26	0/1/1/1
5	NAG	B	1302	1	-	2/6/23/26	0/1/1/1
5	NAG	C	1304	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1307	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	C	1305	1	-	0/6/23/26	0/1/1/1
5	NAG	B	1304	1	-	0/6/23/26	0/1/1/1
5	NAG	B	1308	1	-	0/6/23/26	0/1/1/1
5	NAG	B	1305	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1304	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1305	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1308	1	-	0/6/23/26	0/1/1/1
5	NAG	C	1307	1	-	0/6/23/26	0/1/1/1
5	NAG	B	1303	1	-	0/6/23/26	0/1/1/1
5	NAG	C	1306	1	-	0/6/23/26	0/1/1/1

The worst 5 of 45 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	1307	NAG	O5-C5	4.07	1.51	1.43
5	C	1306	NAG	O5-C5	3.33	1.49	1.43
5	B	1303	NAG	O5-C5	3.29	1.49	1.43
5	B	1301	NAG	O5-C5	3.12	1.49	1.43
5	A	1302	NAG	O5-C5	3.10	1.49	1.43

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	1301	NAG	C1-O5-C5	4.69	118.47	112.19
5	C	1304	NAG	C1-O5-C5	3.19	116.46	112.19
5	B	1303	NAG	C1-O5-C5	2.85	116.00	112.19
5	B	1304	NAG	C1-O5-C5	2.73	115.85	112.19
5	C	1302	NAG	C1-O5-C5	2.65	115.74	112.19

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	1302	NAG	O5-C5-C6-O6
5	B	1302	NAG	C4-C5-C6-O6
5	C	1301	NAG	C1-C2-N2-C7

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	1307	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-26029. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 240



Y Index: 240



Z Index: 240

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 231



Y Index: 230




Z Index: 188


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 415 nm^3 ; this corresponds to an approximate mass of 375 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.294 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-26029 and PDB model 7TO4. Per-residue inclusion information can be found in [section 3](#) on [page 12](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).



































































9.4 Atom inclusion ⓘ



At the recommended contour level, 99% of all backbone atoms, 93% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9290	 0.3940
A	 0.9220	 0.3690
B	 0.9330	 0.4000
C	 0.9370	 0.4220
D	 0.6430	 0.1890
E	 0.9290	 0.3280
F	 0.9290	 0.3950
G	 0.9290	 0.4310
H	 0.9640	 0.4060
I	 0.9470	 0.4560
J	 0.9490	 0.3920
K	 1.0000	 0.3920
L	 0.6070	 0.1020
M	 0.9490	 0.3190
N	 0.7140	 0.0840
O	 0.9490	 0.3520
P	 0.9290	 0.3020
Q	 0.9740	 0.4460
R	 0.9490	 0.3530
S	 0.7630	 0.0610
T	 0.9740	 0.3670
U	 0.9740	 0.3420
V	 0.5000	 0.0550
W	 0.8720	 0.1490
X	 0.8930	 0.2320
Y	 0.8720	 0.2920
Z	 0.9490	 0.2920
a	 0.8570	 0.2810
b	 0.9490	 0.4230
c	 0.9230	 0.3560
d	 0.7630	 0.2840
e	 0.9230	 0.3830
f	 0.8970	 0.3310

