



wwPDB EM Validation Summary Report ⓘ

Nov 12, 2024 – 05:01 AM EST

PDB ID : 8TOB
EMDB ID : EMD-41442
Title : Acinetobacter GP16 Type IV pilus
Authors : Meng, R.; Xing, Z.; Zhang, J.
Deposited on : 2023-08-03
Resolution : 3.14 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	70	
1	BA	70	
1	CA	70	
1	DA	70	
1	EA	70	
1	FA	70	
1	GA	70	
1	HA	70	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	IA	70	 96% .
1	JA	70	 96% .
1	KA	70	 93% 7%
1	LA	70	 91% 9%
1	MA	70	 91% 9%
1	NA	70	 87% 13%
1	OA	70	 96% .
1	PA	70	 86% 14%
1	QA	70	 89% 11%
1	RA	70	 87% 13%
1	SA	70	 90% 10%
1	TA	70	 90% 10%
1	UA	70	 91% 9%
1	VA	70	 83% 17%
2	AB	69	 87% 13%
2	BB	69	 93% 7%
2	CB	69	 90% 10%
2	DB	69	 84% 16%
2	EB	69	 81% 17% .
2	FB	69	 93% 7%
2	GB	69	 91% 9%
2	HB	69	 81% 19%
2	IB	69	 86% 14%
2	JB	69	 87% 13%
2	KB	69	 94% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	LB	69	 93%7%
2	MB	69	 96%•
2	NB	69	 96%•
2	OB	69	 93%7%
2	PB	69	 86%14%
2	QB	69	 94%6%
2	RB	69	 91%9%
2	SB	69	 81%19%
2	TB	69	 86%14%
2	UB	69	 94%6%
2	VB	69	 93%7%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 22242 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fimbrial protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	GA	70	Total 520	C 332	N 84	O 100	S 4	0	0
1	HA	70	Total 520	C 332	N 84	O 100	S 4	0	0
1	IA	70	Total 520	C 332	N 84	O 100	S 4	0	0
1	JA	70	Total 520	C 332	N 84	O 100	S 4	0	0
1	KA	70	Total 520	C 332	N 84	O 100	S 4	0	0
1	LA	70	Total 520	C 332	N 84	O 100	S 4	0	0
1	MA	70	Total 520	C 332	N 84	O 100	S 4	0	0
1	NA	70	Total 520	C 332	N 84	O 100	S 4	0	0
1	OA	70	Total 520	C 332	N 84	O 100	S 4	0	0
1	PA	70	Total 520	C 332	N 84	O 100	S 4	0	0
1	QA	70	Total 520	C 332	N 84	O 100	S 4	0	0
1	RA	70	Total 520	C 332	N 84	O 100	S 4	0	0
1	SA	70	Total 520	C 332	N 84	O 100	S 4	0	0
1	TA	70	Total 520	C 332	N 84	O 100	S 4	0	0
1	UA	70	Total 520	C 332	N 84	O 100	S 4	0	0
1	VA	70	Total 520	C 332	N 84	O 100	S 4	0	0
1	AA	70	Total 520	C 332	N 84	O 100	S 4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
1	BA	70	Total	C	N	O	S	0	0
			520	332	84	100	4		
1	CA	70	Total	C	N	O	S	0	0
			520	332	84	100	4		
1	DA	70	Total	C	N	O	S	0	0
			520	332	84	100	4		
1	EA	70	Total	C	N	O	S	0	0
			520	332	84	100	4		
1	FA	70	Total	C	N	O	S	0	0
			520	332	84	100	4		

- Molecule 2 is a protein called Fimbrial protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	GB	69	Total	C	N	O	S	0	0
			491	305	83	101	2		
2	HB	69	Total	C	N	O	S	0	0
			491	305	83	101	2		
2	IB	69	Total	C	N	O	S	0	0
			491	305	83	101	2		
2	JB	69	Total	C	N	O	S	0	0
			491	305	83	101	2		
2	KB	69	Total	C	N	O	S	0	0
			491	305	83	101	2		
2	LB	69	Total	C	N	O	S	0	0
			491	305	83	101	2		
2	MB	69	Total	C	N	O	S	0	0
			491	305	83	101	2		
2	NB	69	Total	C	N	O	S	0	0
			491	305	83	101	2		
2	OB	69	Total	C	N	O	S	0	0
			491	305	83	101	2		
2	PB	69	Total	C	N	O	S	0	0
			491	305	83	101	2		
2	QB	69	Total	C	N	O	S	0	0
			491	305	83	101	2		
2	RB	69	Total	C	N	O	S	0	0
			491	305	83	101	2		
2	SB	69	Total	C	N	O	S	0	0
			491	305	83	101	2		
2	TB	69	Total	C	N	O	S	0	0
			491	305	83	101	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf	Trace
2	UB	69	Total 491	C 305	N 83	O 101	S 2	0	0
2	VB	69	Total 491	C 305	N 83	O 101	S 2	0	0
2	AB	69	Total 491	C 305	N 83	O 101	S 2	0	0
2	BB	69	Total 491	C 305	N 83	O 101	S 2	0	0
2	CB	69	Total 491	C 305	N 83	O 101	S 2	0	0
2	DB	69	Total 491	C 305	N 83	O 101	S 2	0	0
2	EB	69	Total 491	C 305	N 83	O 101	S 2	0	0
2	FB	69	Total 491	C 305	N 83	O 101	S 2	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Fimbrial protein

Chain GA:  87% 13%




- Molecule 1: Fimbrial protein

Chain HA:  90% 10%




- Molecule 1: Fimbrial protein

Chain IA:  96% .



- Molecule 1: Fimbrial protein

Chain JA:  96% .



- Molecule 1: Fimbrial protein

Chain KA:  93% 7%



- Molecule 1: Fimbrial protein

Chain LA:  91% 9%




- Molecule 1: Fimbrial protein

Chain MA:  91% 9%



- Molecule 1: Fimbrial protein

Chain NA:  87% 13%




- Molecule 1: Fimbrial protein

Chain OA:  96% .



- Molecule 1: Fimbrial protein

Chain PA:  86% 14%




- Molecule 1: Fimbrial protein

Chain QA:  89% 11%




- Molecule 1: Fimbrial protein

Chain RA:  87% 13%



- Molecule 1: Fimbrial protein

Chain SA:  90% 10%



- Molecule 1: Fimbrial protein

Chain TA:  90% 10%




- Molecule 1: Fimbrial protein

Chain UA:  91% 9%



- Molecule 1: Fimbrial protein

Chain VA:  83% 17%




- Molecule 1: Fimbrial protein

Chain AA:  89% 11%




- Molecule 1: Fimbrial protein

Chain BA:  81% 19%



- Molecule 1: Fimbrial protein

Chain CA:  84% 16%




- Molecule 1: Fimbrial protein

Chain DA:  89% 11%




- Molecule 1: Fimbrial protein

Chain EA:  79% 21%



- Molecule 1: Fimbrial protein

Chain FA:  86% 14%




- Molecule 2: Fimbrial protein

Chain GB:  91% 9%




- Molecule 2: Fimbrial protein

Chain HB:  81% 19%




- Molecule 2: Fimbrial protein

Chain IB:  86% 14%



- Molecule 2: Fimbrial protein

Chain JB:  87% 13%



- Molecule 2: Fimbrial protein

Chain KB:  94% 6%



• Molecule 2: Fimbrial protein

Chain LB:  93% 7%



• Molecule 2: Fimbrial protein

Chain MB:  96% .



• Molecule 2: Fimbrial protein

Chain NB:  96% .




• Molecule 2: Fimbrial protein

Chain OB:  93% 7%



• Molecule 2: Fimbrial protein

Chain PB:  86% 14%




• Molecule 2: Fimbrial protein

Chain QB:  94% 6%




• Molecule 2: Fimbrial protein

Chain RB:  91% 9%




• Molecule 2: Fimbrial protein

Chain SB:  81% 19%



• Molecule 2: Fimbrial protein

Chain TB:  86% 14%



• Molecule 2: Fimbrial protein

Chain UB:  94% 6%




• Molecule 2: Fimbrial protein

Chain VB:  93% 7%




• Molecule 2: Fimbrial protein

Chain AB:  87% 13%



• Molecule 2: Fimbrial protein

Chain BB:  93% 7%




• Molecule 2: Fimbrial protein

Chain CB:  90% 10%




- Molecule 2: Fimbrial protein

Chain DB:  84% 16%




- Molecule 2: Fimbrial protein

Chain EB:  81% 17%



- Molecule 2: Fimbrial protein

Chain FB:  93% 7%



4 Experimental information

Property	Value	Source
EM reconstruction method	HELICAL	Depositor
Imposed symmetry	HELICAL, twist=92°, rise=10 Å, axial sym=C1	Depositor
Number of segments used	900000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	200	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	135000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.288	Depositor
Minimum map value	-0.089	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.010	Depositor
Recommended contour level	0.05	Depositor
Map size (Å)	332.80002, 332.80002, 332.80002	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.832, 0.832, 0.832	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AA	0.24	0/524	0.42	0/712
1	BA	0.24	0/524	0.43	0/712
1	CA	0.24	0/524	0.42	0/712
1	DA	0.24	0/524	0.43	0/712
1	EA	0.25	0/524	0.49	0/712
1	FA	0.24	0/524	0.45	0/712
1	GA	0.24	0/524	0.41	0/712
1	HA	0.23	0/524	0.40	0/712
1	IA	0.23	0/524	0.42	0/712
1	JA	0.23	0/524	0.42	0/712
1	KA	0.23	0/524	0.41	0/712
1	LA	0.24	0/524	0.41	0/712
1	MA	0.23	0/524	0.42	0/712
1	NA	0.24	0/524	0.41	0/712
1	OA	0.24	0/524	0.41	0/712
1	PA	0.24	0/524	0.42	0/712
1	QA	0.24	0/524	0.42	0/712
1	RA	0.24	0/524	0.41	0/712
1	SA	0.24	0/524	0.41	0/712
1	TA	0.24	0/524	0.44	0/712
1	UA	0.24	0/524	0.42	0/712
1	VA	0.24	0/524	0.45	0/712
2	AB	0.25	0/500	0.48	0/682
2	BB	0.25	0/500	0.48	0/682
2	CB	0.25	0/500	0.48	0/682
2	DB	0.24	0/500	0.49	0/682
2	EB	0.25	0/500	0.49	0/682
2	FB	0.24	0/500	0.47	0/682
2	GB	0.24	0/500	0.49	0/682
2	HB	0.24	0/500	0.48	0/682
2	IB	0.24	0/500	0.48	0/682
2	JB	0.24	0/500	0.49	0/682
2	KB	0.24	0/500	0.48	0/682
2	LB	0.25	0/500	0.48	0/682

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
2	MB	0.24	0/500	0.49	0/682
2	NB	0.25	0/500	0.49	0/682
2	OB	0.26	0/500	0.49	0/682
2	PB	0.25	0/500	0.48	0/682
2	QB	0.25	0/500	0.48	0/682
2	RB	0.25	0/500	0.49	0/682
2	SB	0.24	0/500	0.48	0/682
2	TB	0.25	0/500	0.47	0/682
2	UB	0.24	0/500	0.48	0/682
2	VB	0.25	0/500	0.48	0/682
All	All	0.24	0/22528	0.45	0/30668

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	520	0	548	8	0
1	BA	520	0	548	11	0
1	CA	520	0	548	10	0
1	DA	520	0	548	8	0
1	EA	520	0	548	10	0
1	FA	520	0	548	8	0
1	GA	520	0	548	7	0
1	HA	520	0	548	6	0
1	IA	520	0	548	4	0
1	JA	520	0	548	4	0
1	KA	520	0	548	4	0
1	LA	520	0	548	5	0
1	MA	520	0	548	5	0
1	NA	520	0	548	7	0
1	OA	520	0	548	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	PA	520	0	548	8	0
1	QA	520	0	548	7	0
1	RA	520	0	548	7	0
1	SA	520	0	548	7	0
1	TA	520	0	548	6	0
1	UA	520	0	548	6	0
1	VA	520	0	548	12	0
2	AB	491	0	482	6	0
2	BB	491	0	482	4	0
2	CB	491	0	482	5	0
2	DB	491	0	482	9	0
2	EB	491	0	482	7	0
2	FB	491	0	482	4	0
2	GB	491	0	482	4	0
2	HB	491	0	482	10	0
2	IB	491	0	482	7	0
2	JB	491	0	482	7	0
2	KB	491	0	482	3	0
2	LB	491	0	482	4	0
2	MB	491	0	482	3	0
2	NB	491	0	482	2	0
2	OB	491	0	482	3	0
2	PB	491	0	482	7	0
2	QB	491	0	482	4	0
2	RB	491	0	482	4	0
2	SB	491	0	482	9	0
2	TB	491	0	482	6	0
2	UB	491	0	482	3	0
2	VB	491	0	482	4	0
All	All	22242	0	22660	189	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 189 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:CB:79:SER:OG	2:CB:80:THR:N	2.21	0.74
2:BB:79:SER:OG	2:BB:80:THR:N	2.24	0.69
2:SB:79:SER:OG	2:SB:80:THR:N	2.25	0.68
2:RB:79:SER:OG	2:RB:80:THR:N	2.29	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:DB:79:SER:OG	2:DB:80:THR:N	2.24	0.65

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AA	68/70 (97%)	67 (98%)	1 (2%)	0	100	100
1	BA	68/70 (97%)	66 (97%)	2 (3%)	0	100	100
1	CA	68/70 (97%)	67 (98%)	1 (2%)	0	100	100
1	DA	68/70 (97%)	66 (97%)	2 (3%)	0	100	100
1	EA	68/70 (97%)	63 (93%)	4 (6%)	1 (2%)	8	30
1	FA	68/70 (97%)	65 (96%)	3 (4%)	0	100	100
1	GA	68/70 (97%)	67 (98%)	1 (2%)	0	100	100
1	HA	68/70 (97%)	64 (94%)	4 (6%)	0	100	100
1	IA	68/70 (97%)	68 (100%)	0	0	100	100
1	JA	68/70 (97%)	65 (96%)	3 (4%)	0	100	100
1	KA	68/70 (97%)	67 (98%)	1 (2%)	0	100	100
1	LA	68/70 (97%)	64 (94%)	4 (6%)	0	100	100
1	MA	68/70 (97%)	67 (98%)	1 (2%)	0	100	100
1	NA	68/70 (97%)	63 (93%)	5 (7%)	0	100	100
1	OA	68/70 (97%)	67 (98%)	1 (2%)	0	100	100
1	PA	68/70 (97%)	66 (97%)	2 (3%)	0	100	100
1	QA	68/70 (97%)	67 (98%)	1 (2%)	0	100	100
1	RA	68/70 (97%)	64 (94%)	4 (6%)	0	100	100
1	SA	68/70 (97%)	66 (97%)	2 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	TA	68/70 (97%)	64 (94%)	4 (6%)	0	100	100
1	UA	68/70 (97%)	67 (98%)	1 (2%)	0	100	100
1	VA	68/70 (97%)	67 (98%)	1 (2%)	0	100	100
2	AB	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
2	BB	67/69 (97%)	64 (96%)	3 (4%)	0	100	100
2	CB	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
2	DB	67/69 (97%)	64 (96%)	3 (4%)	0	100	100
2	EB	67/69 (97%)	65 (97%)	1 (2%)	1 (2%)	8	30
2	FB	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
2	GB	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
2	HB	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
2	IB	67/69 (97%)	66 (98%)	1 (2%)	0	100	100
2	JB	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
2	KB	67/69 (97%)	66 (98%)	1 (2%)	0	100	100
2	LB	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
2	MB	67/69 (97%)	66 (98%)	1 (2%)	0	100	100
2	NB	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
2	OB	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
2	PB	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
2	QB	67/69 (97%)	64 (96%)	3 (4%)	0	100	100
2	RB	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
2	SB	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
2	TB	67/69 (97%)	64 (96%)	3 (4%)	0	100	100
2	UB	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
2	VB	67/69 (97%)	66 (98%)	1 (2%)	0	100	100
All	All	2970/3058 (97%)	2877 (97%)	91 (3%)	2 (0%)	50	77

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	EB	109	ASN
1	EA	10	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AA	58/58 (100%)	58 (100%)	0	100	100
1	BA	58/58 (100%)	58 (100%)	0	100	100
1	CA	58/58 (100%)	58 (100%)	0	100	100
1	DA	58/58 (100%)	58 (100%)	0	100	100
1	EA	58/58 (100%)	58 (100%)	0	100	100
1	FA	58/58 (100%)	58 (100%)	0	100	100
1	GA	58/58 (100%)	58 (100%)	0	100	100
1	HA	58/58 (100%)	58 (100%)	0	100	100
1	IA	58/58 (100%)	58 (100%)	0	100	100
1	JA	58/58 (100%)	58 (100%)	0	100	100
1	KA	58/58 (100%)	58 (100%)	0	100	100
1	LA	58/58 (100%)	58 (100%)	0	100	100
1	MA	58/58 (100%)	58 (100%)	0	100	100
1	NA	58/58 (100%)	58 (100%)	0	100	100
1	OA	58/58 (100%)	58 (100%)	0	100	100
1	PA	58/58 (100%)	58 (100%)	0	100	100
1	QA	58/58 (100%)	58 (100%)	0	100	100
1	RA	58/58 (100%)	58 (100%)	0	100	100
1	SA	58/58 (100%)	58 (100%)	0	100	100
1	TA	58/58 (100%)	58 (100%)	0	100	100
1	UA	58/58 (100%)	58 (100%)	0	100	100
1	VA	58/58 (100%)	58 (100%)	0	100	100
2	AB	50/50 (100%)	50 (100%)	0	100	100
2	BB	50/50 (100%)	50 (100%)	0	100	100
2	CB	50/50 (100%)	50 (100%)	0	100	100
2	DB	50/50 (100%)	50 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	EB	50/50 (100%)	50 (100%)	0	100	100
2	FB	50/50 (100%)	50 (100%)	0	100	100
2	GB	50/50 (100%)	50 (100%)	0	100	100
2	HB	50/50 (100%)	50 (100%)	0	100	100
2	IB	50/50 (100%)	50 (100%)	0	100	100
2	JB	50/50 (100%)	50 (100%)	0	100	100
2	KB	50/50 (100%)	50 (100%)	0	100	100
2	LB	50/50 (100%)	50 (100%)	0	100	100
2	MB	50/50 (100%)	50 (100%)	0	100	100
2	NB	50/50 (100%)	50 (100%)	0	100	100
2	OB	50/50 (100%)	50 (100%)	0	100	100
2	PB	50/50 (100%)	50 (100%)	0	100	100
2	QB	50/50 (100%)	50 (100%)	0	100	100
2	RB	50/50 (100%)	50 (100%)	0	100	100
2	SB	50/50 (100%)	50 (100%)	0	100	100
2	TB	50/50 (100%)	50 (100%)	0	100	100
2	UB	50/50 (100%)	50 (100%)	0	100	100
2	VB	50/50 (100%)	50 (100%)	0	100	100
All	All	2376/2376 (100%)	2376 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-41442. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 204




Y Index: 195




Z Index: 199


6.3.2 Raw map



X Index: 204



Y Index: 195




Z Index: 199


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z

6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 251 nm³; this corresponds to an approximate mass of 227 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.318 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.318 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.14	-	-
Author-provided FSC curve	3.12	3.73	3.17
Unmasked-calculated*	3.11	3.71	3.16

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-41442 and PDB model 8TOB. Per-residue inclusion information can be found in section [3](#) on page [8](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 100% of all backbone atoms, 97% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary





















The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9700	 0.5860
AA	 0.9710	 0.5880
AB	 0.9880	 0.6010
BA	 0.9690	 0.5840
BB	 0.9880	 0.5990
CA	 0.9630	 0.5840
CB	 0.9820	 0.6000
DA	 0.9570	 0.5740
DB	 0.9820	 0.5950
EA	 0.9360	 0.5540
EB	 0.9880	 0.5880
FA	 0.8930	 0.5540
FB	 0.9840	 0.5870
GA	 0.9690	 0.5990
GB	 0.9900	 0.6050
HA	 0.9220	 0.5370
HB	 0.9360	 0.5520
IA	 0.9530	 0.5530
IB	 0.9670	 0.5660
JA	 0.9670	 0.5690
JB	 0.9820	 0.5770
KA	 0.9630	 0.5810
KB	 0.9820	 0.5830
LA	 0.9690	 0.5810
LB	 0.9770	 0.5890
MA	 0.9710	 0.5870
MB	 0.9860	 0.5930
NA	 0.9670	 0.5870
NB	 0.9940	 0.5980
OA	 0.9610	 0.5960
OB	 0.9880	 0.6040
PA	 0.9630	 0.5870
PB	 0.9820	 0.5960
QA	 0.9690	 0.5900
QB	 0.9880	 0.5980



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
RA	 0.9710	 0.5950
RB	 0.9900	 0.6030
SA	 0.9610	 0.5960
SB	 0.9880	 0.6050
TA	 0.9570	 0.5830
TB	 0.9900	 0.6040
UA	 0.9730	 0.5910
UB	 0.9860	 0.6040
VA	 0.9650	 0.5910
VB	 0.9840	 0.6030