



wwPDB EM Validation Summary Report ⓘ

Jan 1, 2025 – 10:16 AM EST

PDB ID : 8TRG
EMDB ID : EMD-41579
Title : Structure of full-length LexA bound to a RecA filament
Authors : Cory, M.B.; Li, A.; Kohli, R.M.
Deposited on : 2023-08-09
Resolution : 2.93 Å(reported)
Based on initial model : .

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.93 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	379	69% 17% 14%
1	B	379	77% 9% 14%
1	C	379	77% 9% 14%
1	D	379	79% 7% 14%
1	E	379	81% • 14%
1	F	379	78% 7% 14%
1	G	379	75% 11% 14%
1	H	379	72% 13% 14%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	I	205	<div><div></div><div>10%</div><div></div><div>79%</div><div></div><div>12%</div><div></div><div>9%</div></div>
2	J	205	<div><div></div><div>50%</div><div></div><div>12%</div><div></div><div>38%</div></div>
3	L	27	<div><div></div><div>52%</div><div></div><div>48%</div></div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 45897 atoms, of which 23031 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein RecA.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	325	Total 4971	C 1541	H 2519	N 425	O 474	S 12	0	0
1	B	325	Total 4971	C 1541	H 2519	N 425	O 474	S 12	0	0
1	C	325	Total 4971	C 1541	H 2519	N 425	O 474	S 12	0	0
1	D	325	Total 4971	C 1541	H 2519	N 425	O 474	S 12	0	0
1	E	325	Total 4971	C 1541	H 2519	N 425	O 474	S 12	0	0
1	F	325	Total 4971	C 1541	H 2519	N 425	O 474	S 12	0	0
1	G	325	Total 4971	C 1541	H 2519	N 425	O 474	S 12	0	0
1	H	325	Total 4971	C 1541	H 2519	N 425	O 474	S 12	0	0

There are 208 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-26	MET	-	expression tag	UNP P0A7G6
A	-25	GLY	-	expression tag	UNP P0A7G6
A	-24	SER	-	expression tag	UNP P0A7G6
A	-23	SER	-	expression tag	UNP P0A7G6
A	-22	HIS	-	expression tag	UNP P0A7G6
A	-21	HIS	-	expression tag	UNP P0A7G6
A	-20	HIS	-	expression tag	UNP P0A7G6
A	-19	HIS	-	expression tag	UNP P0A7G6
A	-18	HIS	-	expression tag	UNP P0A7G6
A	-17	HIS	-	expression tag	UNP P0A7G6
A	-16	HIS	-	expression tag	UNP P0A7G6
A	-15	HIS	-	expression tag	UNP P0A7G6
A	-14	HIS	-	expression tag	UNP P0A7G6
A	-13	HIS	-	expression tag	UNP P0A7G6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-12	HIS	-	expression tag	UNP P0A7G6
A	-11	HIS	-	expression tag	UNP P0A7G6
A	-10	SER	-	expression tag	UNP P0A7G6
A	-9	SER	-	expression tag	UNP P0A7G6
A	-8	GLY	-	expression tag	UNP P0A7G6
A	-7	GLU	-	expression tag	UNP P0A7G6
A	-6	ASN	-	expression tag	UNP P0A7G6
A	-5	LEU	-	expression tag	UNP P0A7G6
A	-4	TYR	-	expression tag	UNP P0A7G6
A	-3	PHE	-	expression tag	UNP P0A7G6
A	-2	GLN	-	expression tag	UNP P0A7G6
A	-1	GLY	-	expression tag	UNP P0A7G6
B	-26	MET	-	expression tag	UNP P0A7G6
B	-25	GLY	-	expression tag	UNP P0A7G6
B	-24	SER	-	expression tag	UNP P0A7G6
B	-23	SER	-	expression tag	UNP P0A7G6
B	-22	HIS	-	expression tag	UNP P0A7G6
B	-21	HIS	-	expression tag	UNP P0A7G6
B	-20	HIS	-	expression tag	UNP P0A7G6
B	-19	HIS	-	expression tag	UNP P0A7G6
B	-18	HIS	-	expression tag	UNP P0A7G6
B	-17	HIS	-	expression tag	UNP P0A7G6
B	-16	HIS	-	expression tag	UNP P0A7G6
B	-15	HIS	-	expression tag	UNP P0A7G6
B	-14	HIS	-	expression tag	UNP P0A7G6
B	-13	HIS	-	expression tag	UNP P0A7G6
B	-12	HIS	-	expression tag	UNP P0A7G6
B	-11	HIS	-	expression tag	UNP P0A7G6
B	-10	SER	-	expression tag	UNP P0A7G6
B	-9	SER	-	expression tag	UNP P0A7G6
B	-8	GLY	-	expression tag	UNP P0A7G6
B	-7	GLU	-	expression tag	UNP P0A7G6
B	-6	ASN	-	expression tag	UNP P0A7G6
B	-5	LEU	-	expression tag	UNP P0A7G6
B	-4	TYR	-	expression tag	UNP P0A7G6
B	-3	PHE	-	expression tag	UNP P0A7G6
B	-2	GLN	-	expression tag	UNP P0A7G6
B	-1	GLY	-	expression tag	UNP P0A7G6
C	-26	MET	-	expression tag	UNP P0A7G6
C	-25	GLY	-	expression tag	UNP P0A7G6
C	-24	SER	-	expression tag	UNP P0A7G6
C	-23	SER	-	expression tag	UNP P0A7G6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-22	HIS	-	expression tag	UNP P0A7G6
C	-21	HIS	-	expression tag	UNP P0A7G6
C	-20	HIS	-	expression tag	UNP P0A7G6
C	-19	HIS	-	expression tag	UNP P0A7G6
C	-18	HIS	-	expression tag	UNP P0A7G6
C	-17	HIS	-	expression tag	UNP P0A7G6
C	-16	HIS	-	expression tag	UNP P0A7G6
C	-15	HIS	-	expression tag	UNP P0A7G6
C	-14	HIS	-	expression tag	UNP P0A7G6
C	-13	HIS	-	expression tag	UNP P0A7G6
C	-12	HIS	-	expression tag	UNP P0A7G6
C	-11	HIS	-	expression tag	UNP P0A7G6
C	-10	SER	-	expression tag	UNP P0A7G6
C	-9	SER	-	expression tag	UNP P0A7G6
C	-8	GLY	-	expression tag	UNP P0A7G6
C	-7	GLU	-	expression tag	UNP P0A7G6
C	-6	ASN	-	expression tag	UNP P0A7G6
C	-5	LEU	-	expression tag	UNP P0A7G6
C	-4	TYR	-	expression tag	UNP P0A7G6
C	-3	PHE	-	expression tag	UNP P0A7G6
C	-2	GLN	-	expression tag	UNP P0A7G6
C	-1	GLY	-	expression tag	UNP P0A7G6
D	-26	MET	-	expression tag	UNP P0A7G6
D	-25	GLY	-	expression tag	UNP P0A7G6
D	-24	SER	-	expression tag	UNP P0A7G6
D	-23	SER	-	expression tag	UNP P0A7G6
D	-22	HIS	-	expression tag	UNP P0A7G6
D	-21	HIS	-	expression tag	UNP P0A7G6
D	-20	HIS	-	expression tag	UNP P0A7G6
D	-19	HIS	-	expression tag	UNP P0A7G6
D	-18	HIS	-	expression tag	UNP P0A7G6
D	-17	HIS	-	expression tag	UNP P0A7G6
D	-16	HIS	-	expression tag	UNP P0A7G6
D	-15	HIS	-	expression tag	UNP P0A7G6
D	-14	HIS	-	expression tag	UNP P0A7G6
D	-13	HIS	-	expression tag	UNP P0A7G6
D	-12	HIS	-	expression tag	UNP P0A7G6
D	-11	HIS	-	expression tag	UNP P0A7G6
D	-10	SER	-	expression tag	UNP P0A7G6
D	-9	SER	-	expression tag	UNP P0A7G6
D	-8	GLY	-	expression tag	UNP P0A7G6
D	-7	GLU	-	expression tag	UNP P0A7G6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-6	ASN	-	expression tag	UNP P0A7G6
D	-5	LEU	-	expression tag	UNP P0A7G6
D	-4	TYR	-	expression tag	UNP P0A7G6
D	-3	PHE	-	expression tag	UNP P0A7G6
D	-2	GLN	-	expression tag	UNP P0A7G6
D	-1	GLY	-	expression tag	UNP P0A7G6
E	-26	MET	-	expression tag	UNP P0A7G6
E	-25	GLY	-	expression tag	UNP P0A7G6
E	-24	SER	-	expression tag	UNP P0A7G6
E	-23	SER	-	expression tag	UNP P0A7G6
E	-22	HIS	-	expression tag	UNP P0A7G6
E	-21	HIS	-	expression tag	UNP P0A7G6
E	-20	HIS	-	expression tag	UNP P0A7G6
E	-19	HIS	-	expression tag	UNP P0A7G6
E	-18	HIS	-	expression tag	UNP P0A7G6
E	-17	HIS	-	expression tag	UNP P0A7G6
E	-16	HIS	-	expression tag	UNP P0A7G6
E	-15	HIS	-	expression tag	UNP P0A7G6
E	-14	HIS	-	expression tag	UNP P0A7G6
E	-13	HIS	-	expression tag	UNP P0A7G6
E	-12	HIS	-	expression tag	UNP P0A7G6
E	-11	HIS	-	expression tag	UNP P0A7G6
E	-10	SER	-	expression tag	UNP P0A7G6
E	-9	SER	-	expression tag	UNP P0A7G6
E	-8	GLY	-	expression tag	UNP P0A7G6
E	-7	GLU	-	expression tag	UNP P0A7G6
E	-6	ASN	-	expression tag	UNP P0A7G6
E	-5	LEU	-	expression tag	UNP P0A7G6
E	-4	TYR	-	expression tag	UNP P0A7G6
E	-3	PHE	-	expression tag	UNP P0A7G6
E	-2	GLN	-	expression tag	UNP P0A7G6
E	-1	GLY	-	expression tag	UNP P0A7G6
F	-26	MET	-	expression tag	UNP P0A7G6
F	-25	GLY	-	expression tag	UNP P0A7G6
F	-24	SER	-	expression tag	UNP P0A7G6
F	-23	SER	-	expression tag	UNP P0A7G6
F	-22	HIS	-	expression tag	UNP P0A7G6
F	-21	HIS	-	expression tag	UNP P0A7G6
F	-20	HIS	-	expression tag	UNP P0A7G6
F	-19	HIS	-	expression tag	UNP P0A7G6
F	-18	HIS	-	expression tag	UNP P0A7G6
F	-17	HIS	-	expression tag	UNP P0A7G6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	-16	HIS	-	expression tag	UNP P0A7G6
F	-15	HIS	-	expression tag	UNP P0A7G6
F	-14	HIS	-	expression tag	UNP P0A7G6
F	-13	HIS	-	expression tag	UNP P0A7G6
F	-12	HIS	-	expression tag	UNP P0A7G6
F	-11	HIS	-	expression tag	UNP P0A7G6
F	-10	SER	-	expression tag	UNP P0A7G6
F	-9	SER	-	expression tag	UNP P0A7G6
F	-8	GLY	-	expression tag	UNP P0A7G6
F	-7	GLU	-	expression tag	UNP P0A7G6
F	-6	ASN	-	expression tag	UNP P0A7G6
F	-5	LEU	-	expression tag	UNP P0A7G6
F	-4	TYR	-	expression tag	UNP P0A7G6
F	-3	PHE	-	expression tag	UNP P0A7G6
F	-2	GLN	-	expression tag	UNP P0A7G6
F	-1	GLY	-	expression tag	UNP P0A7G6
G	-26	MET	-	expression tag	UNP P0A7G6
G	-25	GLY	-	expression tag	UNP P0A7G6
G	-24	SER	-	expression tag	UNP P0A7G6
G	-23	SER	-	expression tag	UNP P0A7G6
G	-22	HIS	-	expression tag	UNP P0A7G6
G	-21	HIS	-	expression tag	UNP P0A7G6
G	-20	HIS	-	expression tag	UNP P0A7G6
G	-19	HIS	-	expression tag	UNP P0A7G6
G	-18	HIS	-	expression tag	UNP P0A7G6
G	-17	HIS	-	expression tag	UNP P0A7G6
G	-16	HIS	-	expression tag	UNP P0A7G6
G	-15	HIS	-	expression tag	UNP P0A7G6
G	-14	HIS	-	expression tag	UNP P0A7G6
G	-13	HIS	-	expression tag	UNP P0A7G6
G	-12	HIS	-	expression tag	UNP P0A7G6
G	-11	HIS	-	expression tag	UNP P0A7G6
G	-10	SER	-	expression tag	UNP P0A7G6
G	-9	SER	-	expression tag	UNP P0A7G6
G	-8	GLY	-	expression tag	UNP P0A7G6
G	-7	GLU	-	expression tag	UNP P0A7G6
G	-6	ASN	-	expression tag	UNP P0A7G6
G	-5	LEU	-	expression tag	UNP P0A7G6
G	-4	TYR	-	expression tag	UNP P0A7G6
G	-3	PHE	-	expression tag	UNP P0A7G6
G	-2	GLN	-	expression tag	UNP P0A7G6
G	-1	GLY	-	expression tag	UNP P0A7G6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-26	MET	-	expression tag	UNP P0A7G6
H	-25	GLY	-	expression tag	UNP P0A7G6
H	-24	SER	-	expression tag	UNP P0A7G6
H	-23	SER	-	expression tag	UNP P0A7G6
H	-22	HIS	-	expression tag	UNP P0A7G6
H	-21	HIS	-	expression tag	UNP P0A7G6
H	-20	HIS	-	expression tag	UNP P0A7G6
H	-19	HIS	-	expression tag	UNP P0A7G6
H	-18	HIS	-	expression tag	UNP P0A7G6
H	-17	HIS	-	expression tag	UNP P0A7G6
H	-16	HIS	-	expression tag	UNP P0A7G6
H	-15	HIS	-	expression tag	UNP P0A7G6
H	-14	HIS	-	expression tag	UNP P0A7G6
H	-13	HIS	-	expression tag	UNP P0A7G6
H	-12	HIS	-	expression tag	UNP P0A7G6
H	-11	HIS	-	expression tag	UNP P0A7G6
H	-10	SER	-	expression tag	UNP P0A7G6
H	-9	SER	-	expression tag	UNP P0A7G6
H	-8	GLY	-	expression tag	UNP P0A7G6
H	-7	GLU	-	expression tag	UNP P0A7G6
H	-6	ASN	-	expression tag	UNP P0A7G6
H	-5	LEU	-	expression tag	UNP P0A7G6
H	-4	TYR	-	expression tag	UNP P0A7G6
H	-3	PHE	-	expression tag	UNP P0A7G6
H	-2	GLN	-	expression tag	UNP P0A7G6
H	-1	GLY	-	expression tag	UNP P0A7G6

- Molecule 2 is a protein called LexA repressor.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	I	187	Total	C	H	N	O	S	0	0
			2916	901	1475	266	270	4		
2	J	127	Total	C	H	N	O	S	0	0
			1980	619	1000	175	183	3		

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	-2	GLY	-	expression tag	UNP P0A7C2
I	-1	SER	-	expression tag	UNP P0A7C2
I	0	HIS	-	expression tag	UNP P0A7C2
I	156	ALA	LYS	engineered mutation	UNP P0A7C2

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	-2	GLY	-	expression tag	UNP P0A7C2
J	-1	SER	-	expression tag	UNP P0A7C2
J	0	HIS	-	expression tag	UNP P0A7C2
J	156	ALA	LYS	engineered mutation	UNP P0A7C2

- Molecule 3 is a DNA chain called DNA (27-MER).

Mol	Chain	Residues	Atoms						AltConf	Trace
3	L	27	Total	C	H	N	O	P	0	0
			881	270	308	108	169	26		

- Molecule 4 is PHOSPHOTHIOPHOSPHORIC ACID-ADENYLATE ESTER (three-letter code: AGS) (formula: C₁₀H₁₆N₅O₁₂P₃S).



Mol	Chain	Residues	Atoms							AltConf
4	A	1	Total	C	H	N	O	P	S	0
			43	10	12	5	12	3	1	
4	B	1	Total	C	H	N	O	P	S	0
			43	10	12	5	12	3	1	
4	C	1	Total	C	H	N	O	P	S	0
			43	10	12	5	12	3	1	
4	D	1	Total	C	H	N	O	P	S	0
			43	10	12	5	12	3	1	
4	E	1	Total	C	H	N	O	P	S	0
			43	10	12	5	12	3	1	
4	F	1	Total	C	H	N	O	P	S	0
			43	10	12	5	12	3	1	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms							AltConf
4	G	1	Total	C	H	N	O	P	S	0
			43	10	12	5	12	3	1	
4	H	1	Total	C	H	N	O	P	S	0
			43	10	12	5	12	3	1	

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
5	A	1	Total	Mg	0
			1	1	
5	B	1	Total	Mg	0
			1	1	
5	C	1	Total	Mg	0
			1	1	
5	D	1	Total	Mg	0
			1	1	
5	E	1	Total	Mg	0
			1	1	
5	F	1	Total	Mg	0
			1	1	
5	G	1	Total	Mg	0
			1	1	
5	H	1	Total	Mg	0
			1	1	

L327
LEU
SER
SER
ASN
PRO
ASN
SER
THR
PRO
ASP
PHE
SER
VAL
ASP
ASP
SER
GLY
GLY
VAL
ALA
GLU
THR
ASN
GLU
ASP
PHE

• Molecule 2: LexA repressor



GLY	SER	HIS	MET	LYS	ALA	LEU	THR	ALA	ARG	Q8	D17	H18	R28	A32	Q33	R34	L35	G36	F37	R38	S39	P40	N41	A42	A43	R52	I58	V59	S60	G61	A62	S63	R64	G65	I66	R67	LEU	LEU	GLN	GLU	GLU	E73	A83	L88	I94	D101	P102	S103	K106
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------

P107	I123	G124	H125	H126	D127	G128	D138	D151	R157	K160	Q161	V165	E166	V178	V179	Q184	V195	N198	G199	ASP	TRP	LEU
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----

• Molecule 2: LexA repressor



GLY	SER	HIS	MET	LYS	ALA	LEU	THR	ALA	ARG	GLN	GLN	GLU	VAL	PHE	ASP	LEU	ILE	ARG	ASP	HIS	ILE	SER	GLN	THR	GLY	MET	PRO	PRO	THR	ARG	ALA	GLU	ILE	ALA	GLN	ARG	LEU	GLY	PHE	ARG	SER	PRO	ASN	ALA	ALA	GLU	GLU	HIS	LEU	LYS	ALA	LEU	ALA	ARG	LYS	GLY	VAL	ILE	GLU
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ILE	VAL	SER	GLY	ALA	SER	ARG	GLY	ILE	ARG	LEU	LEU	GLN	GLU	GLU	GLU	GLU	G75	R81	L88	L89	A90	Q91	Q92	Q99	V100	D101	P102	S103	L104	F105	K106	P107	L112	G117	M118	D127	L130	L131	Q137	V146	I149	V155	E173	F174	K175	S185
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

I188	E189	D200	W201	LEU
------	------	------	------	-----

• Molecule 3: DNA (27-MER)



T1002	G1003	G1004	G1007	T1008	G1009	G1010	T1011	G1019	T1020	T1023	G1024	G1025	T1026	G1027	G1028
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------

4 Experimental information

Property	Value	Source
EM reconstruction method	HELICAL	Depositor
Imposed symmetry	HELICAL, twist=59.2, 59.2, 59.2, 59.2°, rise=16.23, 16.23, 16.23, 16.23 Å, axial sym=C1, C1, C1, C1	Depositor
Number of segments used	233920	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	46.2	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	64000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.216	Depositor
Minimum map value	-0.009	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.030	Depositor
Recommended contour level	0.0127	Depositor
Map size (Å)	353.28, 353.28, 353.28	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.38, 1.38, 1.38	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AGS, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/2480	0.55	0/3334
1	B	0.32	0/2480	0.54	0/3334
1	C	0.32	0/2480	0.55	0/3334
1	D	0.33	0/2480	0.54	0/3334
1	E	0.32	0/2480	0.53	0/3334
1	F	0.32	0/2480	0.54	0/3334
1	G	0.33	0/2480	0.54	0/3334
1	H	0.33	0/2480	0.56	0/3334
2	I	0.29	0/1460	0.56	0/1968
2	J	0.27	0/995	0.57	0/1346
3	L	0.81	0/644	1.19	0/1000
All	All	0.34	0/22939	0.58	0/30986

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2452	2519	2517	53	0
1	B	2452	2519	2517	28	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2452	2519	2517	28	0
1	D	2452	2519	2518	18	0
1	E	2452	2519	2517	13	0
1	F	2452	2519	2517	26	0
1	G	2452	2519	2518	41	0
1	H	2452	2519	2518	36	0
2	I	1441	1475	1472	20	0
2	J	980	1000	999	17	0
3	L	573	308	308	18	0
4	A	31	12	12	2	0
4	B	31	12	12	0	0
4	C	31	12	12	0	0
4	D	31	12	12	0	0
4	E	31	12	12	0	0
4	F	31	12	12	0	0
4	G	31	12	12	0	0
4	H	31	12	12	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
All	All	22866	23031	23014	267	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 267 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:281:GLU:OE2	1:C:327:LEU:HG	1.63	0.95
1:B:158:GLU:N	1:B:158:GLU:OE2	2.10	0.85
1:H:38:GLU:N	1:H:38:GLU:OE1	2.12	0.83
1:C:281:GLU:OE2	1:C:327:LEU:CG	2.26	0.82
1:A:96:GLU:OE2	1:A:145:SER:CB	2.27	0.81

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	323/379 (85%)	309 (96%)	14 (4%)	0	100	100
1	B	323/379 (85%)	308 (95%)	15 (5%)	0	100	100
1	C	323/379 (85%)	316 (98%)	7 (2%)	0	100	100
1	D	323/379 (85%)	313 (97%)	10 (3%)	0	100	100
1	E	323/379 (85%)	315 (98%)	8 (2%)	0	100	100
1	F	323/379 (85%)	314 (97%)	9 (3%)	0	100	100
1	G	323/379 (85%)	310 (96%)	13 (4%)	0	100	100
1	H	323/379 (85%)	306 (95%)	17 (5%)	0	100	100
2	I	183/205 (89%)	172 (94%)	11 (6%)	0	100	100
2	J	125/205 (61%)	119 (95%)	6 (5%)	0	100	100
All	All	2892/3442 (84%)	2782 (96%)	110 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	255/303 (84%)	248 (97%)	7 (3%)	40	64
1	B	255/303 (84%)	254 (100%)	1 (0%)	89	94
1	C	255/303 (84%)	252 (99%)	3 (1%)	67	81
1	D	255/303 (84%)	252 (99%)	3 (1%)	67	81

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	255/303 (84%)	255 (100%)	0	100	100
1	F	255/303 (84%)	255 (100%)	0	100	100
1	G	255/303 (84%)	255 (100%)	0	100	100
1	H	255/303 (84%)	250 (98%)	5 (2%)	50	72
2	I	155/170 (91%)	153 (99%)	2 (1%)	65	80
2	J	107/170 (63%)	107 (100%)	0	100	100
All	All	2302/2764 (83%)	2281 (99%)	21 (1%)	74	85

5 of 21 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	4	GLU
1	H	198	LYS
2	I	184	GLN
1	H	256	LYS
1	H	123	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	97	HIS
2	I	184	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 16 ligands modelled in this entry, 8 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	AGS	E	401	5	28,33,33	3.86	10 (35%)	31,52,52	2.09	5 (16%)
4	AGS	D	401	5	28,33,33	3.77	9 (32%)	31,52,52	1.71	4 (12%)
4	AGS	H	401	5	28,33,33	3.57	9 (32%)	31,52,52	1.76	6 (19%)
4	AGS	G	401	5	28,33,33	3.64	9 (32%)	31,52,52	2.23	9 (29%)
4	AGS	A	401	5	28,33,33	3.65	9 (32%)	31,52,52	1.81	5 (16%)
4	AGS	F	401	5	28,33,33	3.67	9 (32%)	31,52,52	1.89	5 (16%)
4	AGS	B	401	5	28,33,33	3.64	11 (39%)	31,52,52	1.90	5 (16%)
4	AGS	C	401	5	28,33,33	3.68	9 (32%)	31,52,52	1.89	5 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	AGS	E	401	5	-	9/17/38/38	0/3/3/3
4	AGS	D	401	5	-	5/17/38/38	0/3/3/3
4	AGS	H	401	5	-	3/17/38/38	0/3/3/3
4	AGS	G	401	5	-	1/17/38/38	0/3/3/3
4	AGS	A	401	5	-	10/17/38/38	0/3/3/3
4	AGS	F	401	5	-	1/17/38/38	0/3/3/3
4	AGS	B	401	5	-	9/17/38/38	0/3/3/3
4	AGS	C	401	5	-	3/17/38/38	0/3/3/3

The worst 5 of 75 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	401	AGS	PB-O3B	11.07	1.71	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	F	401	AGS	PB-O3B	10.83	1.71	1.59
4	C	401	AGS	PB-O3B	10.80	1.71	1.59
4	G	401	AGS	PB-O3B	10.53	1.70	1.59
4	E	401	AGS	O4'-C1'	10.39	1.54	1.40

The worst 5 of 44 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	401	AGS	C4'-O4'-C1'	-7.82	102.76	109.92
4	B	401	AGS	O4'-C1'-N9	6.02	116.72	108.75
4	E	401	AGS	O4'-C1'-N9	5.98	116.68	108.75
4	E	401	AGS	C4'-O4'-C1'	-5.83	104.59	109.92
4	F	401	AGS	O4'-C1'-N9	5.81	116.45	108.75

There are no chirality outliers.

5 of 41 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	401	AGS	C5'-O5'-PA-O2A
4	A	401	AGS	C5'-O5'-PA-O3A
4	B	401	AGS	PB-O3B-PG-O2G
4	B	401	AGS	PB-O3B-PG-O3G
4	B	401	AGS	C5'-O5'-PA-O1A


There are no ring outliers.


1 monomer is involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	401	AGS	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand AGS E 401














Ligand AGS F 401



Ligand AGS B 401





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-41579. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128



Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 134




Y Index: 129




Z Index: 133


6.3.2 Raw map



X Index: 134



Y Index: 129




Z Index: 133


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.0127. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 450 nm³; this corresponds to an approximate mass of 407 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.341 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.341 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.93	-	-
Author-provided FSC curve	2.93	3.40	3.04
Unmasked-calculated*	3.93	6.20	4.07

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.93 differs from the reported value 2.93 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-41579 and PDB model 8TRG. Per-residue inclusion information can be found in section [3](#) on page [12](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0127 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0127).

9.4 Atom inclusion [i](#)



At the recommended contour level, 95% of all backbone atoms, 95% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0127) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.9490	<div></div> 0.5100
A	<div></div> 0.9510	<div></div> 0.4810
B	<div></div> 0.9640	<div></div> 0.5250
C	<div></div> 0.9690	<div></div> 0.5500
D	<div></div> 0.9680	<div></div> 0.5570
E	<div></div> 0.9730	<div></div> 0.5610
F	<div></div> 0.9620	<div></div> 0.5400
G	<div></div> 0.9550	<div></div> 0.5090
H	<div></div> 0.9450	<div></div> 0.4570
I	<div></div> 0.8020	<div></div> 0.4280
J	<div></div> 0.8900	<div></div> 0.3580
L	<div></div> 0.9860	<div></div> 0.5450

1.0

0.0

<0.0