



## Full wwPDB EM Validation Report ⓘ

Nov 10, 2024 – 02:50 PM EST

PDB ID : 8TYE  
EMDB ID : EMD-41715  
Title : Lassa GPC (strain Josiah) bound to rabbit polyclonal fusion-peptide-targeting antibody FP-1  
Authors : Perrett, H.R.; Brouwer, P.J.M.; Ward, A.B.  
Deposited on : 2023-08-25  
Resolution : 3.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






















Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	H	116	<div> <div>27%</div> <div>100%</div> </div>
2	L	102	<div> <div>28%</div> <div>98%</div> </div>
3	A	259	<div> <div>61%</div> <div>9%</div> <div>30%</div> </div>
3	B	259	<div> <div>64%</div> <div>6%</div> <div>29%</div> </div>
3	C	259	<div> <div>63%</div> <div>7%</div> <div>30%</div> </div>
4	a	406	<div> <div>36%</div> <div>64%</div> </div>
4	b	406	<div> <div>35%</div> <div>64%</div> </div>
4	c	406	<div> <div>38%</div> <div>62%</div> </div>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
5	D	2	 50% 50%
6	E	4	 25% 25% 50%
6	U	4	 50% 50%
7	F	3	 33% 67% 33%
7	K	3	 33% 67%
8	G	2	 50% 50%
8	I	2	 100%
8	J	2	 50% 50%
8	M	2	 50% 50%
8	N	2	 50% 50%
8	O	2	 100%
8	P	2	 100%
8	Q	2	 50% 50%
8	R	2	 50% 50%
8	V	2	 50% 50%
8	X	2	 100%
9	S	3	 67% 33%
9	T	3	 33% 67%
9	W	3	 67% 33%

## 2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 9921 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Polyclonal Fv heavy chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
1	H	116	Total	C	N	O	0	0
			580	348	116	116		

- Molecule 2 is a protein called Polyclonal Fv light chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	L	102	Total	C	N	O	0	0
			510	306	102	102		

- Molecule 3 is a protein called Glycoprotein GP1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	182	Total	C	N	O	S	0	0
			1459	920	249	274	16		
3	A	182	Total	C	N	O	S	0	0
			1459	920	249	274	16		
3	B	183	Total	C	N	O	S	0	0
			1463	922	250	275	16		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	207	CYS	ARG	conflict	UNP P08669
A	207	CYS	ARG	conflict	UNP P08669
B	207	CYS	ARG	conflict	UNP P08669

- Molecule 4 is a protein called Glycoprotein GP2.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	c	155	Total	C	N	O	S	0	0
			1251	788	211	238	14		
4	a	146	Total	C	N	O	S	0	0
			1189	753	201	221	14		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
4	b	146	Total	C	N	O	S	0	0
			1189	753	201	221	14		

There are 156 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
c	329	PRO	GLU	conflict	UNP P08669
c	360	CYS	GLY	conflict	UNP P08669
c	425	GLY	-	linker	UNP P08669
c	426	SER	-	linker	UNP P08669
c	427	GLY	-	linker	UNP P08669
c	428	GLY	-	linker	UNP P08669
c	429	SER	-	linker	UNP P08669
c	430	GLY	-	linker	UNP P08669
c	431	GLY	-	linker	UNP P08669
c	432	SER	-	linker	UNP P08669
c	433	GLY	-	linker	UNP P08669
c	434	GLY	-	linker	UNP P08669
c	435	SER	-	linker	UNP P08669
c	436	GLY	-	linker	UNP P08669
c	437	GLY	-	linker	UNP P08669
c	438	SER	-	linker	UNP P08669
c	439	GLU	-	linker	UNP P08669
c	440	LYS	-	linker	UNP P08669
c	441	ALA	-	linker	UNP P08669
c	442	ALA	-	linker	UNP P08669
c	443	LYS	-	linker	UNP P08669
c	444	ALA	-	linker	UNP P08669
c	445	GLU	-	linker	UNP P08669
c	446	GLU	-	linker	UNP P08669
c	447	ALA	-	linker	UNP P08669
c	448	ALA	-	linker	UNP P08669
c	449	ARG	-	linker	UNP P08669
c	473	ILE	LYS	conflict	UNP Q9WXS1
c	477	VAL	LEU	conflict	UNP Q9WXS1
c	481	ALA	GLU	conflict	UNP Q9WXS1
c	502	ALA	GLU	conflict	UNP Q9WXS1
c	505	VAL	PHE	conflict	UNP Q9WXS1
c	574	ASP	THR	conflict	UNP Q9WXS1
c	587	GLU	GLN	conflict	UNP Q9WXS1
c	608	ASP	ASN	conflict	UNP Q9WXS1
c	617	ASP	LYS	conflict	UNP Q9WXS1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
c	627	ASP	SER	conflict	UNP Q9WXS1
c	631	GLU	LYS	conflict	UNP Q9WXS1
c	633	ASP	THR	conflict	UNP Q9WXS1
c	643	GLU	ALA	conflict	UNP Q9WXS1
c	654	GLY	-	expression tag	UNP Q9WXS1
c	655	SER	-	expression tag	UNP Q9WXS1
c	656	LEU	-	expression tag	UNP Q9WXS1
c	657	GLU	-	expression tag	UNP Q9WXS1
c	658	TRP	-	expression tag	UNP Q9WXS1
c	659	SER	-	expression tag	UNP Q9WXS1
c	660	HIS	-	expression tag	UNP Q9WXS1
c	661	PRO	-	expression tag	UNP Q9WXS1
c	662	GLN	-	expression tag	UNP Q9WXS1
c	663	PHE	-	expression tag	UNP Q9WXS1
c	664	GLU	-	expression tag	UNP Q9WXS1
c	665	LYS	-	expression tag	UNP Q9WXS1
a	329	PRO	GLU	conflict	UNP P08669
a	360	CYS	GLY	conflict	UNP P08669
a	425	GLY	-	linker	UNP P08669
a	426	SER	-	linker	UNP P08669
a	427	GLY	-	linker	UNP P08669
a	428	GLY	-	linker	UNP P08669
a	429	SER	-	linker	UNP P08669
a	430	GLY	-	linker	UNP P08669
a	431	GLY	-	linker	UNP P08669
a	432	SER	-	linker	UNP P08669
a	433	GLY	-	linker	UNP P08669
a	434	GLY	-	linker	UNP P08669
a	435	SER	-	linker	UNP P08669
a	436	GLY	-	linker	UNP P08669
a	437	GLY	-	linker	UNP P08669
a	438	SER	-	linker	UNP P08669
a	439	GLU	-	linker	UNP P08669
a	440	LYS	-	linker	UNP P08669
a	441	ALA	-	linker	UNP P08669
a	442	ALA	-	linker	UNP P08669
a	443	LYS	-	linker	UNP P08669
a	444	ALA	-	linker	UNP P08669
a	445	GLU	-	linker	UNP P08669
a	446	GLU	-	linker	UNP P08669
a	447	ALA	-	linker	UNP P08669
a	448	ALA	-	linker	UNP P08669

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
a	449	ARG	-	linker	UNP P08669
a	473	ILE	LYS	conflict	UNP Q9WXS1
a	477	VAL	LEU	conflict	UNP Q9WXS1
a	481	ALA	GLU	conflict	UNP Q9WXS1
a	502	ALA	GLU	conflict	UNP Q9WXS1
a	505	VAL	PHE	conflict	UNP Q9WXS1
a	574	ASP	THR	conflict	UNP Q9WXS1
a	587	GLU	GLN	conflict	UNP Q9WXS1
a	608	ASP	ASN	conflict	UNP Q9WXS1
a	617	ASP	LYS	conflict	UNP Q9WXS1
a	627	ASP	SER	conflict	UNP Q9WXS1
a	631	GLU	LYS	conflict	UNP Q9WXS1
a	633	ASP	THR	conflict	UNP Q9WXS1
a	643	GLU	ALA	conflict	UNP Q9WXS1
a	654	GLY	-	expression tag	UNP Q9WXS1
a	655	SER	-	expression tag	UNP Q9WXS1
a	656	LEU	-	expression tag	UNP Q9WXS1
a	657	GLU	-	expression tag	UNP Q9WXS1
a	658	TRP	-	expression tag	UNP Q9WXS1
a	659	SER	-	expression tag	UNP Q9WXS1
a	660	HIS	-	expression tag	UNP Q9WXS1
a	661	PRO	-	expression tag	UNP Q9WXS1
a	662	GLN	-	expression tag	UNP Q9WXS1
a	663	PHE	-	expression tag	UNP Q9WXS1
a	664	GLU	-	expression tag	UNP Q9WXS1
a	665	LYS	-	expression tag	UNP Q9WXS1
b	329	PRO	GLU	conflict	UNP P08669
b	360	CYS	GLY	conflict	UNP P08669
b	425	GLY	-	linker	UNP P08669
b	426	SER	-	linker	UNP P08669
b	427	GLY	-	linker	UNP P08669
b	428	GLY	-	linker	UNP P08669
b	429	SER	-	linker	UNP P08669
b	430	GLY	-	linker	UNP P08669
b	431	GLY	-	linker	UNP P08669
b	432	SER	-	linker	UNP P08669
b	433	GLY	-	linker	UNP P08669
b	434	GLY	-	linker	UNP P08669
b	435	SER	-	linker	UNP P08669
b	436	GLY	-	linker	UNP P08669
b	437	GLY	-	linker	UNP P08669
b	438	SER	-	linker	UNP P08669

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
b	439	GLU	-	linker	UNP P08669
b	440	LYS	-	linker	UNP P08669
b	441	ALA	-	linker	UNP P08669
b	442	ALA	-	linker	UNP P08669
b	443	LYS	-	linker	UNP P08669
b	444	ALA	-	linker	UNP P08669
b	445	GLU	-	linker	UNP P08669
b	446	GLU	-	linker	UNP P08669
b	447	ALA	-	linker	UNP P08669
b	448	ALA	-	linker	UNP P08669
b	449	ARG	-	linker	UNP P08669
b	473	ILE	LYS	conflict	UNP Q9WXS1
b	477	VAL	LEU	conflict	UNP Q9WXS1
b	481	ALA	GLU	conflict	UNP Q9WXS1
b	502	ALA	GLU	conflict	UNP Q9WXS1
b	505	VAL	PHE	conflict	UNP Q9WXS1
b	574	ASP	THR	conflict	UNP Q9WXS1
b	587	GLU	GLN	conflict	UNP Q9WXS1
b	608	ASP	ASN	conflict	UNP Q9WXS1
b	617	ASP	LYS	conflict	UNP Q9WXS1
b	627	ASP	SER	conflict	UNP Q9WXS1
b	631	GLU	LYS	conflict	UNP Q9WXS1
b	633	ASP	THR	conflict	UNP Q9WXS1
b	643	GLU	ALA	conflict	UNP Q9WXS1
b	654	GLY	-	expression tag	UNP Q9WXS1
b	655	SER	-	expression tag	UNP Q9WXS1
b	656	LEU	-	expression tag	UNP Q9WXS1
b	657	GLU	-	expression tag	UNP Q9WXS1
b	658	TRP	-	expression tag	UNP Q9WXS1
b	659	SER	-	expression tag	UNP Q9WXS1
b	660	HIS	-	expression tag	UNP Q9WXS1
b	661	PRO	-	expression tag	UNP Q9WXS1
b	662	GLN	-	expression tag	UNP Q9WXS1
b	663	PHE	-	expression tag	UNP Q9WXS1
b	664	GLU	-	expression tag	UNP Q9WXS1
b	665	LYS	-	expression tag	UNP Q9WXS1

- Molecule 5 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.






Mol	Chain	Residues	Atoms				AltConf	Trace
5	D	2	Total	C	N	O	0	0
			24	14	1	9		

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
6	E	4	Total	C	N	O	0	0
			50	28	2	20		
6	U	4	Total	C	N	O	0	0
			50	28	2	20		

- Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
7	F	3	Total	C	N	O	0	0
			38	22	2	14		
7	K	3	Total	C	N	O	0	0
			38	22	2	14		

- Molecule 8 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
8	G	2	Total	C	N	O	0	0
			28	16	2	10		
8	I	2	Total	C	N	O	0	0
			28	16	2	10		
8	J	2	Total	C	N	O	0	0
			28	16	2	10		
8	M	2	Total	C	N	O	0	0
			28	16	2	10		
8	N	2	Total	C	N	O	0	0
			28	16	2	10		
8	O	2	Total	C	N	O	0	0
			28	16	2	10		
8	P	2	Total	C	N	O	0	0
			28	16	2	10		
8	Q	2	Total	C	N	O	0	0
			28	16	2	10		
8	R	2	Total	C	N	O	0	0
			28	16	2	10		
8	V	2	Total	C	N	O	0	0
			28	16	2	10		
8	X	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 9 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
9	S	3	Total	C	N	O	0	0
			39	22	2	15		
9	T	3	Total	C	N	O	0	0
			39	22	2	15		
9	W	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 10 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).




Mol	Chain	Residues	Atoms				AltConf
10	C	1	Total	C	N	O	0
			14	8	1	5	
10	C	1	Total	C	N	O	0
			14	8	1	5	
10	A	1	Total	C	N	O	0
			14	8	1	5	
10	A	1	Total	C	N	O	0
			14	8	1	5	
10	A	1	Total	C	N	O	0
			14	8	1	5	
10	B	1	Total	C	N	O	0
			14	8	1	5	
10	B	1	Total	C	N	O	0
			14	8	1	5	
10	B	1	Total	C	N	O	0
			14	8	1	5	
10	c	1	Total	C	N	O	0
			14	8	1	5	
10	c	1	Total	C	N	O	0
			14	8	1	5	
10	a	1	Total	C	N	O	0
			14	8	1	5	
10	a	1	Total	C	N	O	0
			14	8	1	5	
10	b	1	Total	C	N	O	0
			14	8	1	5	
10	b	1	Total	C	N	O	0
			14	8	1	5	


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Polyclonal Fv heavy chain




- Molecule 2: Polyclonal Fv light chain




- Molecule 3: Glycoprotein GP1




- Molecule 3: Glycoprotein GP1




• Molecule 3: Glycoprotein GP1



• Molecule 4: Glycoprotein GP2




• Molecule 4: Glycoprotein GP2



• Molecule 4: Glycoprotein GP2





- Molecule 5: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 6: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  50% 50%



- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%



- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  50% 50%



- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  50% 50%



- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  50% 50%



- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  100%



- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  100%

MAG1  
MAG2

- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  50% 50%

MAG1  
MAG2

- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  50% 50%

MAG1  
MAG2

- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  50% 50%

MAG1  
MAG2

- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  100%

MAG1  
MAG2

- Molecule 9: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  67% 33%

MAG1  
MAG2  
BMA3

- Molecule 9: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  33% 67%





- Molecule 9: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  67% 33%



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	59236	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	43.3	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.394	Depositor
Minimum map value	-0.195	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.008	Depositor
Recommended contour level	0.0624	Depositor
Map size ( $\text{\AA}$ )	362.5, 362.5, 362.5	wwPDB
Map dimensions	500, 500, 500	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	0.725, 0.725, 0.725	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, FUC, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
3	A	0.31	0/1490	0.62	0/2014
3	B	0.31	0/1494	0.60	0/2019
3	C	0.31	0/1490	0.63	0/2014
4	a	0.35	0/1214	0.63	0/1640
4	b	0.35	0/1214	0.60	0/1640
4	c	0.32	0/1278	0.62	0/1728
All	All	0.32	0/8180	0.62	0/11055

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	580	0	135	0	0
2	L	510	0	125	1	0
3	A	1459	0	1401	18	0
3	B	1463	0	1404	10	0
3	C	1459	0	1401	14	0
4	a	1189	0	1146	0	0
4	b	1189	0	1146	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	c	1251	0	1199	0	0
5	D	24	0	22	0	0
6	E	50	0	43	2	0
6	U	50	0	43	6	0
7	F	38	0	34	0	0
7	K	38	0	34	0	0
8	G	28	0	25	0	0
8	I	28	0	25	1	0
8	J	28	0	25	0	0
8	M	28	0	25	1	0
8	N	28	0	25	1	0
8	O	28	0	25	0	0
8	P	28	0	25	0	0
8	Q	28	0	25	1	0
8	R	28	0	25	1	0
8	V	28	0	25	0	0
8	X	28	0	25	1	0
9	S	39	0	34	2	0
9	T	39	0	34	3	0
9	W	39	0	34	0	0
10	A	42	0	39	1	0
10	B	42	0	39	0	0
10	C	28	0	26	4	0
10	a	28	0	26	0	0
10	b	28	0	26	0	0
10	c	28	0	26	0	0
All	All	9921	0	8692	50	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (50) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:235:ARG:H	6:U:1:NAG:H61	1.37	0.86
3:A:116:LYS:NZ	8:M:1:NAG:O7	2.25	0.70
3:C:256:ARG:NH2	3:A:255:SER:OG	2.26	0.69
2:L:49:UNK:N	2:L:53:UNK:O	2.30	0.64
3:B:168:LEU:O	3:B:169:SER:C	2.37	0.62
3:C:235:ARG:HG2	9:S:2:NAG:H61	1.81	0.62
9:T:1:NAG:H62	9:T:2:NAG:N2	2.16	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:60:SER:N	3:B:67:GLU:OE2	2.35	0.59
3:C:89:ASN:OD1	10:C:301:NAG:N2	2.36	0.58
8:I:2:NAG:C7	8:I:2:NAG:HO3	2.20	0.53
3:A:79:ASN:OD1	3:A:80:MET:N	2.40	0.53
3:C:137:ILE:HD13	3:C:222:ILE:HG21	1.91	0.53
3:A:144:ILE:HD13	3:A:190:THR:HG21	1.90	0.53
3:B:139:THR:OG1	3:B:248:ARG:NH1	2.42	0.53
3:C:89:ASN:CG	10:C:301:NAG:HN2	2.11	0.53
9:T:1:NAG:H62	9:T:2:NAG:C7	2.39	0.53
3:C:152:ALA:O	3:C:167:ASN:N	2.41	0.52
3:B:211:ASP:OD1	3:B:212:CYS:N	2.43	0.51
10:C:301:NAG:C7	10:C:301:NAG:HO3	2.23	0.51
3:A:139:THR:OG1	3:A:248:ARG:NH2	2.44	0.51
3:A:235:ARG:H	6:U:1:NAG:C6	2.15	0.50
3:A:76:GLU:N	3:A:76:GLU:OE1	2.44	0.50
3:C:207:CYS:SG	3:C:208:GLY:N	2.84	0.50
3:C:235:ARG:CG	9:S:2:NAG:H61	2.43	0.49
3:B:116:LYS:NZ	8:Q:1:NAG:O7	2.39	0.48
6:U:2:NAG:O3	6:U:2:NAG:H83	2.13	0.48
3:C:185:ASN:OD1	3:C:186:GLY:N	2.46	0.48
3:A:231:CYS:O	6:U:4:MAN:H62	2.13	0.47
3:A:224:ASN:O	8:N:1:NAG:H83	2.15	0.47
3:B:103:LEU:HD22	3:B:222:ILE:HG22	1.96	0.46
3:B:143:SER:CB	3:B:244:LEU:HD11	2.46	0.46
3:C:118:CYS:SG	3:C:155:CYS:N	2.88	0.46
3:B:169:SER:HA	3:B:218:GLN:OE1	2.16	0.46
3:C:79:ASN:OD1	6:E:1:NAG:O5	2.32	0.44
3:C:182:THR:OG1	3:C:183:VAL:N	2.50	0.44
3:A:232:GLN:O	6:U:3:BMA:H62	2.18	0.43
3:A:100:GLU:N	3:A:100:GLU:OE1	2.52	0.43
8:X:1:NAG:H4	8:X:2:NAG:H2	1.33	0.43
3:C:89:ASN:CG	10:C:301:NAG:N2	2.73	0.42
3:A:217:TYR:HE1	10:A:301:NAG:H81	1.85	0.42
3:A:188:LEU:HD11	3:A:215:THR:HG22	2.02	0.42
3:A:137:ILE:CD1	3:A:222:ILE:HG21	2.50	0.41
3:B:225:THR:HA	8:R:1:NAG:H83	2.02	0.41
3:B:251:ASP:N	3:B:251:ASP:OD1	2.54	0.41
3:A:211:ASP:OD1	3:A:212:CYS:N	2.53	0.41
3:C:88:LYS:HG2	3:C:230:HIS:CE1	2.56	0.41
3:A:161:LYS:O	3:A:162:ILE:HD13	2.20	0.41
6:E:1:NAG:H62	6:E:2:NAG:O7	2.22	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:235:ARG:HG2	6:U:2:NAG:C7	2.51	0.40
9:T:1:NAG:H62	9:T:2:NAG:O7	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	176/259 (68%)	167 (95%)	9 (5%)	0	100	100
3	B	177/259 (68%)	173 (98%)	4 (2%)	0	100	100
3	C	176/259 (68%)	167 (95%)	9 (5%)	0	100	100
4	a	142/406 (35%)	140 (99%)	2 (1%)	0	100	100
4	b	142/406 (35%)	138 (97%)	4 (3%)	0	100	100
4	c	153/406 (38%)	145 (95%)	8 (5%)	0	100	100
All	All	966/1995 (48%)	930 (96%)	36 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	166/228 (73%)	166 (100%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	B	166/228 (73%)	166 (100%)	0	100	100
3	C	166/228 (73%)	166 (100%)	0	100	100
4	a	132/337 (39%)	131 (99%)	1 (1%)	79	84
4	b	132/337 (39%)	130 (98%)	2 (2%)	60	74
4	c	139/337 (41%)	139 (100%)	0	100	100
All	All	901/1695 (53%)	898 (100%)	3 (0%)	90	92

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	a	314	ARG
4	b	282	ARG
4	b	327	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
3	C	146	ASN
4	a	335	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

47 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	NAG	D	1	3,5	14,14,15	0.67	0	17,19,21	1.17	2 (11%)
5	FUC	D	2	5	10,10,11	0.81	0	14,14,16	0.92	0
6	NAG	E	1	6,3	14,14,15	0.79	0	17,19,21	1.59	3 (17%)
6	NAG	E	2	6	14,14,15	0.33	0	17,19,21	0.99	1 (5%)
6	BMA	E	3	6	11,11,12	0.37	0	15,15,17	1.10	2 (13%)
6	MAN	E	4	6	11,11,12	0.23	0	15,15,17	0.68	0
7	NAG	F	1	3,7	14,14,15	0.74	0	17,19,21	1.01	1 (5%)
7	NAG	F	2	7	14,14,15	0.78	0	17,19,21	0.91	0
7	FUC	F	3	7	10,10,11	0.80	0	14,14,16	0.90	0
8	NAG	G	1	8,3	14,14,15	0.72	0	17,19,21	1.71	2 (11%)
8	NAG	G	2	8	14,14,15	0.73	0	17,19,21	0.83	0
8	NAG	I	1	8,3	14,14,15	0.65	0	17,19,21	0.90	1 (5%)
8	NAG	I	2	8	14,14,15	0.38	0	17,19,21	0.87	0
8	NAG	J	1	8,3	14,14,15	0.78	0	17,19,21	0.82	0
8	NAG	J	2	8	14,14,15	0.70	0	17,19,21	1.60	2 (11%)
7	NAG	K	1	3,7	14,14,15	0.67	0	17,19,21	1.12	1 (5%)
7	NAG	K	2	7	14,14,15	0.70	0	17,19,21	2.13	4 (23%)
7	FUC	K	3	7	10,10,11	0.77	0	14,14,16	0.93	0
8	NAG	M	1	8,3	14,14,15	0.75	0	17,19,21	0.82	0
8	NAG	M	2	8	14,14,15	0.73	0	17,19,21	0.87	0
8	NAG	N	1	8,3	14,14,15	0.68	0	17,19,21	1.21	2 (11%)
8	NAG	N	2	8	14,14,15	0.74	0	17,19,21	0.94	0
8	NAG	O	1	8,3	14,14,15	0.76	0	17,19,21	0.79	0
8	NAG	O	2	8	14,14,15	0.72	0	17,19,21	0.89	0
8	NAG	P	1	8,3	14,14,15	0.72	0	17,19,21	1.00	0
8	NAG	P	2	8	14,14,15	0.73	0	17,19,21	0.93	0
8	NAG	Q	1	8,3	14,14,15	0.76	0	17,19,21	0.89	0
8	NAG	Q	2	8	14,14,15	0.72	0	17,19,21	0.82	0
8	NAG	R	1	8,3	14,14,15	0.76	0	17,19,21	1.06	1 (5%)
8	NAG	R	2	8	14,14,15	0.77	0	17,19,21	1.09	2 (11%)
9	NAG	S	1	4,9	14,14,15	0.48	0	17,19,21	0.97	0
9	NAG	S	2	9	14,14,15	0.37	0	17,19,21	0.78	0
9	BMA	S	3	9	11,11,12	0.37	0	15,15,17	0.64	0
9	NAG	T	1	4,9	14,14,15	0.42	0	17,19,21	0.75	1 (5%)
9	NAG	T	2	9	14,14,15	0.32	0	17,19,21	0.94	1 (5%)
9	BMA	T	3	9	11,11,12	0.23	0	15,15,17	0.75	0
6	NAG	U	1	6,4	14,14,15	0.33	0	17,19,21	1.21	2 (11%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	NAG	U	2	6	14,14,15	0.46	0	17,19,21	1.20	1 (5%)
6	BMA	U	3	6	11,11,12	0.29	0	15,15,17	0.59	0
6	MAN	U	4	6	11,11,12	0.23	0	15,15,17	0.81	0
8	NAG	V	1	4,8	14,14,15	0.50	0	17,19,21	0.77	0
8	NAG	V	2	8	14,14,15	0.46	0	17,19,21	1.03	1 (5%)
9	NAG	W	1	4,9	14,14,15	0.52	0	17,19,21	1.21	2 (11%)
9	NAG	W	2	9	14,14,15	0.38	0	17,19,21	0.85	0
9	BMA	W	3	9	11,11,12	0.26	0	15,15,17	0.60	0
8	NAG	X	1	4,8	14,14,15	0.37	0	17,19,21	0.73	0
8	NAG	X	2	8	14,14,15	0.35	0	17,19,21	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	D	1	3,5	-	2/6/23/26	0/1/1/1
5	FUC	D	2	5	-	-	0/1/1/1
6	NAG	E	1	6,3	-	3/6/23/26	0/1/1/1
6	NAG	E	2	6	-	2/6/23/26	0/1/1/1
6	BMA	E	3	6	-	0/2/19/22	0/1/1/1
6	MAN	E	4	6	-	0/2/19/22	0/1/1/1
7	NAG	F	1	3,7	-	0/6/23/26	0/1/1/1
7	NAG	F	2	7	-	0/6/23/26	0/1/1/1
7	FUC	F	3	7	-	-	0/1/1/1
8	NAG	G	1	8,3	-	2/6/23/26	0/1/1/1
8	NAG	G	2	8	-	1/6/23/26	0/1/1/1
8	NAG	I	1	8,3	-	2/6/23/26	0/1/1/1
8	NAG	I	2	8	-	5/6/23/26	0/1/1/1
8	NAG	J	1	8,3	-	2/6/23/26	0/1/1/1
8	NAG	J	2	8	-	3/6/23/26	0/1/1/1
7	NAG	K	1	3,7	-	0/6/23/26	0/1/1/1
7	NAG	K	2	7	-	4/6/23/26	0/1/1/1
7	FUC	K	3	7	-	-	0/1/1/1
8	NAG	M	1	8,3	-	1/6/23/26	0/1/1/1
8	NAG	M	2	8	-	3/6/23/26	0/1/1/1
8	NAG	N	1	8,3	-	2/6/23/26	0/1/1/1
8	NAG	N	2	8	-	1/6/23/26	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	O	1	8,3	-	0/6/23/26	0/1/1/1
8	NAG	O	2	8	-	3/6/23/26	0/1/1/1
8	NAG	P	1	8,3	-	2/6/23/26	0/1/1/1
8	NAG	P	2	8	-	0/6/23/26	0/1/1/1
8	NAG	Q	1	8,3	-	0/6/23/26	0/1/1/1
8	NAG	Q	2	8	-	0/6/23/26	0/1/1/1
8	NAG	R	1	8,3	-	3/6/23/26	0/1/1/1
8	NAG	R	2	8	-	0/6/23/26	0/1/1/1
9	NAG	S	1	4,9	-	2/6/23/26	0/1/1/1
9	NAG	S	2	9	-	2/6/23/26	0/1/1/1
9	BMA	S	3	9	-	1/2/19/22	0/1/1/1
9	NAG	T	1	4,9	-	2/6/23/26	0/1/1/1
9	NAG	T	2	9	-	4/6/23/26	0/1/1/1
9	BMA	T	3	9	-	0/2/19/22	0/1/1/1
6	NAG	U	1	6,4	-	3/6/23/26	0/1/1/1
6	NAG	U	2	6	-	2/6/23/26	0/1/1/1
6	BMA	U	3	6	-	0/2/19/22	0/1/1/1
6	MAN	U	4	6	-	0/2/19/22	0/1/1/1
8	NAG	V	1	4,8	-	2/6/23/26	0/1/1/1
8	NAG	V	2	8	-	0/6/23/26	0/1/1/1
9	NAG	W	1	4,9	-	2/6/23/26	0/1/1/1
9	NAG	W	2	9	-	0/6/23/26	0/1/1/1
9	BMA	W	3	9	-	0/2/19/22	0/1/1/1
8	NAG	X	1	4,8	-	2/6/23/26	0/1/1/1
8	NAG	X	2	8	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	K	2	NAG	C2-N2-C7	6.70	131.88	122.90
8	G	1	NAG	C2-N2-C7	5.54	130.33	122.90
8	J	2	NAG	C2-N2-C7	5.20	129.87	122.90
6	E	1	NAG	O5-C1-C2	-3.32	106.15	111.29
9	W	1	NAG	C2-N2-C7	-3.28	118.50	122.90
7	K	2	NAG	C8-C7-N2	3.26	121.53	116.12
6	E	1	NAG	C1-O5-C5	3.22	116.50	112.19
6	U	2	NAG	C4-C3-C2	-3.20	106.33	111.02
6	E	1	NAG	O4-C4-C5	-2.87	102.26	109.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	T	2	NAG	C2-N2-C7	-2.84	119.09	122.90
7	K	2	NAG	O5-C1-C2	-2.73	107.07	111.29
6	E	2	NAG	C2-N2-C7	-2.71	119.27	122.90
8	R	2	NAG	C1-O5-C5	2.60	115.67	112.19
8	V	2	NAG	C2-N2-C7	-2.56	119.46	122.90
7	K	1	NAG	O5-C1-C2	-2.56	107.33	111.29
8	G	1	NAG	C8-C7-N2	2.53	120.32	116.12
8	I	1	NAG	C2-N2-C7	-2.48	119.57	122.90
6	U	1	NAG	C4-C3-C2	-2.46	107.41	111.02
6	E	3	BMA	C2-C3-C4	-2.42	106.61	110.86
8	N	1	NAG	C1-O5-C5	2.37	115.36	112.19
5	D	1	NAG	O5-C1-C2	-2.36	107.65	111.29
9	W	1	NAG	C4-C3-C2	-2.22	107.77	111.02
8	R	2	NAG	C2-N2-C7	2.17	125.81	122.90
8	N	1	NAG	O4-C4-C3	-2.17	105.27	110.38
9	T	1	NAG	C1-O5-C5	2.17	115.09	112.19
8	R	1	NAG	O5-C1-C2	-2.15	107.96	111.29
5	D	1	NAG	C1-O5-C5	2.15	115.07	112.19
8	J	2	NAG	C8-C7-N2	2.13	119.65	116.12
7	F	1	NAG	O4-C4-C3	-2.10	105.42	110.38
6	E	3	BMA	O5-C5-C6	2.09	111.72	107.66
7	K	2	NAG	O7-C7-C8	-2.07	118.36	122.05
6	U	1	NAG	O5-C1-C2	-2.01	108.18	111.29

There are no chirality outliers.

All (67) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	E	1	NAG	C1-C2-N2-C7
6	E	1	NAG	C8-C7-N2-C2
6	E	1	NAG	O7-C7-N2-C2
6	E	2	NAG	C8-C7-N2-C2
6	E	2	NAG	O7-C7-N2-C2
6	U	1	NAG	C3-C2-N2-C7
6	U	1	NAG	C8-C7-N2-C2
6	U	1	NAG	O7-C7-N2-C2
6	U	2	NAG	C8-C7-N2-C2
6	U	2	NAG	O7-C7-N2-C2
8	I	1	NAG	C8-C7-N2-C2
8	I	1	NAG	O7-C7-N2-C2
8	I	2	NAG	C3-C2-N2-C7
8	I	2	NAG	C8-C7-N2-C2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
8	I	2	NAG	O7-C7-N2-C2
9	S	2	NAG	C1-C2-N2-C7
9	T	2	NAG	C8-C7-N2-C2
9	T	2	NAG	O7-C7-N2-C2
8	V	1	NAG	C8-C7-N2-C2
8	V	1	NAG	O7-C7-N2-C2
8	X	2	NAG	C8-C7-N2-C2
8	X	2	NAG	O7-C7-N2-C2
9	T	1	NAG	O7-C7-N2-C2
8	I	2	NAG	O5-C5-C6-O6
9	T	1	NAG	C8-C7-N2-C2
8	X	1	NAG	C8-C7-N2-C2
9	S	1	NAG	C8-C7-N2-C2
7	K	2	NAG	C8-C7-N2-C2
7	K	2	NAG	O7-C7-N2-C2
8	G	1	NAG	C8-C7-N2-C2
8	G	1	NAG	O7-C7-N2-C2
8	J	2	NAG	C8-C7-N2-C2
8	J	2	NAG	O7-C7-N2-C2
8	X	1	NAG	O7-C7-N2-C2
9	S	1	NAG	O7-C7-N2-C2
9	W	1	NAG	C8-C7-N2-C2
9	W	1	NAG	O7-C7-N2-C2
8	M	1	NAG	O5-C5-C6-O6
8	I	2	NAG	C4-C5-C6-O6
8	O	2	NAG	O5-C5-C6-O6
8	N	2	NAG	O5-C5-C6-O6
9	S	2	NAG	O5-C5-C6-O6
9	T	2	NAG	O5-C5-C6-O6
8	J	1	NAG	O5-C5-C6-O6
8	G	2	NAG	O5-C5-C6-O6
8	M	2	NAG	O5-C5-C6-O6
8	R	1	NAG	O5-C5-C6-O6
9	S	3	BMA	O5-C5-C6-O6
5	D	1	NAG	C4-C5-C6-O6
8	M	2	NAG	C1-C2-N2-C7
8	N	1	NAG	C1-C2-N2-C7
8	O	2	NAG	C1-C2-N2-C7
8	P	1	NAG	C1-C2-N2-C7
8	R	1	NAG	C1-C2-N2-C7
7	K	2	NAG	C3-C2-N2-C7
8	M	2	NAG	C3-C2-N2-C7

*Continued on next page...*

*Continued from previous page...*



Mol	Chain	Res	Type	Atoms
8	N	1	NAG	C3-C2-N2-C7
8	O	2	NAG	C3-C2-N2-C7
8	X	2	NAG	C3-C2-N2-C7
5	D	1	NAG	O5-C5-C6-O6
7	K	2	NAG	C1-C2-N2-C7
8	J	1	NAG	C1-C2-N2-C7
8	J	2	NAG	C1-C2-N2-C7
8	X	2	NAG	C1-C2-N2-C7
9	T	2	NAG	C1-C2-N2-C7
8	P	1	NAG	C3-C2-N2-C7
8	R	1	NAG	C3-C2-N2-C7


There are no ring outliers.


16 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	U	3	BMA	1	0
8	X	1	NAG	1	0
8	R	1	NAG	1	0
9	T	1	NAG	3	0
9	T	2	NAG	3	0
6	E	2	NAG	1	0
8	Q	1	NAG	1	0
6	U	2	NAG	2	0
8	N	1	NAG	1	0
9	S	2	NAG	2	0
8	I	2	NAG	1	0
6	E	1	NAG	2	0
8	X	2	NAG	1	0
8	M	1	NAG	1	0
6	U	1	NAG	2	0
6	U	4	MAN	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





















































## 5.6 Ligand geometry [i](#)

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
10	NAG	A	301	3	14,14,15	0.70	0	17,19,21	0.92	0
10	NAG	C	302	3	14,14,15	0.70	0	17,19,21	0.96	0
10	NAG	B	301	3	14,14,15	0.69	0	17,19,21	1.75	2 (11%)
10	NAG	c	701	4	14,14,15	0.72	0	17,19,21	0.79	0
10	NAG	b	702	4	14,14,15	0.27	0	17,19,21	0.53	0
10	NAG	c	702	4	14,14,15	0.35	0	17,19,21	0.86	1 (5%)
10	NAG	B	302	3	14,14,15	0.73	0	17,19,21	2.12	3 (17%)
10	NAG	C	301	3	14,14,15	0.49	0	17,19,21	0.91	1 (5%)
10	NAG	a	702	4	14,14,15	0.33	0	17,19,21	0.76	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
10	NAG	a	701	4	14,14,15	0.71	0	17,19,21	0.86	0
10	NAG	A	303	3	14,14,15	0.71	0	17,19,21	0.87	0
10	NAG	B	303	3	14,14,15	0.75	0	17,19,21	1.12	1 (5%)
10	NAG	b	701	4	14,14,15	0.70	0	17,19,21	2.10	3 (17%)
10	NAG	A	302	3	14,14,15	0.65	0	17,19,21	1.14	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	NAG	A	301	3	-	3/6/23/26	0/1/1/1
10	NAG	C	302	3	-	1/6/23/26	0/1/1/1
10	NAG	B	301	3	-	2/6/23/26	0/1/1/1
10	NAG	c	701	4	-	0/6/23/26	0/1/1/1
10	NAG	b	702	4	-	3/6/23/26	0/1/1/1
10	NAG	c	702	4	-	2/6/23/26	0/1/1/1
10	NAG	B	302	3	-	4/6/23/26	0/1/1/1
10	NAG	C	301	3	-	3/6/23/26	0/1/1/1
10	NAG	a	702	4	-	3/6/23/26	0/1/1/1
10	NAG	a	701	4	-	0/6/23/26	0/1/1/1
10	NAG	A	303	3	-	3/6/23/26	0/1/1/1
10	NAG	B	303	3	-	1/6/23/26	0/1/1/1
10	NAG	b	701	4	-	4/6/23/26	0/1/1/1
10	NAG	A	302	3	-	3/6/23/26	0/1/1/1

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	b	701	NAG	C2-N2-C7	6.84	132.06	122.90
10	B	302	NAG	C2-N2-C7	6.76	131.97	122.90
10	B	301	NAG	C2-N2-C7	5.84	130.72	122.90
10	B	302	NAG	C8-C7-N2	3.70	122.26	116.12
10	b	701	NAG	C8-C7-N2	3.31	121.61	116.12
10	B	301	NAG	C8-C7-N2	2.50	120.27	116.12
10	c	702	NAG	C4-C3-C2	-2.41	107.48	111.02
10	B	303	NAG	C2-N2-C7	2.39	126.10	122.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B	302	NAG	O7-C7-C8	-2.36	117.85	122.05
10	A	302	NAG	C1-O5-C5	2.35	115.34	112.19
10	C	301	NAG	C2-N2-C7	2.22	125.88	122.90
10	b	701	NAG	O7-C7-C8	-2.19	118.15	122.05

There are no chirality outliers.

All (32) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
10	C	301	NAG	C3-C2-N2-C7
10	C	301	NAG	C8-C7-N2-C2
10	C	301	NAG	O7-C7-N2-C2
10	A	303	NAG	C1-C2-N2-C7
10	a	702	NAG	C1-C2-N2-C7
10	a	702	NAG	C8-C7-N2-C2
10	a	702	NAG	O7-C7-N2-C2
10	b	702	NAG	C1-C2-N2-C7
10	c	702	NAG	C8-C7-N2-C2
10	c	702	NAG	O7-C7-N2-C2
10	b	702	NAG	C8-C7-N2-C2
10	b	702	NAG	O7-C7-N2-C2
10	B	301	NAG	C8-C7-N2-C2
10	B	301	NAG	O7-C7-N2-C2
10	B	302	NAG	C8-C7-N2-C2
10	B	302	NAG	O7-C7-N2-C2
10	b	701	NAG	C8-C7-N2-C2
10	b	701	NAG	O7-C7-N2-C2
10	A	301	NAG	O5-C5-C6-O6
10	A	303	NAG	O5-C5-C6-O6
10	B	303	NAG	O5-C5-C6-O6
10	A	302	NAG	O5-C5-C6-O6
10	C	302	NAG	O5-C5-C6-O6
10	A	301	NAG	C1-C2-N2-C7
10	A	302	NAG	C1-C2-N2-C7
10	A	301	NAG	C3-C2-N2-C7
10	A	303	NAG	C3-C2-N2-C7
10	B	302	NAG	C3-C2-N2-C7
10	b	701	NAG	C3-C2-N2-C7
10	B	302	NAG	C1-C2-N2-C7
10	b	701	NAG	C1-C2-N2-C7
10	A	302	NAG	C3-C2-N2-C7



There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	A	301	NAG	1	0
10	C	301	NAG	4	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	L	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	L	74:UNK	C	78:UNK	N	7.19


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-41715. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 250




Y Index: 250




Z Index: 250


### 6.2.2 Raw map



X Index: 250



Y Index: 250




Z Index: 250


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 238




Y Index: 266




Z Index: 253


### 6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 499

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0624. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_41715\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)

This section contains the results of statistical analysis of the map.


### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.




## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 90 nm<sup>3</sup>; this corresponds to an approximate mass of 82 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.263 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.263 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.80	-	-
Author-provided FSC curve	3.80	4.43	3.84
Unmasked-calculated*	6.55	8.78	7.15

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.55 differs from the reported value 3.8 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-41715 and PDB model 8TYE. Per-residue inclusion information can be found in section 3 on page 12.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0624 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0624).

























































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 78% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0624) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7830	 0.4210
A	 0.8240	 0.4280
B	 0.8350	 0.4350
C	 0.8210	 0.4410
D	 0.7500	 0.4160
E	 0.8800	 0.4400
F	 0.7370	 0.3540
G	 0.8930	 0.4260
H	 0.6160	 0.3870
I	 1.0000	 0.4700
J	 0.8930	 0.3880
K	 0.8680	 0.3610
L	 0.6160	 0.3910
M	 0.8210	 0.4170
N	 0.9290	 0.4400
O	 0.8210	 0.4190
P	 0.8570	 0.4310
Q	 0.7860	 0.3980
R	 0.8570	 0.3650
S	 0.8970	 0.4600
T	 0.8460	 0.4300
U	 0.8800	 0.4050
V	 0.9290	 0.4380
W	 0.8970	 0.4810
X	 0.8930	 0.3730
a	 0.7760	 0.4100
b	 0.7690	 0.4070
c	 0.7510	 0.4240

