



wwPDB X-ray Structure Validation Summary Report ⓘ

Jul 3, 2024 – 04:32 PM EDT

PDB ID : 4U1U
Title : Crystal structure of the E. coli ribosome bound to quinupristin.
Authors : Noeske, J.; Huang, J.; Olivier, N.B.; Giacobbe, R.A.; Zambrowski, M.; Cate, J.H.D.
Deposited on : 2014-07-16
Resolution : 2.95 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3104 (3.00-2.92)
Clashscore	141614	3462 (3.00-2.92)
Ramachandran outliers	138981	3340 (3.00-2.92)
Sidechain outliers	138945	3343 (3.00-2.92)
RSRZ outliers	127900	2986 (3.00-2.92)
RNA backbone	3102	1065 (3.22-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1539	<div> <div>3%</div> <div>42%</div> <div>44%</div> <div>12%</div> <div>.</div> </div>
1	CA	1539	<div> <div>8%</div> <div>43%</div> <div>44%</div> <div>12%</div> <div>.</div> </div>
2	AB	218	<div> <div>20%</div> <div>20%</div> <div>47%</div> <div>28%</div> <div>6%</div> </div>
2	CB	218	<div> <div>36%</div> <div>30%</div> <div>47%</div> <div>20%</div> <div>.</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	AC	206	
3	CC	206	
4	AD	205	
4	CD	205	
5	AE	150	
5	CE	150	
6	AF	100	
6	CF	100	
7	AG	151	
7	CG	151	
8	AH	129	
8	CH	129	
9	AI	127	
9	CI	127	
10	AJ	98	
10	CJ	98	
11	AK	117	
11	CK	117	
12	AL	123	
12	CL	123	
13	AM	114	
13	CM	114	
14	AN	100	
14	CN	100	
15	AO	88	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	CO	88	
16	AP	82	
16	CP	82	
17	AQ	80	
17	CQ	80	
18	AR	55	
18	CR	55	
19	AS	79	
19	CS	79	
20	AT	85	
20	CT	85	
21	AU	51	
21	CU	51	
22	BA	2903	
22	DA	2903	
23	BB	119	
23	DB	119	
24	BC	271	
24	DC	271	
25	BD	209	
25	DD	209	
26	BE	201	
26	DE	201	
27	BF	177	
27	DF	177	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	BG	176	
28	DG	176	
29	BH	149	
29	DH	149	
30	BI	141	
30	DI	141	
31	BJ	142	
31	DJ	142	
32	BK	122	
32	DK	122	
33	BL	143	
33	DL	143	
34	BM	136	
34	DM	136	
35	BN	120	
35	DN	120	
36	BO	116	
36	DO	116	
37	BP	114	
37	DP	114	
38	BQ	117	
38	DQ	117	
39	BR	103	
39	DR	103	
40	BS	110	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
40	DS	110	
41	BT	93	
41	DT	93	
42	BU	102	
42	DU	102	
43	BV	94	
43	DV	94	
44	BW	76	
44	DW	76	
45	BX	77	
45	DX	77	
46	BY	63	
46	DY	63	
47	BZ	58	
47	DZ	58	
48	B0	56	
48	D0	56	
49	B1	50	
49	D1	50	
50	B2	46	
50	D2	46	
51	B3	64	
51	D3	64	
52	B4	38	
52	D4	38	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	B5	228	
54	B6	8	
54	D6	8	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
54	004	D6	7	-	-	X	-
55	MG	AA	1614	-	-	-	X
55	MG	AA	1657	-	-	-	X
55	MG	AA	1659	-	-	-	X
55	MG	BA	3015	-	-	-	X
55	MG	BA	3061	-	-	-	X
55	MG	BA	3179	-	-	-	X
55	MG	CA	1633	-	-	-	X
55	MG	DA	3015	-	-	-	X
55	MG	DA	3016	-	-	-	X
55	MG	DA	3025	-	-	-	X
55	MG	DA	3055	-	-	-	X
55	MG	DA	3057	-	-	-	X
55	MG	DA	3060	-	-	-	X
55	MG	DA	3061	-	-	-	X
55	MG	DA	3091	-	-	-	X
55	MG	DA	3092	-	-	-	X
55	MG	DA	3119	-	-	-	X
55	MG	DA	3131	-	-	-	X
55	MG	DA	3155	-	-	-	X

2 Entry composition

There are 57 unique types of molecules in this entry. The entry contains 288328 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AA	1538	Total	C	N	O	P	0	0	0
			32995	14716	6050	10691	1538			
1	CA	1539	Total	C	N	O	P	0	0	0
			33015	14725	6052	10699	1539			

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	AB	218	Total	C	N	O	S	0	0	0
			1705	1081	305	312	7			
2	CB	218	Total	C	N	O	S	0	0	0
			1705	1081	305	312	7			

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	AC	206	Total	C	N	O	S	0	0	0
			1625	1028	305	289	3			
3	CC	206	Total	C	N	O	S	0	0	0
			1625	1028	305	289	3			

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	AD	205	Total	C	N	O	S	0	0	0
			1643	1026	315	298	4			
4	CD	205	Total	C	N	O	S	0	0	0
			1643	1026	315	298	4			

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	AE	150	Total	C	N	O	S	0	0	0
			1106	687	211	202	6			
5	CE	150	Total	C	N	O	S	0	0	0
			1106	687	211	202	6			

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	AF	100	Total	C	N	O	S	0	0	0
			818	515	148	149	6			
6	CF	100	Total	C	N	O	S	0	0	0
			818	515	148	149	6			

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	AG	151	Total	C	N	O	S	0	0	0
			1182	735	227	216	4			
7	CG	151	Total	C	N	O	S	0	0	0
			1182	735	227	216	4			

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	AH	129	Total	C	N	O	S	0	0	0
			979	616	173	184	6			
8	CH	129	Total	C	N	O	S	0	0	0
			979	616	173	184	6			

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	AI	127	Total	C	N	O	S	0	0	0
			1022	634	206	179	3			
9	CI	127	Total	C	N	O	S	0	0	0
			1022	634	206	179	3			

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	AJ	98	Total	C	N	O	S	0	0	0
			787	493	150	143	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	CJ	98	Total	C	N	O	S	0	0	0
			787	493	150	143	1			

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	AK	117	Total	C	N	O	S	0	0	0
			877	540	174	160	3			
11	CK	117	Total	C	N	O	S	0	0	0
			877	540	174	160	3			

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	AL	123	Total	C	N	O	S	0	0	0
			955	590	196	165	4			
12	CL	123	Total	C	N	O	S	0	0	0
			955	590	196	165	4			

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	AM	114	Total	C	N	O	S	0	0	0
			884	546	178	157	3			
13	CM	114	Total	C	N	O	S	0	0	0
			884	546	178	157	3			

- Molecule 14 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	AN	96	Total	C	N	O	S	0	0	0
			774	483	160	128	3			
14	CN	96	Total	C	N	O	S	0	0	0
			774	483	160	128	3			

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	AO	88	Total	C	N	O	S	0	0	0
			710	437	143	129	1			
15	CO	88	Total	C	N	O	S	0	0	0
			710	437	143	129	1			

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	AP	82	Total	C	N	O	S	0	0	0
			649	406	128	114	1			
16	CP	82	Total	C	N	O	S	0	0	0
			649	406	128	114	1			

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	AQ	80	Total	C	N	O	S	0	0	0
			649	411	121	114	3			
17	CQ	80	Total	C	N	O	S	0	0	0
			649	411	121	114	3			

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	AR	55	Total	C	N	O	0	0	0
			456	288	86	82			
18	CR	55	Total	C	N	O	0	0	0
			456	288	86	82			

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	AS	79	Total	C	N	O	S	0	0	0
			638	408	120	108	2			
19	CS	79	Total	C	N	O	S	0	0	0
			638	408	120	108	2			

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	AT	85	Total	C	N	O	S	0	0	0
			665	411	137	114	3			
20	CT	85	Total	C	N	O	S	0	0	0
			665	411	137	114	3			

- Molecule 21 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	AU	51	Total	C	N	O	S	0	0	0
			426	265	86	74	1			
21	CU	51	Total	C	N	O	S	0	0	0
			426	265	86	74	1			

- Molecule 22 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	BA	2897	Total	C	N	O	P	0	0	0
			62195	27745	11446	20107	2897			
22	DA	2897	Total	C	N	O	P	0	0	0
			62195	27745	11446	20107	2897			

- Molecule 23 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	BB	119	Total	C	N	O	P	0	0	0
			2549	1135	466	829	119			
23	DB	118	Total	C	N	O	P	0	0	0
			2529	1126	464	821	118			

- Molecule 24 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	BC	271	Total	C	N	O	S	0	0	0
			2083	1288	423	365	7			
24	DC	271	Total	C	N	O	S	0	0	0
			2083	1288	423	365	7			

- Molecule 25 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	BD	209	Total	C	N	O	S	0	0	0
			1565	979	288	294	4			
25	DD	209	Total	C	N	O	S	0	0	0
			1565	979	288	294	4			

- Molecule 26 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	BE	201	Total	C	N	O	S	0	0	0
			1552	974	283	290	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	DE	201	Total	C	N	O	S	0	0	0
			1552	974	283	290	5			

- Molecule 27 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	BF	177	Total	C	N	O	S	0	0	0
			1411	899	249	257	6			
27	DF	177	Total	C	N	O	S	0	0	0
			1411	899	249	257	6			

- Molecule 28 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	BG	176	Total	C	N	O	S	0	0	0
			1323	832	243	246	2			
28	DG	176	Total	C	N	O	S	0	0	0
			1323	832	243	246	2			

- Molecule 29 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	BH	149	Total	C	N	O	S	0	0	0
			1110	699	197	213	1			
29	DH	149	Total	C	N	O	S	0	0	0
			1110	699	197	213	1			

- Molecule 30 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	BI	141	Total	C	N	O	S	0	0	0
			1032	651	179	196	6			
30	DI	141	Total	C	N	O	S	0	0	0
			1032	651	179	196	6			

- Molecule 31 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	BJ	142	Total	C	N	O	S	0	0	0
			1129	714	212	199	4			
31	DJ	142	Total	C	N	O	S	0	0	0
			1129	714	212	199	4			

- Molecule 32 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	BK	122	Total	C	N	O	S	0	0	0
			939	587	180	166	6			
32	DK	122	Total	C	N	O	S	0	0	0
			939	587	180	166	6			

- Molecule 33 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	BL	143	Total	C	N	O	S	0	0	0
			1045	649	206	189	1			
33	DL	143	Total	C	N	O	S	0	0	0
			1045	649	206	189	1			

- Molecule 34 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	BM	136	Total	C	N	O	S	0	0	0
			1074	686	205	177	6			
34	DM	136	Total	C	N	O	S	0	0	0
			1074	686	205	177	6			

- Molecule 35 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	BN	120	Total	C	N	O	S	0	0	0
			961	593	196	167	5			
35	DN	120	Total	C	N	O	S	0	0	0
			961	593	196	167	5			

- Molecule 36 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
36	BO	116	Total	C	N	O	0	0	0
			892	552	178	162			
36	DO	116	Total	C	N	O	0	0	0
			892	552	178	162			

- Molecule 37 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	BP	114	Total	C	N	O	S	0	0	0
			917	574	179	163	1			
37	DP	114	Total	C	N	O	S	0	0	0
			917	574	179	163	1			

- Molecule 38 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	BQ	117	Total	C	N	O	S	0	0	0
			947	604	192	151				
38	DQ	117	Total	C	N	O	S	0	0	0
			947	604	192	151				

- Molecule 39 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	BR	103	Total	C	N	O	S	0	0	0
			816	516	153	145	2			
39	DR	103	Total	C	N	O	S	0	0	0
			816	516	153	145	2			

- Molecule 40 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
40	BS	110	Total	C	N	O	S	0	0	0
			857	532	166	156	3			
40	DS	110	Total	C	N	O	S	0	0	0
			857	532	166	156	3			

- Molecule 41 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
41	BT	93	Total	C	N	O	S	0	0	0
			739	466	139	132	2			
41	DT	93	Total	C	N	O	S	0	0	0
			739	466	139	132	2			

- Molecule 42 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	BU	102	Total	C	N	O	S	0	0	0
			780	492	146	142				

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
42	DU	102	Total	C	N	O			
			780	492	146	142	0	0	0

- Molecule 43 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
43	BV	94	Total	C	N	O	S		
			753	479	137	134	3	0	0
43	DV	94	Total	C	N	O	S		
			753	479	137	134	3	0	0

- Molecule 44 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
44	BW	76	Total	C	N	O	S		
			580	359	117	103	1	0	0
44	DW	75	Total	C	N	O	S		
			569	353	113	102	1	0	0

- Molecule 45 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
45	BX	77	Total	C	N	O	S		
			625	388	129	106	2	0	0
45	DX	77	Total	C	N	O	S		
			625	388	129	106	2	0	0

- Molecule 46 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
46	BY	63	Total	C	N	O	S		
			509	313	99	95	2	0	0
46	DY	63	Total	C	N	O	S		
			509	313	99	95	2	0	0

- Molecule 47 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
47	BZ	58	Total	C	N	O	S		
			449	281	87	79	2	0	0
47	DZ	58	Total	C	N	O	S		
			449	281	87	79	2	0	0

- Molecule 48 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	B0	56	Total	C	N	O	S	0	0	0
			444	269	94	80	1			
48	D0	56	Total	C	N	O	S	0	0	0
			444	269	94	80	1			

- Molecule 49 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
49	B1	50	Total	C	N	O	0	0	0
			410	263	75	72			
49	D1	50	Total	C	N	O	0	0	0
			410	263	75	72			

- Molecule 50 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	B2	46	Total	C	N	O	S	0	0	0
			377	228	90	57	2			
50	D2	46	Total	C	N	O	S	0	0	0
			377	228	90	57	2			

- Molecule 51 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	B3	64	Total	C	N	O	S	0	0	0
			504	323	105	74	2			
51	D3	64	Total	C	N	O	S	0	0	0
			504	323	105	74	2			

- Molecule 52 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	B4	38	Total	C	N	O	S	0	0	0
			302	185	65	48	4			
52	D4	38	Total	C	N	O	S	0	0	0
			302	185	65	48	4			

- Molecule 53 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
53	B5	191	Total	C	N	O	0	0	1
			1142	691	221	230			

- Molecule 54 is a protein called Quinupristin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
54	B6	8	Total	C	N	O	S	0	0	0
			73	53	9	10	1			
54	D6	8	Total	C	N	O	S	0	0	0
			73	53	9	10	1			

- Molecule 55 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
55	AA	71	Total	Mg	0	0
			71	71		
55	AM	1	Total	Mg	0	0
			1	1		
55	BA	195	Total	Mg	0	0
			195	195		
55	BB	4	Total	Mg	0	0
			4	4		
55	CA	55	Total	Mg	0	0
			55	55		
55	CM	1	Total	Mg	0	0
			1	1		
55	DA	167	Total	Mg	0	0
			167	167		
55	DB	3	Total	Mg	0	0
			3	3		
55	DQ	1	Total	Mg	0	0
			1	1		

- Molecule 56 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	B4	1	Total	Zn	0	0
			1	1		
56	D4	1	Total	Zn	0	0
			1	1		

- Molecule 57 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
57	AA	194	Total O 194 194	0	0
57	AL	1	Total O 1 1	0	0
57	AN	5	Total O 5 5	0	0
57	AT	2	Total O 2 2	0	0
57	AU	1	Total O 1 1	0	0
57	BA	619	Total O 619 619	0	0
57	BB	13	Total O 13 13	0	0
57	BC	8	Total O 8 8	0	0
57	BD	3	Total O 3 3	0	0
57	BE	3	Total O 3 3	0	0
57	BF	1	Total O 1 1	0	0
57	BG	1	Total O 1 1	0	0
57	BL	5	Total O 5 5	0	0
57	BN	5	Total O 5 5	0	0
57	BS	1	Total O 1 1	0	0
57	BV	1	Total O 1 1	0	0
57	B2	1	Total O 1 1	0	0
57	B3	3	Total O 3 3	0	0
57	B4	2	Total O 2 2	0	0
57	CA	189	Total O 189 189	0	0
57	CL	1	Total O 1 1	0	0
57	CN	3	Total O 3 3	0	0

Continued on next page...


Continued from previous page...



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	CT	4	Total 4	O 4	0	0
57	CU	1	Total 1	O 1	0	0
57	DA	612	Total 612	O 612	0	0
57	DB	13	Total 13	O 13	0	0
57	DC	7	Total 7	O 7	0	0
57	DD	4	Total 4	O 4	0	0
57	DE	4	Total 4	O 4	0	0
57	DL	4	Total 4	O 4	0	0
57	DN	1	Total 1	O 1	0	0
57	DQ	2	Total 2	O 2	0	0
57	DT	3	Total 3	O 3	0	0
57	DV	1	Total 1	O 1	0	0
57	D0	1	Total 1	O 1	0	0
57	D2	2	Total 2	O 2	0	0
57	D3	1	Total 1	O 1	0	0
57	D4	1	Total 1	O 1	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 16S rRNA












• Molecule 2: 30S ribosomal protein S2




• Molecule 2: 30S ribosomal protein S2




• Molecule 3: 30S ribosomal protein S3






• Molecule 3: 30S ribosomal protein S3




• Molecule 4: 30S ribosomal protein S4





• Molecule 4: 30S ribosomal protein S4








• Molecule 5: 30S ribosomal protein S5



• Molecule 5: 30S ribosomal protein S5




• Molecule 6: 30S ribosomal protein S6




• Molecule 6: 30S ribosomal protein S6







• Molecule 7: 30S ribosomal protein S7



• Molecule 7: 30S ribosomal protein S7




• Molecule 8: 30S ribosomal protein S8




• Molecule 8: 30S ribosomal protein S8







• Molecule 9: 30S ribosomal protein S9





• Molecule 9: 30S ribosomal protein S9




• Molecule 10: 30S ribosomal protein S10




• Molecule 10: 30S ribosomal protein S10




- Molecule 11: 30S ribosomal protein S11




- Molecule 11: 30S ribosomal protein S11




- Molecule 12: 30S ribosomal protein S12




- Molecule 12: 30S ribosomal protein S12





- Molecule 13: 30S ribosomal protein S13







- Molecule 13: 30S ribosomal protein S13



- Molecule 14: 30S ribosomal protein S14



- Molecule 14: 30S ribosomal protein S14




- Molecule 15: 30S ribosomal protein S15





- Molecule 15: 30S ribosomal protein S15







● Molecule 16: 30S ribosomal protein S16





● Molecule 16: 30S ribosomal protein S16




● Molecule 17: 30S ribosomal protein S17




● Molecule 17: 30S ribosomal protein S17




- Molecule 18: 30S ribosomal protein S18




- Molecule 18: 30S ribosomal protein S18




- Molecule 19: 30S ribosomal protein S19



- Molecule 19: 30S ribosomal protein S19




- Molecule 20: 30S ribosomal protein S20




- Molecule 20: 30S ribosomal protein S20








• Molecule 21: 30S ribosomal protein S21



• Molecule 21: 30S ribosomal protein S21




• Molecule 22: 23S rRNA






C1615	C1616	C1617	A1618	G1619	U1624	C1625	A1626	G1627	G1628	A1632	G1633	A1634	A1635	C1636	G1637	A1638	C1639	G1643	C1644	U1647	U1648	G1649	A1650	G1651	A1652	G1653	A1654	A1655	C1656	U1657	C1658	G1659	G1660	G1663	A1664	A1665	A1666	A1667	A1668	A1669	C1670	U1671	A1672	G1673	G1674	A1677	A1678	A1679	U1680	G1681	G1682	U1683	A1684			
G1511	C1512	U1513	A1514	A1515	G1516	U1523	A1528	A1532	C1533	U1534	A1535	C1536	G1537	U1538	U1539	G1540	A1549	C1550	U1554	G1555	C1556	U1563	C1564	C1565	A1569	A1570	A1571	C1577	U1578	G1581	C1582	A1583	U1584	G1585	A1586	A1590	A1591	A1597	C1606	C1607	A1608	A1609	A1610	C1611	C1612	U1613	A1614									
G1425	G1426	C1427	C1428	G1429	G1430	A1431	A1432	A1433	A1434	G1435	G1436	A1439	U1440	G1441	U1442	U1443	G1444	C1445	C1446	G1447	G1448	G1449	G1450	C1451	G1452	A1453	U1457	U1458	G1459	U1460	U1474	G1475	G1478	G1482	G1483	A1490	G1491	G1492	C1493	A1494	A1495	A1496	G1501	A1502	A1503	A1504	A1505	U1506	C1507	A1508	A1509	C1510				
G1356	C1357	G1358	A1359	G1360	G1364	A1365	A1366	A1367	G1368	G1369	C1370	G1371	U1372	A1373	G1374	U1375	C1376	G1377	A1378	U1379	G1380	G1381	G1382	A1383	A1384	A1385	C1386	A1387	U1390	U1391	A1392	A1393	U1394	A1395	A1403	C1404	U1405	U1406	G1407	G1408	U1409	G1410	U1411	U1412	A1413	C1414	U1415	G1416	C1417	A1418	A1419	A1420	G1421	G1422	G1423	G1424
C1278	G1279	G1280	G1281	U1282	G1283	A1287	G1288	G1292	C1293	U1294	C1295	G1296	G1299	G1300	A1301	A1302	G1303	A1304	C1305	C1306	G1309	U1313	U1316	G1317	A1321	A1322	C1323	G1324	A1327	A1328	U1329	C1330	G1331	G1332	G1333	G1334	C1335	A1336	G1337	G1338	G1339	U1340	G1341	A1342	G1343	U1344	A1345	U1352	U1353	U1354	U1355					
G1191	G1192	U1198	U1199	C1200	C1121	A1205	C1207	G1210	G1216	U1219	G1223	U1224	C1229	A1230	U1231	U1234	G1235	G1238	G1239	C1243	A1244	A1247	U1248	U1249	G1250	C1251	G1252	A1253	U1254	U1255	G1256	C1257	U1258	G1259	A1260	U1267	G1268	A1269	C1270	C1271	G1272	U1273	A1274	U1275	A1276	G1277										
U1033	G1034	U1035	A1046	U1047	U1048	G1051	C1052	C1053	G1056	A1057	U1058	G1059	U1060	U1061	G1062	G1063	C1064	U1065	U1066	U1067	G1068	A1069	U1070	G1071	C1072	A1073	G1074	C1075	U1078	C1079	A1080	U1081	U1082	U1083	A1084	A1085	A1086	G1087	A1088	A1089	C1092	G1093	U1094	A1095	A1096	U1097	A1098	G1099	C1100	G1022	U1023	G1026	A1027	A1028	G1106	
G952	G953	G954	U955	G956	C957	U958	A959	C961	G962	U963	C964	C965	A973	G974	G978	A979	A980	A981	C982	A983	A984	C985	G989	A990	G993	C994	C995	A996	C997	C998	U999	G1002	C1006	C1007	A1008	A1009	A1010	G1011	U1012	C1013	A1014	U1015	U1019	G942	A943	C944	A945	C946	A947	C948						
C867	U868	G869	U870	U871	U872	A878	G879	U884	C885	A	U	C	C	G	A892	C893	U894	U895	A896	C903	U906	A910	A911	C912	U913	G914	C915	U920	C921	C922	G923	A927	A928	U929	U932	A933	U934	C935	A936	C937	A941	G942	A943	C944	A945	C946	A947	C948								
G797	A800	G801	A802	U803	A804	G805	G808	U810	U811	C812	U813	C814	C815	A819	C823	U826	U827	U828	A829	G830	U831	U832	A833	G834	C835	G836	C837	C838	U839	C840	G841	U842	G843	A844	A845	U846	U847	U852	C853	C854	G855	G856	U857	G858	G859	U860	A861	G864	C865	A866						
C723	G726	A727	G728	U729	A730	C731	C732	G733	A734	A735	G738	A739	C740	U741	A742	U746	U747	G748	A749	A750	A751	A752	A753	U754	G757	C758	G759	G760	A761	U762	G763	A764	U769	G770	G771	C772	U773	G774	G775	G776	U779	G780	A781	A782	G783	G784	G785	U786	A787	A788	U789	U790	C791	A792		
A644	C645	U646	U647	G648	G651	A654	A655	G656	U657	U658	G659	A661	G664	U665	A666	U667	A668	G669	A670	C671	C672	G673	U674	A675	C678	C679	G682	U686	C691	C692	A693	U694	G695	G696	G700	G701	U702	U703	G704	G711	G712	G713	U714	A715	A716	C717	A721	A722								
G577	G578	G579	U580	C581	A582	G583	C584	G585	A586	C587	U588	U589	A590	U591	A592	U593	U594	U598	A599	G600	C601	A602	A603	G604	G605	U606	U607	C610	C611	C612	A613	A614	U615	A616	G617	G618	G619	G620	A621	G622	C623	C624	A627	G630	A631	A632	A633	C634	C635	G636	A637	C640	U641			


G2709	G2710	A2711	G2714	G2715	G2719	G2720	C2723	U2724	A2725	A2726	A2727	G2728	G2729	G2732	A2733	A2738	G2742	A2748	U2754	G2755	U2756	A2757	C2762	A2765	A2766	U2769	C2773	C2774	G2775	A2778	U2783	U2784	C2785	U2786	G2791	C2794	C2795	U2798	A2799	A2800	G2801																	
G2629	G2630	G2631	A2632	G2633	C2636	U2637	G2642	G2643	A2644	G2645	A2646	U2647	G2648	C2649	U2650	A2654	A2657	A2660	G2661	A2662	A2665	C2666	G2667	G2668	G2669	A2670	G2673	G2674	A2675	C2676	G2677	A2678	U2679	U2680	G2681	A2682	C2683	U2684	G2685	U2689	U2690	C2691	A2692	U2698	A2703	C2704	G2708											
G2544	A2547	U2554	U2555	C2556	G2557	C2558	U2563	A2564	A2565	A2566	G2567	U2568	G2569	G2570	U2571	A2572	C2573	G2574	C2575	C2579	U2580	G2581	G2582	U2583	U2584	G2585	C2591	G2592	U2593	G2597	A2598	G2599	C2600	A2602	G2603	U2604	G2607	G2608	U2609	C2610	C2612	U2613	A2614	U2615	C2619	C2620												
A2461	C2462	C2463	A2469	G2472	U2473	C2475	A2476	U2477	A2478	G2484	G2485	G2490	U2491	U2492	U2493	C2496	A2497	C2498	C2499	U2500	C2501	G2502	U2503	U2504	C2505	U2506	C2507	G2508	C2512	A2513	C2517	A2518	U2519	C2520	C2521	U2522	C2525	G2526	C2527	U2528	U2529	C2532	G2535	C2538	C2539	C2543												
C2389	U2390	G2391	A2392	U2393	C2394	G2395	U2396	G2397	U2398	G2399	U2402	G2405	A2406	A2412	G2415	C2416	C2417	U2418	U2419	C2420	C2424	A2425	A2426	C2427	G2428	U2429	A2430	U2431	A2432	U2433	A2434	A2435	U2436	G2437	U2441	C2442	C2443	G2444	G2445	G2446	G2447	U2448	U2449	A2450	G2454	C2455	U2457	G2458	U2460									
C2300	U2305	G2306	A2307	G2308	U2309	A2311	U2312	U2313	A2314	G2315	G2316	A2317	G2318	U2319	U2320	U2321	A2322	G2325	C2326	A2327	U2328	U2329	G2330	G2331	U2334	A2335	C2339	A2340	A2341	C2342	G2345	A2346	C2347	U2348	G2349	C2350	C2354	C2358	C2359	G2360	G2361	A2366	G2367	A2376	A2381	G2382	U2383	C2385										
U2220	A2225	C2226	U2229	U2233	G2234	G2238	G2239	U2243	U2244	U2248	U2249	G2250	G2251	U2252	U2253	U2254	G2255	U2256	A2257	U2258	U2259	C2260	C2261	U2262	C2263	C2264	U2265	A2266	A2267	A2268	C2269	U2270	G2271	U2272	A2273	A2274	C2275	G2276	G2277	A2278	G2279	G2280	A2281	G2282	C2283	U2291	U2292	G2293	G2294	A2297	U2298	U2299						
U2149	C2150	U2151	C2152	G2153	A2154	U2155	G2156	U2157	A2158	U2159	C2160	G2161	G2162	A2163	C2164	U2165	U2166	U2167	U2168	A2169	A2170	C2171	U2172	A2173	C2174	U2175	A2176	C2177	C2178	U2179	U2180	U2181	A2182	C2183	A2184	U2185	G2186	U2187	U2188	U2189	U2190	A2191	U2192	G2193	U2194	U2195	C2196	U2197	A2198	A2199	U2203	G2204	C2207	C2208	A2211	A2212		
U2086	G2087	U2092	C2093	A2094	U2095	C2096	U2097	U2098	U2099	G2100	A2101	G2102	C2103	C2104	U2105	U2106	G2107	A2108	U2109	G2110	U2111	U2112	U2113	A2114	G2115	U2116	A2117	U2118	A2119	U2120	G2121	U2122	G2123	G2124	U2125	A2126	G2127	G2128	C2129	U2130	U2131	U2132	G2133	A2134	G2135	U2136	U2137	G2138	U2139	G2140	G2141	A2142	C2143	G2144	C2145	U2146	A2147	G2148
A2015	G2018	A2019	C2020	C2021	U2022	C2023	U2026	G2029	A2030	G2031	C2032	U2033	U2034	G2035	G2038	U2039	G2040	U2041	C2042	A2043	C2043	C2047	C2050	A2051	A2052	C2055	G2056	G2057	A2059	A2060	G2061	A2062	C2063	C2064	C2065	C2066	G2067	U2068	G2069	A2070	A2071	C2072	U2075	U2076	A2077	C2078	U2079	A2080	U2081	A2082								
G1929	G1930	U1931	A1932	A1936	U1937	A1938	U1943	U1944	U1945	G1946	C1947	G1948	G1949	U1955	U1956	C1957	C1958	C1961	U1962	U1963	G1964	U1965	A1966	C1967	A1970	U1971	G1972	U1976	A1977	G1983	G1984	C1985	C1990	U1991	U1911	U1912	A1913	C1914	U1915	G1916	U1917	A1918	A1919	C1920	G1921	A2005	C2006	U2011	G2012	A2013	A2014							
G1846	A1847	G1848	G1849	U1850	U1851	U1852	U1853	A1854	U1865	A1866	G1867	C1868	G1869	U1870	A1871	U1872	G1873	A1874	U1875	A1876	U1877	G1878	G1879	U1880	G1884	A1885	A1889	U1890	A1901	G1902	G1903	G1904	C1905	G1906	G1907	C1908	C1909	G1910	U1911	U1912	A1913	C1914	U1915	G1916	U1917	A1918	A1919	C1920	G1921	A2005	C2006	U2011	G2012	A2013	A2014			
A1772	A1773	U1774	G1775	G1776	U1779	A1783	A1784	A1785	A1786	A1787	G1788	A1789	C1790	A1791	A1794	G1795	U1796	A1797	U1798	U1799	G1800	A1801	A1802	A1808	A1809	U1812	G1813	C1816	G1817	U1818	A1819	U1820	A1821	G1822	G1823	U1824	U1825	G1826	U1827	G1828	A1829	C1832	C1833	C1837	G1838	U1841	G1842	C1843	C1844	G1845								
U1688	A1689	A1690	G1691	U1692	U1693	C1694	G1695	G1696	G1697	A1698	U1712	U1713	U1714	G1715	U1716	A1717	G1718	G1721	C1727	C1728	U1729	C1730	G1731	G1732	G1733	G1734	A1735	U1736	G1737	G1738	A1739	G1740	A1744	A1745	A1746	U1747	C1748	G1753	A1754	A1755	G1756	U1757	U1758	C1759	A1760	C1761	G1762	G1763	C1764	U1769	C1770	G1771						




• Molecule 22: 23S rRNA











• Molecule 23: 5S rRNA

Chain BB: 61% 33% 6% .




• Molecule 23: 5S rRNA

Chain DB: 5% 49% 41% 9% .




• Molecule 24: 50S ribosomal protein L2


Chain BC: % 59% 37% 5%




• Molecule 24: 50S ribosomal protein L2

Chain DC: 23% 50% 40% 10%







• Molecule 25: 50S ribosomal protein L3



• Molecule 25: 50S ribosomal protein L3




• Molecule 26: 50S ribosomal protein L4




• Molecule 26: 50S ribosomal protein L4







• Molecule 27: 50S ribosomal protein L5




• Molecule 27: 50S ribosomal protein L5




• Molecule 28: 50S ribosomal protein L6








● Molecule 28: 50S ribosomal protein L6




● Molecule 29: 50S ribosomal protein L9




● Molecule 29: 50S ribosomal protein L9




- Molecule 30: 50S ribosomal protein L11




- Molecule 30: 50S ribosomal protein L11




- Molecule 31: 50S ribosomal protein L13




- Molecule 31: 50S ribosomal protein L13




- Molecule 32: 50S ribosomal protein L14




- Molecule 32: 50S ribosomal protein L14



- Molecule 33: 50S ribosomal protein L15



- Molecule 33: 50S ribosomal protein L15




- Molecule 34: 50S ribosomal protein L16







• Molecule 34: 50S ribosomal protein L16




• Molecule 35: 50S ribosomal protein L17




• Molecule 35: 50S ribosomal protein L17




• Molecule 36: 50S ribosomal protein L18




• Molecule 36: 50S ribosomal protein L18




- Molecule 37: 50S ribosomal protein L19




- Molecule 37: 50S ribosomal protein L19




- Molecule 38: 50S ribosomal protein L20




- Molecule 38: 50S ribosomal protein L20







- Molecule 39: 50S ribosomal protein L21




- Molecule 39: 50S ribosomal protein L21



- Molecule 40: 50S ribosomal protein L22



- Molecule 40: 50S ribosomal protein L22





- Molecule 41: 50S ribosomal protein L23







• Molecule 41: 50S ribosomal protein L23





• Molecule 42: 50S ribosomal protein L24







- Molecule 44: 50S ribosomal protein L27





- Molecule 44: 50S ribosomal protein L27




- Molecule 45: 50S ribosomal protein L28




- Molecule 45: 50S ribosomal protein L28




- Molecule 46: 50S ribosomal protein L29




- Molecule 46: 50S ribosomal protein L29




- Molecule 47: 50S ribosomal protein L30




- Molecule 47: 50S ribosomal protein L30




- Molecule 48: 50S ribosomal protein L32




- Molecule 48: 50S ribosomal protein L32




- Molecule 49: 50S ribosomal protein L33




- Molecule 49: 50S ribosomal protein L33




- Molecule 50: 50S ribosomal protein L34




- Molecule 50: 50S ribosomal protein L34




- Molecule 51: 50S ribosomal protein L35




- Molecule 51: 50S ribosomal protein L35




- Molecule 52: 50S ribosomal protein L36




- Molecule 52: 50S ribosomal protein L36





- Molecule 53: 50S ribosomal protein L1






● Molecule 54: Quinupristin



● Molecule 54: Quinupristin



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	211.08Å 432.73Å 631.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	68.68 – 2.95 68.68 – 2.95	Depositor EDS
% Data completeness (in resolution range)	93.2 (68.68-2.95) 93.2 (68.68-2.95)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.44 (at 2.96Å)	Xtriage
Refinement program	PHENIX 1.8.1_1168	Depositor
R, R_{free}	0.248 , 0.282 0.252 , 0.287	Depositor DCC
R_{free} test set	4515 reflections (0.40%)	wwPDB-VP
Wilson B-factor (Å ²)	54.4	Xtriage
Anisotropy	0.520	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 52.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	288328	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MHW, MHU, MHT, ZN, MHV, 004, MG, DBB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	AA	0.44	0/36944	1.04	74/57632 (0.1%)
1	CA	0.39	0/36966	0.99	74/57666 (0.1%)
2	AB	0.36	0/1736	0.72	1/2338 (0.0%)
2	CB	0.33	0/1736	0.70	0/2338
3	AC	0.35	0/1652	0.65	2/2225 (0.1%)
3	CC	0.32	0/1652	0.58	1/2225 (0.0%)
4	AD	0.35	0/1665	0.68	0/2227
4	CD	0.38	0/1665	0.71	1/2227 (0.0%)
5	AE	0.38	0/1119	0.74	0/1504
5	CE	0.37	0/1119	0.73	0/1504
6	AF	0.39	0/836	0.71	2/1128 (0.2%)
6	CF	0.34	0/836	0.68	0/1128
7	AG	0.32	0/1196	0.59	0/1602
7	CG	0.31	0/1196	0.56	0/1602
8	AH	0.36	0/989	0.67	0/1326
8	CH	0.30	0/989	0.59	0/1326
9	AI	0.32	0/1034	0.65	1/1375 (0.1%)
9	CI	0.32	0/1034	0.64	0/1375
10	AJ	0.35	0/797	0.65	0/1077
10	CJ	0.30	0/797	0.66	2/1077 (0.2%)
11	AK	0.35	0/893	0.63	0/1205
11	CK	0.32	0/893	0.63	0/1205
12	AL	0.39	0/969	0.69	0/1300
12	CL	0.35	0/969	0.72	0/1300
13	AM	0.33	0/893	0.69	0/1193
13	CM	0.33	0/893	0.65	0/1193
14	AN	0.31	0/785	0.66	0/1043
14	CN	0.29	0/785	0.57	0/1043
15	AO	0.31	0/718	0.61	0/959
15	CO	0.30	0/718	0.61	0/959
16	AP	0.39	0/659	0.72	1/884 (0.1%)
16	CP	0.33	0/659	0.59	0/884

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
17	AQ	0.37	0/658	0.72	1/881 (0.1%)
17	CQ	0.38	0/658	0.63	0/881
18	AR	0.31	0/463	0.60	0/621
18	CR	0.30	0/463	0.57	0/621
19	AS	0.32	0/653	0.63	0/877
19	CS	0.33	0/653	0.59	0/877
20	AT	0.36	0/671	0.64	0/888
20	CT	0.32	0/671	0.62	0/888
21	AU	0.43	0/431	0.75	0/570
21	CU	0.45	0/431	0.78	0/570
22	BA	0.68	6/69659 (0.0%)	1.32	534/108672 (0.5%)
22	DA	0.38	0/69659	0.99	76/108672 (0.1%)
23	BB	0.62	1/2850 (0.0%)	1.22	7/4444 (0.2%)
23	DB	0.32	0/2828	0.92	2/4410 (0.0%)
24	BC	0.45	0/2122	0.71	0/2852
24	DC	0.34	0/2122	0.62	0/2852
25	BD	0.50	0/1586	0.74	1/2134 (0.0%)
25	DD	0.32	0/1586	0.59	0/2134
26	BE	0.42	0/1571	0.70	0/2113
26	DE	0.34	0/1571	0.62	1/2113 (0.0%)
27	BF	0.37	0/1435	0.63	0/1926
27	DF	0.30	0/1435	0.56	0/1926
28	BG	0.39	0/1343	0.69	1/1816 (0.1%)
28	DG	0.31	0/1343	0.55	0/1816
29	BH	0.36	0/1121	0.66	1/1515 (0.1%)
29	DH	0.35	0/1121	0.56	0/1515
30	BI	0.38	0/1046	0.69	0/1410
30	DI	0.35	0/1046	0.67	0/1410
31	BJ	0.49	0/1152	0.70	0/1551
31	DJ	0.31	0/1152	0.59	0/1551
32	BK	0.51	0/948	0.73	0/1268
32	DK	0.34	0/948	0.58	0/1268
33	BL	0.45	0/1054	0.80	2/1403 (0.1%)
33	DL	0.32	0/1054	0.62	0/1403
34	BM	0.48	0/1093	0.73	1/1460 (0.1%)
34	DM	0.30	0/1093	0.57	0/1460
35	BN	0.47	0/974	0.77	0/1301
35	DN	0.33	0/974	0.59	0/1301
36	BO	0.43	0/902	0.66	0/1209
36	DO	0.29	0/902	0.53	0/1209
37	BP	0.47	0/929	0.72	1/1242 (0.1%)
37	DP	0.32	0/929	0.59	1/1242 (0.1%)
38	BQ	0.56	0/960	0.73	0/1278

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
38	DQ	0.32	0/960	0.53	0/1278
39	BR	0.53	0/829	0.82	1/1107 (0.1%)
39	DR	0.34	0/829	0.66	0/1107
40	BS	0.71	2/864 (0.2%)	0.89	2/1156 (0.2%)
40	DS	0.33	0/864	0.63	0/1156
41	BT	0.45	0/745	0.70	0/994
41	DT	0.33	0/745	0.61	0/994
42	BU	0.43	0/788	0.72	0/1051
42	DU	0.37	0/788	0.61	0/1051
43	BV	0.40	0/766	0.67	1/1025 (0.1%)
43	DV	0.28	0/766	0.54	0/1025
44	BW	0.52	0/587	0.69	0/776
44	DW	0.29	0/576	0.54	0/762
45	BX	0.39	0/635	0.67	0/848
45	DX	0.32	0/635	0.61	0/848
46	BY	0.39	0/510	0.76	0/677
46	DY	0.32	0/510	0.64	0/677
47	BZ	0.52	0/453	0.74	0/605
47	DZ	0.30	0/453	0.56	0/605
48	B0	0.52	0/450	0.75	0/599
48	D0	0.31	0/450	0.61	0/599
49	B1	0.44	0/417	0.69	0/554
49	D1	0.32	0/417	0.56	0/554
50	B2	0.48	0/380	0.80	0/498
50	D2	0.30	0/380	0.58	0/498
51	B3	0.43	0/513	0.71	0/676
51	D3	0.29	0/513	0.49	0/676
52	B4	0.52	0/303	0.66	0/397
52	D4	0.37	0/303	0.58	0/397
53	B5	0.32	0/1145	0.69	1/1556 (0.1%)
54	B6	1.71	0/13	2.43	1/15 (6.7%)
54	D6	1.45	0/13	2.67	2/15 (13.3%)
All	All	0.47	9/310652 (0.0%)	1.01	796/464396 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	CB	0	1
5	AE	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
5	CE	0	2
6	CF	0	1
11	AK	0	1
11	CK	0	1
12	CL	0	2
21	AU	0	2
21	CU	0	1
25	BD	0	1
25	DD	0	1
26	BE	0	1
40	BS	0	1
All	All	0	16

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
22	BA	984	A	N9-C4	-9.06	1.32	1.37
22	BA	1142	A	N9-C4	-8.98	1.32	1.37
40	BS	102	HIS	CB-CG	-6.45	1.38	1.50
22	BA	1936	A	N9-C4	-5.92	1.34	1.37
23	BB	99	A	N9-C4	-5.46	1.34	1.37

The worst 5 of 796 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	BA	984	A	C2-N3-C4	-12.57	104.31	110.60
1	AA	1054	C	O5'-P-OP2	-12.23	94.69	105.70
22	BA	1936	A	C2-N3-C4	-10.65	105.28	110.60
25	BD	151	THR	C-N-CD	-10.63	97.20	120.60
22	BA	1142	A	C2-N3-C4	-10.48	105.36	110.60

There are no chirality outliers.

5 of 16 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
5	AE	123	VAL	Peptide
11	AK	126	LYS	Peptide
21	AU	39	GLU	Peptide
21	AU	8	GLU	Peptide
25	BD	151	THR	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	32995	0	16607	608	14
1	CA	33015	0	16616	645	0
2	AB	1705	0	1732	135	0
2	CB	1705	0	1732	109	0
3	AC	1625	0	1696	75	0
3	CC	1625	0	1696	67	0
4	AD	1643	0	1707	93	0
4	CD	1643	0	1707	74	0
5	AE	1106	0	1148	60	0
5	CE	1106	0	1148	72	0
6	AF	818	0	808	37	0
6	CF	818	0	808	35	0
7	AG	1182	0	1238	47	0
7	CG	1182	0	1238	49	0
8	AH	979	0	1031	38	0
8	CH	979	0	1031	43	0
9	AI	1022	0	1070	51	0
9	CI	1022	0	1070	64	0
10	AJ	787	0	828	60	0
10	CJ	787	0	828	44	0
11	AK	877	0	887	54	0
11	CK	877	0	887	39	0
12	AL	955	0	1016	38	0
12	CL	955	0	1016	48	0
13	AM	884	0	941	49	0
13	CM	884	0	941	40	0
14	AN	774	0	824	44	0
14	CN	774	0	824	44	0
15	AO	710	0	728	20	0
15	CO	710	0	728	38	0
16	AP	649	0	666	34	0
16	CP	649	0	666	30	0
17	AQ	649	0	691	30	0
17	CQ	649	0	691	33	0
18	AR	456	0	478	12	0
18	CR	456	0	478	25	0
19	AS	638	0	665	32	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	CS	638	0	665	31	0
20	AT	665	0	714	31	0
20	CT	665	0	714	34	0
21	AU	426	0	449	39	0
21	CU	426	0	449	29	0
22	BA	62195	0	31280	1058	0
22	DA	62195	0	31280	1193	1
23	BB	2549	0	1291	19	0
23	DB	2529	0	1281	44	0
24	BC	2083	0	2154	76	0
24	DC	2083	0	2154	94	0
25	BD	1565	0	1616	48	0
25	DD	1565	0	1616	55	0
26	BE	1552	0	1619	47	0
26	DE	1552	0	1619	63	0
27	BF	1411	0	1444	51	0
27	DF	1411	0	1444	50	0
28	BG	1323	0	1371	44	0
28	DG	1323	0	1371	39	0
29	BH	1110	0	1145	196	0
29	DH	1110	0	1148	91	13
30	BI	1032	0	1085	52	0
30	DI	1032	0	1085	54	0
31	BJ	1129	0	1162	28	0
31	DJ	1129	0	1162	48	0
32	BK	939	0	1012	30	0
32	DK	939	0	1012	29	0
33	BL	1045	0	1117	38	0
33	DL	1045	0	1117	46	0
34	BM	1074	0	1157	30	0
34	DM	1074	0	1157	20	0
35	BN	961	0	1000	35	0
35	DN	961	0	1000	47	0
36	BO	892	0	923	25	0
36	DO	892	0	923	42	0
37	BP	917	0	962	39	0
37	DP	917	0	962	34	0
38	BQ	947	0	1019	35	0
38	DQ	947	0	1019	44	0
39	BR	816	0	839	37	0
39	DR	816	0	839	34	0
40	BS	857	0	922	34	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
40	DS	857	0	922	25	0
41	BT	739	0	807	27	0
41	DT	739	0	807	27	0
42	BU	780	0	831	18	0
42	DU	780	0	831	44	0
43	BV	753	0	780	14	0
43	DV	753	0	780	27	0
44	BW	580	0	594	14	0
44	DW	569	0	581	18	0
45	BX	625	0	652	29	0
45	DX	625	0	652	46	0
46	BY	509	0	543	25	0
46	DY	509	0	543	24	0
47	BZ	449	0	488	7	0
47	DZ	449	0	488	15	0
48	B0	444	0	458	20	0
48	D0	444	0	458	16	0
49	B1	410	0	440	15	0
49	D1	410	0	440	14	0
50	B2	377	0	418	13	0
50	D2	377	0	418	14	0
51	B3	504	0	572	18	0
51	D3	504	0	572	17	0
52	B4	302	0	341	15	0
52	D4	302	0	340	12	0
53	B5	1142	0	865	27	0
54	B6	73	0	64	5	0
54	D6	73	0	64	7	0
55	AA	71	0	0	0	0
55	AM	1	0	0	0	0
55	BA	195	0	0	0	0
55	BB	4	0	0	0	0
55	CA	55	0	0	0	0
55	CM	1	0	0	0	0
55	DA	167	0	0	0	0
55	DB	3	0	0	0	0
55	DQ	1	0	0	0	0
56	B4	1	0	0	0	0
56	D4	1	0	0	0	0
57	AA	194	0	0	6	0
57	AL	1	0	0	0	0
57	AN	5	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
57	AT	2	0	0	0	0
57	AU	1	0	0	1	0
57	B2	1	0	0	0	0
57	B3	3	0	0	0	0
57	B4	2	0	0	0	0
57	BA	619	0	0	59	0
57	BB	13	0	0	1	0
57	BC	8	0	0	1	0
57	BD	3	0	0	2	0
57	BE	3	0	0	0	0
57	BF	1	0	0	1	0
57	BG	1	0	0	0	0
57	BL	5	0	0	1	0
57	BN	5	0	0	1	0
57	BS	1	0	0	0	0
57	BV	1	0	0	0	0
57	CA	189	0	0	10	0
57	CL	1	0	0	0	0
57	CN	3	0	0	0	0
57	CT	4	0	0	0	0
57	CU	1	0	0	1	0
57	D0	1	0	0	0	0
57	D2	2	0	0	1	0
57	D3	1	0	0	0	0
57	D4	1	0	0	0	0
57	DA	612	0	0	63	0
57	DB	13	0	0	0	0
57	DC	7	0	0	1	0
57	DD	4	0	0	1	0
57	DE	4	0	0	0	0
57	DL	4	0	0	0	0
57	DN	1	0	0	0	0
57	DQ	2	0	0	0	0
57	DT	3	0	0	0	0
57	DV	1	0	0	0	0
All	All	288328	0	192913	6784	14

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

The worst 5 of 6784 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
29:BH:83:LYS:HD2	1:CA:55:A:O2'	1.21	1.29
29:BH:117:LEU:O	29:BH:121:VAL:HG23	1.34	1.22
29:BH:117:LEU:O	29:BH:121:VAL:CG2	1.95	1.14
29:BH:97:ARG:HD2	1:CA:369:G:O2'	1.51	1.09
29:BH:123:ARG:O	29:BH:124:THR:CG2	2.01	1.09

The worst 5 of 14 symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AA:368:U:OP2	29:DH:123:ARG:NE[4_455]	1.50	0.70
1:AA:55:A:N1	29:DH:91:PHE:CE1[4_455]	1.60	0.60
1:AA:55:A:N3	29:DH:91:PHE:CZ[4_455]	1.66	0.54
1:AA:55:A:C2	29:DH:91:PHE:CE1[4_455]	1.70	0.50
1:AA:55:A:C2	29:DH:91:PHE:CZ[4_455]	1.71	0.49

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	AB	216/218 (99%)	130 (60%)	40 (18%)	46 (21%)	0	0
2	CB	216/218 (99%)	134 (62%)	47 (22%)	35 (16%)	0	0
3	AC	204/206 (99%)	158 (78%)	30 (15%)	16 (8%)	1	3
3	CC	204/206 (99%)	156 (76%)	33 (16%)	15 (7%)	1	4
4	AD	203/205 (99%)	150 (74%)	29 (14%)	24 (12%)	0	1
4	CD	203/205 (99%)	152 (75%)	29 (14%)	22 (11%)	0	1
5	AE	148/150 (99%)	112 (76%)	20 (14%)	16 (11%)	0	1
5	CE	148/150 (99%)	103 (70%)	20 (14%)	25 (17%)	0	0
6	AF	98/100 (98%)	72 (74%)	15 (15%)	11 (11%)	0	1
6	CF	98/100 (98%)	69 (70%)	14 (14%)	15 (15%)	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	AG	149/151 (99%)	110 (74%)	30 (20%)	9 (6%)	1	7
7	CG	149/151 (99%)	118 (79%)	22 (15%)	9 (6%)	1	7
8	AH	127/129 (98%)	94 (74%)	26 (20%)	7 (6%)	2	8
8	CH	127/129 (98%)	103 (81%)	17 (13%)	7 (6%)	2	8
9	AI	125/127 (98%)	96 (77%)	20 (16%)	9 (7%)	1	4
9	CI	125/127 (98%)	97 (78%)	20 (16%)	8 (6%)	1	5
10	AJ	96/98 (98%)	67 (70%)	12 (12%)	17 (18%)	0	0
10	CJ	96/98 (98%)	70 (73%)	14 (15%)	12 (12%)	0	1
11	AK	115/117 (98%)	90 (78%)	16 (14%)	9 (8%)	1	3
11	CK	115/117 (98%)	85 (74%)	21 (18%)	9 (8%)	1	3
12	AL	121/123 (98%)	96 (79%)	19 (16%)	6 (5%)	2	10
12	CL	121/123 (98%)	97 (80%)	13 (11%)	11 (9%)	1	2
13	AM	112/114 (98%)	85 (76%)	16 (14%)	11 (10%)	0	2
13	CM	112/114 (98%)	82 (73%)	19 (17%)	11 (10%)	0	2
14	AN	92/100 (92%)	61 (66%)	20 (22%)	11 (12%)	0	1
14	CN	92/100 (92%)	61 (66%)	15 (16%)	16 (17%)	0	0
15	AO	86/88 (98%)	65 (76%)	18 (21%)	3 (4%)	3	17
15	CO	86/88 (98%)	68 (79%)	14 (16%)	4 (5%)	2	11
16	AP	80/82 (98%)	49 (61%)	15 (19%)	16 (20%)	0	0
16	CP	80/82 (98%)	59 (74%)	17 (21%)	4 (5%)	2	10
17	AQ	78/80 (98%)	57 (73%)	11 (14%)	10 (13%)	0	1
17	CQ	78/80 (98%)	53 (68%)	17 (22%)	8 (10%)	0	2
18	AR	53/55 (96%)	45 (85%)	4 (8%)	4 (8%)	1	4
18	CR	53/55 (96%)	40 (76%)	8 (15%)	5 (9%)	0	2
19	AS	77/79 (98%)	55 (71%)	14 (18%)	8 (10%)	0	2
19	CS	77/79 (98%)	61 (79%)	13 (17%)	3 (4%)	3	14
20	AT	83/85 (98%)	66 (80%)	12 (14%)	5 (6%)	1	7
20	CT	83/85 (98%)	68 (82%)	9 (11%)	6 (7%)	1	4
21	AU	49/51 (96%)	29 (59%)	9 (18%)	11 (22%)	0	0
21	CU	49/51 (96%)	29 (59%)	6 (12%)	14 (29%)	0	0
24	BC	269/271 (99%)	217 (81%)	41 (15%)	11 (4%)	3	13

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
24	DC	269/271 (99%)	209 (78%)	42 (16%)	18 (7%)	1	5
25	BD	207/209 (99%)	183 (88%)	19 (9%)	5 (2%)	6	26
25	DD	207/209 (99%)	173 (84%)	29 (14%)	5 (2%)	6	26
26	BE	199/201 (99%)	171 (86%)	22 (11%)	6 (3%)	4	20
26	DE	199/201 (99%)	157 (79%)	29 (15%)	13 (6%)	1	5
27	BF	175/177 (99%)	144 (82%)	23 (13%)	8 (5%)	2	11
27	DF	175/177 (99%)	146 (83%)	17 (10%)	12 (7%)	1	4
28	BG	174/176 (99%)	147 (84%)	15 (9%)	12 (7%)	1	4
28	DG	174/176 (99%)	138 (79%)	25 (14%)	11 (6%)	1	6
29	BH	147/149 (99%)	89 (60%)	37 (25%)	21 (14%)	0	1
29	DH	147/149 (99%)	100 (68%)	32 (22%)	15 (10%)	0	2
30	BI	139/141 (99%)	78 (56%)	37 (27%)	24 (17%)	0	0
30	DI	139/141 (99%)	80 (58%)	44 (32%)	15 (11%)	0	1
31	BJ	140/142 (99%)	124 (89%)	11 (8%)	5 (4%)	3	16
31	DJ	140/142 (99%)	123 (88%)	15 (11%)	2 (1%)	11	39
32	BK	120/122 (98%)	98 (82%)	13 (11%)	9 (8%)	1	4
32	DK	120/122 (98%)	100 (83%)	14 (12%)	6 (5%)	2	10
33	BL	141/143 (99%)	109 (77%)	20 (14%)	12 (8%)	1	3
33	DL	141/143 (99%)	105 (74%)	29 (21%)	7 (5%)	2	10
34	BM	134/136 (98%)	117 (87%)	15 (11%)	2 (2%)	10	38
34	DM	134/136 (98%)	112 (84%)	19 (14%)	3 (2%)	6	28
35	BN	118/120 (98%)	96 (81%)	21 (18%)	1 (1%)	19	53
35	DN	118/120 (98%)	97 (82%)	11 (9%)	10 (8%)	1	3
36	BO	114/116 (98%)	95 (83%)	15 (13%)	4 (4%)	3	17
36	DO	114/116 (98%)	96 (84%)	14 (12%)	4 (4%)	3	17
37	BP	112/114 (98%)	98 (88%)	9 (8%)	5 (4%)	2	12
37	DP	112/114 (98%)	91 (81%)	16 (14%)	5 (4%)	2	12
38	BQ	115/117 (98%)	107 (93%)	3 (3%)	5 (4%)	2	12
38	DQ	115/117 (98%)	108 (94%)	6 (5%)	1 (1%)	17	51
39	BR	101/103 (98%)	86 (85%)	8 (8%)	7 (7%)	1	4
39	DR	101/103 (98%)	77 (76%)	20 (20%)	4 (4%)	3	14

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
40	BS	108/110 (98%)	100 (93%)	5 (5%)	3 (3%)	5	22
40	DS	108/110 (98%)	89 (82%)	14 (13%)	5 (5%)	2	11
41	BT	91/93 (98%)	70 (77%)	13 (14%)	8 (9%)	1	3
41	DT	91/93 (98%)	70 (77%)	9 (10%)	12 (13%)	0	1
42	BU	100/102 (98%)	80 (80%)	12 (12%)	8 (8%)	1	3
42	DU	100/102 (98%)	73 (73%)	17 (17%)	10 (10%)	0	2
43	BV	92/94 (98%)	85 (92%)	6 (6%)	1 (1%)	14	46
43	DV	92/94 (98%)	82 (89%)	8 (9%)	2 (2%)	6	28
44	BW	74/76 (97%)	67 (90%)	7 (10%)	0	100	100
44	DW	73/76 (96%)	65 (89%)	6 (8%)	2 (3%)	5	23
45	BX	75/77 (97%)	72 (96%)	1 (1%)	2 (3%)	5	23
45	DX	75/77 (97%)	64 (85%)	9 (12%)	2 (3%)	5	23
46	BY	61/63 (97%)	40 (66%)	12 (20%)	9 (15%)	0	1
46	DY	61/63 (97%)	49 (80%)	8 (13%)	4 (7%)	1	5
47	BZ	56/58 (97%)	52 (93%)	4 (7%)	0	100	100
47	DZ	56/58 (97%)	53 (95%)	1 (2%)	2 (4%)	3	16
48	B0	54/56 (96%)	46 (85%)	5 (9%)	3 (6%)	2	8
48	D0	54/56 (96%)	41 (76%)	11 (20%)	2 (4%)	3	15
49	B1	48/50 (96%)	38 (79%)	6 (12%)	4 (8%)	1	3
49	D1	48/50 (96%)	37 (77%)	8 (17%)	3 (6%)	1	6
50	B2	44/46 (96%)	39 (89%)	3 (7%)	2 (4%)	2	12
50	D2	44/46 (96%)	38 (86%)	4 (9%)	2 (4%)	2	12
51	B3	62/64 (97%)	56 (90%)	5 (8%)	1 (2%)	9	36
51	D3	62/64 (97%)	54 (87%)	7 (11%)	1 (2%)	9	36
52	B4	36/38 (95%)	33 (92%)	3 (8%)	0	100	100
52	D4	36/38 (95%)	33 (92%)	1 (3%)	2 (6%)	2	8
53	B5	183/228 (80%)	94 (51%)	54 (30%)	35 (19%)	0	0
54	B6	2/8 (25%)	2 (100%)	0	0	100	100
54	D6	2/8 (25%)	2 (100%)	0	0	100	100
All	All	11422/11688 (98%)	8887 (78%)	1654 (14%)	881 (8%)	1	4

5 of 881 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	AB	16	PHE
2	AB	22	TYR
2	AB	34	ALA
2	AB	64	LYS
2	AB	73	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	AB	180/180 (100%)	113 (63%)	67 (37%)	0	0
2	CB	180/180 (100%)	129 (72%)	51 (28%)	0	1
3	AC	170/170 (100%)	132 (78%)	38 (22%)	1	3
3	CC	170/170 (100%)	131 (77%)	39 (23%)	1	3
4	AD	172/172 (100%)	129 (75%)	43 (25%)	0	2
4	CD	172/172 (100%)	138 (80%)	34 (20%)	1	6
5	AE	113/113 (100%)	85 (75%)	28 (25%)	0	2
5	CE	113/113 (100%)	85 (75%)	28 (25%)	0	2
6	AF	87/87 (100%)	64 (74%)	23 (26%)	0	2
6	CF	87/87 (100%)	63 (72%)	24 (28%)	0	1
7	AG	124/124 (100%)	94 (76%)	30 (24%)	0	2
7	CG	124/124 (100%)	91 (73%)	33 (27%)	0	2
8	AH	104/104 (100%)	79 (76%)	25 (24%)	0	2
8	CH	104/104 (100%)	83 (80%)	21 (20%)	1	5
9	AI	105/105 (100%)	74 (70%)	31 (30%)	0	1
9	CI	105/105 (100%)	77 (73%)	28 (27%)	0	2
10	AJ	86/86 (100%)	64 (74%)	22 (26%)	0	2
10	CJ	86/86 (100%)	67 (78%)	19 (22%)	1	3
11	AK	90/90 (100%)	66 (73%)	24 (27%)	0	2
11	CK	90/90 (100%)	69 (77%)	21 (23%)	1	3

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
12	AL	103/103 (100%)	84 (82%)	19 (18%)	1	7
12	CL	103/103 (100%)	78 (76%)	25 (24%)	0	2
13	AM	92/92 (100%)	74 (80%)	18 (20%)	1	6
13	CM	92/92 (100%)	70 (76%)	22 (24%)	0	2
14	AN	79/83 (95%)	61 (77%)	18 (23%)	1	3
14	CN	79/83 (95%)	68 (86%)	11 (14%)	3	14
15	AO	75/76 (99%)	59 (79%)	16 (21%)	1	4
15	CO	75/76 (99%)	57 (76%)	18 (24%)	0	2
16	AP	65/65 (100%)	52 (80%)	13 (20%)	1	5
16	CP	65/65 (100%)	49 (75%)	16 (25%)	0	2
17	AQ	74/74 (100%)	52 (70%)	22 (30%)	0	1
17	CQ	74/74 (100%)	53 (72%)	21 (28%)	0	1
18	AR	48/48 (100%)	41 (85%)	7 (15%)	3	13
18	CR	48/48 (100%)	39 (81%)	9 (19%)	1	7
19	AS	70/70 (100%)	57 (81%)	13 (19%)	1	7
19	CS	70/70 (100%)	55 (79%)	15 (21%)	1	4
20	AT	65/65 (100%)	46 (71%)	19 (29%)	0	1
20	CT	65/65 (100%)	48 (74%)	17 (26%)	0	2
21	AU	44/44 (100%)	27 (61%)	17 (39%)	0	0
21	CU	44/44 (100%)	32 (73%)	12 (27%)	0	1
24	BC	216/216 (100%)	190 (88%)	26 (12%)	5	19
24	DC	216/216 (100%)	180 (83%)	36 (17%)	2	9
25	BD	164/164 (100%)	147 (90%)	17 (10%)	7	24
25	DD	164/164 (100%)	144 (88%)	20 (12%)	5	19
26	BE	165/165 (100%)	138 (84%)	27 (16%)	2	9
26	DE	165/165 (100%)	133 (81%)	32 (19%)	1	6
27	BF	148/148 (100%)	121 (82%)	27 (18%)	1	7
27	DF	148/148 (100%)	118 (80%)	30 (20%)	1	5
28	BG	137/137 (100%)	117 (85%)	20 (15%)	3	13
28	DG	137/137 (100%)	123 (90%)	14 (10%)	7	25
29	BH	114/114 (100%)	88 (77%)	26 (23%)	1	3

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
29	DH	114/114 (100%)	88 (77%)	26 (23%)	1	3
30	BI	109/109 (100%)	86 (79%)	23 (21%)	1	4
30	DI	109/109 (100%)	84 (77%)	25 (23%)	1	3
31	BJ	116/116 (100%)	103 (89%)	13 (11%)	6	22
31	DJ	116/116 (100%)	102 (88%)	14 (12%)	5	19
32	BK	103/103 (100%)	93 (90%)	10 (10%)	8	28
32	DK	103/103 (100%)	90 (87%)	13 (13%)	4	17
33	BL	102/102 (100%)	85 (83%)	17 (17%)	2	9
33	DL	102/102 (100%)	81 (79%)	21 (21%)	1	4
34	BM	109/109 (100%)	97 (89%)	12 (11%)	6	22
34	DM	109/109 (100%)	97 (89%)	12 (11%)	6	22
35	BN	100/100 (100%)	87 (87%)	13 (13%)	4	16
35	DN	100/100 (100%)	83 (83%)	17 (17%)	2	9
36	BO	86/86 (100%)	64 (74%)	22 (26%)	0	2
36	DO	86/86 (100%)	72 (84%)	14 (16%)	2	9
37	BP	99/99 (100%)	88 (89%)	11 (11%)	6	22
37	DP	99/99 (100%)	80 (81%)	19 (19%)	1	6
38	BQ	89/89 (100%)	74 (83%)	15 (17%)	2	9
38	DQ	89/89 (100%)	76 (85%)	13 (15%)	3	13
39	BR	84/84 (100%)	73 (87%)	11 (13%)	4	16
39	DR	84/84 (100%)	70 (83%)	14 (17%)	2	9
40	BS	93/93 (100%)	78 (84%)	15 (16%)	2	10
40	DS	93/93 (100%)	77 (83%)	16 (17%)	2	8
41	BT	80/80 (100%)	68 (85%)	12 (15%)	3	12
41	DT	80/80 (100%)	66 (82%)	14 (18%)	2	8
42	BU	83/83 (100%)	68 (82%)	15 (18%)	1	7
42	DU	83/83 (100%)	64 (77%)	19 (23%)	1	3
43	BV	78/78 (100%)	66 (85%)	12 (15%)	2	11
43	DV	78/78 (100%)	67 (86%)	11 (14%)	3	14
44	BW	57/58 (98%)	53 (93%)	4 (7%)	15	43
44	DW	56/58 (97%)	49 (88%)	7 (12%)	4	17

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
45	BX	67/67 (100%)	55 (82%)	12 (18%)	2	7
45	DX	67/67 (100%)	55 (82%)	12 (18%)	2	7
46	BY	55/55 (100%)	48 (87%)	7 (13%)	4	17
46	DY	55/55 (100%)	43 (78%)	12 (22%)	1	4
47	BZ	48/48 (100%)	43 (90%)	5 (10%)	7	24
47	DZ	48/48 (100%)	38 (79%)	10 (21%)	1	4
48	B0	47/47 (100%)	40 (85%)	7 (15%)	3	12
48	D0	47/47 (100%)	42 (89%)	5 (11%)	6	24
49	B1	45/45 (100%)	38 (84%)	7 (16%)	2	11
49	D1	45/45 (100%)	39 (87%)	6 (13%)	4	15
50	B2	38/38 (100%)	32 (84%)	6 (16%)	2	10
50	D2	38/38 (100%)	32 (84%)	6 (16%)	2	10
51	B3	51/51 (100%)	46 (90%)	5 (10%)	8	27
51	D3	51/51 (100%)	46 (90%)	5 (10%)	8	27
52	B4	34/34 (100%)	30 (88%)	4 (12%)	5	20
52	D4	34/34 (100%)	28 (82%)	6 (18%)	2	8
53	B5	61/180 (34%)	48 (79%)	13 (21%)	1	4
54	B6	2/2 (100%)	2 (100%)	0	100	100
54	D6	2/2 (100%)	2 (100%)	0	100	100
All	All	9390/9522 (99%)	7570 (81%)	1820 (19%)	1	6

5 of 1820 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	CB	89	GLN
46	DY	16	THR
9	CI	48	VAL
44	DW	38	VAL
33	DL	118	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 57 such sidechains are listed below:

Mol	Chain	Res	Type
2	CB	51	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
49	D1	26	ASN
10	CJ	70	HIS
46	DY	45	GLN
37	DP	7	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1537/1539 (99%)	357 (23%)	16 (1%)
1	CA	1538/1539 (99%)	337 (21%)	9 (0%)
22	BA	2895/2903 (99%)	563 (19%)	28 (0%)
22	DA	2895/2903 (99%)	643 (22%)	34 (1%)
23	BB	118/119 (99%)	23 (19%)	0
23	DB	117/119 (98%)	25 (21%)	0
All	All	9100/9122 (99%)	1948 (21%)	87 (0%)

5 of 1948 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	4	U
1	AA	5	U
1	AA	7	A
1	AA	9	G
1	AA	13	U

5 of 87 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
22	DA	479	A
22	DA	1738	G
22	DA	529	A
22	DA	1089	A
22	DA	2146	C

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

10 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
54	MHW	B6	1	54	9,9,10	1.63	1 (11%)	10,11,13	2.52	4 (40%)
54	004	B6	7	54	9,10,11	1.50	1 (11%)	9,12,14	2.51	4 (44%)
54	MHV	D6	6	54	7,9,10	0.93	0	7,11,13	3.83	4 (57%)
54	DBB	D6	3	54	4,5,6	1.15	0	1,5,7	2.63	1 (100%)
54	MHU	B6	5	54	14,15,16	1.71	3 (21%)	18,19,21	1.55	4 (22%)
54	MHV	B6	6	54	7,9,10	1.41	1 (14%)	7,11,13	3.59	3 (42%)
54	004	D6	7	54	9,10,11	0.55	0	9,12,14	0.56	0
54	MHW	D6	1	54	9,9,10	1.76	1 (11%)	10,11,13	3.43	4 (40%)
54	DBB	B6	3	54	4,5,6	1.48	1 (25%)	1,5,7	2.96	1 (100%)
54	MHU	D6	5	54	14,15,16	1.93	3 (21%)	18,19,21	2.11	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
54	MHW	B6	1	54	-	0/2/2/4	0/1/1/1
54	004	B6	7	54	-	1/4/6/8	0/1/1/1
54	MHV	D6	6	54	-	0/1/12/14	0/1/1/1
54	DBB	D6	3	54	-	0/3/4/6	-
54	MHU	B6	5	54	-	0/9/12/14	0/1/1/1
54	MHV	B6	6	54	-	0/1/12/14	0/1/1/1
54	004	D6	7	54	-	2/4/6/8	0/1/1/1
54	MHW	D6	1	54	-	0/2/2/4	0/1/1/1
54	DBB	B6	3	54	-	0/3/4/6	-
54	MHU	D6	5	54	-	0/9/12/14	0/1/1/1

The worst 5 of 11 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
54	D6	5	MHU	CZ-NZ	5.60	1.50	1.37
54	B6	5	MHU	CZ-NZ	5.08	1.49	1.37
54	D6	1	MHW	CA-C	4.31	1.53	1.48
54	B6	7	004	CB-CA	-4.21	1.48	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
54	B6	1	MHW	CA-C	3.78	1.52	1.48

The worst 5 of 27 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
54	D6	6	MHV	CD2-CE-N	-8.94	90.50	110.03
54	B6	6	MHV	CD2-CE-N	-8.15	92.22	110.03
54	D6	5	MHU	CG-CB-CA	7.90	124.94	113.63
54	D6	1	MHW	CD-CE-N	7.04	134.92	123.43
54	D6	1	MHW	O-C-CA	-5.68	118.84	124.22

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
54	B6	7	004	C-CA-CB-CG1
54	D6	7	004	C-CA-CB-CG1
54	D6	7	004	C-CA-CB-CG2

There are no ring outliers.

4 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
54	D6	6	MHV	3	0
54	B6	5	MHU	1	0
54	D6	7	004	6	0
54	B6	3	DBB	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 500 ligands modelled in this entry, 500 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AA	1538/1539 (99%)	0.07	46 (2%) 50 34	15, 50, 134, 177	0
1	CA	1539/1539 (100%)	0.42	117 (7%) 13 7	29, 70, 143, 176	0
2	AB	218/218 (100%)	1.00	43 (19%) 1 0	39, 71, 98, 131	0
2	CB	218/218 (100%)	1.53	79 (36%) 0 0	55, 80, 108, 126	0
3	AC	206/206 (100%)	0.36	13 (6%) 20 11	36, 56, 81, 95	0
3	CC	206/206 (100%)	1.57	63 (30%) 0 0	52, 73, 93, 114	0
4	AD	205/205 (100%)	0.80	27 (13%) 3 2	33, 55, 80, 109	0
4	CD	205/205 (100%)	0.38	15 (7%) 15 8	23, 40, 75, 93	0
5	AE	150/150 (100%)	0.43	5 (3%) 46 30	32, 49, 82, 111	0
5	CE	150/150 (100%)	0.65	11 (7%) 15 8	35, 56, 83, 105	0
6	AF	100/100 (100%)	0.34	8 (8%) 12 7	34, 55, 75, 85	0
6	CF	100/100 (100%)	0.88	16 (16%) 1 1	44, 72, 97, 105	0
7	AG	151/151 (100%)	1.14	34 (22%) 0 0	48, 73, 96, 107	0
7	CG	151/151 (100%)	3.14	101 (66%) 0 0	75, 92, 105, 113	0
8	AH	129/129 (100%)	0.31	2 (1%) 72 55	28, 47, 71, 80	0
8	CH	129/129 (100%)	0.91	17 (13%) 3 2	46, 63, 83, 90	0
9	AI	127/127 (100%)	1.07	25 (19%) 1 0	42, 68, 96, 115	0
9	CI	127/127 (100%)	2.14	62 (48%) 0 0	64, 87, 106, 131	0
10	AJ	98/98 (100%)	1.07	16 (16%) 1 1	42, 62, 93, 120	0
10	CJ	98/98 (100%)	3.36	65 (66%) 0 0	66, 89, 108, 122	0
11	AK	117/117 (100%)	0.90	20 (17%) 1 1	29, 61, 88, 106	0
11	CK	117/117 (100%)	0.62	11 (9%) 8 5	35, 63, 82, 90	0
12	AL	123/123 (100%)	0.41	5 (4%) 37 24	23, 36, 72, 102	0
12	CL	123/123 (100%)	0.80	9 (7%) 15 8	38, 50, 80, 102	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
13	AM	114/114 (100%)	0.66	15 (13%)	3 2	43, 66, 91, 105	0
13	CM	114/114 (100%)	3.44	85 (74%)	0 0	80, 98, 113, 118	0
14	AN	96/100 (96%)	0.81	17 (17%)	1 1	39, 56, 93, 108	0
14	CN	96/100 (96%)	2.80	57 (59%)	0 0	60, 88, 106, 119	0
15	AO	88/88 (100%)	0.46	6 (6%)	17 10	31, 49, 66, 99	0
15	CO	88/88 (100%)	0.74	7 (7%)	12 7	42, 62, 84, 108	0
16	AP	82/82 (100%)	0.95	14 (17%)	1 1	35, 46, 80, 103	0
16	CP	82/82 (100%)	1.57	20 (24%)	0 0	43, 61, 87, 105	0
17	AQ	80/80 (100%)	0.66	6 (7%)	14 8	30, 55, 85, 123	0
17	CQ	80/80 (100%)	1.59	24 (30%)	0 0	42, 69, 97, 108	0
18	AR	55/55 (100%)	0.68	6 (10%)	5 3	38, 51, 76, 113	0
18	CR	55/55 (100%)	0.92	8 (14%)	2 1	40, 54, 83, 113	0
19	AS	79/79 (100%)	0.88	12 (15%)	2 1	45, 66, 92, 97	0
19	CS	79/79 (100%)	4.00	57 (72%)	0 0	79, 98, 113, 126	0
20	AT	85/85 (100%)	0.72	7 (8%)	11 6	35, 48, 74, 115	0
20	CT	85/85 (100%)	2.31	41 (48%)	0 0	52, 69, 91, 98	0
21	AU	51/51 (100%)	1.51	14 (27%)	0 0	49, 70, 92, 105	0
21	CU	51/51 (100%)	1.06	9 (17%)	1 1	43, 67, 92, 107	0
22	BA	2897/2903 (99%)	0.32	125 (4%)	35 22	3, 18, 128, 196	0
22	DA	2897/2903 (99%)	0.60	218 (7%)	14 8	42, 82, 142, 182	0
23	BB	119/119 (100%)	-0.24	0	100 100	6, 26, 52, 94	0
23	DB	118/119 (99%)	0.37	6 (5%)	28 17	68, 109, 131, 143	0
24	BC	271/271 (100%)	0.06	3 (1%)	80 65	8, 24, 44, 65	0
24	DC	271/271 (100%)	1.27	62 (22%)	0 0	40, 60, 76, 84	0
25	BD	209/209 (100%)	0.08	0	100 100	4, 15, 42, 69	0
25	DD	209/209 (100%)	1.40	58 (27%)	0 0	47, 64, 83, 99	0
26	BE	201/201 (100%)	0.05	1 (0%)	91 81	4, 27, 54, 95	0
26	DE	201/201 (100%)	2.16	98 (48%)	0 0	38, 76, 96, 108	0
27	BF	177/177 (100%)	0.40	10 (5%)	24 15	23, 44, 86, 104	0
27	DF	177/177 (100%)	3.92	146 (82%)	0 0	79, 97, 113, 125	0
28	BG	176/176 (100%)	0.48	12 (6%)	17 10	21, 39, 66, 95	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
28	DG	176/176 (100%)	2.44	99 (56%) 0 0	66, 85, 103, 117	0
29	BH	149/149 (100%)	4.62	112 (75%) 0 0	25, 102, 121, 129	0
29	DH	149/149 (100%)	2.43	74 (49%) 0 0	25, 92, 107, 115	0
30	BI	141/141 (100%)	3.81	94 (66%) 0 0	80, 104, 120, 136	0
30	DI	141/141 (100%)	5.67	130 (92%) 0 0	91, 110, 121, 124	0
31	BJ	142/142 (100%)	-0.06	1 (0%) 87 76	5, 12, 32, 54	0
31	DJ	142/142 (100%)	1.30	34 (23%) 0 0	49, 64, 80, 96	0
32	BK	122/122 (100%)	-0.07	1 (0%) 86 73	7, 16, 40, 68	0
32	DK	122/122 (100%)	1.40	36 (29%) 0 0	47, 60, 81, 95	0
33	BL	143/143 (100%)	0.13	3 (2%) 63 46	4, 26, 49, 80	0
33	DL	143/143 (100%)	2.46	77 (53%) 0 0	45, 72, 90, 111	0
34	BM	136/136 (100%)	-0.07	0 100 100	6, 16, 34, 93	0
34	DM	136/136 (100%)	1.28	36 (26%) 0 0	40, 64, 82, 110	0
35	BN	120/120 (100%)	-0.05	0 100 100	7, 13, 25, 70	0
35	DN	120/120 (100%)	1.87	41 (34%) 0 0	50, 71, 88, 109	0
36	BO	116/116 (100%)	0.12	2 (1%) 70 53	18, 29, 52, 59	0
36	DO	116/116 (100%)	3.13	78 (67%) 0 0	64, 86, 100, 113	0
37	BP	114/114 (100%)	0.08	2 (1%) 68 51	10, 22, 49, 73	0
37	DP	114/114 (100%)	1.42	36 (31%) 0 0	51, 66, 84, 91	0
38	BQ	117/117 (100%)	-0.03	0 100 100	3, 8, 21, 57	0
38	DQ	117/117 (100%)	1.49	40 (34%) 0 0	46, 65, 79, 83	0
39	BR	103/103 (100%)	-0.09	0 100 100	4, 15, 37, 64	0
39	DR	103/103 (100%)	2.01	45 (43%) 0 0	49, 72, 86, 96	0
40	BS	110/110 (100%)	0.02	1 (0%) 84 71	4, 9, 27, 89	0
40	DS	110/110 (100%)	2.49	61 (55%) 0 0	53, 69, 89, 97	0
41	BT	93/93 (100%)	0.57	7 (7%) 14 8	15, 28, 83, 100	0
41	DT	93/93 (100%)	3.17	66 (70%) 0 0	60, 79, 102, 110	0
42	BU	102/102 (100%)	0.16	4 (3%) 39 25	15, 32, 62, 95	0
42	DU	102/102 (100%)	4.12	75 (73%) 0 0	61, 82, 103, 109	0
43	BV	94/94 (100%)	0.01	2 (2%) 63 46	11, 24, 48, 59	0
43	DV	94/94 (100%)	1.11	17 (18%) 1 1	60, 78, 93, 98	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
44	BW	76/76 (100%)	0.13	2 (2%) 56 39	10, 17, 37, 56	0
44	DW	75/76 (98%)	2.25	38 (50%) 0 0	49, 75, 86, 107	0
45	BX	77/77 (100%)	0.15	4 (5%) 27 17	11, 28, 53, 81	0
45	DX	77/77 (100%)	1.54	25 (32%) 0 0	49, 66, 84, 89	0
46	BY	63/63 (100%)	0.59	5 (7%) 12 7	21, 42, 71, 93	0
46	DY	63/63 (100%)	2.32	30 (47%) 0 0	63, 86, 95, 104	0
47	BZ	58/58 (100%)	-0.02	0 100 100	7, 11, 34, 40	0
47	DZ	58/58 (100%)	1.32	18 (31%) 0 0	50, 69, 82, 89	0
48	B0	56/56 (100%)	-0.09	0 100 100	4, 14, 38, 77	0
48	D0	56/56 (100%)	2.01	19 (33%) 0 0	49, 69, 90, 106	0
49	B1	50/50 (100%)	0.24	2 (4%) 38 25	19, 33, 61, 95	0
49	D1	50/50 (100%)	2.12	24 (48%) 0 0	63, 79, 91, 103	0
50	B2	46/46 (100%)	0.09	1 (2%) 62 45	8, 14, 22, 97	0
50	D2	46/46 (100%)	1.96	17 (36%) 0 0	47, 64, 78, 100	0
51	B3	64/64 (100%)	0.17	1 (1%) 72 55	10, 16, 26, 37	0
51	D3	64/64 (100%)	1.76	23 (35%) 0 0	53, 67, 79, 83	0
52	B4	38/38 (100%)	0.40	1 (2%) 56 39	13, 23, 38, 60	0
52	D4	38/38 (100%)	2.95	24 (63%) 0 0	56, 71, 84, 96	0
53	B5	191/228 (83%)	7.09	185 (96%) 0 0	71, 107, 119, 133	0
54	B6	2/8 (25%)	0.31	0 100 100	6, 6, 6, 8	0
54	D6	2/8 (25%)	1.02	0 100 100	41, 41, 41, 44	0
All	All	20738/20810 (99%)	0.94	3547 (17%) 1 1	3, 61, 117, 196	0

The worst 5 of 3547 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
29	BH	96	THR	24.1
53	B5	111	PHE	22.9
30	DI	2	ALA	21.9
22	BA	2184	A	20.6
29	BH	113	SER	20.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
54	MHW	D6	1	9/10	0.77	0.33	49,54,56,59	0
54	MHU	D6	5	15/16	0.89	0.36	37,42,54,56	0
54	004	D6	7	10/11	0.90	0.20	38,42,48,48	0
54	DBB	D6	3	6/7	0.91	0.28	37,40,41,43	0
54	MHV	D6	6	9/10	0.92	0.16	39,40,42,43	0
54	MHW	B6	1	9/10	0.95	0.21	12,14,18,21	0
54	MHU	B6	5	15/16	0.97	0.23	0,5,18,21	0
54	004	B6	7	10/11	0.97	0.29	3,6,7,10	0
54	DBB	B6	3	6/7	0.97	0.22	6,8,10,15	0
54	MHV	B6	6	9/10	0.98	0.16	2,6,13,14	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
55	MG	CA	1636	1/1	0.30	0.26	79,79,79,79	0
55	MG	CA	1609	1/1	0.31	0.21	58,58,58,58	0
55	MG	DA	3005	1/1	0.35	0.23	66,66,66,66	0
55	MG	DA	3048	1/1	0.36	0.20	51,51,51,51	0
55	MG	DA	3070	1/1	0.38	0.34	58,58,58,58	0
55	MG	DA	3004	1/1	0.47	0.33	64,64,64,64	0
55	MG	DA	3060	1/1	0.47	1.17	61,61,61,61	0
55	MG	DA	3046	1/1	0.47	0.25	53,53,53,53	0
55	MG	DA	3099	1/1	0.49	0.18	53,53,53,53	0
55	MG	CA	1604	1/1	0.51	0.17	70,70,70,70	0
55	MG	CA	1602	1/1	0.52	0.10	61,61,61,61	0
55	MG	DA	3001	1/1	0.53	0.19	43,43,43,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
55	MG	DA	3102	1/1	0.53	0.21	45,45,45,45	0
55	MG	DA	3131	1/1	0.53	0.90	71,71,71,71	0
55	MG	BA	3044	1/1	0.57	0.15	20,20,20,20	0
55	MG	DA	3155	1/1	0.57	0.74	44,44,44,44	0
55	MG	DA	3163	1/1	0.57	0.31	51,51,51,51	0
55	MG	DA	3127	1/1	0.58	0.13	47,47,47,47	0
55	MG	BA	3015	1/1	0.59	0.41	52,52,52,52	0
55	MG	CA	1611	1/1	0.59	0.19	55,55,55,55	0
55	MG	CA	1635	1/1	0.60	0.18	76,76,76,76	0
55	MG	DA	3136	1/1	0.60	0.10	57,57,57,57	0
55	MG	DA	3077	1/1	0.61	0.08	59,59,59,59	0
55	MG	CA	1638	1/1	0.62	0.21	55,55,55,55	0
55	MG	AA	1638	1/1	0.62	0.12	51,51,51,51	0
55	MG	DA	3106	1/1	0.62	0.13	56,56,56,56	0
55	MG	BA	3004	1/1	0.62	0.15	33,33,33,33	0
55	MG	DA	3049	1/1	0.63	0.10	49,49,49,49	0
55	MG	DA	3056	1/1	0.64	0.24	51,51,51,51	0
55	MG	AA	1614	1/1	0.64	0.44	53,53,53,53	0
55	MG	DA	3023	1/1	0.64	0.18	35,35,35,35	0
55	MG	DA	3040	1/1	0.64	0.26	57,57,57,57	0
55	MG	AA	1624	1/1	0.65	0.17	39,39,39,39	0
55	MG	DA	3086	1/1	0.65	0.13	53,53,53,53	0
55	MG	AA	1657	1/1	0.65	0.61	40,40,40,40	0
55	MG	AA	1630	1/1	0.65	0.20	49,49,49,49	0
55	MG	DA	3009	1/1	0.65	0.12	57,57,57,57	0
55	MG	DA	3043	1/1	0.66	0.21	54,54,54,54	0
55	MG	DA	3015	1/1	0.66	0.64	56,56,56,56	0
55	MG	DA	3041	1/1	0.66	0.36	53,53,53,53	0
55	MG	DA	3111	1/1	0.66	0.12	42,42,42,42	0
55	MG	DA	3113	1/1	0.66	0.16	42,42,42,42	0
55	MG	DA	3135	1/1	0.67	0.25	47,47,47,47	0
55	MG	DA	3016	1/1	0.67	0.41	53,53,53,53	0
55	MG	DA	3091	1/1	0.67	0.65	71,71,71,71	0
55	MG	CA	1633	1/1	0.67	0.45	54,54,54,54	0
55	MG	AA	1608	1/1	0.68	0.21	24,24,24,24	0
55	MG	DA	3119	1/1	0.68	0.63	68,68,68,68	0
55	MG	DA	3093	1/1	0.68	0.14	65,65,65,65	0
55	MG	BA	3045	1/1	0.68	0.20	13,13,13,13	0
55	MG	DA	3087	1/1	0.69	0.14	51,51,51,51	0
55	MG	DA	3026	1/1	0.69	0.10	53,53,53,53	0
55	MG	DA	3010	1/1	0.69	0.11	48,48,48,48	0
55	MG	CA	1621	1/1	0.70	0.11	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
55	MG	AA	1615	1/1	0.70	0.12	46,46,46,46	0
55	MG	BA	3052	1/1	0.70	0.15	8,8,8,8	0
55	MG	DA	3115	1/1	0.70	0.18	58,58,58,58	0
55	MG	DA	3047	1/1	0.70	0.31	66,66,66,66	0
55	MG	DA	3121	1/1	0.70	0.16	41,41,41,41	0
55	MG	BA	3168	1/1	0.71	0.32	18,18,18,18	0
55	MG	DA	3090	1/1	0.71	0.20	58,58,58,58	0
55	MG	DA	3018	1/1	0.71	0.18	57,57,57,57	0
55	MG	BA	3029	1/1	0.71	0.11	15,15,15,15	0
55	MG	DA	3143	1/1	0.71	0.30	46,46,46,46	0
55	MG	DA	3078	1/1	0.71	0.10	64,64,64,64	0
55	MG	CA	1652	1/1	0.71	0.17	39,39,39,39	0
55	MG	AA	1610	1/1	0.72	0.16	49,49,49,49	0
55	MG	BA	3048	1/1	0.72	0.09	16,16,16,16	0
55	MG	CA	1617	1/1	0.72	0.15	35,35,35,35	0
55	MG	CA	1601	1/1	0.73	0.11	33,33,33,33	0
55	MG	AA	1634	1/1	0.73	0.17	36,36,36,36	0
55	MG	DA	3025	1/1	0.73	0.45	49,49,49,49	0
55	MG	CA	1637	1/1	0.73	0.38	51,51,51,51	0
55	MG	DA	3103	1/1	0.74	0.13	48,48,48,48	0
55	MG	BA	3188	1/1	0.74	0.18	27,27,27,27	0
55	MG	BA	3057	1/1	0.75	0.20	20,20,20,20	0
55	MG	DA	3124	1/1	0.75	0.38	59,59,59,59	0
55	MG	DA	3045	1/1	0.75	0.21	53,53,53,53	0
55	MG	BA	3023	1/1	0.76	0.15	15,15,15,15	0
55	MG	CA	1605	1/1	0.76	0.37	57,57,57,57	0
55	MG	DA	3055	1/1	0.76	0.50	53,53,53,53	0
55	MG	DA	3033	1/1	0.76	0.23	45,45,45,45	0
55	MG	DA	3034	1/1	0.76	0.30	56,56,56,56	0
55	MG	BB	201	1/1	0.76	0.10	28,28,28,28	0
55	MG	AA	1659	1/1	0.77	0.52	34,34,34,34	0
55	MG	DA	3117	1/1	0.77	0.06	49,49,49,49	0
55	MG	BA	3079	1/1	0.77	0.11	28,28,28,28	0
55	MG	DA	3092	1/1	0.77	0.44	62,62,62,62	0
55	MG	BA	3085	1/1	0.77	0.15	7,7,7,7	0
55	MG	DA	3062	1/1	0.77	0.14	44,44,44,44	0
55	MG	BA	3098	1/1	0.77	0.34	58,58,58,58	0
55	MG	AA	1631	1/1	0.77	0.13	42,42,42,42	0
55	MG	DA	3104	1/1	0.77	0.14	54,54,54,54	0
55	MG	BA	3179	1/1	0.77	0.47	39,39,39,39	0
55	MG	AA	1617	1/1	0.77	0.18	44,44,44,44	0
55	MG	DA	3037	1/1	0.77	0.10	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
55	MG	CA	1628	1/1	0.78	0.39	64,64,64,64	0
55	MG	AA	1637	1/1	0.78	0.18	18,18,18,18	0
55	MG	DA	3011	1/1	0.78	0.17	46,46,46,46	0
55	MG	DA	3013	1/1	0.78	0.37	45,45,45,45	0
55	MG	DA	3084	1/1	0.78	0.30	56,56,56,56	0
55	MG	AA	1632	1/1	0.78	0.14	40,40,40,40	0
55	MG	BA	3009	1/1	0.78	0.13	6,6,6,6	0
55	MG	BA	3108	1/1	0.78	0.28	1,1,1,1	0
55	MG	CA	1606	1/1	0.78	0.29	52,52,52,52	0
55	MG	BA	3047	1/1	0.78	0.14	34,34,34,34	0
55	MG	DA	3054	1/1	0.78	0.28	44,44,44,44	0
55	MG	AA	1648	1/1	0.78	0.29	38,38,38,38	0
55	MG	AA	1623	1/1	0.78	0.13	42,42,42,42	0
55	MG	DA	3057	1/1	0.78	0.62	54,54,54,54	0
55	MG	BA	3025	1/1	0.78	0.25	40,40,40,40	0
55	MG	DA	3021	1/1	0.79	0.12	38,38,38,38	0
55	MG	BA	3061	1/1	0.79	0.47	55,55,55,55	0
55	MG	CM	201	1/1	0.79	0.32	46,46,46,46	0
55	MG	BA	3154	1/1	0.79	0.20	29,29,29,29	0
55	MG	BA	3030	1/1	0.79	0.28	10,10,10,10	0
55	MG	DA	3160	1/1	0.79	0.30	35,35,35,35	0
55	MG	DA	3061	1/1	0.79	0.98	53,53,53,53	0
55	MG	AA	1620	1/1	0.80	0.11	44,44,44,44	0
55	MG	DA	3095	1/1	0.80	0.10	49,49,49,49	0
55	MG	DA	3076	1/1	0.80	0.33	48,48,48,48	0
55	MG	AA	1605	1/1	0.80	0.16	32,32,32,32	0
55	MG	BA	3150	1/1	0.80	0.24	42,42,42,42	0
55	MG	DA	3012	1/1	0.80	0.16	40,40,40,40	0
55	MG	DA	3024	1/1	0.80	0.17	45,45,45,45	0
55	MG	BA	3090	1/1	0.80	0.08	17,17,17,17	0
55	MG	DA	3007	1/1	0.80	0.26	54,54,54,54	0
55	MG	DA	3159	1/1	0.80	0.17	39,39,39,39	0
55	MG	DA	3028	1/1	0.80	0.09	50,50,50,50	0
55	MG	DA	3031	1/1	0.80	0.23	50,50,50,50	0
55	MG	CA	1626	1/1	0.81	0.08	42,42,42,42	0
55	MG	AA	1635	1/1	0.81	0.18	37,37,37,37	0
55	MG	AA	1618	1/1	0.81	0.11	35,35,35,35	0
55	MG	DA	3133	1/1	0.81	0.58	57,57,57,57	0
55	MG	DA	3038	1/1	0.81	0.09	42,42,42,42	0
55	MG	DA	3017	1/1	0.81	0.13	40,40,40,40	0
55	MG	BA	3087	1/1	0.81	0.10	18,18,18,18	0
55	MG	DA	3029	1/1	0.81	0.27	41,41,41,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
55	MG	DA	3118	1/1	0.81	0.12	45,45,45,45	0
55	MG	DA	3080	1/1	0.81	0.11	39,39,39,39	0
55	MG	DA	3006	1/1	0.81	0.37	64,64,64,64	0
55	MG	DA	3044	1/1	0.82	0.10	61,61,61,61	0
55	MG	BA	3008	1/1	0.82	0.12	9,9,9,9	0
55	MG	CA	1655	1/1	0.82	0.60	44,44,44,44	0
55	MG	DA	3110	1/1	0.82	0.37	57,57,57,57	0
55	MG	CA	1631	1/1	0.82	0.25	62,62,62,62	0
55	MG	BB	203	1/1	0.82	0.09	10,10,10,10	0
55	MG	DA	3137	1/1	0.82	0.46	42,42,42,42	0
55	MG	AA	1639	1/1	0.82	0.06	51,51,51,51	0
55	MG	BA	3060	1/1	0.82	0.37	33,33,33,33	0
55	MG	AA	1644	1/1	0.82	0.26	32,32,32,32	0
55	MG	DA	3079	1/1	0.82	0.11	62,62,62,62	0
55	MG	BA	3019	1/1	0.82	0.24	3,3,3,3	0
55	MG	BA	3003	1/1	0.83	0.11	20,20,20,20	0
55	MG	DA	3116	1/1	0.83	0.20	51,51,51,51	0
55	MG	AA	1627	1/1	0.83	0.34	43,43,43,43	0
55	MG	CA	1627	1/1	0.83	0.12	59,59,59,59	0
55	MG	BA	3077	1/1	0.83	0.08	26,26,26,26	0
55	MG	BA	3175	1/1	0.83	0.18	27,27,27,27	0
55	MG	DA	3158	1/1	0.83	0.16	55,55,55,55	0
55	MG	BA	3120	1/1	0.83	0.16	7,7,7,7	0
55	MG	DA	3112	1/1	0.83	0.28	52,52,52,52	0
55	MG	CA	1603	1/1	0.83	0.14	44,44,44,44	0
55	MG	DA	3167	1/1	0.83	0.12	59,59,59,59	0
55	MG	BA	3076	1/1	0.84	0.19	17,17,17,17	0
55	MG	BA	3161	1/1	0.84	0.22	24,24,24,24	0
55	MG	AA	1612	1/1	0.84	0.14	24,24,24,24	0
55	MG	BA	3103	1/1	0.84	0.12	9,9,9,9	0
55	MG	AA	1669	1/1	0.84	0.54	43,43,43,43	0
55	MG	DA	3036	1/1	0.84	0.16	61,61,61,61	0
55	MG	BA	3010	1/1	0.84	0.15	3,3,3,3	0
55	MG	DA	3073	1/1	0.84	0.10	37,37,37,37	0
55	MG	DA	3162	1/1	0.84	0.44	46,46,46,46	0
55	MG	BA	3031	1/1	0.84	0.14	8,8,8,8	0
55	MG	DA	3027	1/1	0.84	0.44	51,51,51,51	0
55	MG	CA	1624	1/1	0.85	0.13	33,33,33,33	0
55	MG	DA	3074	1/1	0.85	0.10	41,41,41,41	0
55	MG	DA	3032	1/1	0.85	0.06	49,49,49,49	0
55	MG	CA	1654	1/1	0.85	0.14	26,26,26,26	0
55	MG	DA	3151	1/1	0.85	0.40	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
55	MG	DA	3014	1/1	0.85	0.09	43,43,43,43	0
55	MG	DA	3122	1/1	0.85	0.18	42,42,42,42	0
55	MG	AA	1667	1/1	0.85	0.20	37,37,37,37	0
55	MG	DA	3125	1/1	0.85	0.17	51,51,51,51	0
55	MG	DA	3094	1/1	0.85	0.30	59,59,59,59	0
55	MG	DA	3069	1/1	0.85	0.08	63,63,63,63	0
55	MG	CA	1629	1/1	0.85	0.08	63,63,63,63	0
55	MG	DB	203	1/1	0.85	0.06	56,56,56,56	0
55	MG	BA	3119	1/1	0.86	0.34	21,21,21,21	0
55	MG	BA	3051	1/1	0.86	0.12	6,6,6,6	0
55	MG	BA	3123	1/1	0.86	0.13	18,18,18,18	0
55	MG	DA	3138	1/1	0.86	0.72	41,41,41,41	0
55	MG	DA	3142	1/1	0.86	0.34	38,38,38,38	0
55	MG	BA	3133	1/1	0.86	0.39	40,40,40,40	0
55	MG	CA	1650	1/1	0.86	0.48	40,40,40,40	0
55	MG	DA	3008	1/1	0.86	0.42	51,51,51,51	0
55	MG	BA	3195	1/1	0.86	0.12	20,20,20,20	0
55	MG	DA	3066	1/1	0.86	0.11	39,39,39,39	0
55	MG	DA	3068	1/1	0.86	0.19	52,52,52,52	0
55	MG	BA	3073	1/1	0.86	0.12	13,13,13,13	0
55	MG	BA	3075	1/1	0.86	0.15	15,15,15,15	0
55	MG	AA	1604	1/1	0.86	0.10	45,45,45,45	0
55	MG	DA	3134	1/1	0.86	0.10	34,34,34,34	0
55	MG	DQ	201	1/1	0.86	0.26	32,32,32,32	0
55	MG	DA	3154	1/1	0.87	0.13	45,45,45,45	0
55	MG	DA	3098	1/1	0.87	0.57	63,63,63,63	0
55	MG	BA	3134	1/1	0.87	0.17	8,8,8,8	0
55	MG	BA	3007	1/1	0.87	0.08	25,25,25,25	0
55	MG	DA	3123	1/1	0.87	0.17	47,47,47,47	0
55	MG	AA	1616	1/1	0.87	0.10	42,42,42,42	0
55	MG	BA	3093	1/1	0.87	0.16	16,16,16,16	0
55	MG	DA	3166	1/1	0.87	0.15	34,34,34,34	0
55	MG	CA	1614	1/1	0.87	0.09	44,44,44,44	0
55	MG	DA	3130	1/1	0.87	0.09	51,51,51,51	0
55	MG	BA	3116	1/1	0.87	0.31	11,11,11,11	0
55	MG	BA	3128	1/1	0.88	0.22	9,9,9,9	0
55	MG	BA	3040	1/1	0.88	0.45	7,7,7,7	0
55	MG	CA	1615	1/1	0.88	0.16	35,35,35,35	0
55	MG	BA	3105	1/1	0.88	0.19	4,4,4,4	0
55	MG	DA	3097	1/1	0.88	0.08	44,44,44,44	0
55	MG	AA	1668	1/1	0.88	0.18	18,18,18,18	0
55	MG	AA	1652	1/1	0.88	0.20	43,43,43,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
55	MG	DA	3100	1/1	0.88	0.07	43,43,43,43	0
55	MG	DA	3059	1/1	0.88	0.35	53,53,53,53	0
55	MG	BA	3091	1/1	0.88	0.07	28,28,28,28	0
55	MG	DA	3083	1/1	0.88	0.27	61,61,61,61	0
55	MG	AA	1619	1/1	0.88	0.26	43,43,43,43	0
55	MG	BA	3038	1/1	0.88	0.14	8,8,8,8	0
55	MG	DA	3132	1/1	0.88	0.10	45,45,45,45	0
55	MG	BA	3125	1/1	0.88	0.20	8,8,8,8	0
55	MG	CA	1630	1/1	0.88	0.26	66,66,66,66	0
55	MG	BA	3126	1/1	0.88	0.28	7,7,7,7	0
55	MG	BA	3110	1/1	0.89	0.08	23,23,23,23	0
55	MG	CA	1634	1/1	0.89	0.07	49,49,49,49	0
55	MG	CA	1607	1/1	0.89	0.10	42,42,42,42	0
55	MG	CA	1608	1/1	0.89	0.30	50,50,50,50	0
55	MG	BA	3115	1/1	0.89	0.20	35,35,35,35	0
55	MG	BA	3071	1/1	0.89	0.16	11,11,11,11	0
55	MG	BA	3034	1/1	0.89	0.20	18,18,18,18	0
55	MG	DA	3146	1/1	0.89	0.21	35,35,35,35	0
55	MG	BA	3055	1/1	0.89	0.22	23,23,23,23	0
55	MG	AA	1646	1/1	0.89	0.19	44,44,44,44	0
55	MG	BA	3002	1/1	0.89	0.08	15,15,15,15	0
55	MG	BA	3099	1/1	0.89	0.14	3,3,3,3	0
55	MG	BA	3027	1/1	0.89	0.09	22,22,22,22	0
55	MG	DA	3002	1/1	0.89	0.42	52,52,52,52	0
55	MG	DA	3126	1/1	0.89	0.14	57,57,57,57	0
55	MG	BA	3082	1/1	0.89	0.19	15,15,15,15	0
55	MG	BA	3066	1/1	0.89	0.13	6,6,6,6	0
55	MG	BA	3140	1/1	0.89	0.20	14,14,14,14	0
55	MG	BA	3109	1/1	0.89	0.20	9,9,9,9	0
55	MG	BA	3151	1/1	0.89	0.20	31,31,31,31	0
55	MG	AA	1613	1/1	0.90	0.11	20,20,20,20	0
55	MG	AA	1665	1/1	0.90	0.17	34,34,34,34	0
55	MG	AA	1602	1/1	0.90	0.07	33,33,33,33	0
55	MG	BA	3160	1/1	0.90	0.26	7,7,7,7	0
55	MG	BA	3036	1/1	0.90	0.19	19,19,19,19	0
55	MG	BA	3064	1/1	0.90	0.17	2,2,2,2	0
55	MG	BA	3111	1/1	0.90	0.11	23,23,23,23	0
55	MG	BA	3114	1/1	0.90	0.20	19,19,19,19	0
55	MG	DA	3148	1/1	0.90	0.26	45,45,45,45	0
55	MG	DA	3149	1/1	0.90	0.32	36,36,36,36	0
55	MG	DA	3120	1/1	0.90	0.09	49,49,49,49	0
55	MG	BA	3185	1/1	0.90	0.18	11,11,11,11	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
55	MG	DA	3071	1/1	0.90	0.27	59,59,59,59	0
55	MG	BA	3187	1/1	0.90	0.17	28,28,28,28	0
55	MG	BA	3054	1/1	0.90	0.12	5,5,5,5	0
55	MG	CA	1613	1/1	0.90	0.15	19,19,19,19	0
55	MG	BA	3190	1/1	0.90	0.25	33,33,33,33	0
55	MG	DA	3051	1/1	0.90	0.07	35,35,35,35	0
55	MG	BA	3068	1/1	0.90	0.17	6,6,6,6	0
55	MG	BA	3145	1/1	0.90	0.21	15,15,15,15	0
55	MG	DB	202	1/1	0.90	0.05	42,42,42,42	0
55	MG	DA	3107	1/1	0.90	0.14	49,49,49,49	0
55	MG	CA	1651	1/1	0.90	0.15	48,48,48,48	0
55	MG	BA	3178	1/1	0.91	0.46	20,20,20,20	0
55	MG	BA	3094	1/1	0.91	0.05	17,17,17,17	0
55	MG	BA	3181	1/1	0.91	0.22	14,14,14,14	0
55	MG	BA	3033	1/1	0.91	0.25	4,4,4,4	0
55	MG	AA	1640	1/1	0.91	0.06	39,39,39,39	0
55	MG	CA	1625	1/1	0.91	0.21	25,25,25,25	0
55	MG	BA	3102	1/1	0.91	0.33	23,23,23,23	0
55	MG	BA	3132	1/1	0.91	0.18	27,27,27,27	0
55	MG	AA	1666	1/1	0.91	0.22	30,30,30,30	0
55	MG	AA	1643	1/1	0.91	0.16	19,19,19,19	0
55	MG	BA	3138	1/1	0.91	0.41	4,4,4,4	0
55	MG	BA	3139	1/1	0.91	0.40	1,1,1,1	0
55	MG	DA	3042	1/1	0.91	0.11	49,49,49,49	0
55	MG	AA	1622	1/1	0.91	0.27	21,21,21,21	0
55	MG	BA	3080	1/1	0.91	0.10	18,18,18,18	0
55	MG	BA	3042	1/1	0.91	0.17	6,6,6,6	0
55	MG	AA	1607	1/1	0.91	0.15	33,33,33,33	0
55	MG	BA	3086	1/1	0.91	0.22	9,9,9,9	0
55	MG	AA	1664	1/1	0.91	0.19	36,36,36,36	0
55	MG	CA	1646	1/1	0.91	0.14	40,40,40,40	0
55	MG	CA	1649	1/1	0.91	0.16	35,35,35,35	0
55	MG	DA	3052	1/1	0.91	0.08	35,35,35,35	0
55	MG	BA	3012	1/1	0.91	0.21	4,4,4,4	0
55	MG	BA	3014	1/1	0.91	0.11	6,6,6,6	0
55	MG	BA	3170	1/1	0.91	0.29	35,35,35,35	0
55	MG	BA	3049	1/1	0.91	0.14	9,9,9,9	0
55	MG	DA	3128	1/1	0.91	0.10	57,57,57,57	0
55	MG	DA	3003	1/1	0.92	0.09	52,52,52,52	0
55	MG	BA	3050	1/1	0.92	0.11	11,11,11,11	0
55	MG	AA	1626	1/1	0.92	0.19	26,26,26,26	0
55	MG	DA	3053	1/1	0.92	0.12	43,43,43,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
55	MG	CA	1632	1/1	0.92	0.13	54,54,54,54	0
55	MG	BA	3180	1/1	0.92	0.26	25,25,25,25	0
55	MG	BA	3020	1/1	0.92	0.11	7,7,7,7	0
55	MG	DA	3088	1/1	0.92	0.29	51,51,51,51	0
55	MG	BA	3101	1/1	0.92	0.14	2,2,2,2	0
55	MG	BA	3083	1/1	0.92	0.21	32,32,32,32	0
55	MG	BA	3021	1/1	0.92	0.16	1,1,1,1	0
55	MG	DA	3152	1/1	0.92	0.16	41,41,41,41	0
55	MG	AA	1601	1/1	0.92	0.14	49,49,49,49	0
55	MG	BA	3155	1/1	0.92	0.27	15,15,15,15	0
55	MG	CA	1618	1/1	0.92	0.16	28,28,28,28	0
55	MG	CA	1620	1/1	0.92	0.10	46,46,46,46	0
55	MG	BA	3159	1/1	0.92	0.19	19,19,19,19	0
55	MG	DA	3161	1/1	0.92	0.10	42,42,42,42	0
55	MG	AA	1655	1/1	0.92	0.12	34,34,34,34	0
55	MG	BA	3016	1/1	0.92	0.07	17,17,17,17	0
55	MG	BA	3166	1/1	0.92	0.21	25,25,25,25	0
55	MG	BA	3028	1/1	0.92	0.11	4,4,4,4	0
55	MG	DB	201	1/1	0.92	0.06	69,69,69,69	0
55	MG	BA	3078	1/1	0.92	0.10	33,33,33,33	0
55	MG	DA	3105	1/1	0.92	0.17	37,37,37,37	0
55	MG	BA	3113	1/1	0.92	0.32	10,10,10,10	0
55	MG	DA	3096	1/1	0.93	0.17	52,52,52,52	0
55	MG	BA	3035	1/1	0.93	0.15	2,2,2,2	0
55	MG	BA	3121	1/1	0.93	0.08	22,22,22,22	0
55	MG	DA	3063	1/1	0.93	0.19	41,41,41,41	0
55	MG	AA	1621	1/1	0.93	0.06	33,33,33,33	0
55	MG	BA	3182	1/1	0.93	0.21	22,22,22,22	0
55	MG	AA	1671	1/1	0.93	0.20	35,35,35,35	0
55	MG	DA	3039	1/1	0.93	0.16	53,53,53,53	0
55	MG	BA	3092	1/1	0.93	0.09	20,20,20,20	0
55	MG	DA	3141	1/1	0.93	0.20	28,28,28,28	0
55	MG	AM	201	1/1	0.93	0.28	29,29,29,29	0
55	MG	CA	1616	1/1	0.93	0.11	29,29,29,29	0
55	MG	DA	3109	1/1	0.93	0.24	37,37,37,37	0
55	MG	CA	1641	1/1	0.93	0.83	46,46,46,46	0
55	MG	BA	3131	1/1	0.93	0.11	35,35,35,35	0
55	MG	DA	3150	1/1	0.93	0.21	42,42,42,42	0
55	MG	CA	1648	1/1	0.93	0.19	42,42,42,42	0
55	MG	BA	3191	1/1	0.93	0.24	35,35,35,35	0
55	MG	CA	1619	1/1	0.93	0.11	26,26,26,26	0
55	MG	DA	3081	1/1	0.93	0.15	43,43,43,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
55	MG	BA	3067	1/1	0.93	0.20	5,5,5,5	0
55	MG	DA	3022	1/1	0.93	0.16	54,54,54,54	0
55	MG	DA	3085	1/1	0.93	0.10	42,42,42,42	0
55	MG	BA	3162	1/1	0.93	0.19	21,21,21,21	0
55	MG	CA	1623	1/1	0.93	0.29	40,40,40,40	0
55	MG	BA	3163	1/1	0.93	0.23	27,27,27,27	0
55	MG	DA	3165	1/1	0.93	0.38	34,34,34,34	0
55	MG	AA	1662	1/1	0.93	0.19	41,41,41,41	0
55	MG	AA	1663	1/1	0.93	0.16	35,35,35,35	0
55	MG	BA	3100	1/1	0.93	0.14	6,6,6,6	0
55	MG	BA	3013	1/1	0.93	0.19	0,0,0,0	0
55	MG	BA	3176	1/1	0.93	0.14	24,24,24,24	0
55	MG	AA	1628	1/1	0.93	0.04	37,37,37,37	0
55	MG	BB	202	1/1	0.94	0.08	11,11,11,11	0
55	MG	BA	3011	1/1	0.94	0.07	13,13,13,13	0
55	MG	DA	3065	1/1	0.94	0.06	33,33,33,33	0
55	MG	BA	3070	1/1	0.94	0.25	9,9,9,9	0
55	MG	AA	1650	1/1	0.94	0.17	35,35,35,35	0
55	MG	BA	3167	1/1	0.94	0.15	28,28,28,28	0
55	MG	BA	3088	1/1	0.94	0.16	32,32,32,32	0
55	MG	BA	3089	1/1	0.94	0.10	12,12,12,12	0
55	MG	BA	3173	1/1	0.94	0.19	20,20,20,20	0
55	MG	BA	3006	1/1	0.94	0.10	20,20,20,20	0
55	MG	BA	3112	1/1	0.94	0.16	11,11,11,11	0
55	MG	BA	3177	1/1	0.94	0.09	24,24,24,24	0
55	MG	DA	3147	1/1	0.94	0.19	49,49,49,49	0
55	MG	BA	3046	1/1	0.94	0.22	8,8,8,8	0
55	MG	BA	3058	1/1	0.94	0.08	13,13,13,13	0
55	MG	CA	1639	1/1	0.94	0.12	34,34,34,34	0
55	MG	DA	3114	1/1	0.94	0.32	64,64,64,64	0
55	MG	BA	3142	1/1	0.94	0.41	15,15,15,15	0
55	MG	DA	3153	1/1	0.94	0.49	52,52,52,52	0
55	MG	CA	1642	1/1	0.94	0.27	27,27,27,27	0
55	MG	BA	3059	1/1	0.94	0.14	16,16,16,16	0
55	MG	DA	3050	1/1	0.94	0.07	29,29,29,29	0
55	MG	CA	1647	1/1	0.94	0.19	24,24,24,24	0
55	MG	BA	3024	1/1	0.94	0.14	7,7,7,7	0
55	MG	AA	1660	1/1	0.94	0.22	40,40,40,40	0
55	MG	DA	3089	1/1	0.94	0.22	58,58,58,58	0
55	MG	AA	1661	1/1	0.94	0.20	22,22,22,22	0
55	MG	AA	1656	1/1	0.94	0.12	37,37,37,37	0
55	MG	BA	3158	1/1	0.94	0.18	20,20,20,20	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
55	MG	BA	3122	1/1	0.94	0.24	2,2,2,2	0
55	MG	BA	3192	1/1	0.94	0.16	15,15,15,15	0
55	MG	AA	1633	1/1	0.94	0.09	31,31,31,31	0
55	MG	DA	3129	1/1	0.94	0.11	38,38,38,38	0
55	MG	BA	3084	1/1	0.94	0.12	12,12,12,12	0
55	MG	CA	1640	1/1	0.95	0.21	23,23,23,23	0
55	MG	BA	3129	1/1	0.95	0.16	5,5,5,5	0
55	MG	CA	1622	1/1	0.95	0.05	40,40,40,40	0
55	MG	BA	3153	1/1	0.95	0.30	2,2,2,2	0
55	MG	DA	3145	1/1	0.95	0.10	37,37,37,37	0
55	MG	BA	3130	1/1	0.95	0.24	4,4,4,4	0
55	MG	AA	1641	1/1	0.95	0.17	20,20,20,20	0
55	MG	BA	3032	1/1	0.95	0.17	8,8,8,8	0
55	MG	AA	1603	1/1	0.95	0.15	34,34,34,34	0
55	MG	AA	1629	1/1	0.95	0.12	43,43,43,43	0
55	MG	BA	3001	1/1	0.95	0.08	10,10,10,10	0
55	MG	DA	3067	1/1	0.95	0.10	49,49,49,49	0
55	MG	AA	1653	1/1	0.95	0.30	24,24,24,24	0
55	MG	DA	3019	1/1	0.95	0.16	47,47,47,47	0
55	MG	DA	3020	1/1	0.95	0.37	42,42,42,42	0
55	MG	DA	3157	1/1	0.95	0.39	47,47,47,47	0
55	MG	BA	3074	1/1	0.95	0.07	20,20,20,20	0
55	MG	DA	3072	1/1	0.95	0.12	42,42,42,42	0
55	MG	AA	1654	1/1	0.95	0.32	40,40,40,40	0
55	MG	DA	3101	1/1	0.95	0.10	40,40,40,40	0
55	MG	BA	3039	1/1	0.95	0.18	1,1,1,1	0
55	MG	BA	3146	1/1	0.95	0.25	23,23,23,23	0
55	MG	BA	3169	1/1	0.95	0.12	24,24,24,24	0
55	MG	BA	3148	1/1	0.95	0.24	16,16,16,16	0
55	MG	BA	3172	1/1	0.95	0.20	23,23,23,23	0
55	MG	AA	1606	1/1	0.95	0.09	31,31,31,31	0
55	MG	DA	3108	1/1	0.95	0.18	35,35,35,35	0
55	MG	BA	3174	1/1	0.95	0.12	20,20,20,20	0
55	MG	DA	3030	1/1	0.95	0.15	44,44,44,44	0
55	MG	BA	3171	1/1	0.96	0.14	29,29,29,29	0
55	MG	BA	3127	1/1	0.96	0.09	1,1,1,1	0
55	MG	DA	3140	1/1	0.96	0.43	37,37,37,37	0
55	MG	BA	3062	1/1	0.96	0.21	3,3,3,3	0
55	MG	AA	1649	1/1	0.96	0.22	27,27,27,27	0
55	MG	CA	1653	1/1	0.96	0.31	47,47,47,47	0
55	MG	BA	3053	1/1	0.96	0.20	4,4,4,4	0
55	MG	AA	1658	1/1	0.96	0.08	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
55	MG	BA	3118	1/1	0.96	0.07	11,11,11,11	0
55	MG	BA	3157	1/1	0.96	0.27	26,26,26,26	0
55	MG	AA	1609	1/1	0.96	0.08	20,20,20,20	0
55	MG	BA	3106	1/1	0.96	0.33	0,0,0,0	0
55	MG	BA	3135	1/1	0.96	0.09	17,17,17,17	0
55	MG	DA	3058	1/1	0.96	0.04	37,37,37,37	0
55	MG	CA	1610	1/1	0.96	0.09	47,47,47,47	0
55	MG	BA	3136	1/1	0.96	0.13	24,24,24,24	0
55	MG	BA	3183	1/1	0.96	0.17	24,24,24,24	0
55	MG	DA	3156	1/1	0.96	0.13	30,30,30,30	0
55	MG	BA	3184	1/1	0.96	0.18	23,23,23,23	0
55	MG	DA	3035	1/1	0.96	0.15	38,38,38,38	0
55	MG	DA	3064	1/1	0.96	0.08	38,38,38,38	0
55	MG	BA	3022	1/1	0.96	0.16	3,3,3,3	0
55	MG	AA	1651	1/1	0.96	0.27	32,32,32,32	0
55	MG	BA	3164	1/1	0.96	0.45	21,21,21,21	0
55	MG	AA	1642	1/1	0.96	0.13	24,24,24,24	0
55	MG	DA	3164	1/1	0.96	0.13	47,47,47,47	0
55	MG	BA	3124	1/1	0.96	0.24	21,21,21,21	0
55	MG	CA	1643	1/1	0.96	0.28	44,44,44,44	0
55	MG	CA	1644	1/1	0.96	0.25	32,32,32,32	0
55	MG	BA	3143	1/1	0.96	0.29	7,7,7,7	0
55	MG	BA	3041	1/1	0.96	0.12	11,11,11,11	0
55	MG	BA	3018	1/1	0.96	0.09	27,27,27,27	0
55	MG	DA	3075	1/1	0.96	0.11	48,48,48,48	0
56	ZN	B4	101	1/1	0.96	0.20	131,131,131,131	0
55	MG	DA	3082	1/1	0.97	0.06	50,50,50,50	0
55	MG	BA	3189	1/1	0.97	0.20	3,3,3,3	0
55	MG	BA	3017	1/1	0.97	0.13	6,6,6,6	0
55	MG	BA	3152	1/1	0.97	0.22	11,11,11,11	0
55	MG	BA	3104	1/1	0.97	0.20	1,1,1,1	0
55	MG	BA	3193	1/1	0.97	0.12	12,12,12,12	0
55	MG	BA	3005	1/1	0.97	0.05	31,31,31,31	0
55	MG	BA	3056	1/1	0.97	0.11	10,10,10,10	0
55	MG	BA	3107	1/1	0.97	0.20	6,6,6,6	0
55	MG	BA	3065	1/1	0.97	0.12	7,7,7,7	0
55	MG	BA	3095	1/1	0.97	0.09	8,8,8,8	0
55	MG	BA	3096	1/1	0.97	0.11	5,5,5,5	0
55	MG	BA	3097	1/1	0.97	0.19	6,6,6,6	0
55	MG	CA	1645	1/1	0.97	0.19	41,41,41,41	0
55	MG	AA	1636	1/1	0.97	0.20	26,26,26,26	0
55	MG	BA	3144	1/1	0.97	0.19	25,25,25,25	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
55	MG	AA	1625	1/1	0.97	0.07	31,31,31,31	0
55	MG	DA	3144	1/1	0.97	0.04	52,52,52,52	0
55	MG	BA	3165	1/1	0.97	0.16	2,2,2,2	0
55	MG	BA	3026	1/1	0.97	0.07	7,7,7,7	0
55	MG	BA	3069	1/1	0.97	0.07	39,39,39,39	0
55	MG	BA	3149	1/1	0.97	0.15	1,1,1,1	0
55	MG	AA	1670	1/1	0.97	0.38	26,26,26,26	0
56	ZN	D4	101	1/1	0.97	0.05	79,79,79,79	0
55	MG	AA	1611	1/1	0.98	0.07	18,18,18,18	0
55	MG	AA	1647	1/1	0.98	0.18	39,39,39,39	0
55	MG	BA	3156	1/1	0.98	0.24	12,12,12,12	0
55	MG	AA	1645	1/1	0.98	0.13	39,39,39,39	0
55	MG	BA	3147	1/1	0.98	0.46	13,13,13,13	0
55	MG	BA	3072	1/1	0.98	0.20	4,4,4,4	0
55	MG	BA	3037	1/1	0.98	0.23	2,2,2,2	0
55	MG	BA	3063	1/1	0.98	0.19	0,0,0,0	0
55	MG	BA	3141	1/1	0.98	0.41	4,4,4,4	0
55	MG	CA	1612	1/1	0.98	0.05	30,30,30,30	0
55	MG	DA	3139	1/1	0.98	0.35	31,31,31,31	0
55	MG	BA	3081	1/1	0.98	0.18	1,1,1,1	0
55	MG	BB	204	1/1	0.98	0.29	4,4,4,4	0
55	MG	BA	3186	1/1	0.98	0.35	18,18,18,18	0
55	MG	BA	3117	1/1	0.98	0.15	4,4,4,4	0
55	MG	BA	3043	1/1	0.99	0.08	15,15,15,15	0
55	MG	BA	3137	1/1	0.99	0.45	4,4,4,4	0
55	MG	BA	3194	1/1	0.99	0.17	28,28,28,28	0

6.5 Other polymers [i](#)

There are no such residues in this entry.