



## wwPDB EM Validation Summary Report ⓘ

Sep 25, 2024 – 04:42 PM EDT

PDB ID : 8UD1  
EMDB ID : EMD-42143  
Title : High resolution in-situ structure of complex I in respiratory supercomplex (composite)  
Authors : Zheng, W.; Zhu, J.; Zhang, K.  
Deposited on : 2023-09-27  
Resolution : 2.10 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev112  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.38.3

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1A	115	<div> <div>23%</div> <div>95%</div> <div>5%</div> </div>
2	1B	258	<div> <div>57%</div> <div>40%</div> </div>
3	1C	264	<div> <div>78%</div> <div>21%</div> </div>
4	1D	466	<div> <div>5%</div> <div>89%</div> <div>8%</div> </div>
5	1E	249	<div> <div>5%</div> <div>83%</div> <div>14%</div> </div>
6	1F	464	<div> <div>89%</div> <div>7%</div> </div>
7	1G	727	<div> <div>92%</div> </div>
8	1H	318	<div> <div>6%</div> <div>96%</div> </div>
9	1I	239	<div> <div>72%</div> <div>26%</div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	1J	175	
11	1K	98	
12	1L	606	
13	1M	459	
14	1N	347	
15	1O	357	
16	1P	377	
17	1Q	175	
18	1R	123	
19	1S	99	
20	1T	156	
20	1U	156	
21	1V	116	
22	1W	128	
23	1X	172	
24	1Y	141	
25	1Z	144	
26	1a	70	
27	1b	84	
28	1c	76	
29	1d	122	
30	1e	106	
31	1f	58	
32	1g	154	
33	1h	189	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
34	1i	128	
35	1j	105	
36	1k	98	
37	1l	186	
38	1m	129	
39	1n	179	
40	1o	137	
41	1p	176	
42	1q	145	
43	1r	113	
44	1s	471	

## 2 Entry composition

There are 58 unique types of molecules in this entry. The entry contains 72881 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADH-ubiquinone oxidoreductase chain 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1A	115	Total	C	N	O	S	0	0
			916	616	134	159	7		

- Molecule 2 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	1B	155	Total	C	N	O	S	0	0
			1242	791	226	211	14		

- Molecule 3 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	1C	209	Total	C	N	O	S	0	0
			1746	1128	299	317	2		

- Molecule 4 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	1D	429	Total	C	N	O	S	0	0
			3452	2207	593	628	24		

- Molecule 5 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	1E	214	Total	C	N	O	S	0	0
			1658	1058	278	312	10		

- Molecule 6 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	1F	432	Total	C	N	O	S	0	0
			3325	2100	592	613	20		

- Molecule 7 is a protein called NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	1G	699	Total	C	N	O	S	0	0
			5362	3360	933	1029	40		

- Molecule 8 is a protein called NADH-ubiquinone oxidoreductase chain 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	1H	318	Total	C	N	O	S	0	0
			2504	1673	385	425	21		

- Molecule 9 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	1I	176	Total	C	N	O	S	0	0
			1412	887	243	269	13		

- Molecule 10 is a protein called NADH-ubiquinone oxidoreductase chain 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	1J	174	Total	C	N	O	S	0	0
			1329	892	189	236	12		

- Molecule 11 is a protein called NADH-ubiquinone oxidoreductase chain 4L.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	1K	98	Total	C	N	O	S	0	0
			750	494	113	129	14		

- Molecule 12 is a protein called NADH-ubiquinone oxidoreductase chain 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	1L	606	Total	C	N	O	S	0	0
			4818	3195	746	826	51		

- Molecule 13 is a protein called NADH-ubiquinone oxidoreductase chain 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	1M	459	Total	C	N	O	S	0	0
			3632	2411	572	610	39		

- Molecule 14 is a protein called NADH-ubiquinone oxidoreductase chain 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	1N	347	Total	C	N	O	S	0	0
			2712	1783	420	463	46		

- Molecule 15 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	1O	320	Total	C	N	O	S	0	0
			2590	1649	440	491	10		

- Molecule 16 is a protein called NADH:ubiquinone oxidoreductase subunit A9.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	1P	342	Total	C	N	O	S	0	0
			2751	1783	481	478	9		

- Molecule 17 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	1Q	129	Total	C	N	O	S	0	0
			1047	659	186	199	3		

- Molecule 18 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	1R	96	Total	C	N	O	S	0	0
			741	452	140	146	3		

- Molecule 19 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	1S	87	Total	C	N	O	S	0	0
			700	440	131	127	2		

- Molecule 20 is a protein called NADH:ubiquinone oxidoreductase subunit AB1.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	1T	85	Total	C	N	O	S	0	0
			689	445	101	138	5		
20	1U	86	Total	C	N	O	S	0	0
			694	448	102	139	5		

- Molecule 21 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 5 isoform X1.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	1V	115	Total	C	N	O	S	0	0
			927	599	157	168	3		

- Molecule 22 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	1W	115	Total	C	N	O	S	0	0
			971	619	179	168	5		

- Molecule 23 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	1X	171	Total	C	N	O	S	0	0
			1398	887	250	251	10		

- Molecule 24 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	1Y	139	Total	C	N	O	S	0	0
			1016	648	173	189	6		

- Molecule 25 is a protein called NADH:ubiquinone oxidoreductase subunit A13.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	1Z	141	Total	C	N	O	S	1	0
			1179	758	206	206	9		

- Molecule 26 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	1a	70	Total	C	N	O	S	0	0
			562	361	101	94	6		

- Molecule 27 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	1b	83	Total	C	N	O	S	0	0
			643	417	110	115	1		

- Molecule 28 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	1c	49	Total	C	N	O		0	0
			417	276	71	70			

- Molecule 29 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C2.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	1d	120	Total	C	N	O	S	0	0
			993	646	172	169	6		

- Molecule 30 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	1e	99	Total	C	N	O	S	1	0
			827	525	155	141	6		

- Molecule 31 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	1f	57	Total	C	N	O	S	0	0
			487	316	89	80	2		

- Molecule 32 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	1g	100	Total	C	N	O	S	0	0
			835	535	138	158	4		

- Molecule 33 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	1h	138	Total	C	N	O	S	0	0
			1151	754	195	199	3		

- Molecule 34 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	1i	127	Total	C	N	O	S	0	0
			1100	723	194	181	2		

- Molecule 35 is a protein called NADH:ubiquinone oxidoreductase subunit B2.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	1j	71	Total	C	N	O	S	0	0
			601	394	99	107	1		

- Molecule 36 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	1k	81	Total	C	N	O	S	0	0
			649	422	110	116	1		

- Molecule 37 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	1l	156	Total	C	N	O	S	0	0
			1310	847	213	242	8		

- Molecule 38 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	1m	128	Total	C	N	O		0	0
			1062	691	182	189			

- Molecule 39 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	1n	172	Total	C	N	O	S	0	0
			1495	956	273	258	8		

- Molecule 40 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	1o	122	Total	C	N	O	S	0	0
			1045	650	198	187	10		

- Molecule 41 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	1p	173	Total	C	N	O	S	0	0
			1449	908	263	270	8		

- Molecule 42 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	1q	145	Total	C	N	O	S	0	0
			1212	775	219	213	5		


- Molecule 43 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	1r	95	Total	C	N	O	S	0	0
			767	483	144	137	3		

- Molecule 44 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 3, mitochondrial.


Mol	Chain	Residues	Atoms					AltConf	Trace
44	1s	45	Total	C	N	O	S	0	0
			382	238	70	73	1		

- Molecule 45 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: PC1) (formula: C<sub>44</sub>H<sub>88</sub>NO<sub>8</sub>P).




Mol	Chain	Residues	Atoms					AltConf
45	1A	1	Total	C	N	O	P	0
			35	25	1	8	1	
45	1H	1	Total	C	N	O	P	0
			54	44	1	8	1	
45	1H	1	Total	C	N	O	P	0
			48	38	1	8	1	
45	1I	1	Total	C	N	O	P	0
			44	34	1	8	1	
45	1M	1	Total	C	N	O	P	0
			35	25	1	8	1	
45	1M	1	Total	C	N	O	P	0
			44	34	1	8	1	
45	1P	1	Total	C	N	O	P	0
			33	23	1	8	1	
45	1P	1	Total	C	N	O	P	0
			46	36	1	8	1	
45	1d	1	Total	C	N	O	P	0
			39	29	1	8	1	
45	1f	1	Total	C	N	O	P	0
			46	36	1	8	1	
45	1h	1	Total	C	N	O	P	0
			47	37	1	8	1	
45	1m	1	Total	C	N	O	P	0
			46	36	1	8	1	
45	1q	1	Total	C	N	O	P	0
			48	38	1	8	1	
45	1q	1	Total	C	N	O	P	0
			49	39	1	8	1	

- Molecule 46 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula:  $\text{Fe}_4\text{S}_4$ ).




Mol	Chain	Residues	Atoms			AltConf
46	1B	1	Total	Fe	S	0
			8	4	4	
46	1F	1	Total	Fe	S	0
			8	4	4	
46	1G	1	Total	Fe	S	0
			8	4	4	
46	1G	1	Total	Fe	S	0
			8	4	4	
46	1I	1	Total	Fe	S	0
			8	4	4	
46	1I	1	Total	Fe	S	0
			8	4	4	

- Molecule 47 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula:  $\text{Fe}_2\text{S}_2$ ).



Mol	Chain	Residues	Atoms			AltConf
47	1E	1	Total	Fe	S	0
			4	2	2	
47	1G	1	Total	Fe	S	0
			4	2	2	

- Molecule 48 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula:  $C_{17}H_{21}N_4O_9P$ ).




Mol	Chain	Residues	Atoms					AltConf
48	1F	1	Total	C	N	O	P	0
			31	17	4	9	1	

- Molecule 49 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
49	1G	1	Total	K	0
			1	1	

- Molecule 50 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (three-letter code: 3PE) (formula: C<sub>41</sub>H<sub>82</sub>NO<sub>8</sub>P).




Mol	Chain	Residues	Atoms					AltConf
50	1J	1	Total	C	N	O	P	0
			44	34	1	8	1	
50	1L	1	Total	C	N	O	P	0
			46	36	1	8	1	
50	1L	1	Total	C	N	O	P	0
			45	35	1	8	1	
50	1L	1	Total	C	N	O	P	0
			41	31	1	8	1	
50	1L	1	Total	C	N	O	P	0
			42	32	1	8	1	
50	1M	1	Total	C	N	O	P	0
			45	35	1	8	1	
50	1M	1	Total	C	N	O	P	0
			51	41	1	8	1	
50	1N	1	Total	C	N	O	P	0
			49	39	1	8	1	
50	1N	1	Total	C	N	O	P	0
			33	23	1	8	1	
50	1Y	1	Total	C	N	O	P	0
			31	21	1	8	1	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
50	1Y	1	Total	C	N	O	P	0
			40	30	1	8	1	
50	1Y	1	Total	C	N	O	P	0
			30	20	1	8	1	
50	1Y	1	Total	C	N	O	P	0
			27	17	1	8	1	
50	1b	1	Total	C	N	O	P	0
			47	37	1	8	1	
50	1d	1	Total	C	N	O	P	0
			48	38	1	8	1	
50	1j	1	Total	C	N	O	P	0
			44	34	1	8	1	
50	1m	1	Total	C	N	O	P	0
			50	40	1	8	1	
50	1m	1	Total	C	N	O	P	0
			41	31	1	8	1	

- Molecule 51 is CARDIOLIPIN (three-letter code: CDL) (formula:  $C_{81}H_{156}O_{17}P_2$ ).




Mol	Chain	Residues	Atoms				AltConf
51	1L	1	Total	C	O	P	0
			87	68	17	2	
51	1N	1	Total	C	O	P	0
			62	43	17	2	
51	1X	1	Total	C	O	P	0
			86	67	17	2	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
51	1d	1	Total	C	O	P	0
			65	46	17	2	
51	1h	1	Total	C	O	P	0
			80	61	17	2	
51	1q	1	Total	C	O	P	0
			61	42	17	2	

- Molecule 52 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula:  $C_{10}H_{16}N_5O_{14}P_3$ ).




Mol	Chain	Residues	Atoms					AltConf
52	1O	1	Total	C	N	O	P	0
			32	10	5	14	3	

- Molecule 53 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
53	1O	1	Total	Mg	0
			1	1	

- Molecule 54 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula:  $C_{21}H_{30}N_7O_{17}P_3$ ).




Mol	Chain	Residues	Atoms					AltConf
54	1P	1	Total	C	N	O	P	0
			48	21	7	17	3	

- Molecule 55 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
55	1R	1	Total	Zn	0
			1	1	

- Molecule 56 is {S}-[2-[3-[(2 {R})-3,3-dimethyl-2-oxidanyl-4-phosphonooxy-butanoyl]amino]propanoylamino]ethyl] (3 {S})-3-oxidanyltetradecanethioate (three-letter code: EHZ) (formula: C<sub>25</sub>H<sub>49</sub>N<sub>2</sub>O<sub>9</sub>PS).



Mol	Chain	Residues	Atoms						AltConf
56	1W	1	Total 37	C 25	N 2	O 8	P 1	S 1	0
56	1n	1	Total 37	C 25	N 2	O 8	P 1	S 1	0

- Molecule 57 is MYRISTIC ACID (three-letter code: MYR) (formula:  $C_{14}H_{28}O_2$ ).



Mol	Chain	Residues	Atoms			AltConf
57	1l	1	Total	C	O	0
			15	14	1	

- Molecule 58 is water.

Mol	Chain	Residues	Atoms		AltConf
58	1A	23	Total	O	0
			23	23	
58	1B	68	Total	O	0
			68	68	
58	1C	131	Total	O	0
			131	131	
58	1D	213	Total	O	0
			213	213	
58	1E	50	Total	O	0
			50	50	
58	1F	105	Total	O	0
			105	105	
58	1G	365	Total	O	0
			365	365	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		AltConf
58	1H	75	Total 75	O 75	0
58	1I	83	Total 83	O 83	0
58	1J	40	Total 40	O 40	0
58	1K	27	Total 27	O 27	0
58	1L	277	Total 277	O 277	0
58	1M	221	Total 221	O 221	0
58	1N	156	Total 156	O 156	0
58	1O	126	Total 126	O 126	0
58	1P	207	Total 207	O 207	0
58	1Q	110	Total 110	O 110	0
58	1R	71	Total 71	O 71	0
58	1S	58	Total 58	O 58	0
58	1T	24	Total 24	O 24	0
58	1U	37	Total 37	O 37	0
58	1V	36	Total 36	O 36	0
58	1W	64	Total 64	O 64	0
58	1X	150	Total 150	O 150	0
58	1Y	81	Total 81	O 81	0
58	1Z	92	Total 92	O 92	0
58	1a	34	Total 34	O 34	0
58	1b	42	Total 42	O 42	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		AltConf
58	1c	26	Total 26	O 26	0
58	1d	93	Total 93	O 93	0
58	1e	105	Total 105	O 105	0
58	1f	38	Total 38	O 38	0
58	1g	80	Total 80	O 80	0
58	1h	128	Total 128	O 128	0
58	1i	46	Total 46	O 46	0
58	1j	32	Total 32	O 32	0
58	1k	37	Total 37	O 37	0
58	1l	111	Total 111	O 111	0
58	1m	105	Total 105	O 105	0
58	1n	129	Total 129	O 129	0
58	1o	84	Total 84	O 84	0
58	1p	153	Total 153	O 153	0
58	1q	64	Total 64	O 64	0
58	1r	47	Total 47	O 47	0
58	1s	21	Total 21	O 21	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NADH-ubiquinone oxidoreductase chain 3




- Molecule 2: NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial




- Molecule 3: NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial






- Molecule 4: NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial








- Molecule 5: NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial




- Molecule 6: NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial



- Molecule 7: NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial




- Molecule 8: NADH-ubiquinone oxidoreductase chain 1




- Molecule 9: NADH dehydrogenase [ubiquinone] iron-sulfur protein 8, mitochondrial





- Chain 1J:  11% 91% 8%



- Chain 1K:  96%




- Chain 1L:  97%





- Chain 1M:  96%




- Chain 1N:  97%






- Chain 10: 









- Molecule 16: NADH:ubiquinone oxidoreductase subunit A9





- Molecule 17: NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial





- Molecule 18: NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial




- Molecule 19: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2





- Molecule 20: NADH:ubiquinone oxidoreductase subunit AB1






- Molecule 20: NADH:ubiquinone oxidoreductase subunit AB1



- Molecule 21: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 5 isoform X1




- Molecule 22: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6



- Molecule 23: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8




- Molecule 24: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11



- Molecule 25: NADH:ubiquinone oxidoreductase subunit A13







- Molecule 26: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1



- Molecule 27: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3




- Molecule 28: NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial





- Molecule 29: NADH dehydrogenase [ubiquinone] 1 subunit C2




- Molecule 30: NADH dehydrogenase [ubiquinone] iron-sulfur protein 5




- Molecule 31: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1




- Molecule 32: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial




- Molecule 33: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial




- Molecule 34: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6





- Molecule 35: NADH:ubiquinone oxidoreductase subunit B2




- Molecule 36: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3




- Molecule 37: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial





- Molecule 38: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4



- Molecule 39: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9




- Molecule 40: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7




- Molecule 41: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10




- Molecule 42: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12



- Molecule 43: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 7





• Molecule 44: NADH dehydrogenase [ubiquinone] flavoprotein 3, mitochondrial



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	113902	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	1300	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.780	Depositor
Minimum map value	-0.107	Depositor
Average map value	0.004	Depositor
Map value standard deviation	0.021	Depositor
Recommended contour level	0.09	Depositor
Map size ( $\text{\AA}$ )	300.24, 300.24, 300.24	wwPDB
Map dimensions	720, 720, 720	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	0.417, 0.417, 0.417	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FMN, NDP, MYR, GTP, AYA, FME, MG, CDL, SF4, EHZ, PC1, K, FES, ZN, SAC, 3PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	1A	0.26	0/930	0.50	0/1271
2	1B	0.28	0/1273	0.54	0/1722
3	1C	0.26	0/1797	0.52	0/2447
4	1D	0.37	2/3545 (0.1%)	0.65	4/4806 (0.1%)
5	1E	0.27	0/1698	0.51	0/2311
6	1F	0.27	0/3401	0.51	0/4595
7	1G	0.26	0/5451	0.52	0/7387
8	1H	0.27	0/2566	0.49	0/3509
9	1I	0.26	0/1443	0.52	0/1952
10	1J	0.29	0/1364	0.50	0/1850
11	1K	0.28	0/751	0.49	0/1018
12	1L	0.27	0/4939	0.47	0/6718
13	1M	0.26	0/3713	0.48	0/5063
14	1N	0.26	0/2765	0.47	0/3758
15	1O	0.27	0/2650	0.50	0/3588
16	1P	0.30	1/2828 (0.0%)	0.55	2/3834 (0.1%)
17	1Q	0.25	0/1070	0.50	0/1446
18	1R	0.26	0/755	0.52	0/1018
19	1S	0.26	0/711	0.54	0/956
20	1T	0.27	0/701	0.45	0/946
20	1U	0.27	0/706	0.42	0/954
21	1V	0.24	0/946	0.42	0/1281
22	1W	0.27	0/995	0.52	0/1340
23	1X	0.36	2/1436 (0.1%)	0.57	1/1938 (0.1%)
24	1Y	0.26	0/1037	0.48	0/1404
25	1Z	0.27	0/1210	0.54	0/1631
26	1a	0.26	0/577	0.49	0/777
27	1b	0.27	0/664	0.49	0/912
28	1c	0.26	0/430	0.45	0/581
29	1d	0.29	0/1024	0.53	0/1384
30	1e	0.27	0/847	0.52	0/1132
31	1f	0.25	0/499	0.54	0/673

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
32	1g	0.27	0/858	0.52	0/1165
33	1h	0.27	0/1184	0.51	0/1603
34	1i	0.25	0/1131	0.49	0/1541
35	1j	0.25	0/627	0.46	0/858
36	1k	0.26	0/668	0.43	0/903
37	1l	0.70	2/1365 (0.1%)	0.85	3/1867 (0.2%)
38	1m	0.26	0/1092	0.50	0/1481
39	1n	0.27	0/1549	0.51	0/2098
40	1o	0.26	0/1069	0.53	0/1430
41	1p	0.45	2/1481 (0.1%)	0.90	4/1997 (0.2%)
42	1q	0.25	0/1253	0.51	0/1704
43	1r	0.26	0/777	0.54	0/1051
44	1s	0.27	0/394	0.56	0/533
All	All	0.29	9/68170 (0.0%)	0.53	14/92433 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
4	1D	0	1
8	1H	0	1
All	All	0	2

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
37	1l	17	PRO	CG-CD	-22.82	0.75	1.50
4	1D	21	PRO	CG-CD	-12.42	1.09	1.50
41	1p	19	PRO	CB-CG	-10.16	0.99	1.50
41	1p	19	PRO	CG-CD	-7.34	1.26	1.50
37	1l	17	PRO	N-CD	7.00	1.57	1.47

The worst 5 of 14 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	1l	17	PRO	N-CD-CG	-23.98	67.24	103.20
4	1D	21	PRO	N-CD-CG	-19.99	73.22	103.20
41	1p	19	PRO	CB-CG-CD	18.79	179.78	106.50
41	1p	19	PRO	N-CD-CG	-18.35	75.67	103.20
4	1D	21	PRO	CA-CB-CG	-17.44	70.87	104.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	1D	421	GLN	Peptide
8	1H	91	MET	Peptide

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1A	113/115 (98%)	104 (92%)	7 (6%)	2 (2%)	7	3
2	1B	153/258 (59%)	142 (93%)	11 (7%)	0	100	100
3	1C	207/264 (78%)	205 (99%)	2 (1%)	0	100	100
4	1D	427/466 (92%)	409 (96%)	18 (4%)	0	100	100
5	1E	212/249 (85%)	197 (93%)	15 (7%)	0	100	100
6	1F	430/464 (93%)	411 (96%)	17 (4%)	2 (0%)	25	23
7	1G	697/727 (96%)	674 (97%)	20 (3%)	3 (0%)	30	29
8	1H	316/318 (99%)	302 (96%)	12 (4%)	2 (1%)	22	19
9	1I	174/239 (73%)	170 (98%)	4 (2%)	0	100	100
10	1J	172/175 (98%)	162 (94%)	9 (5%)	1 (1%)	22	19
11	1K	96/98 (98%)	95 (99%)	1 (1%)	0	100	100
12	1L	604/606 (100%)	579 (96%)	24 (4%)	1 (0%)	44	45
13	1M	457/459 (100%)	454 (99%)	3 (1%)	0	100	100
14	1N	345/347 (99%)	342 (99%)	3 (1%)	0	100	100
15	1O	318/357 (89%)	303 (95%)	15 (5%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
16	1P	340/377 (90%)	330 (97%)	10 (3%)	0	100	100
17	1Q	127/175 (73%)	124 (98%)	3 (2%)	0	100	100
18	1R	94/123 (76%)	92 (98%)	2 (2%)	0	100	100
19	1S	85/99 (86%)	82 (96%)	3 (4%)	0	100	100
20	1T	83/156 (53%)	81 (98%)	2 (2%)	0	100	100
20	1U	84/156 (54%)	83 (99%)	1 (1%)	0	100	100
21	1V	113/116 (97%)	111 (98%)	2 (2%)	0	100	100
22	1W	113/128 (88%)	109 (96%)	4 (4%)	0	100	100
23	1X	169/172 (98%)	161 (95%)	8 (5%)	0	100	100
24	1Y	137/141 (97%)	136 (99%)	1 (1%)	0	100	100
25	1Z	140/144 (97%)	138 (99%)	2 (1%)	0	100	100
26	1a	68/70 (97%)	67 (98%)	1 (2%)	0	100	100
27	1b	81/84 (96%)	77 (95%)	3 (4%)	1 (1%)	11	7
28	1c	47/76 (62%)	45 (96%)	2 (4%)	0	100	100
29	1d	118/122 (97%)	117 (99%)	1 (1%)	0	100	100
30	1e	98/106 (92%)	95 (97%)	3 (3%)	0	100	100
31	1f	55/58 (95%)	55 (100%)	0	0	100	100
32	1g	98/154 (64%)	92 (94%)	6 (6%)	0	100	100
33	1h	136/189 (72%)	135 (99%)	1 (1%)	0	100	100
34	1i	125/128 (98%)	122 (98%)	3 (2%)	0	100	100
35	1j	69/105 (66%)	66 (96%)	3 (4%)	0	100	100
36	1k	79/98 (81%)	78 (99%)	1 (1%)	0	100	100
37	1l	154/186 (83%)	151 (98%)	3 (2%)	0	100	100
38	1m	126/129 (98%)	125 (99%)	1 (1%)	0	100	100
39	1n	170/179 (95%)	165 (97%)	5 (3%)	0	100	100
40	1o	120/137 (88%)	115 (96%)	5 (4%)	0	100	100
41	1p	171/176 (97%)	171 (100%)	0	0	100	100
42	1q	143/145 (99%)	143 (100%)	0	0	100	100
43	1r	91/113 (80%)	89 (98%)	2 (2%)	0	100	100
44	1s	43/471 (9%)	40 (93%)	3 (7%)	0	100	100
All	All	8198/9655 (85%)	7944 (97%)	242 (3%)	12 (0%)	50	51

5 of 12 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
7	1G	115	ASP
8	1H	196	ALA
10	1J	66	VAL
27	1b	67	SER
8	1H	208	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1A	99/99 (100%)	96 (97%)	3 (3%)	36	40
2	1B	131/212 (62%)	122 (93%)	9 (7%)	13	10
3	1C	191/228 (84%)	188 (98%)	3 (2%)	58	65
4	1D	371/396 (94%)	359 (97%)	12 (3%)	34	37
5	1E	183/207 (88%)	176 (96%)	7 (4%)	28	30
6	1F	346/368 (94%)	329 (95%)	17 (5%)	21	20
7	1G	588/610 (96%)	558 (95%)	30 (5%)	20	19
8	1H	274/274 (100%)	263 (96%)	11 (4%)	27	28
9	1I	151/201 (75%)	147 (97%)	4 (3%)	41	46
10	1J	140/141 (99%)	127 (91%)	13 (9%)	7	5
11	1K	84/84 (100%)	81 (96%)	3 (4%)	30	32
12	1L	539/539 (100%)	522 (97%)	17 (3%)	34	37
13	1M	408/408 (100%)	392 (96%)	16 (4%)	27	29
14	1N	310/310 (100%)	300 (97%)	10 (3%)	34	37
15	1O	283/307 (92%)	261 (92%)	22 (8%)	10	8
16	1P	296/323 (92%)	276 (93%)	20 (7%)	13	11
17	1Q	117/152 (77%)	115 (98%)	2 (2%)	56	63
18	1R	79/97 (81%)	74 (94%)	5 (6%)	15	13
19	1S	77/82 (94%)	75 (97%)	2 (3%)	41	46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
20	1T	79/133 (59%)	75 (95%)	4 (5%)	20	19
20	1U	79/133 (59%)	76 (96%)	3 (4%)	28	30
21	1V	100/101 (99%)	96 (96%)	4 (4%)	27	28
22	1W	107/112 (96%)	103 (96%)	4 (4%)	29	31
23	1X	153/154 (99%)	144 (94%)	9 (6%)	16	14
24	1Y	101/102 (99%)	98 (97%)	3 (3%)	36	40
25	1Z	124/124 (100%)	115 (93%)	9 (7%)	11	9
26	1a	58/58 (100%)	55 (95%)	3 (5%)	19	18
27	1b	69/70 (99%)	65 (94%)	4 (6%)	17	15
28	1c	45/66 (68%)	40 (89%)	5 (11%)	5	3
29	1d	107/109 (98%)	103 (96%)	4 (4%)	29	31
30	1e	88/94 (94%)	82 (93%)	6 (7%)	13	11
31	1f	54/55 (98%)	51 (94%)	3 (6%)	17	16
32	1g	92/129 (71%)	86 (94%)	6 (6%)	14	12
33	1h	121/158 (77%)	116 (96%)	5 (4%)	26	27
34	1i	119/120 (99%)	118 (99%)	1 (1%)	79	84
35	1j	62/84 (74%)	59 (95%)	3 (5%)	21	21
36	1k	63/76 (83%)	61 (97%)	2 (3%)	34	37
37	1l	141/161 (88%)	138 (98%)	3 (2%)	48	55
38	1m	113/114 (99%)	108 (96%)	5 (4%)	24	24
39	1n	156/160 (98%)	150 (96%)	6 (4%)	28	30
40	1o	110/120 (92%)	103 (94%)	7 (6%)	14	12
41	1p	154/156 (99%)	144 (94%)	10 (6%)	14	12
42	1q	131/131 (100%)	127 (97%)	4 (3%)	35	39
43	1r	85/98 (87%)	83 (98%)	2 (2%)	44	49
44	1s	44/351 (12%)	35 (80%)	9 (20%)	1	0
All	All	7222/8207 (88%)	6892 (95%)	330 (5%)	25	23

5 of 330 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
24	1Y	105	ARG
37	1l	76	PRO

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
25	1Z	96	ILE
30	1e	56	LYS
40	1o	30	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 16 such sidechains are listed below:

Mol	Chain	Res	Type
40	1o	81	HIS
40	1o	46	ASN
16	1P	131	HIS
27	1b	68	HIS
10	1J	120	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
13	FME	1M	1	13	8,9,10	0.54	0	8,9,11	1.00	1 (12%)
14	FME	1N	1	14	8,9,10	0.53	0	8,9,11	0.95	1 (12%)
43	AYA	1r	1	43	6,7,8	0.67	0	6,8,10	0.79	0
34	SAC	1i	1	34	7,8,9	0.58	0	7,9,11	0.89	1 (14%)
1	FME	1A	1	1	8,9,10	0.55	0	8,9,11	0.90	1 (12%)
12	FME	1L	1	12	8,9,10	0.55	0	8,9,11	1.42	2 (25%)
11	FME	1K	1	11	8,9,10	0.55	0	8,9,11	0.97	1 (12%)
8	FME	1H	1	8	8,9,10	0.56	0	8,9,11	1.00	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	FME	1M	1	13	-	1/7/9/11	-
14	FME	1N	1	14	-	2/7/9/11	-
43	AYA	1r	1	43	-	1/5/6/8	-
34	SAC	1i	1	34	-	0/7/8/10	-
1	FME	1A	1	1	-	2/7/9/11	-
12	FME	1L	1	12	-	3/7/9/11	-
11	FME	1K	1	11	-	0/7/9/11	-
8	FME	1H	1	8	-	1/7/9/11	-

There are no bond length outliers.

The worst 5 of 8 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	1L	1	FME	CA-N-CN	2.76	127.06	122.82
8	1H	1	FME	O-C-CA	-2.64	117.97	124.77
12	1L	1	FME	O-C-CA	-2.64	117.98	124.77
11	1K	1	FME	O-C-CA	-2.61	118.06	124.77
13	1M	1	FME	O-C-CA	-2.58	118.13	124.77

There are no chirality outliers.

5 of 10 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
12	1L	1	FME	CB-CA-N-CN
12	1L	1	FME	O-C-CA-CB
43	1r	1	AYA	O-C-CA-CB
8	1H	1	FME	CA-CB-CG-SD
1	1A	1	FME	N-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry

Of 55 ligands modelled in this entry, 3 are monoatomic - leaving 52 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
50	3PE	1N	901	-	48,48,50	0.29	0	51,53,55	0.43	0
45	PC1	1h	202	-	46,46,53	0.29	0	52,54,61	0.41	0
45	PC1	1f	101	-	45,45,53	0.30	0	51,53,61	0.38	0
50	3PE	1L	703	-	40,40,50	0.30	0	43,45,55	0.45	0
46	SF4	1I	202	9	0,12,12	-	-	-		
57	MYR	1l	201	-	13,14,15	0.32	0	12,13,15	0.30	0
45	PC1	1P	402	-	45,45,53	0.29	0	51,53,61	0.34	0
52	GTP	1O	401	53	29,34,34	1.02	2 (6%)	35,54,54	0.93	1 (2%)
50	3PE	1Y	803	-	29,29,50	0.35	0	32,34,55	0.61	1 (3%)
46	SF4	1I	201	9	0,12,12	-	-	-		
46	SF4	1F	502	6	0,12,12	-	-	-		
45	PC1	1P	401	-	32,32,53	0.33	0	38,40,61	0.45	0
50	3PE	1j	101	-	43,43,50	0.29	0	46,48,55	0.47	0
50	3PE	1Y	801	-	30,30,50	0.33	0	33,35,55	0.80	1 (3%)
50	3PE	1m	202	-	49,49,50	0.27	0	52,54,55	0.39	0
51	CDL	1L	705	-	86,86,99	0.29	0	92,98,111	0.37	0
51	CDL	1X	201	-	85,85,99	0.29	0	91,97,111	0.41	0
50	3PE	1m	203	-	40,40,50	0.29	0	43,45,55	0.64	1 (2%)
47	FES	1E	301	5	0,4,4	-	-	-		
51	CDL	1q	203	-	60,60,99	0.34	0	66,72,111	0.45	0
56	EHZ	1W	201	-	31,36,37	0.18	0	36,44,47	1.11	1 (2%)
46	SF4	1B	201	2	0,12,12	-	-	-		
50	3PE	1M	501	-	44,44,50	0.29	0	47,49,55	0.40	0
54	NDP	1P	403	-	47,52,52	0.66	0	61,80,80	0.90	3 (4%)
50	3PE	1L	701	-	45,45,50	0.31	0	48,50,55	0.44	0
50	3PE	1J	201	-	43,43,50	0.29	0	46,48,55	0.37	0
51	CDL	1N	902	-	61,61,99	0.31	0	67,73,111	0.57	1 (1%)
47	FES	1G	803	7	0,4,4	-	-	-		
50	3PE	1Y	804	-	26,26,50	0.36	0	29,31,55	0.42	0
56	EHZ	1n	201	-	31,36,37	0.19	0	36,44,47	1.17	1 (2%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
48	FMN	1F	501	-	33,33,33	0.60	0	48,50,50	0.68	1 (2%)
45	PC1	1d	203	-	38,38,53	0.35	0	44,46,61	0.86	2 (4%)
51	CDL	1h	201	-	79,79,99	0.31	0	85,91,111	0.38	0
50	3PE	1M	503	-	50,50,50	0.27	0	53,55,55	0.38	0
45	PC1	1H	402	-	47,47,53	0.29	0	53,55,61	0.41	0
45	PC1	1I	203	-	43,43,53	0.29	0	49,51,61	0.35	0
50	3PE	1L	704	-	41,41,50	0.29	0	44,46,55	0.40	0
46	SF4	1G	801	7	0,12,12	-	-	-		
50	3PE	1L	702	-	44,44,50	0.29	0	47,49,55	0.47	0
50	3PE	1N	903	-	32,32,50	0.33	0	35,37,55	0.45	0
45	PC1	1M	502	-	34,34,53	0.33	0	40,42,61	0.60	1 (2%)
46	SF4	1G	802	7	0,12,12	-	-	-		
50	3PE	1Y	802	-	39,39,50	0.30	0	42,44,55	0.41	0
45	PC1	1q	201	-	47,47,53	0.29	0	53,55,61	0.36	0
51	CDL	1d	202	-	64,64,99	0.33	0	70,76,111	0.45	0
50	3PE	1b	201	-	46,46,50	0.28	0	49,51,55	0.41	0
45	PC1	1q	202	-	48,48,53	0.29	0	54,56,61	0.60	1 (1%)
45	PC1	1m	201	-	45,45,53	0.28	0	51,53,61	0.44	0
45	PC1	1A	201	-	34,34,53	0.33	0	40,42,61	0.40	0
45	PC1	1M	504	-	43,43,53	0.33	0	49,51,61	0.35	0
50	3PE	1d	201	-	47,47,50	0.30	0	50,52,55	0.39	0
45	PC1	1H	401	-	53,53,53	0.27	0	59,61,61	0.36	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
50	3PE	1N	901	-	-	7/52/52/54	-
45	PC1	1h	202	-	-	13/50/50/57	-
45	PC1	1f	101	-	-	9/49/49/57	-
50	3PE	1L	703	-	-	8/44/44/54	-
57	MYR	1l	201	-	-	0/12/12/13	-
46	SF4	1I	202	9	-	-	0/6/5/5
45	PC1	1P	402	-	-	4/49/49/57	-
52	GTP	1O	401	53	-	6/18/38/38	0/3/3/3
50	3PE	1Y	803	-	-	10/33/33/54	-
46	SF4	1I	201	9	-	-	0/6/5/5
46	SF4	1F	502	6	-	-	0/6/5/5

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
45	PC1	1P	401	-	-	4/36/36/57	-
50	3PE	1j	101	-	-	4/47/47/54	-
50	3PE	1Y	801	-	-	7/34/34/54	-
50	3PE	1m	202	-	-	8/53/53/54	-
51	CDL	1L	705	-	-	15/97/97/110	-
51	CDL	1X	201	-	-	19/96/96/110	-
50	3PE	1m	203	-	-	11/44/44/54	-
47	FES	1E	301	5	-	-	0/1/1/1
51	CDL	1q	203	-	-	4/71/71/110	-
56	EHZ	1W	201	-	-	11/42/44/45	-
46	SF4	1B	201	2	-	-	0/6/5/5
50	3PE	1M	501	-	-	6/48/48/54	-
54	NDP	1P	403	-	-	5/30/77/77	0/5/5/5
50	3PE	1L	701	-	-	8/49/49/54	-
50	3PE	1J	201	-	-	8/47/47/54	-
51	CDL	1N	902	-	-	8/71/71/110	-
47	FES	1G	803	7	-	-	0/1/1/1
50	3PE	1Y	804	-	-	5/30/30/54	-
56	EHZ	1n	201	-	-	4/42/44/45	-
48	FMN	1F	501	-	-	1/18/18/18	0/3/3/3
45	PC1	1d	203	-	-	19/42/42/57	-
51	CDL	1h	201	-	-	11/90/90/110	-
50	3PE	1M	503	-	-	10/54/54/54	-
45	PC1	1H	402	-	-	12/51/51/57	-
45	PC1	1I	203	-	-	1/47/47/57	-
50	3PE	1L	704	-	-	1/45/45/54	-
46	SF4	1G	801	7	-	-	0/6/5/5
50	3PE	1L	702	-	-	8/48/48/54	-
50	3PE	1N	903	-	-	7/36/36/54	-
45	PC1	1M	502	-	-	9/38/38/57	-
46	SF4	1G	802	7	-	-	0/6/5/5
50	3PE	1Y	802	-	-	7/43/43/54	-
45	PC1	1q	201	-	-	10/51/51/57	-
51	CDL	1d	202	-	-	14/75/75/110	-
50	3PE	1b	201	-	-	9/50/50/54	-
45	PC1	1q	202	-	-	10/52/52/57	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
45	PC1	1m	201	-	-	9/49/49/57	-
45	PC1	1A	201	-	-	3/38/38/57	-
45	PC1	1M	504	-	-	12/47/47/57	-
50	3PE	1d	201	-	-	15/51/51/54	-
45	PC1	1H	401	-	-	11/57/57/57	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
52	1O	401	GTP	C5-C6	-2.70	1.42	1.47
52	1O	401	GTP	C8-N7	-2.16	1.31	1.34

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
56	1n	201	EHZ	C10-S1-C9	6.33	120.55	101.84
56	1W	201	EHZ	C10-S1-C9	5.95	119.43	101.84
45	1d	203	PC1	O21-C21-C22	4.30	120.79	111.48
54	1P	403	NDP	P2B-O2B-C2B	-4.17	112.28	123.43
52	1O	401	GTP	C4'-O4'-C1'	-3.37	106.84	109.92

There are no chirality outliers.

5 of 363 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
45	1H	401	PC1	C11-O13-P-O14
45	1H	402	PC1	C11-O13-P-O11
45	1H	402	PC1	C1-O11-P-O14
45	1H	402	PC1	C1-O11-P-O13
45	1H	402	PC1	C12-C11-O13-P


There are no ring outliers.



No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring



in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.































































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-42143. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 360



Y Index: 360




Z Index: 360


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 239



Y Index: 196




Z Index: 275


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.09. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 306  $\text{nm}^3$ ; this corresponds to an approximate mass of 277 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ



\*Reported resolution corresponds to spatial frequency of 0.476 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-42143 and PDB model 8UD1. Per-residue inclusion information can be found in [section 3](#) on [page 22](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.09 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.09).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 87% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ























The table lists the average atom inclusion at the recommended contour level (0.09) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8690	 0.6680
1A	 0.6800	 0.5560
1B	 0.9100	 0.6920
1C	 0.9390	 0.7190
1D	 0.9040	 0.6960
1E	 0.8070	 0.6470
1F	 0.8770	 0.6610
1G	 0.9120	 0.6940
1H	 0.8900	 0.6440
1I	 0.9440	 0.7130
1J	 0.7800	 0.5940
1K	 0.9810	 0.6960
1L	 0.9420	 0.7040
1M	 0.9680	 0.7160
1N	 0.9560	 0.7100
1O	 0.7960	 0.6070
1P	 0.8300	 0.6610
1Q	 0.8620	 0.6700
1R	 0.8550	 0.6740
1S	 0.8900	 0.6630
1T	 0.4110	 0.4370
1U	 0.8180	 0.6790
1V	 0.7500	 0.6390
1W	 0.8620	 0.6740
1X	 0.8840	 0.6560
1Y	 0.7820	 0.6530
1Z	 0.8900	 0.6660
1a	 0.9490	 0.6700
1b	 0.8150	 0.6250
1c	 0.7540	 0.6260
1d	 0.8920	 0.6680
1e	 0.9350	 0.6860
1f	 0.7600	 0.6210
1g	 0.8670	 0.6700
1h	 0.8950	 0.6980



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
1i	 0.6200	 0.5180
1j	 0.7660	 0.6100
1k	 0.7470	 0.6050
1l	 0.8930	 0.6980
1m	 0.8570	 0.6690
1n	 0.8850	 0.6960
1o	 0.8210	 0.6400
1p	 0.8770	 0.6690
1q	 0.8420	 0.6840
1r	 0.8530	 0.6840
1s	 0.7440	 0.6140