



## Full wwPDB EM Validation Report ⓘ

Nov 11, 2024 – 11:54 PM EST

PDB ID : 7URF  
EMDB ID : EMD-26711  
Title : Human HHAT H379C in complex with SHH N-terminal peptide  
Authors : Liu, Y.; Qi, X.; Li, X.  
Deposited on : 2022-04-21  
Resolution : 2.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	500	
2	B	7	
3	O	250	
4	P	239	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	AJP	A	604	X	-	-	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	AJP	A	605	X	-	-	-
7	AJP	A	606	X	-	-	-
7	AJP	A	607	X	-	-	-
7	AJP	A	608	X	-	-	-

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 6133 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein-cysteine N-palmitoyltransferase HHAT.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	491	Total	C	N	O	S	0	0
			4031	2683	644	672	32		

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	379	CYS	HIS	conflict	UNP Q5VTY9
A	494	ASP	-	expression tag	UNP Q5VTY9
A	495	TYR	-	expression tag	UNP Q5VTY9
A	496	LYS	-	expression tag	UNP Q5VTY9
A	497	ASP	-	expression tag	UNP Q5VTY9
A	498	ASP	-	expression tag	UNP Q5VTY9
A	499	ASP	-	expression tag	UNP Q5VTY9
A	500	LYS	-	expression tag	UNP Q5VTY9

- Molecule 2 is a protein called SHH-N peptide.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	7	Total	C	N	O	S	0	0
			47	29	10	7	1		

- Molecule 3 is a protein called 3H02 heavy chain.


Mol	Chain	Residues	Atoms					AltConf	Trace
3	O	113	Total	C	N	O	S	0	0
			914	592	146	171	5		

- Molecule 4 is a protein called 3H02 light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	P	111	Total	C	N	O	S	0	0
			859	547	146	163	3		

- # HEM

- Molecule 6 is Palmitoyl-CoA (three-letter code: PKZ) (formula:  $\text{C}_{37}\text{H}_{66}\text{N}_7\text{O}_{17}\text{P}_3\text{S}$ ).




*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
6	A	1	Total	C	0
			15	15	


- Molecule 7 is Digitonin (three-letter code: AJP) (formula:  $C_{56}H_{92}O_{29}$ ).



Mol	Chain	Residues	Atoms			AltConf
7	A	1	Total	C	O	0
			32	27	5	
7	A	1	Total	C	O	0
			31	27	4	
7	A	1	Total	C	O	0
			32	27	5	
7	A	1	Total	C	O	0
			32	27	5	
7	A	1	Total	C	O	0
			32	27	5	



● Molecule 4: 3H02 light chain





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	274370	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	8.5	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.100	Depositor
Minimum map value	-0.056	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.018	Depositor
Map size ( $\text{\AA}$ )	269.44, 269.44, 269.44	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	0.842, 0.842, 0.842	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PKZ, AJP, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.28	0/4170	0.42	0/5688
2	B	0.30	0/48	0.30	0/62
3	O	0.28	0/941	0.49	0/1276
4	P	0.27	0/880	0.46	0/1193
All	All	0.27	0/6039	0.44	0/8219

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4031	0	3976	29	0
2	B	47	0	42	2	0
3	O	914	0	859	13	0
4	P	859	0	842	11	0
5	A	43	0	30	3	0
6	A	80	0	0	4	0
7	A	159	0	0	0	0
All	All	6133	0	5749	57	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 5.

All (57) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:602:PKZ:C3B	6:A:602:PKZ:C4B	1.75	1.47
3:O:123:TYR:HB3	4:P:73:TYR:HB2	1.68	0.75
6:A:602:PKZ:C3B	6:A:602:PKZ:C5B	2.73	0.65
4:P:85:ARG:NH1	4:P:106:ASP:OD2	2.29	0.65
1:A:176:ARG:NH2	1:A:213:VAL:O	2.31	0.64
1:A:328:MET:O	1:A:479:TYR:OH	2.15	0.61
4:P:25:GLN:HE22	4:P:111:TYR:HA	1.64	0.61
1:A:131:ARG:NH2	1:A:190:GLN:O	2.33	0.60
5:A:601:HEM:HBC2	5:A:601:HEM:HMC1	1.84	0.59
2:B:24:CYS:SG	2:B:25:GLY:N	2.76	0.59
3:O:118:VAL:HA	3:O:124:TYR:O	2.03	0.58
4:P:25:GLN:HE21	4:P:123:GLY:HA3	1.68	0.58
1:A:352:ILE:HD12	6:A:602:PKZ:C5A	2.35	0.56
5:A:601:HEM:HMB1	5:A:601:HEM:HBB2	1.88	0.56
1:A:67:GLY:HA2	1:A:71:LEU:HB2	1.89	0.55
3:O:54:ASN:HD21	3:O:118:VAL:HB	1.72	0.55
1:A:105:CYS:HB2	1:A:214:LEU:HD21	1.88	0.54
4:P:33:SER:HB2	4:P:131:LYS:HE3	1.89	0.54
1:A:274:ILE:HD13	1:A:277:LEU:HD12	1.90	0.54
1:A:207:TYR:OH	1:A:220:LEU:O	2.20	0.54
3:O:106:LYS:HD2	3:O:136:VAL:HG12	1.91	0.52
3:O:129:GLY:O	4:P:67:SER:OG	2.24	0.52
3:O:59:ALA:HB3	3:O:62:LYS:HB3	1.91	0.51
4:P:72:ILE:HG23	4:P:77:ASN:O	2.11	0.51
3:O:57:ARG:HD3	3:O:83:PHE:CE1	2.46	0.50
4:P:30:LEU:HD11	4:P:38:VAL:HG13	1.94	0.49
1:A:177:CYS:HA	1:A:180:TYR:CZ	2.48	0.49
1:A:368:THR:HG22	1:A:393:TRP:HD1	1.78	0.49
1:A:91:LYS:HG2	1:A:232:GLN:HE22	1.78	0.49
1:A:306:VAL:HB	1:A:307:PRO:HD3	1.95	0.49
1:A:388:TRP:CD1	1:A:446:PHE:HB2	2.48	0.47
1:A:34:GLU:O	1:A:38:GLN:HG2	2.13	0.47
1:A:250:ARG:NH1	5:A:601:HEM:O2D	2.48	0.47
3:O:70:ILE:HD12	3:O:77:PRO:HB3	1.96	0.47
3:O:21:ILE:HA	3:O:44:SER:O	2.15	0.47
1:A:236:SER:O	1:A:239:ALA:N	2.46	0.47
1:A:30:ARG:NH2	1:A:266:TYR:OH	2.49	0.46
1:A:450:ASN:O	1:A:454:LYS:HG3	2.16	0.46

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:347:ILE:O	1:A:352:ILE:HG12	2.15	0.45
1:A:14:SER:HA	1:A:17:PHE:CE1	2.52	0.45
6:A:602:PKZ:C3B	6:A:602:PKZ:O5B	2.64	0.45
1:A:487:ALA:HA	1:A:490:TYR:CE2	2.51	0.44
2:B:28:ARG:HH12	2:B:30:PHE:HD1	1.66	0.44
3:O:54:ASN:ND2	3:O:118:VAL:HB	2.33	0.44
1:A:192:LEU:HD11	4:P:120:TRP:HH2	1.83	0.43
1:A:21:SER:HB2	1:A:287:GLY:CA	2.48	0.43
4:P:28:LEU:HD12	4:P:28:LEU:HA	1.87	0.43
1:A:75:LEU:HB3	1:A:310:LEU:HD11	2.01	0.43
1:A:271:TYR:CE2	1:A:292:GLN:HG3	2.53	0.42
1:A:120:HIS:CD2	1:A:143:LEU:HD22	2.55	0.42
3:O:31:LYS:HB2	3:O:106:LYS:HZ3	1.85	0.41
3:O:37:VAL:O	3:O:103:ASN:HA	2.21	0.41
1:A:160:TYR:HE2	1:A:169:LEU:HD22	1.85	0.41
4:P:71:LEU:HA	4:P:82:VAL:HG21	2.03	0.41
3:O:29:GLU:OE1	3:O:37:VAL:HG13	2.21	0.40
1:A:274:ILE:O	1:A:278:GLU:HG3	2.21	0.40
1:A:280:VAL:O	1:A:459:ARG:NH1	2.36	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	489/500 (98%)	479 (98%)	10 (2%)	0	100	100
2	B	5/7 (71%)	4 (80%)	1 (20%)	0	100	100
3	O	109/250 (44%)	103 (94%)	6 (6%)	0	100	100
4	P	109/239 (46%)	104 (95%)	5 (5%)	0	100	100
All	All	712/996 (72%)	690 (97%)	22 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	427/436 (98%)	427 (100%)	0	100	100
2	B	4/4 (100%)	4 (100%)	0	100	100
3	O	94/213 (44%)	94 (100%)	0	100	100
4	P	97/211 (46%)	97 (100%)	0	100	100
All	All	622/864 (72%)	622 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	150	GLN
1	A	428	HIS
3	O	25	GLN
4	P	25	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	AJP	A	605	-	36,36,95	0.46	0	56,60,149	0.81	0
7	AJP	A	608	-	37,37,95	0.48	0	58,62,149	1.37	9 (15%)
7	AJP	A	606	-	37,37,95	0.51	0	58,62,149	1.20	6 (10%)
6	PKZ	A	602	-	61,67,67	4.88	37 (60%)	74,93,93	1.53	11 (14%)
7	AJP	A	607	-	37,37,95	0.44	0	58,62,149	0.98	3 (5%)
6	PKZ	A	603	-	14,14,67	1.71	0	13,13,93	0.40	0
5	HEM	A	601	-	42,50,50	1.46	6 (14%)	46,82,82	1.37	7 (15%)
7	AJP	A	604	-	37,37,95	0.49	0	58,62,149	1.19	7 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	AJP	A	605	-	11/11/13/38	-	1/6/6/11
7	AJP	A	608	-	11/11/14/38	-	0/6/6/11
7	AJP	A	606	-	11/11/14/38	-	1/6/6/11
6	PKZ	A	602	-	-	30/62/82/82	0/3/3/3
7	AJP	A	607	-	11/11/14/38	-	0/6/6/11
6	PKZ	A	603	-	-	8/12/12/82	-
5	HEM	A	601	-	-	2/12/54/54	-
7	AJP	A	604	-	10/10/14/38	-	0/6/6/11

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	602	PKZ	O4B-C1B	14.23	1.59	1.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	602	PKZ	P2A-O3A	12.35	1.72	1.59
6	A	602	PKZ	P1A-O3A	12.26	1.72	1.59
6	A	602	PKZ	C2B-C3B	-10.59	1.29	1.53
6	A	602	PKZ	C2-C1	10.53	1.61	1.50
6	A	602	PKZ	C3B-C4B	8.67	1.75	1.52
6	A	602	PKZ	C9P-N8P	8.51	1.53	1.33
6	A	602	PKZ	C5P-N4P	8.40	1.53	1.33
6	A	602	PKZ	P3B-O3B	7.55	1.72	1.59
6	A	602	PKZ	C1-S1P	6.62	1.91	1.76
6	A	602	PKZ	O2B-C2B	6.60	1.59	1.43
6	A	602	PKZ	C6A-N6A	5.32	1.53	1.34
6	A	602	PKZ	CCP-CBP	5.29	1.61	1.52
6	A	602	PKZ	C6P-C5P	4.99	1.61	1.51
6	A	602	PKZ	O4B-C4B	-4.73	1.34	1.45
6	A	602	PKZ	C1B-N9A	-4.60	1.38	1.49
6	A	602	PKZ	C2A-N3A	4.50	1.39	1.32
6	A	602	PKZ	C4A-N3A	4.08	1.41	1.35
5	A	601	HEM	C3C-C2C	-4.02	1.34	1.40
6	A	602	PKZ	P2A-O6A	3.51	1.73	1.59
5	A	601	HEM	C3C-CAC	3.49	1.55	1.47
6	A	602	PKZ	CDP-CBP	3.46	1.60	1.53
6	A	602	PKZ	P1A-O5B	3.39	1.72	1.59
6	A	602	PKZ	CEP-CBP	3.38	1.60	1.53
6	A	602	PKZ	C3P-N4P	3.35	1.53	1.46
6	A	602	PKZ	O3B-C3B	3.29	1.55	1.44
6	A	602	PKZ	C7P-N8P	3.18	1.53	1.46
6	A	602	PKZ	C2A-N1A	3.08	1.39	1.33
5	A	601	HEM	CAB-C3B	3.01	1.55	1.47
6	A	602	PKZ	C7P-C6P	2.99	1.61	1.51
5	A	601	HEM	C3C-C4C	2.72	1.45	1.41
6	A	602	PKZ	P3B-O9A	2.63	1.58	1.50
6	A	602	PKZ	OAP-CAP	2.52	1.46	1.42
6	A	602	PKZ	C2P-C3P	2.49	1.61	1.51
6	A	602	PKZ	C8A-N7A	2.43	1.39	1.34
6	A	602	PKZ	C3-C2	2.42	1.61	1.52
6	A	602	PKZ	P2A-O5A	2.33	1.58	1.50
6	A	602	PKZ	O1-C1	2.32	1.24	1.21
6	A	602	PKZ	C5B-C4B	2.32	1.58	1.51
6	A	602	PKZ	C2P-S1P	2.28	1.91	1.81
6	A	602	PKZ	P1A-O2A	2.21	1.58	1.50
5	A	601	HEM	CMB-C2B	2.03	1.54	1.50
5	A	601	HEM	CMD-C2D	2.00	1.54	1.50

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	602	PKZ	C2-C1-S1P	5.72	120.22	113.40
7	A	608	AJP	C06-C07-C08	-4.94	96.34	104.28
6	A	602	PKZ	N3A-C2A-N1A	-4.84	122.10	128.67
6	A	602	PKZ	C4B-O4B-C1B	-4.31	105.98	109.92
7	A	608	AJP	O09-C08-C10	3.71	117.71	110.20
7	A	606	AJP	C24-C23-C22	3.64	114.88	110.38
6	A	602	PKZ	O1-C1-C2	-3.52	119.92	123.98
6	A	602	PKZ	C7P-C6P-C5P	3.45	118.14	112.39
7	A	606	AJP	C83-C06-C05	3.42	120.45	114.94
7	A	608	AJP	C24-C23-C22	3.36	114.54	110.38
7	A	604	AJP	C24-C23-C22	3.22	114.36	110.38
7	A	604	AJP	C21-C20-C19	3.12	110.21	107.23
7	A	606	AJP	C21-C20-C19	3.04	110.14	107.23
7	A	607	AJP	C24-C23-C22	2.92	113.98	110.38
7	A	604	AJP	C83-C06-C05	2.88	119.58	114.94
5	A	601	HEM	C4B-CHC-C1C	2.86	126.33	122.56
7	A	607	AJP	C21-C20-C19	2.71	109.82	107.23
7	A	608	AJP	C12-C07-C06	2.67	128.40	120.50
6	A	602	PKZ	C4A-C5A-N7A	-2.64	106.55	109.34
7	A	604	AJP	C12-C07-C06	2.57	128.10	120.50
7	A	607	AJP	C83-C06-C05	2.52	119.00	114.94
6	A	602	PKZ	C2P-S1P-C1	2.45	109.09	101.84
6	A	602	PKZ	P3B-O3B-C3B	-2.43	116.95	123.43
7	A	608	AJP	O09-C08-C07	-2.35	98.66	104.08
5	A	601	HEM	C4C-CHD-C1D	2.33	125.63	122.56
5	A	601	HEM	C4D-ND-C1D	2.32	107.95	105.21
7	A	604	AJP	C81-C12-C07	2.31	116.60	111.58
5	A	601	HEM	CMC-C2C-C3C	2.30	129.29	124.68
7	A	608	AJP	C11-C12-C07	-2.30	96.70	100.16
6	A	602	PKZ	C6P-C5P-N4P	2.23	120.42	116.34
6	A	602	PKZ	O1-C1-S1P	-2.22	119.86	122.68
5	A	601	HEM	CMA-C3A-C4A	-2.21	125.22	128.46
7	A	608	AJP	C83-C06-C05	2.21	118.49	114.94
7	A	606	AJP	C81-C12-C07	2.20	116.37	111.58
7	A	606	AJP	C12-C07-C06	2.20	126.99	120.50
7	A	608	AJP	C21-C20-C19	2.17	109.31	107.23
5	A	601	HEM	C1B-NB-C4B	2.16	107.76	105.21
7	A	604	AJP	C06-C07-C08	-2.13	100.85	104.28
6	A	602	PKZ	O6A-CCP-CBP	-2.09	107.18	110.55
7	A	604	AJP	C83-C06-C07	2.09	118.68	114.50
5	A	601	HEM	C3D-C4D-ND	-2.04	107.93	110.17
7	A	606	AJP	C85-O84-C05	2.03	117.18	113.69

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	608	AJP	C20-C21-C22	2.01	117.48	114.17

All (54) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	A	604	AJP	C16
7	A	604	AJP	C10
7	A	604	AJP	C11
7	A	604	AJP	C15
7	A	604	AJP	C22
7	A	604	AJP	C20
7	A	604	AJP	C19
7	A	604	AJP	C08
7	A	604	AJP	C07
7	A	604	AJP	C12
7	A	605	AJP	C16
7	A	605	AJP	C11
7	A	605	AJP	C06
7	A	605	AJP	C02
7	A	605	AJP	C15
7	A	605	AJP	C22
7	A	605	AJP	C20
7	A	605	AJP	C19
7	A	605	AJP	C08
7	A	605	AJP	C07
7	A	605	AJP	C12
7	A	606	AJP	C16
7	A	606	AJP	C10
7	A	606	AJP	C11
7	A	606	AJP	C02
7	A	606	AJP	C15
7	A	606	AJP	C22
7	A	606	AJP	C20
7	A	606	AJP	C19
7	A	606	AJP	C08
7	A	606	AJP	C07
7	A	606	AJP	C12
7	A	607	AJP	C16
7	A	607	AJP	C10
7	A	607	AJP	C11
7	A	607	AJP	C06
7	A	607	AJP	C15

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atom
7	A	607	AJP	C22
7	A	607	AJP	C20
7	A	607	AJP	C19
7	A	607	AJP	C08
7	A	607	AJP	C07
7	A	607	AJP	C12
7	A	608	AJP	C16
7	A	608	AJP	C10
7	A	608	AJP	C11
7	A	608	AJP	C06
7	A	608	AJP	C02
7	A	608	AJP	C15
7	A	608	AJP	C22
7	A	608	AJP	C20
7	A	608	AJP	C19
7	A	608	AJP	C07
7	A	608	AJP	C12

All (40) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	602	PKZ	C1-C2-C3-C4
6	A	602	PKZ	O1-C1-S1P-C2P
6	A	602	PKZ	C2-C1-S1P-C2P
6	A	602	PKZ	C5B-O5B-P1A-O1A
6	A	602	PKZ	CDP-CBP-CCP-O6A
6	A	602	PKZ	CEP-CBP-CCP-O6A
6	A	602	PKZ	CAP-CBP-CCP-O6A
6	A	602	PKZ	OAP-CAP-CBP-CCP
6	A	602	PKZ	C9P-CAP-CBP-CCP
6	A	602	PKZ	OAP-CAP-CBP-CDP
6	A	602	PKZ	C9P-CAP-CBP-CDP
6	A	602	PKZ	OAP-CAP-CBP-CEP
6	A	602	PKZ	C9P-CAP-CBP-CEP
6	A	602	PKZ	S1P-C2P-C3P-N4P
6	A	602	PKZ	C9-C10-C11-C12
6	A	602	PKZ	C3B-C4B-C5B-O5B
6	A	602	PKZ	O4B-C4B-C5B-O5B
6	A	603	PKZ	C12-C13-C14-C15
6	A	602	PKZ	C11-C10-C9-C8
6	A	603	PKZ	C11-C10-C9-C8
6	A	602	PKZ	C5-C6-C7-C8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
6	A	602	PKZ	C7-C8-C9-C10
5	A	601	HEM	C2A-CAA-CBA-CGA
6	A	602	PKZ	C13-C14-C15-C16
6	A	603	PKZ	C2-C3-C4-C5
6	A	602	PKZ	O1-C1-C2-C3
6	A	603	PKZ	C7-C8-C9-C10
6	A	602	PKZ	C2-C3-C4-C5
6	A	602	PKZ	C5B-O5B-P1A-O3A
6	A	602	PKZ	CCP-O6A-P2A-O5A
6	A	603	PKZ	C13-C14-C15-C16
6	A	602	PKZ	C11-C12-C13-C14
6	A	602	PKZ	N8P-C9P-CAP-OAP
6	A	602	PKZ	C3B-O3B-P3B-O9A
6	A	602	PKZ	S1P-C1-C2-C3
6	A	602	PKZ	C3-C4-C5-C6
6	A	603	PKZ	C3-C4-C5-C6
6	A	603	PKZ	C10-C11-C12-C13
6	A	603	PKZ	C4-C5-C6-C7
5	A	601	HEM	CAA-CBA-CGA-O2A

All (2) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	A	605	AJP	C02-C03-C04-C05-C85-O84
7	A	606	AJP	C02-C03-C04-C05-C85-O84



2 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	602	PKZ	4	0
5	A	601	HEM	3	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.




## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-26711. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


### 6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 155




Y Index: 160




Z Index: 159


### 6.3.2 Raw map



X Index: 156



Y Index: 148




Z Index: 159


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y



Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.018. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

## 6.6 Mask visualisation [i](#)


This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 39 nm<sup>3</sup>; this corresponds to an approximate mass of 36 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.357 Å<sup>-1</sup>



## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.357  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.80	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.37	4.00	3.46

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.37 differs from the reported value 2.8 by more than 10 %

## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-26711 and PDB model 7URF. Per-residue inclusion information can be found in section [3](#) on page [7](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.018 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.018).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 89% of all backbone atoms, 85% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.018) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.8520	<div></div> 0.5970
A	<div></div> 0.8740	<div></div> 0.6050
B	<div></div> 0.5560	<div></div> 0.4530
O	<div></div> 0.8180	<div></div> 0.5870
P	<div></div> 0.7940	<div></div> 0.5750

