



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 28, 2025 – 10:27 AM EDT

PDB ID : 8V67 / pdb_00008v67
Title : Nanorana parkeri saxiphilin:C1 (co-crystal)
Authors : Zakrzewska, S.; Minor, D.L.
Deposited on : 2023-12-01
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0rc1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.006 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.43.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	7293 (1.90-1.90)
Clashscore	180529	8090 (1.90-1.90)
Ramachandran outliers	177936	8022 (1.90-1.90)
Sidechain outliers	177891	8022 (1.90-1.90)
RSRZ outliers	164620	7292 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	854	<div> <div>9%</div> <div>79%</div> <div>17%</div> <div>.</div> </div>

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6719 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Saxiphilin.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	821	Total	C	N	O	S	0	2	0
			6382	3995	1104	1224	59			

- Molecule 2 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: $C_{10}H_{22}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			16	10	6		

- Molecule 3 is ({[(3a*S*,4*R*,7*R*,9*R*,10a*S*)-2,6-diamino-10,10-dihydroxy-9-(sulfooxy)-3a,4,9,10-tetrahydro-1*H*,8*H*-pyrrolo[1,2-*c*]purin-4-yl]methoxy}carbonyl)sulfamic acid (CCD ID: YH9) (formula: $C_{10}H_{17}N_7O_{11}S_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			30	10	7	11	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	291	Total	O	0	0
			291	291		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Saxiphilin



4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	229.78Å 229.78Å 67.39Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.43 – 1.90 43.43 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.9 (43.43-1.90) 99.9 (43.43-1.90)	Depositor EDS
R_{merge}	0.26	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.14 (at 1.89Å)	Xtriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.206 , 0.229 0.207 , 0.230	Depositor DCC
R_{free} test set	102536 reflections (1.92%)	wwPDB-VP
Wilson B-factor (Å ²)	44.8	Xtriage
Anisotropy	0.077	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 45.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.027 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6719	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 1PE, YH9

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/6528	0.59	1/8830 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	555	PRO	CA-N-CD	-8.40	100.24	112.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6382	0	6168	112	0
2	A	16	0	22	2	0
3	A	30	0	0	0	0
4	A	291	0	0	17	1
All	All	6719	0	6190	113	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:682:VAL:HG11	1:A:715:VAL:HG11	1.54	0.89
1:A:166:GLU:HG2	1:A:183:PRO:HG2	1.56	0.87
1:A:616:GLU:HG3	1:A:633:LEU:HD11	1.56	0.86
1:A:51:ASP:OD1	4:A:1002:HOH:O	2.00	0.79
1:A:244:ASN:ND2	4:A:1013:HOH:O	2.15	0.78
1:A:310:GLU:OE1	4:A:1004:HOH:O	2.04	0.74
1:A:255:GLY:O	4:A:1005:HOH:O	2.04	0.74
1:A:763:GLN:OE1	4:A:1007:HOH:O	2.06	0.74
1:A:758:GLU:OE1	4:A:1006:HOH:O	2.04	0.74
1:A:601:ILE:HD13	1:A:724:SER:HB3	1.70	0.73
1:A:806:TYR:OH	4:A:1003:HOH:O	2.04	0.73
1:A:546:LYS:NZ	1:A:778:GLU:OE2	2.22	0.71
1:A:566:ARG:NH2	1:A:719:ARG:HH12	1.90	0.69
1:A:46:MET:HE1	1:A:66:LYS:HD2	1.73	0.69
1:A:784:GLU:OE2	4:A:1008:HOH:O	2.10	0.69
1:A:616:GLU:HA	1:A:633:LEU:HD21	1.74	0.68
1:A:666:ARG:HH11	1:A:694:TRP:CD1	2.13	0.65
1:A:489:ASP:OD2	4:A:1010:HOH:O	2.14	0.65
1:A:362[A]:HIS:O	4:A:1009:HOH:O	2.13	0.64
1:A:616:GLU:OE2	1:A:616:GLU:N	2.16	0.64
1:A:507:GLU:OE2	4:A:1012:HOH:O	2.15	0.63
1:A:719:ARG:HG2	1:A:719:ARG:HH11	1.65	0.61
1:A:550:HIS:NE2	1:A:557:SER:OG	2.32	0.61
1:A:274:ASN:HB3	2:A:901:1PE:H242	1.83	0.61
1:A:481:LYS:HD2	1:A:481:LYS:H	1.65	0.61
1:A:693:GLU:H	1:A:693:GLU:CD	2.09	0.60
1:A:177:ALA:HB3	1:A:182:ILE:HD11	1.82	0.60
1:A:658:TYR:OH	1:A:670:GLU:OE1	2.20	0.59
1:A:616:GLU:H	1:A:616:GLU:CD	2.08	0.59
1:A:564:THR:O	1:A:566:ARG:NH1	2.36	0.59
1:A:639:GLY:HA3	1:A:649:ARG:HG2	1.84	0.59
1:A:166:GLU:OE1	1:A:191:TYR:OH	2.16	0.58
1:A:587:LYS:HE2	1:A:621:GLU:HB2	1.85	0.58
1:A:481:LYS:H	1:A:481:LYS:CD	2.17	0.57
1:A:640:ASP:HB2	1:A:648:THR:OG1	2.04	0.57
1:A:644:PRO:HG3	1:A:648:THR:HG23	1.85	0.57
1:A:614:ASP:HB3	1:A:616:GLU:OE2	2.04	0.57
1:A:121:PRO:HG3	1:A:158:GLN:HG3	1.86	0.57
1:A:573:LYS:HE3	1:A:701:GLU:O	2.05	0.56
1:A:639:GLY:HA2	1:A:649:ARG:HA	1.88	0.56
1:A:284:TRP:HA	1:A:289:LYS:HD2	1.87	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:662:GLU:HG3	1:A:685:ASN:HD21	1.72	0.54
1:A:661:ASN:HB3	1:A:681:VAL:HG22	1.88	0.54
1:A:279:LYS:HE3	1:A:371:PRO:O	2.08	0.53
1:A:471:LYS:HE3	1:A:740:ASP:OD2	2.08	0.53
1:A:687:ASP:N	1:A:698:LEU:O	2.41	0.53
1:A:225:PRO:HG3	1:A:362[A]:HIS:ND1	2.24	0.52
1:A:252:GLN:O	1:A:256:LYS:NZ	2.38	0.52
1:A:294:ARG:HG2	1:A:310:GLU:OE2	2.10	0.52
1:A:130:TYR:CZ	1:A:147:THR:HG22	2.45	0.51
1:A:484:MET:HE2	1:A:502:GLU:HB2	1.92	0.51
1:A:693:GLU:OE1	1:A:693:GLU:N	2.24	0.51
1:A:165:LYS:NZ	1:A:168:GLN:OE1	2.39	0.51
1:A:690:ASN:HD22	1:A:695:ALA:HB3	1.75	0.51
1:A:284:TRP:CD2	1:A:292:ILE:HD13	2.47	0.50
1:A:317:CYS:HB3	1:A:331:GLU:OE1	2.11	0.50
1:A:590:HIS:ND1	1:A:624:ALA:HB2	2.26	0.49
1:A:455:TRP:O	1:A:459:MET:HG3	2.12	0.49
1:A:685:ASN:HD22	1:A:694:TRP:HH2	1.61	0.49
1:A:407:ASN:OD1	1:A:440:PRO:HB3	2.12	0.48
1:A:53:GLN:NE2	4:A:1011:HOH:O	2.14	0.48
1:A:528:MET:HG3	1:A:796:TYR:CZ	2.48	0.48
1:A:553:GLN:O	1:A:555:PRO:HD2	2.12	0.48
1:A:590:HIS:CD2	1:A:676:PHE:CD1	3.01	0.48
1:A:170:ALA:O	1:A:180:ARG:NH2	2.47	0.48
1:A:571:VAL:HG12	1:A:673:ASP:O	2.14	0.47
1:A:73:ASN:HA	1:A:398:LYS:HE2	1.96	0.47
1:A:544:PRO:HD2	1:A:562:PHE:O	2.14	0.47
1:A:263:LEU:HD22	1:A:308:ALA:HA	1.97	0.47
1:A:30:PRO:O	1:A:31:ASP:HB2	2.15	0.47
1:A:106:LYS:HB2	1:A:106:LYS:HE3	1.78	0.46
1:A:607:SER:OG	1:A:612:ASN:ND2	2.42	0.46
1:A:616:GLU:HG2	4:A:1023:HOH:O	2.16	0.46
1:A:719:ARG:HG2	1:A:719:ARG:NH1	2.30	0.46
1:A:761:MET:HB3	1:A:761:MET:HE3	1.47	0.45
1:A:167:ARG:NH1	1:A:183:PRO:O	2.47	0.45
1:A:19:LYS:HD2	1:A:423:SER:HB2	1.98	0.45
1:A:565:LYS:HG2	1:A:678:PRO:HB3	1.99	0.45
2:A:901:1PE:H261	2:A:901:1PE:H251	1.79	0.45
1:A:637:CYS:HB3	1:A:656:GLU:OE2	2.17	0.44
1:A:283:PRO:HD2	4:A:1232:HOH:O	2.17	0.44
1:A:306:PRO:HG2	1:A:334:TYR:HA	1.98	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:666:ARG:HD3	1:A:694:TRP:CD2	2.53	0.44
1:A:687:ASP:N	1:A:687:ASP:OD1	2.49	0.44
1:A:23:LEU:HD23	1:A:23:LEU:HA	1.84	0.44
1:A:690:ASN:HD21	1:A:692:ALA:HB3	1.83	0.44
1:A:225:PRO:HG3	1:A:362[A]:HIS:CE1	2.52	0.43
1:A:147:THR:OG1	1:A:150:GLN:OE1	2.29	0.43
1:A:621:GLU:C	1:A:636:LEU:HD13	2.44	0.43
1:A:19:LYS:NZ	1:A:420:LEU:O	2.42	0.43
1:A:485:MET:HE3	1:A:769:LYS:HD3	2.00	0.43
1:A:662:GLU:HG3	1:A:685:ASN:ND2	2.34	0.43
1:A:259:CYS:SG	1:A:348:GLY:HA3	2.59	0.43
1:A:326:LYS:O	1:A:328:SER:N	2.49	0.42
1:A:652:LEU:HA	1:A:659:TYR:CE1	2.54	0.42
1:A:257:ARG:NH2	1:A:349:ASP:OD1	2.48	0.42
1:A:271:ALA:HB3	1:A:272:PRO:HD3	2.00	0.42
1:A:590:HIS:CD2	1:A:676:PHE:HD1	2.37	0.42
1:A:50:LYS:HE2	1:A:71:HIS:O	2.19	0.42
1:A:659:TYR:C	1:A:659:TYR:CD2	2.97	0.42
1:A:319:GLY:O	1:A:324:LYS:HB2	2.20	0.42
1:A:542:GLU:OE1	1:A:729:ARG:HD3	2.20	0.42
1:A:212:LYS:HD3	4:A:1263:HOH:O	2.18	0.42
1:A:254:LYS:NZ	4:A:1041:HOH:O	2.52	0.42
1:A:580:TRP:O	1:A:583:LEU:HD13	2.19	0.42
1:A:80:GLU:OE1	4:A:1014:HOH:O	2.21	0.41
1:A:473:LYS:HB2	1:A:473:LYS:HE2	1.87	0.41
1:A:666:ARG:HD3	1:A:694:TRP:CG	2.56	0.41
1:A:292:ILE:HD12	1:A:292:ILE:HA	1.90	0.41
1:A:543:TYR:CZ	1:A:545:ASN:HB3	2.56	0.40
1:A:166:GLU:CG	1:A:183:PRO:HG2	2.39	0.40
1:A:705:ILE:HD12	1:A:721:CYS:O	2.21	0.40
1:A:677:VAL:HB	1:A:681:VAL:HG21	2.02	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1150:HOH:O	4:A:1273:HOH:O[1_556]	2.04	0.16

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	817/854 (96%)	784 (96%)	32 (4%)	1 (0%)	48	41

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	544	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	707/731 (97%)	705 (100%)	2 (0%)	91	92

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	150	GLN
1	A	705	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	HIS
1	A	85	HIS
1	A	188	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	249	GLN
1	A	526	GLN
1	A	690	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	YH9	A	902	-	27,32,32	1.75	3 (11%)	19,53,53	1.33	2 (10%)
2	1PE	A	901	-	15,15,15	0.18	0	14,14,14	0.14	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	YH9	A	902	-	-	9/14/67/67	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1PE	A	901	-	-	8/13/13/13	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	902	YH9	S19-N18	7.56	1.72	1.59
3	A	902	YH9	O20-S19	2.92	1.45	1.42
3	A	902	YH9	O21-S19	2.43	1.44	1.42

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	902	YH9	O20-S19-O21	-3.29	113.05	120.36
3	A	902	YH9	N05-C06-N07	-3.25	120.89	125.42

There are no chirality outliers.

All (17) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	902	YH9	C03-C02-O26-S27
3	A	902	YH9	C02-O26-S27-O28
3	A	902	YH9	C02-O26-S27-O29
3	A	902	YH9	C02-O26-S27-O30
2	A	901	1PE	C12-C22-OH3-C23
2	A	901	1PE	C25-C15-OH6-C26
2	A	901	1PE	OH7-C16-C26-OH6
2	A	901	1PE	OH4-C13-C23-OH3
3	A	902	YH9	N18-C16-O15-C14
2	A	901	1PE	OH6-C15-C25-OH5
2	A	901	1PE	C14-C24-OH4-C13
2	A	901	1PE	C13-C23-OH3-C22
3	A	902	YH9	C01-C02-O26-S27
2	A	901	1PE	OH5-C14-C24-OH4
3	A	902	YH9	O17-C16-N18-S19
3	A	902	YH9	O17-C16-O15-C14
3	A	902	YH9	N07-C08-C14-O15

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	901	1PE	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	821/854 (96%)	0.72	80 (9%) 15 15	25, 57, 110, 141	2 (0%)

All (80) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	613	ILE	7.2
1	A	638	ILE	5.3
1	A	176	ILE	5.1
1	A	641	PRO	4.4
1	A	178	ILE	4.2
1	A	284	TRP	4.0
1	A	698	LEU	4.0
1	A	554	ILE	3.8
1	A	694	TRP	3.7
1	A	665	PHE	3.7
1	A	466	VAL	3.6
1	A	682	VAL	3.6
1	A	648	THR	3.4
1	A	177	ALA	3.4
1	A	715	VAL	3.3
1	A	615	ILE	3.3
1	A	676	PHE	3.2
1	A	570	LEU	3.1
1	A	173	GLY	3.1
1	A	224	GLN	3.1
1	A	692	ALA	3.1
1	A	695	ALA	3.0
1	A	287	LEU	3.0
1	A	662	GLU	2.9
1	A	612	ASN	2.9
1	A	635	LYS	2.9
1	A	644	PRO	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	669	VAL	2.8
1	A	650	CYS	2.8
1	A	130	TYR	2.8
1	A	596	ILE	2.8
1	A	618	PHE	2.7
1	A	223	THR	2.7
1	A	468	LEU	2.7
1	A	559	ILE	2.7
1	A	659	TYR	2.6
1	A	619	PHE	2.6
1	A	290	GLY	2.6
1	A	675	ALA	2.5
1	A	307	GLY	2.5
1	A	289	LYS	2.5
1	A	661	ASN	2.5
1	A	703	PHE	2.5
1	A	571	VAL	2.4
1	A	597	PRO	2.4
1	A	697	ASP	2.4
1	A	674	VAL	2.4
1	A	657	ALA	2.4
1	A	672	GLY	2.4
1	A	652	LEU	2.3
1	A	283	PRO	2.3
1	A	172	GLY	2.3
1	A	649	ARG	2.3
1	A	171	LEU	2.3
1	A	647	SER	2.3
1	A	599	TRP	2.3
1	A	623	CYS	2.3
1	A	469	PRO	2.3
1	A	149	VAL	2.3
1	A	150	GLN	2.3
1	A	683	PHE	2.3
1	A	714	PRO	2.2
1	A	630	ASN	2.2
1	A	629	THR	2.2
1	A	693	GLU	2.2
1	A	681	VAL	2.2
1	A	580	TRP	2.2
1	A	187	GLU	2.2
1	A	321	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	578	ILE	2.2
1	A	639	GLY	2.1
1	A	148	PRO	2.1
1	A	602	PRO	2.1
1	A	688	GLY	2.1
1	A	633	LEU	2.1
1	A	560	LYS	2.1
1	A	631	SER	2.1
1	A	658	TYR	2.1
1	A	588	SER	2.0
1	A	668	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	1PE	A	901	16/16	0.84	0.18	63,78,84,91	0
3	YH9	A	902	30/30	0.91	0.08	57,80,109,180	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.