



wwPDB EM Validation Summary Report ⓘ

Oct 22, 2024 – 05:59 PM EDT

PDB ID : 4V73
EMDB ID : EMD-2473
Title : E. coli 70S-fMetVal-tRNAVal-tRNAfMet complex in hybrid pre-translocation state (pre5a)
Authors : Blau, C.; Bock, L.V.; Schroder, G.F.; Davydov, I.; Fischer, N.; Stark, H.; Rodnina, M.V.; Vaiana, A.C.; Grubmuller, H.
Deposited on : 2013-10-14
Resolution : 15.00 Å (reported)
Based on initial models : 3I1O, 2HGP, 2K4C, 2WRI

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 15.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AB	220	<div> <div>42%</div> <div>93%</div> <div>7%</div> </div>
2	AC	208	<div> <div>41%</div> <div>90%</div> <div>10%</div> </div>
3	AD	206	<div> <div>43%</div> <div>89%</div> <div>10%</div> </div>
4	AE	152	<div> <div>29%</div> <div>92%</div> <div>8%</div> </div>
5	AF	101	<div> <div>32%</div> <div>84%</div> <div>14%</div> <div>.</div> </div>
6	AG	152	<div> <div>27%</div> <div>90%</div> <div>9%</div> <div>.</div> </div>
7	AH	130	<div> <div>37%</div> <div>92%</div> <div>8%</div> <div>.</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	AI	128	
9	AJ	100	
10	AK	118	
11	AL	124	
12	AM	115	
13	AN	101	
14	AO	89	
15	AP	81	
16	AQ	82	
17	AR	57	
18	AS	81	
19	AT	86	
20	AU	53	
21	AA	1533	
22	A1	76	
23	A2	15	
24	A3	77	
25	BC	273	
26	BD	209	
27	BE	201	
28	BF	179	
29	BG	177	
30	BH	149	
31	BI	142	
32	BJ	142	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	BK	123	
34	BL	144	
35	BM	136	
36	BN	121	
37	BO	117	
38	BP	115	
39	BQ	118	
40	BR	103	
41	BS	110	
42	BT	94	
43	BU	104	
44	BV	94	
45	BW	80	
46	BX	79	
47	BY	63	
48	BZ	59	
49	B0	57	
50	B1	52	
51	B2	46	
52	B3	65	
53	B4	38	
54	BA	2903	
55	BB	118	
56	B5	234	

2 Entry composition

There are 58 unique types of molecules in this entry. The entry contains 147653 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	AB	220	Total	C	N	O	S	0	1
			1708	1083	306	312	7		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AB	7	ACE	-	acetylation	UNP P0A7V0
AB	226	NH2	-	amidation	UNP P0A7V0

- Molecule 2 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	AC	207	Total	C	N	O	S	0	1
			1625	1028	306	288	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AC	207	NH2	-	amidation	UNP P0A7V3

- Molecule 3 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	AD	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 4 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	AE	152	Total	C	N	O	S	0	1
			1109	689	212	202	6		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AE	8	ACE	-	acetylation	UNP P0A7W1
AE	159	NH2	-	amidation	UNP P0A7W1

- Molecule 5 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	AF	101	Total	C	N	O	S	0	1
			818	515	149	148	6		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AF	101	NH2	-	amidation	UNP P02358

- Molecule 6 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AG	152	Total	C	N	O	S	0	1
			1178	732	227	215	4		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AG	1	ACE	-	acetylation	UNP P02359
AG	152	NH2	-	amidation	UNP P02359

- Molecule 7 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AH	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 8 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AI	128	Total	C	N	O	S	0	0
			1025	636	206	180	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AI	2	ACE	-	acetylation	UNP P0A7X3

- Molecule 9 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AJ	100	Total	C	N	O	S	0	1
			790	495	151	143	1		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AJ	4	ACE	-	acetylation	UNP P0A7R5
AJ	103	NH2	-	amidation	UNP P0A7R5

- Molecule 10 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AK	118	Total	C	N	O	S	0	0
			880	542	174	161	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AK	11	ACE	-	acetylation	UNP P0A7R9

- Molecule 11 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AL	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 12 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	AM	114	Total	C	N	O	S	0	1
			877	541	178	155	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AM	114	NH2	-	amidation	UNP P0A7S9

- Molecule 13 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AN	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 14 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AO	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 15 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AP	81	Total	C	N	O	S	0	1
			639	400	127	111	1		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AP	81	NH2	-	amidation	UNP P0A7T3

- Molecule 16 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AQ	82	Total	C	N	O	S	0	1
			652	413	122	114	3		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AQ	2	ACE	-	acetylation	UNP P0AG63
AQ	83	NH2	-	amidation	UNP P0AG63

- Molecule 17 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	AR	57	Total	C	N	O	0	1
			459	290	87	82		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AR	18	ACE	-	acetylation	UNP P0A7T7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
AR	74	NH2	-	amidation	UNP P0A7T7

- Molecule 18 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AS	81	Total	C	N	O	S	0	1
			641	410	121	108	2		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AS	1	ACE	-	acetylation	UNP P0A7U3
AS	81	NH2	-	amidation	UNP P0A7U3

- Molecule 19 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AT	86	Total	C	N	O	S	0	0
			668	413	137	115	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AT	1	ACE	-	acetylation	UNP P0A7U7

- Molecule 20 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	AU	53	Total	C	N	O	S	0	1
			429	267	87	74	1		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AU	2	ACE	-	acetylation	UNP P68679
AU	54	NH2	-	amidation	UNP P68679

- Molecule 21 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	AA	1530	Total	C	N	O	P	0	0
			32828	14642	6024	10633	1529		

- Molecule 22 is a RNA chain called fMet-Val-tRNA-Val.

Mol	Chain	Residues	Atoms						AltConf	Trace
22	A1	76	Total	C	N	O	P	S	0	0
			1627	728	292	531	75	1		

- Molecule 23 is a RNA chain called 5'-R(*AP*CP*UP*AP*UP*GP*GP*UP*UP*UP*UP*UP*AP*UP*U)-3'.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	A2	15	Total	C	N	O	P	0	0
			309	140	46	109	14		

- Molecule 24 is a RNA chain called tRNA-fMet.

Mol	Chain	Residues	Atoms						AltConf	Trace
24	A3	77	Total	C	N	O	P	S	0	0
			1642	734	297	534	76	1		

- Molecule 25 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BC	272	Total	C	N	O	S	0	1
			2083	1288	424	364	7		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BC	272	NH2	-	amidation	UNP P60422

- Molecule 26 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	BD	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 27 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BE	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 28 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BF	178	Total	C	N	O	S	0	0
			1420	905	251	258	6		

- Molecule 29 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BG	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 30 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BH	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 31 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BI	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 32 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	BJ	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 33 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BK	123	Total	C	N	O	S	0	1
			939	587	181	165	6		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BK	123	NH2	-	amidation	UNP P0ADY3

- Molecule 34 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BL	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 35 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	BM	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 36 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	BN	121	Total	C	N	O	S	0	1
			961	593	197	166	5		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BN	121	NH2	-	amidation	UNP P0AG44

- Molecule 37 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	BO	116	Total	C	N	O		0	0
			892	552	178	162			

- Molecule 38 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	BP	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 39 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	BQ	117	Total	C	N	O		0	0
			947	604	192	151			

- Molecule 40 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	BR	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 41 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BS	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 42 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BT	94	Total	C	N	O	S	0	1
			739	466	140	131	2		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BT	94	NH2	-	amidation	UNP P0ADZ0

- Molecule 43 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
43	BU	103	Total	C	N	O	0	1
			780	492	147	141		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BU	103	NH2	-	amidation	UNP P60624

- Molecule 44 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	BV	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 45 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BW	80	Total	C	N	O	S	0	0
			599	369	120	109	1		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BW	5	ACE	-	acetylation	UNP P0A7L8

- Molecule 46 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BX	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BX	-1	ACE	-	acetylation	UNP P0A7M2

- Molecule 47 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BY	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 48 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	BZ	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 49 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	B0	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 50 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
50	B1	52	Total	C	N	O	0	1
			413	265	76	72		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B1	2	ACE	-	acetylation	UNP P0A7N9
B1	53	NH2	-	amidation	UNP P0A7N9

- Molecule 51 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	B2	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 52 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	B3	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 53 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	B4	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 54 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	BA	2903	Total	C	N	O	P	0	0
			62317	27801	11467	20147	2902		


- Molecule 55 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	BB	117	Total	C	N	O	P	0	0
			2504	1116	459	813	116		

- Molecule 56 is a protein called 50S ribosomal protein L1.


Mol	Chain	Residues	Atoms					AltConf	Trace
56	B5	223	Total	C	N	O	S	0	0
			1658	1038	302	312	6		

- Molecule 57 is VALINE (three-letter code: VAL) (formula: C₅H₁₁NO₂).



Mol	Chain	Residues	Atoms				AltConf
57	A1	1	Total	C	N	O	0
			7	5	1	1	

- Molecule 58 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: C₆H₁₁NO₃S).




Mol	Chain	Residues	Atoms					AltConf
58	BA	1	Total	C	N	O	S	0
			10	6	1	2	1	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 30S ribosomal protein S2




• Molecule 2: 30S ribosomal protein S3




• Molecule 3: 30S ribosomal protein S4








• Molecule 4: 30S ribosomal protein S5





• Molecule 5: 30S ribosomal protein S6




• Molecule 6: 30S ribosomal protein S7




• Molecule 7: 30S ribosomal protein S8




- Molecule 8: 30S ribosomal protein S9




- Molecule 9: 30S ribosomal protein S10




- Molecule 10: 30S ribosomal protein S11




- Molecule 11: 30S ribosomal protein S12




- Molecule 12: 30S ribosomal protein S13




- Molecule 13: 30S ribosomal protein S14




- Molecule 14: 30S ribosomal protein S15




- Molecule 15: 30S ribosomal protein S16




- Molecule 16: 30S ribosomal protein S17



- Molecule 17: 30S ribosomal protein S18





- Molecule 18: 30S ribosomal protein S19




- Molecule 19: 30S ribosomal protein S20









• Molecule 22: fMet-Val-tRNA-Val




• Molecule 23: 5'-R(*AP*CP*UP*AP*UP*GP*GP*UP*UP*UP*UP*UP*AP*UP*U)-3'



• Molecule 24: tRNA-fMet





• Molecule 25: 50S ribosomal protein L2







• Molecule 26: 50S ribosomal protein L3




• Molecule 27: 50S ribosomal protein L4




• Molecule 28: 50S ribosomal protein L5





• Molecule 29: 50S ribosomal protein L6








• Molecule 30: 50S ribosomal protein L9




• Molecule 31: 50S ribosomal protein L11




• Molecule 32: 50S ribosomal protein L13




• Molecule 33: 50S ribosomal protein L14




- Molecule 34: 50S ribosomal protein L15



- Molecule 35: 50S ribosomal protein L16



- Molecule 36: 50S ribosomal protein L17






- Molecule 37: 50S ribosomal protein L18









- Molecule 38: 50S ribosomal protein L19






- Molecule 39: 50S ribosomal protein L20





- Molecule 40: 50S ribosomal protein L21





- Molecule 41: 50S ribosomal protein L22




- Molecule 42: 50S ribosomal protein L23





- Molecule 43: 50S ribosomal protein L24





- Molecule 44: 50S ribosomal protein L25





- Molecule 45: 50S ribosomal protein L27





- Molecule 46: 50S ribosomal protein L28





- Molecule 47: 50S ribosomal protein L29




- Molecule 48: 50S ribosomal protein L30





- Molecule 49: 50S ribosomal protein L32




- Molecule 50: 50S ribosomal protein L33




- Molecule 51: 50S ribosomal protein L34




- Molecule 52: 50S ribosomal protein L35




- Molecule 53: 50S ribosomal protein L36




- Molecule 54: 23S ribosomal RNA










U2546	U2547	U2548	U2549	U2550	U2551	U2552	U2553	U2554	U2555	U2556	U2557	U2558	U2559	U2560	U2561	U2562	U2563	U2564	U2565	U2566	U2567	U2568	U2569	U2570	U2571	U2572	U2573	U2574	U2575	U2576	U2577	U2578	U2579	U2580	U2581	U2582	U2583	U2584	U2585	U2586	U2587	U2588	U2589	U2590	U2591																																																																																																																																																
C2483	C2486	C2487	C2488	C2489	C2490	C2491	C2492	C2493	C2494	C2495	C2496	C2497	C2498	C2499	U2500	C2501	C2502	C2503	C2504	C2505	C2506	C2507	C2508	C2509	C2510	C2511	C2512	C2513	C2514	C2515	C2516	C2517	C2518	C2519	C2520	C2521	C2522	C2523	C2524	C2525	C2526	C2527	C2528	C2529	C2530	C2531	C2532	C2533	C2534	C2535	C2536	C2537	C2538	C2539	C2540	C2541	C2542	C2543																																																																																																																																			
U2423	C2424	A2425	C2426	C2427	C2428	C2429	A2430	U2431	A2432	A2433	A2434	A2435	C2436	C2437	U2438	A2439	C2440	U2441	C2442	C2443	C2444	C2445	C2446	C2447	A2448	U2449	C2450	A2451	C2452	A2453	C2454	C2455	C2456	U2457	C2458	A2459	U2460	A2461	C2462	C2463	C2464	C2465	C2466	C2467	A2468	A2469	C2470	A2471	C2472	U2473	U2474	C2475	C2476	C2477	C2478	U2479	C2480	A2482																																																																																																																																			
C2385	U2386	C2387	A2388	C2389	C2390	C2391	C2392	C2393	C2394	C2395	C2396	C2397	C2398	C2399	C2400	C2401	C2402	C2403	C2404	C2405	C2406	C2407	C2408	C2409	C2410	C2411	C2412	C2413	C2414	C2415	C2416	C2417	C2418	C2419	C2420	C2421	C2422	C2423	C2424	C2425	C2426	C2427	C2428	C2429	C2430	C2431	C2432	C2433	C2434	C2435	C2436	C2437	C2438	C2439	C2440	C2441	C2442	C2443	C2444	C2445	C2446	C2447	C2448	C2449	C2450	C2451	C2452	C2453	C2454	C2455	C2456	C2457	C2458	C2459	C2460	C2461	C2462	C2463	C2464	C2465	C2466	C2467	C2468	C2469	C2470	C2471	C2472	U2473	U2474	C2475	C2476	C2477	C2478	U2479	C2480	A2482																																																																																													
U2292	C2293	C2294	C2295	C2296	C2297	C2298	C2299	C2300	C2301	C2302	C2303	C2304	C2305	C2306	C2307	C2308	C2309	C2310	C2311	C2312	C2313	C2314	C2315	C2316	C2317	C2318	C2319	C2320	C2321	C2322	C2323	C2324	C2325	C2326	C2327	C2328	C2329	C2330	C2331	C2332	C2333	C2334	C2335	C2336	C2337	C2338	C2339	C2340	C2341	C2342	C2343	C2344	C2345	C2346	C2347	C2348	C2349	C2350	C2351	C2352	C2353	C2354	C2355	C2356	C2357	C2358	C2359	C2360	C2361	C2362	C2363	C2364	C2365	C2366	C2367	C2368	C2369	C2370	C2371	C2372	C2373	C2374	C2375	C2376	C2377	C2378	C2379	C2380	C2381	C2382	C2383	C2384	C2385	C2386	C2387	C2388	C2389	C2390	C2391	C2392	C2393	C2394	C2395	C2396	C2397	C2398	C2399	C2400	C2401	C2402	C2403	C2404	C2405	C2406	C2407	C2408	C2409	C2410	C2411	C2412	C2413	C2414	C2415	C2416	C2417	C2418	C2419	C2420	C2421	C2422	C2423	C2424	C2425	C2426	C2427	C2428	C2429	C2430	C2431	C2432	C2433	C2434	C2435	C2436	C2437	C2438	C2439	C2440	C2441	C2442	C2443	C2444	C2445	C2446	C2447	C2448	C2449	C2450	C2451	C2452	C2453	C2454	C2455	C2456	C2457	C2458	C2459	C2460	C2461	C2462	C2463	C2464	C2465	C2466	C2467	C2468	C2469	C2470	C2471	C2472	U2473	U2474	C2475	C2476	C2477	C2478	U2479	C2480	A2482
A2227	G2228	U2229	C2230	U2231	C2232	U2233	U2236	C2237	C2238	C2239	U2240	A2241	C2242	U2243	U2244	U2245	C2246	A2247	C2248	U2249	C2250	C2254	U2257	C2258	U2259	C2260	C2261	C2262	C2263	C2264	C2265	C2266	C2267	C2268	C2269	A2270	C2271	C2272	A2273	C2274	C2275	C2276	C2277	C2278	C2279	C2280	C2281	C2282	C2283	C2284	C2285	C2286	C2287	C2288	U2291																																																																																																																																						
A2163	C2164	C2165	C2166	U2167	C2168	A2169	A2170	C2171	C2172	C2173	C2174	C2175	C2176	C2177	C2178	C2179	U2180	U2181	C2182	A2183	A2184	C2185	C2186	U2187	A2191	U2192	C2193	U2194	C2195	C2196	U2197	C2198	C2199	C2200	C2201	C2202	C2203	C2204	C2205	C2206	C2207	C2208	C2211	C2212	C2213	C2214	C2215	C2216	C2217	C2218	C2219	C2220	C2221	C2222	C2225	C2226																																																																																																																																					
U2099	C2100	A2101	C2102	C2103	C2104	U2105	U2106	C2107	C2108	U2109	C2110	C2111	C2112	U2113	C2114	C2115	C2116	C2117	C2118	C2119	C2122	A2126	C2129	U2130	C2131	C2132	C2133	C2134	C2135	C2136	U2137	C2138	U2139	C2140	C2141	C2142	C2143	C2144	C2145	C2146	C2147	C2148	U2149	C2150	U2151	C2152	C2153	C2154	C2155	C2156	C2157	C2158	C2159	C2160	C2161	C2162																																																																																																																																					
G2038	U2039	C2040	U2041	C2042	C2043	C2044	C2045	C2046	C2047	C2050	A2051	C2052	C2053	C2055	C2056	C2057	C2058	C2059	C2060	C2061	C2062	C2063	C2064	C2065	C2066	C2067	C2068	C2069	C2070	C2071	C2072	C2073	C2074	C2075	C2076	C2077	C2078	C2079	C2080	C2081	C2082	C2083	C2084	C2085	C2086	C2087	C2088	C2089	C2090	C2091	C2092	C2093	C2094	C2095	C2096	C2097	C2098																																																																																																																																				
A1978	U1979	C1980	C1981	C1982	C1983	C1984	C1985	C1986	C1987	C1988	C1989	C1990	C1991	C1992	C1993	C1994	C1995	C1996	C1997	C1998	C1999	C2000	C2001	C2002	C2003	C2004	C2005	C2006	C2007	C2008	C2009	C2010	C2011	C2012	C2013	C2014	C2015	C2016	C2017	C2018	C2019	C2020	C2021	C2022	C2023	C2024	C2025	C2026	C2027	C2028	C2029	C2030	C2031	C2032	C2033	C2034	C2035	C2036	C2037																																																																																																																																		
U1915	A1916	U1917	A1918	C1919	C1920	C1921	U1922	C1923	C1924	C1925	U1926	A1927	C1928	C1929	C1930	C1931	C1932	C1933	C1934	C1935	C1936	C1937	C1938	C1939	C1940	C1941	C1942	C1943	C1944	C1945	C1946	C1947	C1950	U1951	C1952	C1953	C1954	C1955	C1956	C1957	C1958	C1959	C1960	C1961	C1962	C1963	C1964	C1965	C1966	C1967	C1968	C1969	C1970	C1971	C1972	C1973	C1974	C1977																																																																																																																																			
U1852	A1853	A1854	C1855	U1856	C1857	U1858	C1859	C1860	C1861	C1862	C1863	C1864	C1865	C1866	C1867	C1868	C1869	C1870	A1871	C1872	C1873	C1874	C1875	C1876	A1877	C1878	C1879	C1880	C1881	C1882	C1883	C1884	C1885	C1886	C1887	C1888	C1889	C1890	C1891	C1892	C1893	C1894	C1895	C1896	C1897	C1898	C1899	C1900	C1901	C1902	C1903	C1904	C1905	C1906	C1907	C1908	C1909	C1910	C1911	C1912	C1913	C1914																																																																																																																															
C1790	A1791	C1792	C1793	C1794	C1795	C1796	C1797	C1798	C1799	C1800	A1801	C1802	A1803	C1804	C1805	C1806	C1807	C1808	C1809	A1810	C1811	C1812	C1813	C1814	C1815	C1816	C1817	C1818	C1819	C1820	C1821	C1822	C1823	C1824	C1825	C1826	C1827	C1828	C1829	C1830	C1831	C1832	C1833	C1834	C1835	C1836	C1837	C1838	C1839	C1840	C1841	C1842	C1843	C1844	C1845	C1846	C1847	C1848	C1849	C1850	C1851																																																																																																																																



• Molecule 55: 5S ribosomal RNA



• Molecule 56: 50S ribosomal protein L1



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	4705	Depositor
Resolution determination method	FSC 0.5 CUT-OFF	Depositor
CTF correction method	Not provided	
Microscope	FEI/PHILIPS CM200FEG	Depositor
Voltage (kV)	160	Depositor
Electron dose ($e^-/\text{\AA}^2$)	20	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	161000	Depositor
Image detector	GENERIC TVIPS (4k x 4k)	Depositor
Maximum map value	176.039	Depositor
Minimum map value	-108.322	Depositor
Average map value	-0.887	Depositor
Map value standard deviation	18.782	Depositor
Recommended contour level	25	Depositor
Map size (\AA)	358.4, 358.4, 358.4	wwPDB
Map dimensions	128, 128, 128	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	2.8, 2.8, 2.8	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 6MZ, FME, 5MU, CM0, 7MG, ACE, NH2, OMC, 4SU, H2U, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	AB	0.72	0/1736	1.05	13/2340 (0.6%)
2	AC	0.74	0/1651	1.07	13/2225 (0.6%)
3	AD	0.77	0/1665	1.13	16/2227 (0.7%)
4	AE	0.71	0/1119	1.06	7/1506 (0.5%)
5	AF	0.74	0/835	1.14	8/1128 (0.7%)
6	AG	0.76	0/1188	1.24	14/1593 (0.9%)
7	AH	0.72	0/989	1.07	6/1326 (0.5%)
8	AI	0.81	0/1035	1.27	14/1377 (1.0%)
9	AJ	0.72	0/797	1.12	9/1079 (0.8%)
10	AK	0.76	0/894	1.14	8/1207 (0.7%)
11	AL	0.77	0/969	1.28	13/1300 (1.0%)
12	AM	0.75	0/884	1.29	16/1181 (1.4%)
13	AN	0.76	0/817	1.24	12/1088 (1.1%)
14	AO	0.75	0/722	1.17	10/964 (1.0%)
15	AP	0.79	0/648	1.28	12/870 (1.4%)
16	AQ	0.70	0/658	1.15	6/883 (0.7%)
17	AR	0.82	0/463	1.19	6/623 (1.0%)
18	AS	0.76	0/653	1.18	9/879 (1.0%)
19	AT	0.68	0/672	0.97	3/890 (0.3%)
20	AU	0.86	0/431	1.43	7/572 (1.2%)
21	AA	1.52	1/36759 (0.0%)	2.22	1955/57346 (3.4%)
22	A1	1.55	0/1668	2.27	88/2595 (3.4%)
23	A2	1.50	0/343	2.33	19/531 (3.6%)
24	A3	1.55	0/1722	2.18	90/2685 (3.4%)
25	BC	0.75	0/2121	1.29	30/2852 (1.1%)
26	BD	0.68	0/1586	1.13	9/2134 (0.4%)
27	BE	0.68	0/1571	1.15	10/2113 (0.5%)
28	BF	0.75	0/1444	1.21	16/1937 (0.8%)
29	BG	0.69	0/1343	1.10	9/1816 (0.5%)
30	BH	0.66	0/1122	1.10	7/1515 (0.5%)
31	BI	0.68	0/1046	1.08	5/1410 (0.4%)
32	BJ	0.74	0/1152	1.17	12/1551 (0.8%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	BK	0.71	0/947	1.23	11/1268 (0.9%)
34	BL	0.74	0/1054	1.33	11/1403 (0.8%)
35	BM	0.75	0/1093	1.28	12/1460 (0.8%)
36	BN	0.76	0/973	1.31	13/1301 (1.0%)
37	BO	0.73	0/902	1.24	10/1209 (0.8%)
38	BP	0.76	0/929	1.33	13/1242 (1.0%)
39	BQ	0.80	0/960	1.31	12/1278 (0.9%)
40	BR	0.73	0/829	1.10	5/1107 (0.5%)
41	BS	0.65	0/864	1.15	6/1156 (0.5%)
42	BT	0.67	0/744	1.19	6/994 (0.6%)
43	BU	0.69	0/787	1.12	6/1051 (0.6%)
44	BV	0.73	0/766	1.16	6/1025 (0.6%)
45	BW	0.77	0/604	1.27	8/799 (1.0%)
46	BX	0.76	0/635	1.22	6/848 (0.7%)
47	BY	0.67	0/510	1.17	6/677 (0.9%)
48	BZ	0.69	0/453	1.20	3/605 (0.5%)
49	B0	0.75	0/450	1.24	5/599 (0.8%)
50	B1	0.73	0/417	1.16	3/556 (0.5%)
51	B2	0.80	0/380	1.50	10/498 (2.0%)
52	B3	0.75	0/513	1.23	6/676 (0.9%)
53	B4	0.69	0/303	1.32	5/397 (1.3%)
54	BA	1.40	0/69796	2.21	4028/108888 (3.7%)
55	BB	1.41	0/2800	2.20	152/4367 (3.5%)
56	B5	0.66	0/1673	1.07	10/2255 (0.4%)
All	All	1.28	1/160085 (0.0%)	1.99	6805/239402 (2.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
10	AK	0	1
21	AA	0	358
22	A1	0	15
23	A2	0	5
24	A3	0	9
26	BD	0	1
41	BS	0	1
50	B1	0	1
54	BA	0	709
55	BB	0	21
All	All	0	1121

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
21	AA	348	G	C4'-O4'	-5.47	1.38	1.45

The worst 5 of 6805 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	A1	76	A	N1-C6-N6	-15.19	109.49	118.60
54	BA	1714	U	O4'-C1'-N1	14.33	119.66	108.20
54	BA	546	U	O4'-C1'-N1	13.75	119.20	108.20
54	BA	218	A	N1-C6-N6	-12.03	111.39	118.60
21	AA	152	A	N1-C6-N6	-11.78	111.53	118.60

There are no chirality outliers.

5 of 1121 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
21	AA	10	A	Sidechain
21	AA	5	U	Sidechain
21	AA	6	G	Sidechain
21	AA	8	A	Sidechain
10	AK	115	ILE	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AB	1708	0	1736	0	0
2	AC	1625	0	1699	0	0
3	AD	1643	0	1710	0	0
4	AE	1109	0	1152	0	0
5	AF	818	0	808	3	0
6	AG	1178	0	1234	0	0
7	AH	979	0	1034	0	0
8	AI	1025	0	1074	0	0
9	AJ	790	0	832	0	0
10	AK	880	0	891	0	0
11	AL	955	0	1019	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
12	AM	877	0	937	0	0
13	AN	805	0	844	0	0
14	AO	714	0	737	0	0
15	AP	639	0	656	0	0
16	AQ	652	0	695	0	0
17	AR	459	0	482	0	0
18	AS	641	0	669	0	0
19	AT	668	0	718	0	0
20	AU	429	0	453	0	0
21	AA	32828	0	16522	2	0
22	A1	1627	0	832	1	0
23	A2	309	0	158	0	0
24	A3	1642	0	843	1	0
25	BC	2083	0	2157	1	0
26	BD	1565	0	1616	0	0
27	BE	1552	0	1619	0	0
28	BF	1420	0	1460	0	0
29	BG	1323	0	1374	0	0
30	BH	1111	0	1148	1	0
31	BI	1032	0	1088	0	0
32	BJ	1129	0	1162	0	0
33	BK	939	0	1012	0	0
34	BL	1045	0	1117	1	0
35	BM	1074	0	1157	1	0
36	BN	961	0	1000	0	0
37	BO	892	0	923	0	0
38	BP	917	0	965	0	0
39	BQ	947	0	1022	0	0
40	BR	816	0	839	0	0
41	BS	857	0	922	0	0
42	BT	739	0	807	0	0
43	BU	780	0	834	0	0
44	BV	753	0	780	0	0
45	BW	599	0	614	0	0
46	BX	625	0	655	0	0
47	BY	509	0	543	0	0
48	BZ	449	0	491	0	0
49	B0	444	0	461	0	0
50	B1	413	0	444	0	0
51	B2	377	0	418	0	0
52	B3	504	0	574	0	0
53	B4	302	0	343	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
54	BA	62317	0	31345	6	0
55	BB	2504	0	1271	0	0
56	B5	1658	0	1751	0	0
57	A1	7	0	8	0	0
58	BA	10	0	10	0	0
All	All	147653	0	99665	15	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

The worst 5 of 15 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
30:BH:143:ILE:H	30:BH:143:ILE:HD13	1.72	0.54
24:A3:72:C:C5	24:A3:73:A:C8	2.98	0.51
5:AF:94:HIS:CG	5:AF:95:ALA:H	2.33	0.47
35:BM:80:VAL:H	35:BM:81:ARG:HA	1.81	0.46
22:A1:76:A:H62	54:BA:2600:A:H3'	1.82	0.44

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AB	218/220 (99%)	202 (93%)	13 (6%)	3 (1%)	9	41
2	AC	205/208 (99%)	189 (92%)	13 (6%)	3 (2%)	8	40
3	AD	203/206 (98%)	192 (95%)	6 (3%)	5 (2%)	4	26
4	AE	150/152 (99%)	136 (91%)	10 (7%)	4 (3%)	4	25
5	AF	99/101 (98%)	85 (86%)	8 (8%)	6 (6%)	1	13

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	AG	150/152 (99%)	139 (93%)	9 (6%)	2 (1%)	10	43
7	AH	127/130 (98%)	120 (94%)	7 (6%)	0	100	100
8	AI	126/128 (98%)	112 (89%)	10 (8%)	4 (3%)	3	21
9	AJ	98/100 (98%)	90 (92%)	4 (4%)	4 (4%)	2	18
10	AK	116/118 (98%)	104 (90%)	12 (10%)	0	100	100
11	AL	121/124 (98%)	109 (90%)	7 (6%)	5 (4%)	2	18
12	AM	112/115 (97%)	93 (83%)	17 (15%)	2 (2%)	7	35
13	AN	98/101 (97%)	85 (87%)	9 (9%)	4 (4%)	2	18
14	AO	86/89 (97%)	80 (93%)	4 (5%)	2 (2%)	5	28
15	AP	79/81 (98%)	67 (85%)	10 (13%)	2 (2%)	4	26
16	AQ	80/82 (98%)	74 (92%)	5 (6%)	1 (1%)	10	43
17	AR	55/57 (96%)	53 (96%)	1 (2%)	1 (2%)	7	35
18	AS	79/81 (98%)	74 (94%)	4 (5%)	1 (1%)	10	43
19	AT	84/86 (98%)	80 (95%)	4 (5%)	0	100	100
20	AU	51/53 (96%)	34 (67%)	9 (18%)	8 (16%)	0	3
25	BC	270/273 (99%)	245 (91%)	21 (8%)	4 (2%)	8	40
26	BD	207/209 (99%)	182 (88%)	17 (8%)	8 (4%)	2	19
27	BE	199/201 (99%)	183 (92%)	11 (6%)	5 (2%)	4	26
28	BF	176/179 (98%)	156 (89%)	17 (10%)	3 (2%)	7	37
29	BG	174/177 (98%)	156 (90%)	14 (8%)	4 (2%)	5	28
30	BH	147/149 (99%)	135 (92%)	11 (8%)	1 (1%)	19	57
31	BI	139/142 (98%)	125 (90%)	11 (8%)	3 (2%)	5	29
32	BJ	140/142 (99%)	130 (93%)	10 (7%)	0	100	100
33	BK	121/123 (98%)	109 (90%)	9 (7%)	3 (2%)	4	26
34	BL	141/144 (98%)	124 (88%)	10 (7%)	7 (5%)	1	16
35	BM	134/136 (98%)	117 (87%)	15 (11%)	2 (2%)	8	40
36	BN	119/121 (98%)	101 (85%)	13 (11%)	5 (4%)	2	17
37	BO	114/117 (97%)	111 (97%)	3 (3%)	0	100	100
38	BP	112/115 (97%)	98 (88%)	9 (8%)	5 (4%)	2	17
39	BQ	115/118 (98%)	103 (90%)	8 (7%)	4 (4%)	3	20
40	BR	101/103 (98%)	95 (94%)	3 (3%)	3 (3%)	3	23

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
41	BS	108/110 (98%)	95 (88%)	11 (10%)	2 (2%)	6	32
42	BT	92/94 (98%)	73 (79%)	12 (13%)	7 (8%)	1	10
43	BU	101/104 (97%)	85 (84%)	11 (11%)	5 (5%)	1	16
44	BV	92/94 (98%)	89 (97%)	2 (2%)	1 (1%)	12	47
45	BW	78/80 (98%)	58 (74%)	17 (22%)	3 (4%)	2	19
46	BX	75/79 (95%)	60 (80%)	11 (15%)	4 (5%)	1	15
47	BY	61/63 (97%)	57 (93%)	2 (3%)	2 (3%)	3	21
48	BZ	56/59 (95%)	49 (88%)	6 (11%)	1 (2%)	7	35
49	B0	54/57 (95%)	50 (93%)	3 (6%)	1 (2%)	6	32
50	B1	50/52 (96%)	43 (86%)	5 (10%)	2 (4%)	2	18
51	B2	44/46 (96%)	41 (93%)	2 (4%)	1 (2%)	5	28
52	B3	62/65 (95%)	58 (94%)	3 (5%)	1 (2%)	8	38
53	B4	36/38 (95%)	34 (94%)	2 (6%)	0	100	100
56	B5	221/234 (94%)	210 (95%)	11 (5%)	0	100	100
All	All	5876/6008 (98%)	5290 (90%)	442 (8%)	144 (2%)	7	26

5 of 144 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	AF	86	ARG
8	AI	124	PRO
12	AM	42	VAL
13	AN	56	SER
17	AR	20	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AB	180/180 (100%)	177 (98%)	3 (2%)	56	72
2	AC	170/171 (99%)	166 (98%)	4 (2%)	44	62

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	AD	172/173 (99%)	171 (99%)	1 (1%)	84	88
4	AE	113/113 (100%)	112 (99%)	1 (1%)	75	83
5	AF	87/87 (100%)	86 (99%)	1 (1%)	70	80
6	AG	123/123 (100%)	121 (98%)	2 (2%)	58	73
7	AH	104/105 (99%)	100 (96%)	4 (4%)	28	49
8	AI	105/105 (100%)	103 (98%)	2 (2%)	52	69
9	AJ	86/86 (100%)	84 (98%)	2 (2%)	45	64
10	AK	90/90 (100%)	89 (99%)	1 (1%)	70	80
11	AL	103/104 (99%)	101 (98%)	2 (2%)	52	69
12	AM	91/92 (99%)	90 (99%)	1 (1%)	70	80
13	AN	83/84 (99%)	81 (98%)	2 (2%)	44	62
14	AO	76/77 (99%)	74 (97%)	2 (3%)	41	59
15	AP	65/65 (100%)	65 (100%)	0	100	100
16	AQ	74/74 (100%)	72 (97%)	2 (3%)	40	58
17	AR	48/48 (100%)	47 (98%)	1 (2%)	48	66
18	AS	70/70 (100%)	69 (99%)	1 (1%)	62	75
19	AT	65/65 (100%)	65 (100%)	0	100	100
20	AU	44/44 (100%)	42 (96%)	2 (4%)	23	45
25	BC	216/217 (100%)	211 (98%)	5 (2%)	45	64
26	BD	164/164 (100%)	162 (99%)	2 (1%)	67	78
27	BE	165/165 (100%)	164 (99%)	1 (1%)	84	88
28	BF	149/150 (99%)	148 (99%)	1 (1%)	81	87
29	BG	137/138 (99%)	133 (97%)	4 (3%)	37	56
30	BH	114/114 (100%)	111 (97%)	3 (3%)	41	59
31	BI	109/110 (99%)	109 (100%)	0	100	100
32	BJ	116/116 (100%)	114 (98%)	2 (2%)	56	72
33	BK	103/103 (100%)	102 (99%)	1 (1%)	73	82
34	BL	102/103 (99%)	101 (99%)	1 (1%)	73	82
35	BM	109/109 (100%)	106 (97%)	3 (3%)	38	57
36	BN	100/100 (100%)	97 (97%)	3 (3%)	36	55
37	BO	86/87 (99%)	85 (99%)	1 (1%)	67	78

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
38	BP	99/100 (99%)	98 (99%)	1 (1%)	73	82
39	BQ	89/90 (99%)	87 (98%)	2 (2%)	47	65
40	BR	84/84 (100%)	81 (96%)	3 (4%)	30	50
41	BS	93/93 (100%)	90 (97%)	3 (3%)	34	53
42	BT	80/80 (100%)	80 (100%)	0	100	100
43	BU	83/84 (99%)	83 (100%)	0	100	100
44	BV	78/78 (100%)	77 (99%)	1 (1%)	65	77
45	BW	59/59 (100%)	56 (95%)	3 (5%)	20	41
46	BX	67/68 (98%)	67 (100%)	0	100	100
47	BY	55/55 (100%)	55 (100%)	0	100	100
48	BZ	48/49 (98%)	45 (94%)	3 (6%)	15	36
49	B0	47/48 (98%)	46 (98%)	1 (2%)	48	66
50	B1	45/45 (100%)	44 (98%)	1 (2%)	47	65
51	B2	38/38 (100%)	37 (97%)	1 (3%)	41	59
52	B3	51/52 (98%)	50 (98%)	1 (2%)	50	68
53	B4	34/34 (100%)	34 (100%)	0	100	100
56	B5	173/181 (96%)	171 (99%)	2 (1%)	67	78
All	All	4842/4870 (99%)	4759 (98%)	83 (2%)	56	72

5 of 83 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
36	BN	1	MET
45	BW	36	ILE
36	BN	70	THR
40	BR	39	LEU
48	BZ	39	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
19	AT	69	ASN
34	BL	35	HIS
36	BN	107	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
21	AA	1530/1533 (99%)	255 (16%)	88 (5%)
22	A1	73/76 (96%)	12 (16%)	7 (9%)
23	A2	14/15 (93%)	4 (28%)	1 (7%)
24	A3	76/77 (98%)	11 (14%)	4 (5%)
54	BA	2902/2903 (99%)	485 (16%)	125 (4%)
55	BB	116/118 (98%)	14 (12%)	5 (4%)
All	All	4711/4722 (99%)	781 (16%)	230 (4%)

5 of 781 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
21	AA	8	A
21	AA	9	G
21	AA	13	U
21	AA	14	U
21	AA	16	A

5 of 230 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
54	BA	503	A
54	BA	2732	G
54	BA	1128	G
54	BA	2680	U
54	BA	2288	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

11 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
24	OMC	A3	33	24	19,22,23	0.73	0	25,31,34	1.01	1 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
22	7MG	A1	46	22	23,26,27	4.01	2 (8%)	27,39,42	1.40	2 (7%)
22	5MU	A1	54	22	19,22,23	0.73	0	27,32,35	1.33	3 (11%)
22	CM0	A1	34	22	21,26,27	1.24	2 (9%)	26,37,40	1.44	1 (3%)
22	4SU	A1	7	22	18,21,22	1.41	2 (11%)	25,30,33	0.97	2 (8%)
24	5MU	A3	55	24	19,22,23	0.72	0	27,32,35	1.33	4 (14%)
22	6MZ	A1	37	22	17,25,26	0.92	0	15,36,39	1.74	3 (20%)
24	H2U	A3	21	24	18,21,22	1.40	2 (11%)	19,30,33	1.37	3 (15%)
24	4SU	A3	8	24	18,21,22	1.53	2 (11%)	25,30,33	0.83	1 (4%)
22	PSU	A1	55	22	18,21,22	0.84	0	21,30,33	1.41	3 (14%)
24	PSU	A3	56	24	18,21,22	0.82	0	21,30,33	1.39	2 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
24	OMC	A3	33	24	-	0/9/27/28	0/2/2/2
22	7MG	A1	46	22	-	1/7/37/38	0/3/3/3
22	5MU	A1	54	22	-	0/7/25/26	0/2/2/2
22	CM0	A1	34	22	-	2/12/30/31	0/2/2/2
22	4SU	A1	7	22	-	0/7/25/26	0/2/2/2
24	5MU	A3	55	24	-	0/7/25/26	0/2/2/2
22	6MZ	A1	37	22	-	0/5/27/28	0/3/3/3
24	H2U	A3	21	24	-	0/7/38/39	0/2/2/2
24	4SU	A3	8	24	-	0/7/25/26	0/2/2/2
22	PSU	A1	55	22	-	3/7/25/26	0/2/2/2
24	PSU	A3	56	24	-	2/7/25/26	0/2/2/2

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
22	A1	46	7MG	C8-N9	-18.78	1.33	1.45
24	A3	8	4SU	C5-C4	-5.32	1.36	1.42
22	A1	7	4SU	C5-C4	-5.02	1.36	1.42
22	A1	34	CM0	O5-C5	-4.45	1.26	1.36
24	A3	21	H2U	C2-N3	-3.57	1.31	1.38

The worst 5 of 25 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	A1	46	7MG	N9-C8-N7	5.72	111.47	103.37
22	A1	34	CM0	C7-O5-C5	5.51	124.50	117.48
22	A1	55	PSU	C6-C5-C4	4.11	120.95	118.17
22	A1	37	6MZ	C9-N6-C6	4.10	126.65	122.85
24	A3	21	H2U	N3-C2-N1	3.61	120.27	116.65

There are no chirality outliers.

5 of 8 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
22	A1	46	7MG	C4'-C5'-O5'-P
22	A1	55	PSU	C2'-C1'-C5-C4
24	A3	56	PSU	O4'-C1'-C5-C4
24	A3	56	PSU	O4'-C1'-C5-C6
22	A1	34	CM0	O5-C7-C8-O9

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
58	FME	BA	3001	57	8,9,10	0.77	0	8,9,11	2.22	3 (37%)
57	VAL	A1	101	22,58	4,6,7	0.87	0	6,7,9	0.98	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	FME	BA	3001	57	-	0/7/9/11	-
57	VAL	A1	101	22,58	-	3/5/6/8	-

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
58	BA	3001	FME	C-CA-N	4.00	117.22	109.50
58	BA	3001	FME	CA-N-CN	3.74	128.57	122.82
57	A1	101	VAL	O-C-CA	-2.37	118.68	124.77
58	BA	3001	FME	O-C-CA	-2.33	118.78	124.77

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
57	A1	101	VAL	O-C-CA-CB
57	A1	101	VAL	C-CA-CB-CG1
57	A1	101	VAL	C-CA-CB-CG2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-2473. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 64



Y Index: 64




Z Index: 64


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 66



Y Index: 69




Z Index: 62


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 25.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2557 nm³; this corresponds to an approximate mass of 2310 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.067 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-2473 and PDB model 4V73. Per-residue inclusion information can be found in [section 3](#) on [page 17](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 25.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (25).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 63% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ













































The table lists the average atom inclusion at the recommended contour level (25) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7240	 0.0610
A1	 0.7610	 0.0870
A2	 0.5110	 0.0570
A3	 0.7080	 0.0630
AA	 0.8180	 0.0730
AB	 0.5310	 0.0480
AC	 0.5630	 0.0370
AD	 0.5450	 0.0320
AE	 0.6820	 0.0660
AF	 0.6600	 0.0440
AG	 0.6550	 0.0420
AH	 0.5820	 0.0360
AI	 0.7220	 0.0440
AJ	 0.6620	 0.0350
AK	 0.5630	 0.0450
AL	 0.5780	 0.0480
AM	 0.6530	 0.0560
AN	 0.6300	 0.0480
AO	 0.6220	 0.0160
AP	 0.5610	 -0.0080
AQ	 0.5700	 0.0270
AR	 0.6220	 0.0070
AS	 0.8540	 0.0480
AT	 0.7550	 0.0110
AU	 0.4570	 -0.0040
B0	 0.6260	 0.0390
B1	 0.6630	 0.0590
B2	 0.4960	 0.0090
B3	 0.2870	 -0.0110
B4	 0.7570	 0.0450
B5	 0.5740	 0.0150
BA	 0.7880	 0.0770
BB	 0.7360	 0.0390
BC	 0.4830	 0.0130
BD	 0.5040	 0.0230



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
BE	 0.6320	 0.0390
BF	 0.6980	 0.0490
BG	 0.6020	 0.0550
BH	 0.2370	 0.0420
BI	 0.0070	 0.0200
BJ	 0.5770	 0.0280
BK	 0.4750	 0.0430
BL	 0.5160	 0.0010
BM	 0.4840	 0.0400
BN	 0.6080	 0.0190
BO	 0.7660	 0.0120
BP	 0.4850	 0.0390
BQ	 0.6050	 0.0190
BR	 0.6160	 0.0240
BS	 0.4440	 0.0110
BT	 0.6720	 0.0310
BU	 0.6170	 0.0390
BV	 0.6400	 0.0330
BW	 0.5670	 0.0130
BX	 0.5390	 0.0090
BY	 0.6780	 0.0540
BZ	 0.4620	 0.0210