



Full wwPDB EM Validation Report ⓘ

Jun 11, 2024 – 02:10 PM JST

PDB ID : 7VG3
EMDB ID : EMD-31964
Title : Cryo-EM structure of Arabidopsis DCL3 in complex with a 30-bp RNA
Authors : Wang, Q.; Du, J.
Deposited on : 2021-09-14
Resolution : 3.73 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.73 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1621	
2	C	30	
3	D	32	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8118 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dicer-like 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	860	6800	4323	1160	1281	36	0	0

There are 51 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-50	MET	-	initiating methionine	UNP F4J0I5
A	-49	TRP	-	expression tag	UNP F4J0I5
A	-48	SER	-	expression tag	UNP F4J0I5
A	-47	HIS	-	expression tag	UNP F4J0I5
A	-46	PRO	-	expression tag	UNP F4J0I5
A	-45	GLN	-	expression tag	UNP F4J0I5
A	-44	PHE	-	expression tag	UNP F4J0I5
A	-43	GLU	-	expression tag	UNP F4J0I5
A	-42	LYS	-	expression tag	UNP F4J0I5
A	-41	GLY	-	expression tag	UNP F4J0I5
A	-40	GLY	-	expression tag	UNP F4J0I5
A	-39	GLY	-	expression tag	UNP F4J0I5
A	-38	ALA	-	expression tag	UNP F4J0I5
A	-37	ARG	-	expression tag	UNP F4J0I5
A	-36	GLY	-	expression tag	UNP F4J0I5
A	-35	GLY	-	expression tag	UNP F4J0I5
A	-34	SER	-	expression tag	UNP F4J0I5
A	-33	GLY	-	expression tag	UNP F4J0I5
A	-32	GLY	-	expression tag	UNP F4J0I5
A	-31	GLY	-	expression tag	UNP F4J0I5
A	-30	SER	-	expression tag	UNP F4J0I5
A	-29	TRP	-	expression tag	UNP F4J0I5
A	-28	SER	-	expression tag	UNP F4J0I5
A	-27	HIS	-	expression tag	UNP F4J0I5
A	-26	PRO	-	expression tag	UNP F4J0I5
A	-25	GLN	-	expression tag	UNP F4J0I5
A	-24	PHE	-	expression tag	UNP F4J0I5
A	-23	GLU	-	expression tag	UNP F4J0I5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-22	LYS	-	expression tag	UNP F4J0I5
A	-21	GLY	-	expression tag	UNP F4J0I5
A	-20	PHE	-	expression tag	UNP F4J0I5
A	-19	ASP	-	expression tag	UNP F4J0I5
A	-18	TYR	-	expression tag	UNP F4J0I5
A	-17	LYS	-	expression tag	UNP F4J0I5
A	-16	ASP	-	expression tag	UNP F4J0I5
A	-15	ASP	-	expression tag	UNP F4J0I5
A	-14	ASP	-	expression tag	UNP F4J0I5
A	-13	ASP	-	expression tag	UNP F4J0I5
A	-12	LYS	-	expression tag	UNP F4J0I5
A	-11	GLY	-	expression tag	UNP F4J0I5
A	-10	SER	-	expression tag	UNP F4J0I5
A	-9	GLY	-	expression tag	UNP F4J0I5
A	-8	SER	-	expression tag	UNP F4J0I5
A	-7	GLU	-	expression tag	UNP F4J0I5
A	-6	ASN	-	expression tag	UNP F4J0I5
A	-5	LEU	-	expression tag	UNP F4J0I5
A	-4	TYR	-	expression tag	UNP F4J0I5
A	-3	PHE	-	expression tag	UNP F4J0I5
A	-2	GLN	-	expression tag	UNP F4J0I5
A	-1	GLY	-	expression tag	UNP F4J0I5
A	0	SER	-	expression tag	UNP F4J0I5

- Molecule 2 is a RNA chain called TAS1a RNA forward strand (5'-phosphorylated).

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C	30	Total	C	N	O	P	0	0
			636	285	112	209	30		

- Molecule 3 is a RNA chain called TAS1a RNA reverse strand.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	D	32	Total	C	N	O	P	0	0
			679	305	120	223	31		

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
4	A	2	Total	Ca	0
			2	2	

- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
5	A	1	Total	Zn	0
			1	1	

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	155929	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.135	Depositor
Minimum map value	-0.076	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.0305	Depositor
Map size (Å)	168.0, 168.0, 168.0	wwPDB
Map dimensions	200, 200, 200	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.84, 0.84, 0.84	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	0/6938	0.62	0/9373
2	C	0.49	0/710	0.98	0/1101
3	D	0.50	0/759	0.92	0/1181
All	All	0.37	0/8407	0.69	0/11655

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6800	0	6787	111	0
2	C	636	0	323	1	0
3	D	679	0	344	9	0
4	A	2	0	0	0	0
5	A	1	0	0	0	0
All	All	8118	0	7454	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1215:ARG:HH21	1:A:1215:ARG:HB2	1.28	0.95
1:A:1216:GLU:HG3	1:A:1218:TYR:CE1	2.03	0.94
1:A:1216:GLU:OE1	1:A:1216:GLU:HA	1.69	0.91
1:A:830:PHE:HB2	1:A:833:ALA:O	1.76	0.86
1:A:1216:GLU:HG3	1:A:1218:TYR:CZ	2.11	0.85
1:A:1376:CYS:SG	1:A:1405:ASN:ND2	2.49	0.85
1:A:1199:PHE:HE2	1:A:1328:ASP:OD2	1.61	0.82
1:A:1174:ASN:HB3	1:A:1203:PHE:CE2	2.13	0.82
1:A:1214:LEU:H	1:A:1214:LEU:HD22	1.45	0.82
1:A:1215:ARG:HH21	1:A:1215:ARG:CB	1.91	0.81
1:A:1199:PHE:CE2	1:A:1328:ASP:OD2	2.35	0.80
1:A:1174:ASN:HB3	1:A:1203:PHE:CD2	2.20	0.77
1:A:1068:ILE:HG22	1:A:1124:ARG:HH21	1.52	0.74
1:A:1191:LEU:HD12	1:A:1205:LEU:HD11	1.70	0.72
1:A:1214:LEU:HD22	1:A:1214:LEU:N	2.04	0.72
1:A:639:LEU:HD12	1:A:760:MET:H	1.59	0.68
1:A:1404:THR:HG21	1:A:1407:LEU:HD21	1.75	0.67
1:A:1213:SER:CB	1:A:1280:CYS:H	2.07	0.67
1:A:828:ILE:HD12	1:A:835:SER:O	1.94	0.66
1:A:1214:LEU:H	1:A:1214:LEU:CD2	2.08	0.66
1:A:1204:LEU:HD23	1:A:1328:ASP:OD1	1.95	0.66
1:A:1198:GLU:HA	1:A:1198:GLU:OE1	1.97	0.64
1:A:640:SER:HB2	1:A:760:MET:HB2	1.79	0.64
1:A:1174:ASN:HB3	1:A:1203:PHE:HE2	1.63	0.64
3:D:19:C:H2'	3:D:20:A:H8	1.64	0.63
1:A:1382:LYS:HD3	1:A:1401:SER:HB3	1.79	0.62
1:A:1206:LYS:O	1:A:1206:LYS:HD3	2.00	0.61
1:A:1215:ARG:HH21	1:A:1215:ARG:CG	2.13	0.60
1:A:842:GLU:HA	1:A:856:ILE:HG23	1.84	0.60
1:A:1206:LYS:HD3	1:A:1206:LYS:C	2.22	0.59
1:A:1013:ARG:NH1	1:A:1243:TYR:O	2.34	0.59
1:A:1180:CYS:SG	1:A:1181:TYR:N	2.74	0.57
1:A:1274:HIS:HB2	1:A:1314:LEU:HD11	1.86	0.56
1:A:1215:ARG:HB2	1:A:1215:ARG:NH2	2.10	0.56
1:A:1553:VAL:HA	1:A:1556:LEU:HD23	1.87	0.56
1:A:630:LEU:HD12	1:A:1123:HIS:HB3	1.89	0.54
1:A:1191:LEU:CD1	1:A:1205:LEU:HD11	2.37	0.54
1:A:1402:GLU:HA	1:A:1402:GLU:OE2	2.03	0.53
1:A:1188:LEU:CD1	1:A:1206:LYS:HB2	2.39	0.53
1:A:1213:SER:HB3	1:A:1280:CYS:H	1.74	0.53
1:A:1383:ALA:HB1	1:A:1405:ASN:HB2	1.89	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1054:ASN:HD21	1:A:1057:ARG:HH11	1.55	0.52
1:A:845:VAL:HG11	1:A:946:LEU:HD23	1.92	0.52
1:A:752:SER:HA	1:A:755:TRP:CD1	2.45	0.52
1:A:694:ARG:HH12	1:A:933:ARG:HD3	1.73	0.52
1:A:1143:TYR:OH	1:A:1237:ARG:NH1	2.44	0.51
1:A:1216:GLU:CG	1:A:1218:TYR:CZ	2.91	0.51
1:A:1277:LEU:HD12	1:A:1279:ARG:HD2	1.91	0.51
1:A:1188:LEU:HD11	1:A:1206:LYS:HB2	1.93	0.51
1:A:1383:ALA:CB	1:A:1405:ASN:HB2	2.41	0.51
1:A:1022:LEU:HD12	1:A:1139:ILE:CD1	2.40	0.51
1:A:1220:TYR:CD1	1:A:1220:TYR:C	2.85	0.49
3:D:5:U:H2'	3:D:6:A:H8	1.77	0.49
1:A:1294:SER:HB2	1:A:1307:SER:HB2	1.95	0.49
1:A:865:ALA:HB2	1:A:896:ASN:HB2	1.94	0.49
1:A:1098:ARG:NH1	1:A:1121:MET:O	2.44	0.49
1:A:1074:GLU:OE2	1:A:1077:ARG:NH2	2.46	0.49
1:A:1174:ASN:HB3	1:A:1203:PHE:HD2	1.77	0.49
1:A:1191:LEU:HD12	1:A:1205:LEU:CD1	2.41	0.48
1:A:1013:ARG:HG2	1:A:1240:PHE:HE1	1.78	0.48
1:A:640:SER:CB	1:A:760:MET:HB2	2.42	0.48
1:A:998:GLU:HA	1:A:1001:THR:HG22	1.95	0.48
1:A:639:LEU:CD1	1:A:760:MET:H	2.25	0.48
1:A:880:TYR:HE2	1:A:899:LEU:HD21	1.78	0.48
1:A:735:GLY:HA3	1:A:743:ARG:HA	1.96	0.47
1:A:1215:ARG:CG	1:A:1215:ARG:NH2	2.73	0.47
1:A:752:SER:HA	1:A:755:TRP:HD1	1.80	0.47
1:A:1542:ARG:HD2	1:A:1551:SER:HB3	1.97	0.47
1:A:666:GLU:HG3	1:A:953:ARG:HH12	1.77	0.47
1:A:826:ASN:HD21	1:A:837:LYS:HE2	1.79	0.47
1:A:636:ALA:HB3	1:A:639:LEU:HB2	1.97	0.47
1:A:1080:ALA:HB3	1:A:1083:GLN:HB2	1.97	0.46
1:A:1210:THR:HG21	1:A:1218:TYR:CD2	2.51	0.46
1:A:760:MET:HE3	1:A:760:MET:HA	1.97	0.45
1:A:1522:THR:OG1	1:A:1539:GLY:O	2.28	0.45
1:A:1505:PRO:HB3	3:D:26:U:H4'	1.98	0.45
1:A:1052:ASN:HB2	3:D:8:G:H5''	1.99	0.45
1:A:1213:SER:CB	1:A:1280:CYS:N	2.78	0.45
1:A:1220:TYR:O	1:A:1220:TYR:CG	2.70	0.45
1:A:756:HIS:O	1:A:756:HIS:CG	2.70	0.44
1:A:756:HIS:O	1:A:756:HIS:CD2	2.70	0.44
1:A:1308:ILE:HG22	1:A:1402:GLU:OE1	2.16	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1374:VAL:HG23	1:A:1387:ILE:HG12	1.99	0.44
1:A:1218:TYR:CD1	1:A:1218:TYR:N	2.82	0.44
3:D:1:G:H2'	3:D:2:A:H8	1.83	0.44
1:A:1474:LYS:HG3	3:D:16:A:H5''	2.00	0.44
1:A:1500:GLU:OE1	1:A:1520:SER:OG	2.35	0.44
1:A:1206:LYS:C	1:A:1206:LYS:CD	2.85	0.43
1:A:1403:GLN:HE21	1:A:1403:GLN:HB3	1.57	0.43
1:A:1356:PRO:HA	1:A:1357:PRO:HD3	1.87	0.43
1:A:658:ASP:OD1	1:A:700:SER:OG	2.36	0.42
1:A:1383:ALA:O	1:A:1401:SER:HA	2.19	0.42
1:A:1192:GLU:HA	1:A:1195:ILE:HG22	2.01	0.42
1:A:1499:GLU:OE2	1:A:1501:LYS:NZ	2.51	0.42
3:D:15:G:H2'	3:D:16:A:C8	2.55	0.42
1:A:788:ILE:HD11	1:A:947:ALA:HB1	2.02	0.42
1:A:962:LEU:HA	1:A:965:VAL:HG12	2.01	0.41
1:A:1190:GLU:HA	1:A:1193:ARG:HD3	2.00	0.41
3:D:15:G:H2'	3:D:16:A:H8	1.85	0.41
1:A:979:ARG:NH1	1:A:993:SER:OG	2.53	0.41
1:A:1529:ILE:HG23	1:A:1532:ARG:HB2	2.01	0.41
1:A:714:LEU:HD13	1:A:718:LYS:HD2	2.03	0.41
2:C:3:C:H2'	2:C:4:A:H8	1.84	0.41
1:A:1505:PRO:HA	1:A:1518:PHE:HE1	1.84	0.41
1:A:914:ASP:OD1	1:A:914:ASP:N	2.53	0.41
1:A:1007:GLU:HG2	1:A:1008:SER:H	1.85	0.41
3:D:1:G:H2'	3:D:2:A:C8	2.55	0.41
1:A:1404:THR:HG23	1:A:1407:LEU:HD11	2.02	0.41
1:A:1161:ASP:OD1	1:A:1161:ASP:N	2.54	0.41
1:A:760:MET:HE2	1:A:760:MET:HB3	1.70	0.41
1:A:1092:LYS:H	1:A:1092:LYS:HD2	1.86	0.41
1:A:1513:GLU:HG2	1:A:1515:ARG:HB2	2.03	0.41
1:A:722:GLN:NE2	1:A:755:TRP:HE1	2.19	0.40
1:A:1095:ILE:H	1:A:1095:ILE:HG13	1.64	0.40
1:A:1173:ILE:HA	1:A:1176:VAL:HG22	2.03	0.40
1:A:962:LEU:HB3	1:A:966:MET:HE2	2.04	0.40
1:A:653:GLN:HE22	1:A:706:GLN:NE2	2.20	0.40
1:A:657:PHE:HD1	1:A:657:PHE:HA	1.73	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	846/1621 (52%)	750 (89%)	91 (11%)	5 (1%)	25 61

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	757	PRO
1	A	1212	SER
1	A	852	ARG
1	A	1199	PHE
1	A	838	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	760/1449 (52%)	713 (94%)	47 (6%)	18 50

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	639	LEU
1	A	657	PHE
1	A	673	LEU
1	A	708	ARG
1	A	743	ARG
1	A	746	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	754	LEU
1	A	759	PHE
1	A	760	MET
1	A	832	ASN
1	A	836	ASP
1	A	837	LYS
1	A	838	ASN
1	A	843	LEU
1	A	852	ARG
1	A	911	LEU
1	A	948	ARG
1	A	969	LEU
1	A	988	ASN
1	A	1054	ASN
1	A	1092	LYS
1	A	1110	ASN
1	A	1154	MET
1	A	1175	ARG
1	A	1179	ARG
1	A	1199	PHE
1	A	1204	LEU
1	A	1206	LYS
1	A	1213	SER
1	A	1215	ARG
1	A	1216	GLU
1	A	1218	TYR
1	A	1219	SER
1	A	1220	TYR
1	A	1237	ARG
1	A	1260	ASN
1	A	1279	ARG
1	A	1378	ASN
1	A	1382	LYS
1	A	1401	SER
1	A	1402	GLU
1	A	1403	GLN
1	A	1404	THR
1	A	1405	ASN
1	A	1407	LEU
1	A	1525	ILE
1	A	1556	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	706	GLN
1	A	722	GLN
1	A	783	ASN
1	A	838	ASN
1	A	967	HIS
1	A	988	ASN
1	A	1054	ASN
1	A	1110	ASN
1	A	1260	ASN
1	A	1403	GLN
1	A	1460	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	C	29/30 (96%)	1 (3%)	0
3	D	31/32 (96%)	2 (6%)	0
All	All	60/62 (96%)	3 (5%)	0

All (3) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	C	2	A
3	D	30	A
3	D	31	G

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-31964. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 100



Y Index: 100




Z Index: 100


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 89



Y Index: 104




Z Index: 101


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0305. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 32 nm^3 ; this corresponds to an approximate mass of 29 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.268 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-31964 and PDB model 7VG3. Per-residue inclusion information can be found in [section 3](#) on [page 6](#).


9.1 Map-model overlay [i](#)



X



Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.0305 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0305).

9.4 Atom inclusion [i](#)



At the recommended contour level, 70% of all backbone atoms, 59% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0305) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.5860	<div></div> 0.4620
A	<div></div> 0.5470	<div></div> 0.4590
C	<div></div> 0.7860	<div></div> 0.4750
D	<div></div> 0.7920	<div></div> 0.4770

