



wwPDB X-ray Structure Validation Summary Report ⓘ

Jun 24, 2024 – 06:26 PM EDT

PDB ID : 6VLT
Title : Crystal Structure of Human P450 2C9*2 Genetic Variant in Complex with Losartan
Authors : Shah, M.B.
Deposited on : 2020-01-25
Resolution : 3.12 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	2.37.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.12 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1292 (3.14-3.10)
Clashscore	141614	1389 (3.14-3.10)
Ramachandran outliers	138981	1337 (3.14-3.10)
Sidechain outliers	138945	1337 (3.14-3.10)
RSRZ outliers	127900	1260 (3.14-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	476	<div> <div>70%</div> <div>25%</div> <div>• •</div> </div>
1	B	476	<div> <div>75%</div> <div>19%</div> <div>• •</div> </div>
1	C	476	<div> <div>77%</div> <div>16%</div> <div>• •</div> </div>
1	D	476	<div> <div>77%</div> <div>17%</div> <div>• •</div> </div>
1	E	476	<div> <div>79%</div> <div>16%</div> <div>• •</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	476	
1	G	476	
1	H	476	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	CM5	E	501	-	-	-	X
4	CM5	E	504	-	-	-	X
4	CM5	F	501	-	-	-	X
4	CM5	G	501	-	-	-	X
4	CM5	H	501	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 29782 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome P450 2C9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	461	Total	C	N	O	S	0	0	0
			3615	2337	599	656	23			
1	B	461	Total	C	N	O	S	0	0	0
			3639	2348	605	662	24			
1	C	460	Total	C	N	O	S	0	0	0
			3619	2340	601	655	23			
1	D	461	Total	C	N	O	S	0	0	0
			3586	2316	594	652	24			
1	E	460	Total	C	N	O	S	0	0	0
			3575	2310	588	654	23			
1	F	460	Total	C	N	O	S	0	0	0
			3583	2318	592	650	23			
1	G	462	Total	C	N	O	S	0	0	0
			3580	2315	588	653	24			
1	H	459	Total	C	N	O	S	0	0	0
			3571	2311	586	650	24			

There are 88 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	19	MET	-	initiating methionine	UNP P11712
A	20	ALA	-	SEE SEQUENCE DETAILS	UNP P11712
A	21	LYS	-	SEE SEQUENCE DETAILS	UNP P11712
A	22	LYS	-	SEE SEQUENCE DETAILS	UNP P11712
A	23	THR	-	SEE SEQUENCE DETAILS	UNP P11712
A	144	CYS	ARG	engineered mutation	UNP P11712
A	490	ILE	VAL	engineered mutation	UNP P11712
A	491	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
A	492	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
A	493	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
A	494	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
B	19	MET	-	initiating methionine	UNP P11712
B	20	ALA	-	SEE SEQUENCE DETAILS	UNP P11712

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	21	LYS	-	SEE SEQUENCE DETAILS	UNP P11712
B	22	LYS	-	SEE SEQUENCE DETAILS	UNP P11712
B	23	THR	-	SEE SEQUENCE DETAILS	UNP P11712
B	144	CYS	ARG	engineered mutation	UNP P11712
B	490	ILE	VAL	engineered mutation	UNP P11712
B	491	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
B	492	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
B	493	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
B	494	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
C	19	MET	-	initiating methionine	UNP P11712
C	20	ALA	-	SEE SEQUENCE DETAILS	UNP P11712
C	21	LYS	-	SEE SEQUENCE DETAILS	UNP P11712
C	22	LYS	-	SEE SEQUENCE DETAILS	UNP P11712
C	23	THR	-	SEE SEQUENCE DETAILS	UNP P11712
C	144	CYS	ARG	engineered mutation	UNP P11712
C	490	ILE	VAL	engineered mutation	UNP P11712
C	491	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
C	492	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
C	493	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
C	494	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
D	19	MET	-	initiating methionine	UNP P11712
D	20	ALA	-	SEE SEQUENCE DETAILS	UNP P11712
D	21	LYS	-	SEE SEQUENCE DETAILS	UNP P11712
D	22	LYS	-	SEE SEQUENCE DETAILS	UNP P11712
D	23	THR	-	SEE SEQUENCE DETAILS	UNP P11712
D	144	CYS	ARG	engineered mutation	UNP P11712
D	490	ILE	VAL	engineered mutation	UNP P11712
D	491	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
D	492	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
D	493	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
D	494	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
E	19	MET	-	initiating methionine	UNP P11712
E	20	ALA	-	SEE SEQUENCE DETAILS	UNP P11712
E	21	LYS	-	SEE SEQUENCE DETAILS	UNP P11712
E	22	LYS	-	SEE SEQUENCE DETAILS	UNP P11712
E	23	THR	-	SEE SEQUENCE DETAILS	UNP P11712
E	144	CYS	ARG	engineered mutation	UNP P11712
E	490	ILE	VAL	engineered mutation	UNP P11712
E	491	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
E	492	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
E	493	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
E	494	HIS	-	SEE SEQUENCE DETAILS	UNP P11712

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	19	MET	-	initiating methionine	UNP P11712
F	20	ALA	-	SEE SEQUENCE DETAILS	UNP P11712
F	21	LYS	-	SEE SEQUENCE DETAILS	UNP P11712
F	22	LYS	-	SEE SEQUENCE DETAILS	UNP P11712
F	23	THR	-	SEE SEQUENCE DETAILS	UNP P11712
F	144	CYS	ARG	engineered mutation	UNP P11712
F	490	ILE	VAL	engineered mutation	UNP P11712
F	491	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
F	492	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
F	493	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
F	494	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
G	19	MET	-	initiating methionine	UNP P11712
G	20	ALA	-	SEE SEQUENCE DETAILS	UNP P11712
G	21	LYS	-	SEE SEQUENCE DETAILS	UNP P11712
G	22	LYS	-	SEE SEQUENCE DETAILS	UNP P11712
G	23	THR	-	SEE SEQUENCE DETAILS	UNP P11712
G	144	CYS	ARG	engineered mutation	UNP P11712
G	490	ILE	VAL	engineered mutation	UNP P11712
G	491	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
G	492	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
G	493	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
G	494	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
H	19	MET	-	initiating methionine	UNP P11712
H	20	ALA	-	SEE SEQUENCE DETAILS	UNP P11712
H	21	LYS	-	SEE SEQUENCE DETAILS	UNP P11712
H	22	LYS	-	SEE SEQUENCE DETAILS	UNP P11712
H	23	THR	-	SEE SEQUENCE DETAILS	UNP P11712
H	144	CYS	ARG	engineered mutation	UNP P11712
H	490	ILE	VAL	engineered mutation	UNP P11712
H	491	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
H	492	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
H	493	HIS	-	SEE SEQUENCE DETAILS	UNP P11712
H	494	HIS	-	SEE SEQUENCE DETAILS	UNP P11712

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	E	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	F	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	G	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	H	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is [2-butyl-5-chloranyl-3-[[4-[2-(2H-1,2,3,4-tetrazol-5-yl)phenyl]phenyl]methyl]imidazol-4-yl]methanol (three-letter code: LSN) (formula: C₂₂H₂₃ClN₆O) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Cl	N	O	0	0
			30	22	1	6	1		
3	B	1	Total	C	Cl	N	O	0	0
			30	22	1	6	1		
3	C	1	Total	C	Cl	N	O	0	0
			30	22	1	6	1		
3	D	1	Total	C	Cl	N	O	0	0
			30	22	1	6	1		
3	E	1	Total	C	Cl	N	O	0	0
			30	22	1	6	1		
3	F	1	Total	C	Cl	N	O	0	0
			30	22	1	6	1		
3	G	1	Total	C	Cl	N	O	0	0
			30	22	1	6	1		
3	H	1	Total	C	Cl	N	O	0	0
			30	22	1	6	1		

- Molecule 4 is 5-CYCLOHEXYL-1-PENTYL-BETA-D-MALTOSIDE (three-letter code: CM5) (formula: C₂₃H₄₂O₁₁).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	E	1	Total	C	O	0	0
			34	23	11		
4	E	1	Total	C	O	0	0
			34	23	11		
4	F	1	Total	C	O	0	0
			34	23	11		
4	F	1	Total	C	O	0	0
			34	23	11		
4	G	1	Total	C	O	0	0
			34	23	11		
4	G	1	Total	C	O	0	0
			34	23	11		
4	H	1	Total	C	O	0	0
			34	23	11		
4	H	1	Total	C	O	0	0
			34	23	11		


- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	E	1	Total	O	S	0	0
			5	4	1		
5	F	1	Total	O	S	0	0
			5	4	1		
5	G	1	Total	O	S	0	0
			5	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	12	Total	O	0	0
			12	12		
6	B	19	Total	O	0	0
			19	19		
6	C	21	Total	O	0	0
			21	21		
6	D	8	Total	O	0	0
			8	8		
6	E	22	Total	O	0	0
			22	22		
6	F	20	Total	O	0	0
			20	20		
6	G	16	Total	O	0	0
			16	16		
6	H	25	Total	O	0	0
			25	25		




• Molecule 1: Cytochrome P450 2C9

Chain D: 77% 17%




• Molecule 1: Cytochrome P450 2C9


Chain E: 79% 16%





• Molecule 1: Cytochrome P450 2C9

Chain F: 72% 22%






● Molecule 1: Cytochrome P450 2C9



● Molecule 1: Cytochrome P450 2C9



4 Data and refinement statistics

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, α , β , γ	238.10Å 238.10Å 109.85Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.01 – 3.12 39.61 – 3.12	Depositor EDS
% Data completeness (in resolution range)	99.2 (50.01-3.12) 99.3 (39.61-3.12)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.23 (at 3.12Å)	Xtriage
Refinement program	REFMAC 5.8.0103	Depositor
R, R_{free}	0.156 , 0.221 0.181 , 0.221	Depositor DCC
R_{free} test set	6047 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	80.9	Xtriage
Anisotropy	0.020	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 60.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.021 for -h,-k,l 0.457 for h,-h-k,-l 0.022 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	29782	wwPDB-VP
Average B, all atoms (Å ²)	80.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: LSN, HEM, SO4, CM5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.62	0/3704	0.89	0/5028
1	B	0.63	0/3728	0.86	0/5057
1	C	0.63	0/3709	0.87	0/5034
1	D	0.62	0/3674	0.86	0/4995
1	E	0.63	0/3663	0.86	0/4981
1	F	0.62	0/3672	0.84	0/4991
1	G	0.62	0/3668	0.83	0/4988
1	H	0.63	0/3659	0.86	0/4973
All	All	0.62	0/29477	0.86	0/40047

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3615	0	3577	123	0
1	B	3639	0	3613	81	0
1	C	3619	0	3588	92	0
1	D	3586	0	3514	79	0
1	E	3575	0	3498	74	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3583	0	3519	93	0
1	G	3580	0	3495	103	0
1	H	3571	0	3502	92	0
2	A	43	0	30	12	0
2	B	43	0	30	10	0
2	C	43	0	30	14	0
2	D	43	0	30	11	0
2	E	43	0	30	12	0
2	F	43	0	30	7	0
2	G	43	0	30	8	0
2	H	43	0	30	5	0
3	A	30	0	0	5	0
3	B	30	0	0	1	0
3	C	30	0	0	0	0
3	D	30	0	0	5	0
3	E	30	0	0	2	0
3	F	30	0	0	2	0
3	G	30	0	0	2	0
3	H	30	0	0	2	0
4	E	68	0	84	15	0
4	F	68	0	84	7	0
4	G	68	0	84	9	0
4	H	68	0	84	16	0
5	E	5	0	0	0	0
5	F	5	0	0	0	0
5	G	5	0	0	0	0
6	A	12	0	0	1	0
6	B	19	0	0	0	0
6	C	21	0	0	1	0
6	D	8	0	0	0	0
6	E	22	0	0	0	0
6	F	20	0	0	1	0
6	G	16	0	0	1	0
6	H	25	0	0	2	0
All	All	29782	0	28882	811	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

The worst 5 of 811 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:69:PHE:CD2	1:G:74:ILE:HD12	1.53	1.42
1:F:457:ASN:OD1	1:F:490:ILE:HD12	1.29	1.27
1:C:163:PRO:CB	1:C:461:LEU:HD11	1.66	1.24
1:D:277:ASN:O	1:D:279:PRO:HD2	1.39	1.19
1:E:461:LEU:HD12	1:E:461:LEU:O	1.42	1.18

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	457/476 (96%)	386 (84%)	62 (14%)	9 (2%)	7	30
1	B	457/476 (96%)	396 (87%)	52 (11%)	9 (2%)	7	30
1	C	456/476 (96%)	409 (90%)	40 (9%)	7 (2%)	10	38
1	D	457/476 (96%)	403 (88%)	42 (9%)	12 (3%)	5	25
1	E	456/476 (96%)	397 (87%)	44 (10%)	15 (3%)	4	20
1	F	456/476 (96%)	391 (86%)	53 (12%)	12 (3%)	5	25
1	G	458/476 (96%)	398 (87%)	50 (11%)	10 (2%)	6	28
1	H	455/476 (96%)	396 (87%)	46 (10%)	13 (3%)	4	23
All	All	3652/3808 (96%)	3176 (87%)	389 (11%)	87 (2%)	6	26

5 of 87 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	278	GLN
1	A	280	SER
1	B	255	MET
1	B	278	GLN
1	C	278	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	400/429 (93%)	383 (96%)	17 (4%)	29	61
1	B	406/429 (95%)	386 (95%)	20 (5%)	25	57
1	C	402/429 (94%)	385 (96%)	17 (4%)	30	62
1	D	393/429 (92%)	378 (96%)	15 (4%)	33	65
1	E	392/429 (91%)	387 (99%)	5 (1%)	69	86
1	F	393/429 (92%)	385 (98%)	8 (2%)	55	79
1	G	390/429 (91%)	378 (97%)	12 (3%)	40	69
1	H	391/429 (91%)	383 (98%)	8 (2%)	55	79
All	All	3167/3432 (92%)	3065 (97%)	102 (3%)	39	69

5 of 102 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	134	PHE
1	E	308	TYR
1	H	366	LEU
1	D	157	ARG
1	D	334	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 9 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	344	HIS
1	H	41	ASN
1	F	230	HIS
1	F	231	ASN
1	G	41	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

27 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	LSN	C	502	-	30,33,33	0.64	0	34,45,45	1.36	3 (8%)
3	LSN	H	503	-	30,33,33	0.64	0	34,45,45	1.38	3 (8%)
4	CM5	E	504	-	36,36,36	0.14	0	49,49,49	0.21	0
3	LSN	A	502	-	30,33,33	0.64	0	34,45,45	1.37	3 (8%)
3	LSN	F	503	-	30,33,33	0.64	0	34,45,45	1.38	3 (8%)
2	HEM	G	502	1	42,50,50	1.96	12 (28%)	46,82,82	2.17	13 (28%)
5	SO4	E	505	-	4,4,4	0.37	0	6,6,6	0.06	0
5	SO4	F	505	-	4,4,4	0.39	0	6,6,6	0.10	0
5	SO4	G	505	-	4,4,4	0.35	0	6,6,6	0.10	0
4	CM5	F	501	-	36,36,36	0.14	0	49,49,49	0.21	0
4	CM5	G	501	-	36,36,36	0.14	0	49,49,49	0.23	0
2	HEM	F	502	1	42,50,50	1.90	11 (26%)	46,82,82	2.30	18 (39%)
2	HEM	B	501	1	42,50,50	1.84	9 (21%)	46,82,82	2.03	8 (17%)
3	LSN	G	503	-	30,33,33	0.63	0	34,45,45	1.38	3 (8%)
2	HEM	C	501	1	42,50,50	1.86	12 (28%)	46,82,82	2.13	14 (30%)
3	LSN	E	503	-	30,33,33	0.64	0	34,45,45	1.38	3 (8%)
2	HEM	D	501	1	42,50,50	1.92	12 (28%)	46,82,82	2.06	11 (23%)
4	CM5	H	504	-	36,36,36	0.13	0	49,49,49	0.21	0
2	HEM	H	502	1	42,50,50	1.57	7 (16%)	46,82,82	1.84	11 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	E	502	1	42,50,50	1.97	14 (33%)	46,82,82	2.07	11 (23%)
2	HEM	A	501	1	42,50,50	1.94	10 (23%)	46,82,82	2.09	12 (26%)
4	CM5	F	504	-	36,36,36	0.14	0	49,49,49	0.22	0
4	CM5	G	504	-	36,36,36	0.13	0	49,49,49	0.21	0
3	LSN	D	502	-	30,33,33	0.65	0	34,45,45	1.37	3 (8%)
4	CM5	H	501	-	36,36,36	0.14	0	49,49,49	0.22	0
3	LSN	B	502	-	30,33,33	0.64	0	34,45,45	1.36	3 (8%)
4	CM5	E	501	-	36,36,36	0.14	0	49,49,49	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	LSN	C	502	-	-	7/16/18/18	0/4/4/4
3	LSN	H	503	-	-	7/16/18/18	0/4/4/4
4	CM5	E	504	-	-	12/17/65/65	0/3/3/3
3	LSN	A	502	-	-	6/16/18/18	0/4/4/4
3	LSN	F	503	-	-	6/16/18/18	0/4/4/4
2	HEM	G	502	1	-	4/12/54/54	-
4	CM5	F	501	-	-	12/17/65/65	0/3/3/3
4	CM5	G	501	-	-	11/17/65/65	0/3/3/3
2	HEM	F	502	1	-	7/12/54/54	-
2	HEM	B	501	1	-	4/12/54/54	-
3	LSN	G	503	-	-	5/16/18/18	0/4/4/4
2	HEM	C	501	1	-	7/12/54/54	-
3	LSN	E	503	-	-	7/16/18/18	0/4/4/4
2	HEM	D	501	1	-	4/12/54/54	-
4	CM5	H	504	-	-	11/17/65/65	0/3/3/3
2	HEM	H	502	1	-	2/12/54/54	-
2	HEM	E	502	1	-	6/12/54/54	-
2	HEM	A	501	1	-	9/12/54/54	-
4	CM5	F	504	-	-	10/17/65/65	0/3/3/3
4	CM5	G	504	-	-	9/17/65/65	0/3/3/3
3	LSN	D	502	-	-	4/16/18/18	0/4/4/4
4	CM5	H	501	-	-	8/17/65/65	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	LSN	B	502	-	-	5/16/18/18	0/4/4/4
4	CM5	E	501	-	-	10/17/65/65	0/3/3/3

The worst 5 of 87 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	502	HEM	C1B-NB	-4.95	1.31	1.40
2	A	501	HEM	C3C-C2C	-4.92	1.33	1.40
2	E	502	HEM	C4D-ND	-4.77	1.32	1.40
2	G	502	HEM	C1B-NB	-4.69	1.32	1.40
2	B	501	HEM	C1B-NB	-4.63	1.32	1.40

The worst 5 of 122 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	502	HEM	CHC-C4B-NB	7.21	132.20	124.44
2	F	502	HEM	CHC-C4B-NB	6.71	131.65	124.44
2	A	501	HEM	CHC-C4B-NB	6.65	131.59	124.44
2	C	501	HEM	CHC-C4B-NB	6.41	131.34	124.44
2	D	501	HEM	CHC-C4B-NB	6.39	131.31	124.44

There are no chirality outliers.

5 of 173 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	HEM	C1A-C2A-CAA-CBA
2	A	501	HEM	C3A-C2A-CAA-CBA
3	A	502	LSN	C18-C19-C20-C21
3	B	502	LSN	C18-C19-C20-C21
3	C	502	LSN	N6-C18-C19-C20

There are no ring outliers.

23 monomers are involved in 145 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	503	LSN	2	0
4	E	504	CM5	5	0
3	A	502	LSN	5	0
3	F	503	LSN	2	0
2	G	502	HEM	8	0


Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	F	501	CM5	4	0
4	G	501	CM5	5	0
2	F	502	HEM	7	0
2	B	501	HEM	10	0
3	G	503	LSN	2	0
2	C	501	HEM	14	0
3	E	503	LSN	2	0
2	D	501	HEM	11	0
4	H	504	CM5	6	0
2	H	502	HEM	5	0
2	E	502	HEM	12	0
2	A	501	HEM	12	0
4	F	504	CM5	3	0
4	G	504	CM5	4	0
3	D	502	LSN	5	0
4	H	501	CM5	10	0
3	B	502	LSN	1	0
4	E	501	CM5	10	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand LSN C 502




Ligand LSN H 503












Ligand LSN F 503















Ligand LSN G 503








Ligand LSN E 503






















Ligand LSN D 502





Ligand LSN B 502





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	461/476 (96%)	0.16	0 100 100	26, 73, 107, 152	0
1	B	461/476 (96%)	0.12	1 (0%) 95 91	26, 74, 105, 131	0
1	C	460/476 (96%)	0.14	1 (0%) 95 91	26, 75, 103, 136	0
1	D	461/476 (96%)	0.14	0 100 100	26, 73, 107, 148	0
1	E	460/476 (96%)	0.17	0 100 100	26, 81, 116, 158	0
1	F	460/476 (96%)	0.20	3 (0%) 87 77	26, 81, 118, 184	0
1	G	462/476 (97%)	0.23	4 (0%) 84 71	26, 83, 117, 182	0
1	H	459/476 (96%)	0.17	0 100 100	26, 80, 115, 173	0
All	All	3684/3808 (96%)	0.17	9 (0%) 95 91	26, 77, 113, 184	0

The worst 5 of 9 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	240	MET	2.8
1	G	244	ILE	2.8
1	G	134	PHE	2.6
1	F	244	ILE	2.6
1	G	136	MET	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	SO4	G	505	5/5	0.62	0.19	169,180,184,187	0
5	SO4	F	505	5/5	0.70	0.19	174,177,187,193	0
4	CM5	G	501	34/34	0.72	0.43	77,138,158,165	0
4	CM5	H	501	34/34	0.73	0.41	78,128,150,157	0
4	CM5	E	501	34/34	0.76	0.48	83,130,155,167	0
4	CM5	E	504	34/34	0.77	0.46	90,121,138,147	0
4	CM5	F	501	34/34	0.78	0.44	78,134,161,164	0
5	SO4	E	505	5/5	0.80	0.13	163,167,183,183	0
4	CM5	H	504	34/34	0.83	0.36	80,121,150,161	0
4	CM5	F	504	34/34	0.86	0.38	79,120,148,153	0
4	CM5	G	504	34/34	0.88	0.32	88,115,124,130	0
3	LSN	C	502	30/30	0.92	0.51	69,88,117,122	0
3	LSN	F	503	30/30	0.94	0.43	73,88,101,111	0
3	LSN	B	502	30/30	0.94	0.47	69,93,109,111	0
3	LSN	A	502	30/30	0.94	0.40	65,86,112,116	0
3	LSN	D	502	30/30	0.94	0.42	71,88,109,111	0
3	LSN	H	503	30/30	0.95	0.43	70,79,108,111	0
3	LSN	G	503	30/30	0.95	0.42	77,94,110,114	0
3	LSN	E	503	30/30	0.96	0.42	67,76,112,118	0
2	HEM	D	501	43/43	0.99	0.29	51,55,61,69	0
2	HEM	E	502	43/43	0.99	0.26	42,48,62,67	0
2	HEM	F	502	43/43	0.99	0.27	42,55,66,80	0
2	HEM	G	502	43/43	0.99	0.26	45,54,63,73	0
2	HEM	H	502	43/43	0.99	0.29	45,52,63,73	0
2	HEM	A	501	43/43	0.99	0.27	47,52,62,76	0
2	HEM	B	501	43/43	0.99	0.27	42,49,60,67	0
2	HEM	C	501	43/43	0.99	0.27	40,48,59,67	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around CM5 G 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CM5 H 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CM5 E 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CM5 E 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CM5 F 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around CM5 H 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CM5 F 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CM5 G 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LSN C 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LSN F 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LSN B 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LSN A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LSN D 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LSN H 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LSN G 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LSN E 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM E 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM F 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM G 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM H 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 501:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.