



Full wwPDB EM Validation Report ⓘ

Nov 4, 2024 – 06:14 AM JST

PDB ID : 7VVU
EMDB ID : EMD-32148
Title : NuA4 HAT module bound to the nucleosome
Authors : Chen, Z.; Qu, K.
Deposited on : 2021-11-09
Resolution : 3.40 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	Y	113	
2	V	282	
3	T	832	
3	X	832	
4	A	136	
4	O	136	
5	B	103	
5	Q	103	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	N	130	<div><div><div></div><div></div><div></div></div><div>5%75%7%18%</div></div>
6	S	130	<div><div><div></div><div></div><div></div></div><div>5%77%5%18%</div></div>
7	D	126	<div><div><div></div><div></div><div></div></div><div>69%5%26%</div></div>
7	U	126	<div><div><div></div><div></div><div></div></div><div>70%27%</div></div>
8	P	445	<div><div><div></div><div></div><div></div></div><div>41%20%39%</div></div>
9	W	207	<div><div><div></div><div></div><div></div></div><div>22%46%41%13%</div></div>
10	I	207	<div><div><div></div><div></div><div></div></div><div>23%44%41%14%</div></div>

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 19374 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chromatin modification-related protein EAF6.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	Y	46	Total	C	N	O	S	0	0
			396	245	64	86	1		

- Molecule 2 is a protein called Chromatin modification-related protein YNG2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	V	113	Total	C	N	O	S	0	0
			923	583	158	179	3		

- Molecule 3 is a protein called Enhancer of polycomb-like protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	T	274	Total	C	N	O	S	0	0
			2294	1441	403	441	9		
3	X	9	Total	C	N	O		0	0
			82	53	19	10			

- Molecule 4 is a protein called Histone H3.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	O	96	Total	C	N	O	S	0	0
			791	500	151	137	3		
4	A	94	Total	C	N	O	S	0	0
			774	489	147	135	3		

- Molecule 5 is a protein called H4.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	Q	80	Total	C	N	O	S	0	0
			641	405	125	110	1		
5	B	87	Total	C	N	O	S	0	0
			703	442	142	118	1		

- Molecule 6 is a protein called Histone H2A.

Mol	Chain	Residues	Atoms				AltConf	Trace
6	S	106	Total	C	N	O	0	0
			814	513	159	142		
6	N	106	Total	C	N	O	0	0
			814	513	159	142		

- Molecule 7 is a protein called Histone H2B 1.1.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	U	92	Total	C	N	O	S	0	0
			719	453	129	135	2		
7	D	93	Total	C	N	O	S	0	0
			725	456	130	137	2		

- Molecule 8 is a protein called Histone acetyltransferase ESA1.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	P	270	Total	C	N	O	S	0	0
			2286	1481	380	415	10		


- Molecule 9 is a DNA chain called DNA (207-mer).

Mol	Chain	Residues	Atoms					AltConf	Trace
9	W	180	Total	C	N	O	P	0	0
			3666	1739	667	1080	180		


- Molecule 10 is a DNA chain called DNA (207-mer).

Mol	Chain	Residues	Atoms					AltConf	Trace
10	I	179	Total	C	N	O	P	0	0
			3695	1746	696	1074	179		

- Molecule 11 is CARBOXYMETHYL COENZYME *A (three-letter code: CMC) (formula: $C_{23}H_{38}N_7O_{18}P_3S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						AltConf
			Total	C	N	O	P	S	
11	B	1	51	23	7	17	3	1	0



● Molecule 3: Enhancer of polycomb-like protein 1

Chain X: . 99%



[illegible]

- Molecule 4: Histone H3



NET	ALA	ARG	THR	LYS	GLN	THR	ALA	ARG	LYS	SER	THR	SER	GLY	GLY	LYS	ALA	ALA	PRO	ARG	LYS	GLN	LEU	ALA	THR	LYS	ALA	ALA	ALA	ARG	LYS	SER	ALA	ALA	PRO	VAL	GLY	LYS	LYS	P88	P89	T88	I62	P66	L82	Q93	I126	I128	I129	I130	E133	ARG
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	-----

- Molecule 4: Histone H3



NET	ALA	ARG	THR	LYS	GLN	THR	ALA	ALA	LYS	SER	THR	GLY	GLY	LYS	ALA	PRO	ARG	LYS	GLN	LEU	ALA	ALA	LYS	ALA	ALA	ARG	LYS	SER	SER	ALA	PRO	ALA	ALA	THR	GLY	GLY	VAL	LYS	LYS	PRO	PRO	HIS	R40	T58	L61	I62	R63	R116	V117	T118	F133	ARG
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	-----

- Molecule 5: H4




MET	SER	GLY	ARG	GLY	LYS	GLY	GLY	LYS	GLY	LEU	LYS	GLY	GLY	ALA	LYS	ARG	HIS	ARG	LYS	VAL	L22	R23	G28	I29	T30	K31	P32	R35	K44	K77	K91	Y98	G101	GLY
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	-----

- Molecule 5: H4



NET	SER	GLY	ARG	GLY	LYS	GLY	GLY	LYS	GLY	LEU	GLY	LYS	GLY	GLY	ALA	K16	R17	H18	R19	K20	V21	L22	R23	D24	N25	I26	K31	P32	R36	L37	A38	V43	Y51	I66	V70	R78	K79	T80	R92	Y98	C100
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

- Molecule 6: Histone H2A







MET	SER	GLY	ARG	GLY	LYS	GLN	GLY	LYS	THR	ARG	A12	K13	R29	R71	I79	F80	R81	H82	D90	E91	E92	L93	I111	Q112	V113	I114	L115	L116	P117	LYS	LYS	THR	GLU	SER	SER	LYS	SER	SER	ALA	LYS	LYS	SER	SER
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----


MET
PRO
GLU
PRO
ALA
LYS
SER
ALA
PRO
ALA
LYS
LYS
GLY
SER
LYS
LYS
ALA
VAL
THR
LYS
THR
GLN
LYS
LYS
ASP
GLY
LYS
LYS
ARG
ARG
LYS
SER
R33
K46
D68
R72
R92
A124

MET	PRO	GLU	PRO	ALA	LYS	SER	ALA	PRO	ALA	PRO	LYS	LYS	GLY	LYS	LYS	ALA	VAL	THR	LYS	THR	GLN	LYS	LYS	ASP	GLY	LYS	LYS	ARG	ARG	LYS	S32	R33	S36	Y42	D68	E71	L101	L106	L124	ALY
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	-----


MET	HIS	HIS	ASP	GLY	LYS	GLU	GLU	GLU	PRO	PRO	GLY	ILE	ALA	LYS	LYS	LYS	ILE	ASN	SER	VAL	ASP	ASP	ILE	ILE	ILE	LYS	CYS	CYS	GLN	GLN	TRP	VAL	GLN	GLN	LYS	ASN	ASP	ASP	GLU	GLU	ARG	LEU	LEU	ALA	GLU	GLU	ILE	ILE	LEU	SER	ILE	ASN	THR	THR	ARG	LYS	ALA	PRO	PRO	LYS	LYS	PHE	TYR	TYR	VAL	VAL	HIS	TYR	VAL	VAL	ASN	ASN	TYR	TYR
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----



• Molecule 9: DNA (207-mer)



• Molecule 10: DNA (207-mer)



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	393016	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.046	Depositor
Minimum map value	-0.014	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.01	Depositor
Map size (\AA)	407.02, 407.02, 407.02	wwPDB
Map dimensions	376, 376, 376	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.0825, 1.0825, 1.0825	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CMC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	Y	0.25	0/401	0.36	0/535
2	V	0.25	0/934	0.37	0/1251
3	T	0.25	0/2341	0.42	0/3153
3	X	0.23	0/83	0.51	0/107
4	A	0.31	0/784	0.40	0/1052
4	O	0.31	0/803	0.39	0/1078
5	B	0.32	0/711	0.45	0/948
5	Q	0.33	0/648	0.45	0/868
6	N	0.30	0/824	0.42	0/1113
6	S	0.30	0/824	0.42	0/1113
7	D	0.32	0/736	0.41	0/991
7	U	0.31	0/730	0.41	0/983
8	P	0.27	0/2347	0.44	0/3171
9	W	0.69	0/4107	0.98	0/6330
10	I	0.69	0/4150	0.96	2/6410 (0.0%)
All	All	0.49	0/20423	0.71	2/29103 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	I	78	DG	O4'-C4'-C3'	-6.15	102.04	104.50
10	I	52	DG	O4'-C1'-N9	5.22	111.65	108.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	Y	396	0	372	10	0
2	V	923	0	955	25	0
3	T	2294	0	2236	76	0
3	X	82	0	92	2	0
4	A	774	0	813	4	0
4	O	791	0	828	6	0
5	B	703	0	753	13	0
5	Q	641	0	684	7	0
6	N	814	0	869	8	0
6	S	814	0	869	4	0
7	D	725	0	745	7	0
7	U	719	0	740	4	0
8	P	2286	0	2268	72	0
9	W	3666	0	2018	68	0
10	I	3695	0	2007	64	0
11	B	51	0	33	3	0
All	All	19374	0	16282	315	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (315) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:T:214:ILE:HD13	3:T:280:ARG:HG3	1.62	0.79
8:P:229:TYR:HB3	8:P:236:PHE:HB2	1.66	0.78
9:W:47:DC:H2''	9:W:48:DT:H71	1.73	0.71
8:P:259:LEU:HG	8:P:261:HIS:H	1.55	0.70
11:B:501:CMC:H2B	8:P:313:ARG:HG2	1.74	0.68
3:T:128:MET:O	8:P:176:GLU:N	2.25	0.67
3:T:203:ARG:NH1	3:T:219:GLU:O	2.29	0.66
10:I:136:DG:H2'	10:I:137:DG:C8	2.31	0.66
10:I:45:DT:H2''	10:I:46:DC:H5'	1.78	0.65
3:T:126:ALA:HB3	8:P:309:PRO:HB2	1.79	0.64
3:T:316:GLU:HG3	8:P:267:ASP:N	2.13	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:I:123:DC:H2''	10:I:124:DG:C8	2.32	0.64
9:W:98:DA:H5'	9:W:98:DA:C8	2.33	0.64
4:A:63:ARG:HD2	10:I:91:DA:H4'	1.79	0.64
1:Y:15:LEU:HD11	3:T:372:ARG:HG3	1.79	0.64
8:P:292:LYS:NZ	8:P:331:GLU:OE2	2.30	0.64
9:W:72:DC:H2''	9:W:73:DG:C8	2.33	0.64
3:T:141:PHE:N	8:P:281:GLU:O	2.22	0.63
8:P:196:TYR:HB2	8:P:205:PHE:HB2	1.80	0.63
9:W:90:DA:H1'	9:W:91:DA:C8	2.34	0.62
9:W:80:DC:H2''	9:W:81:DC:C5	2.34	0.62
9:W:78:DC:H2''	9:W:79:DC:C5	2.35	0.62
3:T:313:ARG:HH21	3:T:315:ARG:HG3	1.66	0.61
1:Y:11:LEU:HD21	3:T:374:LYS:HE2	1.82	0.61
8:P:185:TYR:CZ	8:P:253:LEU:HB3	2.36	0.60
9:W:-12:DA:H2'	9:W:-11:DT:H71	1.83	0.59
10:I:110:DA:H1'	10:I:111:DC:H5'	1.85	0.59
9:W:126:DG:H2''	9:W:127:DT:O5'	2.01	0.59
8:P:258:PHE:HB2	8:P:306:LEU:HD11	1.84	0.59
8:P:228:ILE:HB	8:P:431:TRP:HB2	1.85	0.59
9:W:68:DT:H2''	9:W:69:DA:C8	2.38	0.59
9:W:138:DT:H2''	9:W:139:DA:C8	2.38	0.59
2:V:65:GLU:OE1	3:T:380:ARG:NH1	2.28	0.59
4:A:61:LEU:HD12	5:B:37:LEU:HD23	1.84	0.58
5:B:92:ARG:HH21	7:D:101:LEU:HD23	1.68	0.58
3:T:305:GLU:HG3	3:T:310:VAL:HG11	1.84	0.58
2:V:92:THR:HG22	3:T:251:THR:HB	1.85	0.58
8:P:168:ASN:ND2	8:P:192:GLU:O	2.37	0.58
1:Y:1:MET:HG3	1:Y:3:ASP:H	1.68	0.58
10:I:105:DT:H2''	10:I:106:DG:C8	2.38	0.58
1:Y:15:LEU:HD13	3:T:375:ILE:HD12	1.87	0.57
9:W:129:DT:H2''	9:W:130:DC:C5	2.39	0.57
9:W:124:DA:H1'	9:W:125:DC:H5'	1.87	0.56
6:S:20:ARG:NH2	10:I:32:DG:OP1	2.27	0.56
9:W:34:DG:H2'	9:W:35:DT:C6	2.40	0.56
3:T:197:GLU:OE2	3:T:283:LYS:NZ	2.33	0.56
3:T:227:SER:OG	3:T:229:MET:SD	2.62	0.56
3:T:236:ASN:OD1	3:T:245:HIS:NE2	2.33	0.56
9:W:126:DG:H2'	9:W:127:DT:C6	2.40	0.56
9:W:17:DC:H2''	9:W:18:DC:C5	2.42	0.54
3:T:328:ILE:HG23	3:T:329:LEU:HD22	1.89	0.54
3:T:133:TYR:CG	8:P:174:LYS:HB3	2.43	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:W:105:DT:H2''	9:W:106:DA:O5'	2.08	0.54
3:T:132:GLU:HG2	3:T:135:LYS:HD2	1.90	0.54
10:I:65:DC:H2''	10:I:66:DG:C8	2.42	0.54
10:I:27:DC:H2''	10:I:28:DT:C5	2.43	0.54
8:P:188:GLU:O	8:P:192:GLU:HG2	2.07	0.54
9:W:-30:DC:H2''	9:W:-29:DT:H71	1.90	0.54
10:I:149:DG:H2''	10:I:150:DC:C5	2.42	0.54
3:T:313:ARG:HH12	8:P:265:TYR:HA	1.73	0.54
1:Y:21:ASP:O	1:Y:25:GLN:HG2	2.08	0.53
8:P:177:ILE:HD12	8:P:258:PHE:HZ	1.73	0.53
3:T:316:GLU:HB2	8:P:267:ASP:HB3	1.90	0.53
10:I:3:DC:H2''	10:I:4:DG:C8	2.43	0.53
3:T:310:VAL:HG12	3:T:313:ARG:HD3	1.91	0.53
8:P:292:LYS:HE3	8:P:301:ASN:HA	1.90	0.53
3:T:376:LYS:HG2	3:T:391:LEU:HD13	1.91	0.53
10:I:66:DG:H2'	10:I:67:DG:C8	2.44	0.52
3:T:167:ARG:HD3	3:T:282:ARG:CZ	2.40	0.52
9:W:70:DC:H2''	9:W:71:DG:C8	2.44	0.52
3:T:244:SER:O	3:T:244:SER:OG	2.28	0.52
2:V:98:ALA:HB3	3:T:238:LEU:HD11	1.92	0.52
3:T:295:LEU:HD23	3:T:296:LYS:O	2.10	0.52
10:I:36:DA:H2''	10:I:37:DG:C8	2.44	0.52
10:I:107:DT:H2'	10:I:108:DC:C6	2.45	0.52
2:V:44:GLN:NE2	2:V:48:GLN:OE1	2.42	0.51
9:W:110:DC:H2''	9:W:111:DC:C5	2.45	0.51
9:W:123:DC:H2''	9:W:124:DA:C8	2.44	0.51
10:I:81:DC:H2''	10:I:82:DG:C8	2.44	0.51
10:I:49:DC:H2''	10:I:50:DT:H72	1.92	0.51
2:V:88:VAL:O	2:V:92:THR:HG23	2.11	0.51
8:P:245:ARG:NH1	8:P:269:ASP:OD2	2.43	0.51
9:W:34:DG:H2''	9:W:35:DT:O5'	2.11	0.51
2:V:112:GLU:OE2	3:T:335:ARG:NH2	2.43	0.51
8:P:232:ASP:OD1	8:P:232:ASP:N	2.44	0.51
9:W:-11:DT:H2''	9:W:-10:DA:C8	2.46	0.51
9:W:98:DA:H5'	9:W:98:DA:H8	1.74	0.51
10:I:144:DC:H2''	10:I:145:DG:C8	2.46	0.51
2:V:3:PRO:HG2	3:T:326:ILE:O	2.11	0.50
3:T:332:GLN:HG3	3:T:333:ARG:H	1.76	0.50
9:W:72:DC:H2''	9:W:73:DG:H8	1.74	0.50
9:W:90:DA:H1'	9:W:91:DA:N7	2.26	0.50
9:W:-23:DC:H2''	9:W:-22:DC:C5	2.47	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:I:37:DG:H2''	10:I:38:DG:C8	2.45	0.50
8:P:407:GLU:HG2	8:P:408:ASP:N	2.27	0.50
9:W:121:DG:H2''	9:W:122:DG:C8	2.46	0.50
3:T:177:ASN:HD21	3:T:183:ILE:HG23	1.76	0.50
8:P:346:LEU:O	8:P:350:ARG:HG2	2.12	0.50
3:T:379:LYS:O	3:T:383:ASN:N	2.45	0.49
2:V:44:GLN:O	2:V:48:GLN:HG3	2.11	0.49
5:Q:77:LYS:HE2	7:U:92:ARG:CZ	2.42	0.49
6:N:92:GLU:OE1	3:X:58:ARG:NH1	2.41	0.49
8:P:280:ASP:N	8:P:283:GLY:O	2.43	0.49
9:W:-6:DG:H2''	9:W:-5:DG:C8	2.48	0.49
2:V:50:HIS:CD2	3:T:393:ASN:H	2.30	0.49
9:W:68:DT:H2''	9:W:69:DA:N7	2.27	0.49
10:I:15:DT:H4'	10:I:16:DC:OP1	2.12	0.49
10:I:106:DG:H2''	10:I:107:DT:H5''	1.93	0.49
3:T:328:ILE:O	3:T:332:GLN:HG2	2.12	0.49
5:B:24:ASP:OD1	5:B:24:ASP:N	2.46	0.49
8:P:231:ASP:OD1	8:P:234:VAL:N	2.35	0.49
10:I:127:DC:H2'	10:I:128:DT:C6	2.48	0.49
3:T:125:ASP:O	8:P:178:GLU:HB3	2.13	0.49
3:T:147:TYR:OH	8:P:428:ARG:O	2.22	0.49
3:T:332:GLN:HG3	3:T:333:ARG:N	2.28	0.49
10:I:138:DG:H2''	10:I:139:DA:C8	2.47	0.49
3:T:124:PRO:HB2	8:P:180:TRP:CD1	2.48	0.49
3:T:315:ARG:NH2	8:P:266:TYR:OH	2.46	0.49
2:V:96:LEU:HD21	3:T:253:PHE:HE2	1.78	0.48
8:P:170:ILE:HG12	8:P:195:ILE:HB	1.94	0.48
7:U:68:ASP:OD2	5:B:98:TYR:OH	2.25	0.48
3:T:172:LEU:HD12	3:T:176:VAL:HB	1.96	0.48
2:V:11:ILE:HA	2:V:14:VAL:HG12	1.95	0.47
6:N:71:ARG:HH22	8:P:399:GLY:HA3	1.79	0.47
10:I:170:DG:H2'	10:I:171:DG:C8	2.50	0.47
3:X:58:ARG:O	3:X:59:LYS:HG2	2.13	0.47
3:T:238:LEU:O	3:T:242:ILE:HG13	2.14	0.47
5:B:38:ALA:HB1	5:B:43:VAL:HB	1.96	0.47
8:P:358:ILE:O	8:P:362:VAL:HG23	2.14	0.47
3:T:281:GLU:O	3:T:285:GLU:HG3	2.14	0.47
9:W:114:DG:H2''	9:W:115:DT:H5'	1.96	0.47
3:T:351:VAL:O	3:T:355:GLU:HG2	2.14	0.47
3:T:197:GLU:HG3	3:T:201:HIS:CE1	2.50	0.47
3:T:239:ASN:HD21	3:T:248:HIS:HA	1.79	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:31:LYS:HG3	5:B:51:TYR:CE2	2.49	0.47
10:I:115:DC:H2''	10:I:116:DA:C8	2.50	0.47
10:I:152:DG:H2''	10:I:153:DC:C5	2.49	0.47
3:T:201:HIS:NE2	3:T:290:GLU:OE2	2.48	0.47
9:W:26:DC:H2''	9:W:27:DT:C6	2.50	0.47
3:T:321:ARG:NH1	10:I:87:DT:O3'	2.35	0.47
9:W:-17:DA:H2''	9:W:-16:DC:C2	2.50	0.47
3:T:141:PHE:HB2	8:P:221:ARG:HD3	1.97	0.47
3:T:188:GLU:OE1	3:T:262:ARG:NH2	2.48	0.47
3:T:265:ILE:O	3:T:269:GLU:HG2	2.15	0.47
9:W:6:DG:H2''	9:W:7:DA:H8	1.79	0.47
9:W:14:DG:H2''	9:W:15:DT:H5'	1.97	0.47
8:P:170:ILE:HG23	8:P:195:ILE:HG22	1.97	0.46
3:T:277:ASP:O	3:T:281:GLU:HG3	2.15	0.46
9:W:-18:DG:H2''	9:W:-17:DA:C8	2.49	0.46
6:S:90:ASP:HB3	6:S:93:LEU:HB2	1.97	0.46
6:N:90:ASP:HB3	6:N:93:LEU:HB2	1.97	0.46
10:I:8:DG:H2''	10:I:9:DT:H5'	1.97	0.46
10:I:110:DA:H2''	10:I:111:DC:OP2	2.15	0.46
2:V:42:TYR:HB3	2:V:75:SER:OG	2.15	0.46
2:V:94:LEU:HA	2:V:97:ILE:HG22	1.96	0.46
3:T:166:GLU:HA	3:T:169:GLU:HG2	1.96	0.46
10:I:75:DC:H2''	10:I:76:DG:C8	2.50	0.46
10:I:81:DC:H2''	10:I:82:DG:H8	1.80	0.46
4:O:62:ILE:HB	4:O:93:GLN:HE21	1.81	0.46
8:P:278:ARG:HG3	8:P:285:HIS:HB2	1.97	0.46
10:I:127:DC:H2'	10:I:128:DT:C5	2.51	0.46
3:T:191:ILE:HG22	3:T:264:LEU:HD13	1.97	0.46
9:W:-22:DC:H2''	9:W:-21:DG:C8	2.51	0.46
5:Q:32:PRO:HA	5:Q:35:ARG:HG2	1.98	0.46
9:W:-23:DC:H2''	9:W:-22:DC:H5	1.81	0.46
9:W:104:DT:C6	9:W:105:DT:H72	2.51	0.46
9:W:113:DA:H2''	9:W:114:DG:H8	1.81	0.46
5:B:92:ARG:NH2	7:D:101:LEU:HD23	2.30	0.45
8:P:255:SER:HA	8:P:306:LEU:HD13	1.98	0.45
2:V:62:HIS:HB3	2:V:65:GLU:HB2	1.98	0.45
9:W:15:DT:H4'	9:W:16:DG:OP1	2.15	0.45
1:Y:19:LEU:HD23	3:T:368:ILE:HD13	1.98	0.45
3:T:239:ASN:ND2	3:T:248:HIS:HA	2.31	0.45
8:P:276:MET:O	8:P:286:LEU:HD12	2.15	0.45
6:N:71:ARG:NH2	8:P:399:GLY:HA3	2.32	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:S:79:ILE:HG12	6:S:82:HIS:CE1	2.52	0.45
9:W:107:DC:H5'	9:W:107:DC:C6	2.51	0.45
9:W:47:DC:H2''	9:W:48:DT:C7	2.44	0.45
9:W:119:DC:H2''	9:W:120:DA:N7	2.32	0.45
10:I:121:DA:H2''	10:I:122:DG:C8	2.52	0.45
2:V:74:GLU:HG2	2:V:78:LYS:HE3	1.98	0.45
6:N:79:ILE:HG12	6:N:82:HIS:CE1	2.52	0.45
10:I:77:DC:H2''	10:I:78:DG:C8	2.52	0.45
8:P:233:TYR:CD2	8:P:234:VAL:HG13	2.52	0.45
6:N:29:ARG:NH1	7:D:36:SER:O	2.50	0.45
10:I:41:DG:H2'	10:I:42:DT:H71	1.99	0.45
1:Y:23:ARG:HA	3:T:396:ARG:HH21	1.82	0.44
3:T:128:MET:HB2	8:P:176:GLU:HB3	1.99	0.44
9:W:127:DT:H2''	9:W:128:DG:C8	2.52	0.44
2:V:109:ALA:O	2:V:113:GLU:HG3	2.17	0.44
9:W:61:DA:H2''	9:W:62:DC:H5'	2.00	0.44
9:W:107:DC:H5'	9:W:107:DC:H6	1.82	0.44
10:I:90:DA:H2''	10:I:91:DA:N7	2.32	0.44
4:O:128:ARG:NE	4:O:133:GLU:OE1	2.49	0.44
8:P:405:LEU:HD12	8:P:405:LEU:O	2.18	0.44
9:W:31:DT:C6	9:W:32:DT:H72	2.53	0.44
9:W:93:DC:H2''	9:W:94:DG:C8	2.53	0.44
10:I:69:DG:H1'	10:I:70:DG:C8	2.53	0.44
8:P:228:ILE:HG21	8:P:431:TRP:HD1	1.83	0.44
10:I:20:DC:H2''	10:I:21:DA:C8	2.53	0.44
2:V:50:HIS:O	2:V:54:ARG:HG3	2.17	0.43
3:T:166:GLU:O	3:T:170:THR:HG23	2.18	0.43
5:B:24:ASP:HB2	5:B:26:ILE:HG22	1.99	0.43
8:P:371:ASP:N	8:P:371:ASP:OD1	2.51	0.43
3:T:126:ALA:HB1	8:P:177:ILE:HG22	2.00	0.43
5:B:32:PRO:O	5:B:36:ARG:HG3	2.18	0.43
8:P:233:TYR:HE2	8:P:316:TYR:HE1	1.66	0.43
3:T:162:TYR:O	8:P:217:LYS:NZ	2.51	0.43
11:B:501:CMC:H133	8:P:344:LEU:HG	2.00	0.43
9:W:67:DG:H2''	9:W:68:DT:C5	2.53	0.43
8:P:344:LEU:O	8:P:347:LEU:HG	2.18	0.43
10:I:137:DG:C6	10:I:138:DG:C6	3.06	0.43
10:I:171:DG:H2''	10:I:172:DA:C8	2.54	0.43
3:T:176:VAL:HG22	3:T:274:LYS:HE3	2.00	0.43
10:I:50:DT:H2'	10:I:51:DT:H71	2.01	0.43
2:V:76:LEU:HD12	2:V:76:LEU:HA	1.86	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:P:311:TYR:HB3	8:P:316:TYR:CD2	2.54	0.43
9:W:144:DC:H2''	9:W:145:DG:C8	2.54	0.43
3:T:147:TYR:CE1	8:P:230:ARG:HB3	2.54	0.43
5:B:66:ILE:O	5:B:70:VAL:HG23	2.18	0.43
8:P:433:PRO:HA	8:P:434:PRO:HD3	1.94	0.43
9:W:38:DT:H2''	9:W:39:DA:N7	2.34	0.43
9:W:128:DG:H2''	9:W:129:DT:C6	2.54	0.43
10:I:47:DC:H4'	10:I:48:DC:H5'	2.01	0.43
8:P:169:ARG:HD2	8:P:176:GLU:OE2	2.19	0.42
1:Y:8:TYR:HE1	3:T:375:ILE:HG23	1.84	0.42
2:V:38:GLU:HG3	2:V:75:SER:OG	2.19	0.42
3:T:130:TRP:CZ2	3:T:132:GLU:HB2	2.54	0.42
8:P:230:ARG:O	8:P:428:ARG:HD3	2.19	0.42
9:W:133:DA:H2'	9:W:134:DT:H71	2.00	0.42
10:I:51:DT:C2	10:I:52:DG:C8	3.07	0.42
2:V:2:ASP:HB3	2:V:5:LEU:HB3	2.01	0.42
8:P:305:ILE:HD11	8:P:320:LEU:HB3	2.00	0.42
9:W:-5:DG:H1'	9:W:-4:DC:H5'	2.01	0.42
9:W:93:DC:H2''	9:W:94:DG:H8	1.85	0.42
11:B:501:CMC:H121	8:P:307:THR:HB	2.01	0.42
8:P:395:ARG:HA	8:P:395:ARG:HH11	1.84	0.42
8:P:431:TRP:CZ2	8:P:434:PRO:HD3	2.54	0.42
8:P:308:LEU:N	8:P:308:LEU:HD23	2.34	0.42
10:I:47:DC:H1'	10:I:48:DC:C5	2.55	0.42
10:I:49:DC:H2''	10:I:50:DT:C7	2.49	0.42
4:O:126:LEU:O	4:O:130:ILE:HG12	2.19	0.42
5:Q:91:LYS:NZ	7:D:71:GLU:OE1	2.52	0.42
8:P:431:TRP:CZ2	8:P:433:PRO:HA	2.55	0.42
9:W:42:DC:H2''	9:W:43:DA:C8	2.54	0.42
10:I:53:DG:H2'	10:I:54:DC:C6	2.54	0.42
2:V:50:HIS:CE1	3:T:392:ILE:HA	2.54	0.42
5:Q:44:LYS:HD2	6:N:115:LEU:HB3	2.02	0.42
7:U:46:LYS:HA	7:U:46:LYS:HD3	1.81	0.42
8:P:181:TYR:CD1	8:P:260:ASP:HB2	2.54	0.42
8:P:214:TYR:O	8:P:218:CYS:N	2.53	0.42
2:V:92:THR:O	2:V:96:LEU:HG	2.20	0.42
9:W:-6:DG:C2	10:I:155:DG:N1	2.88	0.42
10:I:11:DT:H2''	10:I:12:DA:H8	1.85	0.42
10:I:161:DA:H2''	10:I:162:DG:N7	2.35	0.42
9:W:79:DC:H4'	9:W:80:DC:OP1	2.20	0.41
1:Y:26:GLU:HG3	3:T:361:TRP:CD1	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:T:167:ARG:HG2	3:T:278:TYR:OH	2.20	0.41
8:P:201:THR:HA	8:P:247:TRP:CD1	2.55	0.41
8:P:318:LYS:O	8:P:322:GLU:HG3	2.20	0.41
9:W:17:DC:H2''	9:W:18:DC:C6	2.55	0.41
1:Y:27:ASP:OD1	3:T:396:ARG:NH1	2.52	0.41
5:Q:98:TYR:OH	7:D:68:ASP:OD2	2.27	0.41
9:W:102:DG:C6	9:W:103:DA:C6	3.08	0.41
4:O:82:LEU:HD23	4:O:82:LEU:HA	1.94	0.41
9:W:20:DA:H2''	9:W:21:DG:C8	2.54	0.41
10:I:68:DG:H1'	10:I:69:DG:H5'	2.02	0.41
10:I:124:DG:H2''	10:I:125:DG:H8	1.84	0.41
8:P:395:ARG:O	8:P:401:HIS:HA	2.20	0.41
9:W:123:DC:C2'	9:W:124:DA:C8	3.03	0.41
10:I:82:DG:C2'	10:I:83:DT:H71	2.50	0.41
10:I:94:DG:C4	10:I:95:DG:C8	3.09	0.41
9:W:6:DG:H1'	9:W:7:DA:H5'	2.02	0.41
10:I:22:DC:H2''	10:I:23:DG:H8	1.86	0.41
5:B:18:HIS:O	5:B:19:ARG:NH1	2.52	0.41
5:B:31:LYS:HG3	5:B:51:TYR:CZ	2.56	0.41
8:P:189:LEU:O	8:P:195:ILE:HD11	2.21	0.41
10:I:28:DT:H1'	10:I:29:DG:C8	2.55	0.41
10:I:53:DG:H2''	10:I:54:DC:H5'	2.02	0.41
10:I:102:DA:C6	10:I:103:DG:C6	3.09	0.41
10:I:127:DC:H2''	10:I:128:DT:O5'	2.21	0.41
3:T:167:ARG:NH1	3:T:285:GLU:OE1	2.42	0.41
3:T:313:ARG:NH2	8:P:265:TYR:O	2.54	0.41
4:O:58:THR:HG21	6:N:81:ARG:HD3	2.03	0.41
4:O:66:PRO:HB3	5:Q:28:GLY:HA3	2.03	0.41
5:B:78:ARG:NH1	5:B:80:THR:O	2.53	0.41
8:P:301:ASN:HB3	8:P:335:GLY:HA3	2.03	0.41
8:P:397:TYR:CE2	8:P:398:LYS:HE3	2.56	0.41
10:I:18:DG:H2''	10:I:19:DA:N7	2.36	0.41
10:I:65:DC:H2''	10:I:66:DG:H8	1.82	0.41
3:T:187:ASP:CG	8:P:213:ARG:HH22	2.24	0.41
3:T:337:LEU:O	3:T:341:LEU:HG	2.21	0.41
6:S:106:GLY:HA3	4:A:58:THR:HG22	2.03	0.41
7:U:68:ASP:O	7:U:72:ARG:HG3	2.20	0.41
4:A:116:ARG:NH1	4:A:118:THR:O	2.54	0.41
9:W:125:DC:C2	9:W:126:DG:C5	3.09	0.41
8:P:279:ARG:HA	8:P:284:HIS:HA	2.02	0.40
9:W:69:DA:H2''	9:W:70:DC:C5	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:I:105:DT:H2''	10:I:106:DG:H8	1.85	0.40
7:D:42:TYR:OH	9:W:21:DG:O5'	2.32	0.40
7:D:106:LEU:HD23	7:D:106:LEU:HA	1.97	0.40
8:P:241:GLY:HA2	8:P:248:CYS:SG	2.60	0.40
10:I:126:DC:H2''	10:I:127:DC:O5'	2.20	0.40
10:I:148:DG:H2''	10:I:149:DG:C8	2.56	0.40
5:Q:28:GLY:O	5:Q:30:THR:HG23	2.21	0.40
9:W:24:DC:H2''	9:W:25:DG:C8	2.57	0.40
10:I:147:DT:H1'	10:I:148:DG:C8	2.57	0.40
2:V:39:LYS:HA	2:V:42:TYR:CD1	2.56	0.40
2:V:81:SER:O	2:V:85:GLU:HG3	2.22	0.40
3:T:255:PRO:HG2	3:T:258:GLN:HG3	2.04	0.40
8:P:233:TYR:OH	8:P:316:TYR:OH	2.22	0.40
10:I:82:DG:H2'	10:I:83:DT:H71	2.02	0.40
2:V:50:HIS:HA	3:T:392:ILE:HG22	2.04	0.40
3:T:278:TYR:CZ	3:T:282:ARG:HD2	2.56	0.40
9:W:23:DC:H5'	9:W:23:DC:H6	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	Y	44/113 (39%)	44 (100%)	0	0	100	100
2	V	111/282 (39%)	111 (100%)	0	0	100	100
3	T	272/832 (33%)	262 (96%)	10 (4%)	0	100	100
3	X	7/832 (1%)	5 (71%)	2 (29%)	0	100	100
4	A	92/136 (68%)	91 (99%)	1 (1%)	0	100	100
4	O	94/136 (69%)	94 (100%)	0	0	100	100
5	B	85/103 (82%)	82 (96%)	3 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	Q	78/103 (76%)	77 (99%)	1 (1%)	0	100	100
6	N	104/130 (80%)	104 (100%)	0	0	100	100
6	S	104/130 (80%)	104 (100%)	0	0	100	100
7	D	91/126 (72%)	91 (100%)	0	0	100	100
7	U	90/126 (71%)	90 (100%)	0	0	100	100
8	P	268/445 (60%)	263 (98%)	5 (2%)	0	100	100
All	All	1440/3494 (41%)	1418 (98%)	22 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	Y	44/100 (44%)	44 (100%)	0	100	100
2	V	106/258 (41%)	106 (100%)	0	100	100
3	T	259/769 (34%)	259 (100%)	0	100	100
3	X	9/769 (1%)	9 (100%)	0	100	100
4	A	82/111 (74%)	82 (100%)	0	100	100
4	O	84/111 (76%)	84 (100%)	0	100	100
5	B	72/79 (91%)	72 (100%)	0	100	100
5	Q	66/79 (84%)	66 (100%)	0	100	100
6	N	83/102 (81%)	83 (100%)	0	100	100
6	S	83/102 (81%)	83 (100%)	0	100	100
7	D	79/106 (74%)	79 (100%)	0	100	100
7	U	78/106 (74%)	78 (100%)	0	100	100
8	P	253/414 (61%)	253 (100%)	0	100	100
All	All	1298/3106 (42%)	1298 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
2	V	44	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
11	CMC	B	501	5	45,53,54	0.58	0	55,78,80	0.77	1 (1%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	CMC	B	501	5	-	6/46/67/68	0/3/3/3

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B	501	CMC	C5A-C6A-N6A	2.32	123.89	120.35

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
11	B	501	CMC	O4B-C4B-C5B-O5B
11	B	501	CMC	C3B-C4B-C5B-O5B
11	B	501	CMC	P2A-O3A-P1A-O1A
11	B	501	CMC	C6P-C7P-N8P-C9P
11	B	501	CMC	O9P-C9P-CAP-OAP
11	B	501	CMC	P2A-O3A-P1A-O2A

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	B	501	CMC	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-32148. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 188



Y Index: 188




Z Index: 188


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 157



Y Index: 124




Z Index: 162


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.01. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 191 nm^3 ; this corresponds to an approximate mass of 172 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.294 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.294 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.40	-	-
Author-provided FSC curve	3.42	4.23	3.45
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-32148 and PDB model 7VVU. Per-residue inclusion information can be found in [section 3](#) on [page 7](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.01 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.01).

































9.4 Atom inclusion [i](#)



At the recommended contour level, 84% of all backbone atoms, 73% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.01) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7300	 0.3140
A	 0.8590	 0.4560
B	 0.8400	 0.4350
D	 0.8910	 0.4420
I	 0.7160	 0.2970
N	 0.8140	 0.4570
O	 0.8820	 0.4650
P	 0.7490	 0.2470
Q	 0.8930	 0.4650
S	 0.8310	 0.4450
T	 0.5150	 0.1590
U	 0.9020	 0.4390
V	 0.4980	 0.1550
W	 0.7360	 0.3040
X	 0.8850	 0.4120
Y	 0.4730	 0.1330

