



Full wwPDB EM Validation Report ⓘ

Oct 6, 2024 – 08:25 AM JST

PDB ID : 7W59
EMDB ID : EMD-32317
Title : The cryo-EM structure of human pre-C*-I complex
Authors : Zhan, X.; Lu, Y.; Shi, Y.
Deposited on : 2021-11-29
Resolution : 3.60 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2335	
2	C	972	
3	E	357	
4	4	46	
5	G	174	
6	J	848	
7	L	802	
8	M	243	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	N	144	
10	O	420	
11	P	229	
12	R	536	
13	S	166	
14	T	514	
15	U	2752	
16	V	908	
17	W	579	
18	B	117	
19	F	107	
20	H	188	
21	b	240	
21	i	240	
22	X	254	
23	I	855	
24	y	301	
25	Y	1220	
26	a	126	
26	h	126	
27	c	119	
27	j	119	
28	d	118	
28	k	118	
29	f	86	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	m	86	
30	e	92	
30	l	92	
31	g	76	
31	n	76	
32	v	146	
33	w	174	
34	u	411	
35	x	703	
36	Q	1485	
37	o	255	
38	p	225	
39	q	504	
39	r	504	
39	s	504	
39	t	504	
40	K	225	

2 Entry composition

There are 45 unique types of molecules in this entry. The entry contains 92315 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pre-mRNA-processing-splicing factor 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1984	Total	C	N	O	S	0	0
			16449	10601	2879	2899	70		

- Molecule 2 is a protein called 116 kDa U5 small nuclear ribonucleoprotein component.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C	862	Total	C	N	O	S	0	0
			6798	4347	1138	1281	32		

- Molecule 3 is a protein called U5 small nuclear ribonucleoprotein 40 kDa protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	E	299	Total	C	N	O	S	0	0
			2338	1470	410	445	13		

- Molecule 4 is a RNA chain called pre-mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	4	13	Total	C	N	O	P	0	0
			276	123	50	90	13		

- Molecule 5 is a RNA chain called pre-mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	G	82	Total	C	N	O	P	0	0
			1510	666	210	552	82		

- Molecule 6 is a protein called Crooked neck-like protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	J	568	Total	C	N	O	S	0	0
			3814	2376	717	715	6		

- Molecule 7 is a protein called Cell division cycle 5-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	L	437	Total	C	N	O	S	0	0
			3015	1859	584	565	7		

- Molecule 8 is a protein called Pre-mRNA-splicing factor SYF2.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	M	130	Total	C	N	O	S	0	0
			1098	684	204	208	2		

- Molecule 9 is a protein called Protein BUD31 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	N	143	Total	C	N	O	S	0	0
			1184	746	217	209	12		

- Molecule 10 is a protein called Pre-mRNA-splicing factor RBM22.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	O	285	Total	C	N	O	S	0	0
			2296	1442	408	426	20		

- Molecule 11 is a protein called Spliceosome-associated protein CWC15 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	P	113	Total	C	N	O	S	0	0
			953	583	189	179	2		

- Molecule 12 is a protein called SNW domain-containing protein 1.

Mol	Chain	Residues	Atoms						AltConf	Trace
12	R	280	Total	C	N	O	P	S	0	0
			2243	1401	411	416	2	13		

- Molecule 13 is a protein called Peptidyl-prolyl cis-trans isomerase-like 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	S	159	Total	C	N	O	S	0	0
			1236	787	215	227	7		

- Molecule 14 is a protein called Pleiotropic regulator 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	T	312	Total	C	N	O	S	0	0
			2454	1550	446	450	8		

- Molecule 15 is a protein called Serine/arginine repetitive matrix protein 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	U	72	Total	C	N	O	S	0	0
			422	257	82	82	1		

- Molecule 16 is a protein called Pre-mRNA-splicing factor CWC22 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	V	452	Total	C	N	O	S	0	0
			2632	1639	492	495	6		

- Molecule 17 is a protein called Pre-mRNA-processing factor 17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	W	509	Total	C	N	O	S	0	0
			4129	2628	715	762	24		

- Molecule 18 is a RNA chain called U5 snRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	B	84	Total	C	N	O	P	0	0
			1768	792	295	597	84		

- Molecule 19 is a RNA chain called U6 snRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	F	97	Total	C	N	O	P	0	0
			2075	928	381	669	97		

- Molecule 20 is a RNA chain called U2 snRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	H	140	Total	C	N	O	P	0	0
			2966	1326	510	990	140		

- Molecule 21 is a protein called Small nuclear ribonucleoprotein-associated proteins B and B'.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	b	102	Total	C	N	O	S	0	0
			786	492	148	139	7		
21	i	86	Total	C	N	O	S	0	0
			690	434	126	123	7		

- Molecule 22 is a protein called PSME3-interacting protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	X	69	Total	C	N	O	S	0	0
			616	380	111	124	1		

- Molecule 23 is a protein called Pre-mRNA-splicing factor SYF1.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	I	617	Total	C	N	O	S	0	0
			3845	2380	721	733	11		

- Molecule 24 is a protein called Peptidyl-prolyl cis-trans isomerase E.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	y	79	Total	C	N	O	0	0
			390	232	79	79		

- Molecule 25 is a protein called ATP-dependent RNA helicase DHX8.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Y	667	Total	C	N	O	S	4	0
			3431	2057	680	693	1		

- Molecule 26 is a protein called Small nuclear ribonucleoprotein Sm D3.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	a	81	Total	C	N	O	S	0	0
			640	401	113	120	6		
26	h	81	Total	C	N	O	S	0	0
			633	397	112	118	6		

- Molecule 27 is a protein called Small nuclear ribonucleoprotein Sm D1.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	c	82	Total	C	N	O	S	0	0
			649	413	113	119	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
27	j	82	Total	C	N	O	S	0	0
			649	413	113	119	4		

- Molecule 28 is a protein called Small nuclear ribonucleoprotein Sm D2.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	d	97	Total	C	N	O	S	0	0
			776	488	143	140	5		
28	k	85	Total	C	N	O	S	0	0
			688	432	125	126	5		

- Molecule 29 is a protein called Small nuclear ribonucleoprotein F.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	f	74	Total	C	N	O	S	0	0
			576	373	95	103	5		
29	m	74	Total	C	N	O	S	0	0
			576	373	95	103	5		

- Molecule 30 is a protein called Small nuclear ribonucleoprotein E.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	e	79	Total	C	N	O	S	0	0
			652	412	116	119	5		
30	l	78	Total	C	N	O	S	0	0
			644	407	115	118	4		

- Molecule 31 is a protein called Small nuclear ribonucleoprotein G.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	g	74	Total	C	N	O	S	0	0
			577	364	104	103	6		
31	n	69	Total	C	N	O	S	0	0
			538	342	96	94	6		

- Molecule 32 is a protein called Protein mago nashi homolog.

Mol	Chain	Residues	Atoms				AltConf	Trace
32	v	144	Total	C	N	O	0	0
			711	423	144	144		

- Molecule 33 is a protein called RNA-binding protein 8A.

Mol	Chain	Residues	Atoms				AltConf	Trace
33	w	91	Total	C	N	O	0	0
			445	263	91	91		

- Molecule 34 is a protein called Eukaryotic initiation factor 4A-III.

Mol	Chain	Residues	Atoms				AltConf	Trace
34	u	386	Total	C	N	O	0	0
			1907	1135	386	386		

- Molecule 35 is a protein called Protein CASC3.

Mol	Chain	Residues	Atoms				AltConf	Trace
35	x	25	Total	C	N	O	0	0
			124	74	25	25		

- Molecule 36 is a protein called RNA helicase aquarius.

Mol	Chain	Residues	Atoms				AltConf	Trace
36	Q	1322	Total	C	N	O	4	0
			6562	3918	1322	1322		

- Molecule 37 is a protein called U2 small nuclear ribonucleoprotein A'.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	o	162	Total	C	N	O	S	0	0
			1282	820	219	240	3		

- Molecule 38 is a protein called U2 small nuclear ribonucleoprotein B'.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	p	94	Total	C	N	O	S	0	0
			760	488	135	132	5		

- Molecule 39 is a protein called Pre-mRNA-processing factor 19.

Mol	Chain	Residues	Atoms				AltConf	Trace
39	q	132	Total	C	N	O	0	0
			659	395	132	132		
39	r	131	Total	C	N	O	0	0
			654	392	131	131		
39	s	132	Total	C	N	O	0	0
			659	395	132	132		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
39	t	131	Total	C	N	O	0	0
			654	392	131	131		

- Molecule 40 is a protein called Pre-mRNA-splicing factor SPF27.


Mol	Chain	Residues	Atoms				AltConf	Trace
40	K	155	Total	C	N	O	0	0
			772	462	155	155		

- Molecule 41 is INOSITOL HEXAKISPHOSPHATE (three-letter code: IHP) (formula: $C_6H_{18}O_{24}P_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
41	A	1	Total	C	O	P	0
			36	6	24	6	

- Molecule 42 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
42	C	1	Total	C	N	O	P	0
			32	10	5	14	3	


- Molecule 43 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
43	C	1	Total Mg 1 1	0
43	F	6	Total Mg 6 6	0
43	Q	2	Total Mg 2 2	0

- Molecule 44 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
44	N	3	Total 3	Zn 3	0
44	O	3	Total 3	Zn 3	0

- Molecule 45 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $\text{C}_{10}\text{H}_{16}\text{N}_5\text{O}_{13}\text{P}_3$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
45	Q	1	Total 31	C 10	N 5	O 13	P 3	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Pre-mRNA-processing-splicing factor 8




- Molecule 2: 116 kDa U5 small nuclear ribonucleoprotein component

R495	P67	Met
N513	T68	Asp
V534	Q82	Asp
E572	E83	Leu
E573	E84	Tyr
K673	D85	Asp
D748	T86	Phe
T749	Q87	Gly
L750	E91	Asn
K756	P92	Tyr
E799	I93	Ile
H802	T94	Gly
R826	K95	Pro
H902	T99	Leu
L943	Lys	Leu
GLU	Lys	Asp
ASP	PHE	Ser
VAL	THR	Asp
SER	LEU	GLU
ILE	LEU	Asp
SER	PRO	Asp
SER	ASP	Arg
LYS	T112	GLU
PHE	V113	Thr
PHE	Y114	Lys
ASP	R158	Asp
ASP	Lys	Leu
ASP	Arg	Asp
ASP	Tyr	Met
PRO	ASP	Asp
MET	ASP	Asp
LEU	LEU	Asp
LEU	CYS	Asp
LEU	THR	Asp
ALA	THR	Asp
LYS	ASP	Val
Gln	ILE	Gly
ASP	LEU	Asp
VAL	PHE	HIS
VAL	T173	Asp
VAL	N297	Asp
LEU	ASP	Asp
ASN	TYR	HIS
PRO	C308	Pro
MET	K358	Gly
	K359	Met
	A360	Met
	P439	Met
		E56
		K63
		K64


- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|------|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| Q191 | M192 | T193 | I356 | GLN | MET | ILE | GLU | GLN | GLN | LYS | ARG | GLY | PRO | GLU | LEU | PRO | LEU | VAL | VAL | LYS | ARG | GLN | ARG | HIS | GLU | LEU | LEU | GLY | ALA | GLY | SER | GLY | PRO | GLY | ALA | GLY | GLN | GLN | ALA | THR | PRO | GLY | ALA | LEU | LEU | GLN | ALA | GLY | PRO | ARG | CYS | SER | SER | LEU | GLN | ALA | P58 | F190 |
|------|------|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|

- | Category | Value |
|----------|-------|
| G | 100 |
| A | 99 |
| U | 98 |
| C | 97 |
| G | 96 |
| C | 95 |
| G | 94 |
| C | 93 |
| U | 92 |
| C | 91 |
| G | 90 |
| C | 89 |
| C | 88 |
| A | 87 |
| U | 86 |
| C | 85 |
| U | 84 |
| U | 83 |
| C | 82 |
| C | 81 |
| C | 80 |
| C | 79 |
| C | 78 |
| C | 77 |
| C | 76 |
| C | 75 |
| C | 74 |
| C | 73 |
| C | 72 |
| C | 71 |
| C | 70 |
| C | 69 |
| C | 68 |
| C | 67 |
| C | 66 |
| C | 65 |
| C | 64 |
| C | 63 |
| C | 62 |
| C | 61 |
| C | 60 |
| C | 59 |
| C | 58 |
| C | 57 |
| C | 56 |
| C | 55 |
| C | 54 |
| C | 53 |
| C | 52 |
| C | 51 |
| C | 50 |
| C | 49 |
| C | 48 |
| C | 47 |
| C | 46 |
| C | 45 |
| C | 44 |
| C | 43 |
| C | 42 |
| C | 41 |
| C | 40 |
| C | 39 |
| C | 38 |
| C | 37 |
| C | 36 |
| C | 35 |
| C | 34 |
| C | 33 |
| C | 32 |
| C | 31 |
| C | 30 |
| C | 29 |
| C | 28 |
| C | 27 |
| C | 26 |
| C | 25 |
| C | 24 |
| C | 23 |
| C | 22 |
| C | 21 |
| C | 20 |
| C | 19 |
| C | 18 |
| C | 17 |
| C | 16 |
| C | 15 |
| C | 14 |
| C | 13 |
| C | 12 |
| C | 11 |
| C | 10 |
| C | 9 |
| C | 8 |
| C | 7 |
| C | 6 |
| C | 5 |
| C | 4 |
| C | 3 |
| C | 2 |
| C | 1 |

- [illegible]



- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| MET | THR | ALA | ALA | THR | VAL | GLU | ASN | LEU | THR | PHE | GLN | LYS | ASP | THR | LEU | GLY | ASN | ALA | VAL | ASP | LYS | ASN | THR | SER | ARG | LEU | GLU | LEU | ARG | SER | SER | SER | LEU | ALA | ALA | GLY | ARG | HIS | GLY | SER | SER | THR | GLU | THR | PRO | VAL | LEU | LEU | LEU | ALA | ALA | TRP | SER | SER | GLN | PHE | ARG | ARG | LEU | LEU | THR | TRP | GLY | CYS | ALA | LEU |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|








ARG	ARG	PRO	PRO	SER	GLN	PRO	SER	ARG	ASP	GLN	GLN	SER	SER	SER	GLU	ARG	GLY	ARG	ARG	GLN	GLY	ASP	SER	ARG	SER	PRO	SER	HIS	LYS	ARG	ARG	ARG	GLU	THR	PRO	SER	PRO	PRO	ARG	ARG	PRO	MET	ARG	HIS	ARG	SER	SER	ARG	SER	PRO
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- Molecule 16: Pre-mRNA-splicing factor CWC22 homolog




SER	TYR	ASP	SER	SER	MET	GLU	SER	ARG	ASN	ARG	ASP	ARG	GLU	ARG	GLU	LYS	ASP	THR	ASP	ARG	LYS	ARG	SER	ARG	LYS	SER	PRO	PRO	GLY	ARG	ASN	PRO	GLU	THR	SER	VAL	THR	GLN	SER	SER	SER	ALA	GLN	ASP	PRO	ALA	THR	LYS	LYS	LYS	LYS	SER
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----




- Molecule 17: Pre-mRNA-processing factor 17


- Molecule 21: Small nuclear ribonucleoprotein-associated proteins B and B'




- Molecule 22: PSME3-interacting protein




- Molecule 23: Pre-mRNA-splicing factor SYF1






• Molecule 24: Peptidyl-prolyl cis-trans isomerase E





• Molecule 25: ATP-dependent RNA helicase DHX8











- Molecule 29: Small nuclear ribonucleoprotein F





- Molecule 29: Small nuclear ribonucleoprotein F




- Molecule 30: Small nuclear ribonucleoprotein E





- Molecule 30: Small nuclear ribonucleoprotein E



- Molecule 31: Small nuclear ribonucleoprotein G




- Molecule 31: Small nuclear ribonucleoprotein G




- Molecule 32: Protein mago nashi homolog







- Molecule 33: RNA-binding protein 8A





- Molecule 34: Eukaryotic initiation factor 4A-III




Chain x:  96%




Chain Q:  35% 88% 11%



- Molecule 38: U2 small nuclear ribonucleoprotein B''




- Molecule 39: Pre-mRNA-processing factor 19




- Molecule 39: Pre-mRNA-processing factor 19





- Molecule 39: Pre-mRNA-processing factor 19



- Molecule 39: Pre-mRNA-processing factor 19



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	192274	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	3.470	Depositor
Minimum map value	-1.736	Depositor
Average map value	0.012	Depositor
Map value standard deviation	0.092	Depositor
Recommended contour level	0.38	Depositor
Map size (\AA)	535.2, 535.2, 535.2	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.338, 1.338, 1.338	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, IHP, GTP, ZN, SEP, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.81	21/16897 (0.1%)	0.87	44/22917 (0.2%)
2	C	0.61	1/6950 (0.0%)	0.76	8/9443 (0.1%)
3	E	0.57	0/2392	0.71	2/3242 (0.1%)
4	4	1.34	0/307	1.53	7/476 (1.5%)
5	G	0.62	3/1674 (0.2%)	1.27	24/2594 (0.9%)
6	J	0.60	2/3856 (0.1%)	0.64	8/5234 (0.2%)
7	L	0.48	0/3046	0.63	2/4115 (0.0%)
8	M	0.51	0/1119	0.64	0/1497
9	N	0.82	3/1210 (0.2%)	0.81	0/1622
10	O	0.59	1/2344 (0.0%)	0.69	3/3163 (0.1%)
11	P	0.65	0/967	0.92	3/1285 (0.2%)
12	R	0.69	1/2262 (0.0%)	0.91	9/3031 (0.3%)
13	S	0.52	0/1268	0.72	2/1714 (0.1%)
14	T	0.99	5/2519 (0.2%)	1.03	16/3433 (0.5%)
15	U	0.49	0/424	0.59	0/582
16	V	0.34	0/2642	0.56	1/3602 (0.0%)
17	W	0.47	0/4237	0.73	4/5723 (0.1%)
18	B	0.61	1/1970 (0.1%)	0.84	4/3060 (0.1%)
19	F	0.49	0/2323	0.78	2/3619 (0.1%)
20	H	0.95	26/3305 (0.8%)	1.63	112/5130 (2.2%)
21	b	0.55	0/797	0.81	0/1062
21	i	0.53	0/700	0.82	0/933
22	X	0.83	0/621	1.39	7/822 (0.9%)
23	I	0.44	0/3871	0.87	9/5283 (0.2%)
24	y	0.29	0/389	0.64	0/540
25	Y	0.55	1/3436 (0.0%)	0.77	4/4774 (0.1%)
26	a	0.47	0/646	0.68	0/867
26	h	0.47	0/639	0.68	0/857
27	c	0.55	0/657	0.77	0/888
27	j	0.56	0/657	0.77	0/888
28	d	0.69	0/786	0.86	0/1053
28	k	0.69	0/696	0.86	0/935

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
29	f	0.82	0/588	0.83	0/795
29	m	0.81	0/588	0.83	0/795
30	e	0.62	0/660	0.83	0/886
30	l	0.61	0/652	0.84	0/876
31	g	0.52	0/584	0.78	0/779
31	n	0.53	0/544	0.80	0/725
32	v	0.30	0/710	0.65	0/987
33	w	0.31	0/444	0.78	2/614 (0.3%)
34	u	0.32	0/1906	0.69	0/2653
35	x	0.34	0/123	0.70	0/170
36	Q	0.35	4/6565 (0.1%)	0.52	5/9143 (0.1%)
37	o	0.59	0/1299	1.63	17/1761 (1.0%)
38	p	0.56	0/774	1.35	6/1035 (0.6%)
39	q	0.35	0/658	0.63	3/919 (0.3%)
39	r	0.32	0/653	0.59	3/912 (0.3%)
39	s	0.34	0/658	0.66	3/919 (0.3%)
39	t	0.35	0/653	0.59	3/912 (0.3%)
40	K	0.37	0/768	0.48	2/1067 (0.2%)
All	All	0.63	69/94434 (0.1%)	0.86	315/130332 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	15
2	C	0	5
6	J	0	3
9	N	0	3
10	O	0	1
11	P	0	3
12	R	0	6
17	W	0	1
23	I	0	5
28	d	0	1
28	k	0	1
36	Q	0	1
All	All	0	45

All (69) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	345	PRO	N-CA	12.23	1.68	1.47
36	Q	525	PRO	N-CA	11.95	1.67	1.47
2	C	92	PRO	N-CA	11.82	1.67	1.47
25	Y	426	LEU	C-N	8.48	1.50	1.34
5	G	21	A	O3'-P	-8.44	1.51	1.61
36	Q	531	TRP	C-N	8.33	1.50	1.34
1	A	942	PRO	C-O	-8.10	1.07	1.23
1	A	1319	PRO	N-CD	-7.83	1.36	1.47
14	T	191	HIS	C-N	7.77	1.49	1.34
20	H	77	C	C1'-N1	7.43	1.59	1.48
20	H	142	C	C1'-N1	7.42	1.59	1.48
1	A	1319	PRO	C-O	-7.31	1.08	1.23
5	G	98	U	O3'-P	-7.23	1.52	1.61
18	B	103	G	C1'-N9	-7.03	1.37	1.46
20	H	55	U	C1'-N1	6.99	1.59	1.48
20	H	92	U	C1'-N1	6.96	1.59	1.48
20	H	54	U	C1'-N1	6.95	1.59	1.48
9	N	101	CYS	CB-SG	-6.92	1.70	1.82
20	H	72	U	C1'-N1	6.92	1.59	1.48
20	H	89	U	C1'-N1	6.91	1.59	1.48
20	H	74	U	C1'-N1	6.90	1.59	1.48
20	H	69	U	C1'-N1	6.90	1.59	1.48
20	H	60	U	C1'-N1	6.85	1.59	1.48
20	H	91	U	C1'-N1	6.82	1.58	1.48
20	H	58	U	C1'-N1	6.82	1.58	1.48
20	H	150	U	C1'-N1	6.81	1.58	1.48
20	H	182	U	C1'-N1	6.75	1.58	1.48
20	H	151	C	C1'-N1	6.46	1.58	1.48
20	H	141	C	C1'-N1	6.42	1.58	1.48
20	H	73	C	C1'-N1	6.40	1.58	1.48
20	H	97	G	C1'-N9	-6.39	1.38	1.46
1	A	942	PRO	N-CD	-6.37	1.39	1.47
20	H	184	C	C1'-N1	6.37	1.58	1.48
20	H	71	C	C1'-N1	6.34	1.58	1.48
20	H	148	C	C1'-N1	6.30	1.58	1.48
20	H	67	C	C1'-N1	6.29	1.58	1.48
1	A	1508	GLY	C-O	6.28	1.33	1.23
20	H	78	C	C1'-N1	6.28	1.58	1.48
20	H	70	C	C1'-N1	6.27	1.58	1.48
20	H	84	C	C1'-N1	6.25	1.58	1.48
1	A	1472	THR	C-O	-6.12	1.11	1.23
1	A	1470	TYR	C-O	-5.98	1.11	1.23
1	A	776	LEU	C-O	-5.97	1.12	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	G	3	A	O3'-P	-5.89	1.54	1.61
14	T	404	SER	CA-CB	-5.88	1.44	1.52
12	R	219	PRO	C-O	-5.83	1.11	1.23
1	A	187	PRO	N-CD	-5.82	1.39	1.47
36	Q	524	LYS	C-N	5.81	1.45	1.34
36	Q	934	TYR	C-O	5.75	1.34	1.23
14	T	327	SER	CA-CB	-5.71	1.44	1.52
10	O	27	CYS	CB-SG	-5.62	1.72	1.81
6	J	243	SER	CA-CB	-5.58	1.44	1.52
14	T	343	PRO	C-O	-5.58	1.12	1.23
1	A	934	ARG	C-O	-5.49	1.12	1.23
1	A	1318	THR	C-O	-5.49	1.12	1.23
1	A	1096	HIS	C-O	-5.49	1.12	1.23
1	A	1093	ASP	C-O	-5.46	1.12	1.23
1	A	771	VAL	C-O	-5.45	1.13	1.23
1	A	1089	CYS	C-O	-5.39	1.13	1.23
9	N	137	CYS	CB-SG	-5.39	1.73	1.81
1	A	167	PRO	N-CD	-5.34	1.40	1.47
6	J	239	ARG	C-O	-5.30	1.13	1.23
9	N	119	CYS	CB-SG	-5.29	1.73	1.81
1	A	344	ASP	C-N	5.21	1.44	1.34
20	H	110	A	C1'-N9	-5.13	1.39	1.46
1	A	1438	VAL	CB-CG1	-5.12	1.42	1.52
1	A	773	LYS	C-O	-5.03	1.13	1.23
14	T	461	SER	CA-CB	-5.02	1.45	1.52
1	A	1090	ARG	C-O	-5.00	1.13	1.23

All (315) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1515	TRP	N-CA-CB	15.62	138.72	110.60
37	o	55	ARG	NE-CZ-NH1	15.18	127.89	120.30
1	A	772	CYS	CA-CB-SG	-13.83	89.10	114.00
37	o	55	ARG	CD-NE-CZ	13.69	142.76	123.60
1	A	856	LEU	C-N-CA	13.32	155.00	121.70
5	G	120	G	O4'-C1'-N9	-13.02	97.78	108.20
11	P	7	PRO	N-CA-CB	-12.82	87.91	103.30
13	S	72	ARG	CB-CA-C	-12.80	84.80	110.40
1	A	1470	TYR	CB-CA-C	-12.56	85.28	110.40
1	A	187	PRO	N-CD-CG	-12.34	84.69	103.20
20	H	167	U	C5-C4-O4	11.90	133.04	125.90
2	C	85	ASP	CB-CA-C	-11.81	86.77	110.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	o	55	ARG	NE-CZ-NH2	-11.51	114.55	120.30
5	G	130	G	N9-C1'-C2'	-11.45	99.11	114.00
37	o	75	ARG	NE-CZ-NH1	-11.31	114.65	120.30
1	A	1261	ASN	CB-CA-C	-11.14	88.12	110.40
14	T	401	PRO	CA-N-CD	-11.05	96.03	111.50
4	4	-12	G	N9-C1'-C2'	-11.04	99.65	114.00
1	A	186	GLU	CB-CA-C	-10.72	88.95	110.40
14	T	343	PRO	CA-N-CD	-10.27	97.12	111.50
20	H	164	C	N1-C2-O2	-10.09	112.85	118.90
1	A	1264	ASN	CB-CA-C	-9.98	90.43	110.40
22	X	115	TYR	CB-CA-C	9.94	130.29	110.40
20	H	31	G	N9-C1'-C2'	-9.82	101.20	112.00
1	A	187	PRO	N-CA-CB	-9.60	91.78	103.30
5	G	130	G	C4'-C3'-O3'	9.46	131.93	113.00
1	A	1318	THR	CA-CB-OG1	-9.46	89.14	109.00
1	A	934	ARG	CG-CD-NE	-9.39	92.08	111.80
5	G	1	G	N9-C1'-C2'	-9.24	101.84	112.00
1	A	167	PRO	CA-N-CD	-9.23	98.58	111.50
22	X	96	GLN	CB-CA-C	-9.20	92.00	110.40
38	p	25	ARG	NE-CZ-NH1	9.14	124.87	120.30
5	G	122	U	O5'-P-OP2	-9.05	97.56	105.70
20	H	162	U	N3-C2-O2	-8.96	115.93	122.20
19	F	56	A	O5'-P-OP1	-8.96	97.64	105.70
22	X	107	GLU	CB-CA-C	-8.86	92.67	110.40
38	p	80	ARG	CD-NE-CZ	8.86	136.00	123.60
2	C	114	TYR	CB-CA-C	-8.81	92.78	110.40
14	T	339	GLN	CB-CA-C	-8.66	93.08	110.40
1	A	1090	ARG	CB-CG-CD	-8.61	89.21	111.60
4	4	-6	C	C2-N1-C1'	8.50	128.15	118.80
18	B	20	G	N9-C1'-C2'	8.50	125.05	114.00
1	A	942	PRO	N-CA-C	-8.41	90.24	112.10
1	A	1754	TYR	CB-CA-C	-8.38	93.64	110.40
14	T	343	PRO	CB-CA-C	8.35	132.87	112.00
1	A	1507	SER	O-C-N	-8.33	109.04	123.20
20	H	164	C	C5'-C4'-O4'	-8.32	99.12	109.10
5	G	3	A	N9-C1'-C2'	-8.31	102.86	112.00
1	A	1459	ARG	CB-CG-CD	-8.25	90.15	111.60
20	H	169	C	P-O3'-C3'	8.21	129.55	119.70
23	I	83	LYS	O-C-N	-8.16	109.64	122.70
23	I	84	HIS	O-C-N	-8.13	109.69	122.70
23	I	310	LYS	O-C-N	-8.12	109.71	122.70
23	I	311	MET	O-C-N	-8.10	109.74	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	345	PRO	CA-N-CD	-8.09	100.17	111.50
20	H	166	G	O4'-C1'-N9	8.08	114.66	108.20
23	I	309	ALA	O-C-N	-8.06	109.81	122.70
1	A	1091	TYR	CB-CG-CD2	-8.01	116.19	121.00
20	H	167	U	N3-C4-O4	-8.00	113.80	119.40
1	A	1090	ARG	CG-CD-NE	-7.96	95.07	111.80
12	R	310	ARG	CB-CA-C	-7.96	94.48	110.40
36	Q	935	PHE	CB-CA-C	7.95	126.30	110.40
10	O	193	LEU	CA-CB-CG	7.87	133.40	115.30
5	G	1	G	C1'-C2'-O2'	-7.86	87.01	110.60
2	C	68	THR	CB-CA-C	-7.82	90.48	111.60
5	G	125	C	P-O3'-C3'	7.75	129.00	119.70
37	o	107	ASP	CB-CG-OD1	7.66	125.19	118.30
1	A	1472	THR	CB-CA-C	-7.65	90.95	111.60
20	H	167	U	N1-C2-O2	7.57	128.10	122.80
2	C	92	PRO	CA-N-CD	-7.54	100.95	111.50
20	H	164	C	P-O3'-C3'	7.50	128.70	119.70
5	G	120	G	P-O3'-C3'	7.44	128.63	119.70
37	o	27	ARG	NE-CZ-NH2	-7.41	116.59	120.30
20	H	164	C	N3-C2-O2	7.41	127.09	121.90
1	A	663	ARG	CG-CD-NE	-7.39	96.27	111.80
20	H	69	U	OP2-P-O3'	7.28	121.22	105.20
20	H	114	A	OP2-P-O3'	7.25	121.15	105.20
20	H	73	C	OP2-P-O3'	7.24	121.14	105.20
20	H	141	C	OP2-P-O3'	7.23	121.10	105.20
20	H	183	G	OP2-P-O3'	7.23	121.10	105.20
20	H	77	C	OP2-P-O3'	7.22	121.09	105.20
20	H	148	C	OP2-P-O3'	7.22	121.09	105.20
20	H	82	G	OP2-P-O3'	7.21	121.07	105.20
20	H	92	U	OP2-P-O3'	7.21	121.07	105.20
20	H	88	A	OP2-P-O3'	7.21	121.07	105.20
20	H	113	G	OP2-P-O3'	7.21	121.07	105.20
20	H	70	C	OP2-P-O3'	7.21	121.07	105.20
20	H	149	A	OP2-P-O3'	7.21	121.06	105.20
20	H	55	U	OP2-P-O3'	7.21	121.06	105.20
20	H	182	U	OP2-P-O3'	7.21	121.05	105.20
20	H	81	G	OP2-P-O3'	7.21	121.05	105.20
20	H	54	U	OP2-P-O3'	7.20	121.04	105.20
20	H	59	A	OP2-P-O3'	7.20	121.04	105.20
20	H	91	U	OP2-P-O3'	7.20	121.04	105.20
20	H	72	U	OP2-P-O3'	7.20	121.03	105.20
20	H	68	G	OP2-P-O3'	7.20	121.03	105.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	H	71	C	OP2-P-O3'	7.20	121.03	105.20
20	H	93	A	OP2-P-O3'	7.19	121.03	105.20
20	H	78	C	OP2-P-O3'	7.19	121.02	105.20
20	H	89	U	OP2-P-O3'	7.19	121.01	105.20
20	H	180	G	OP2-P-O3'	7.19	121.01	105.20
20	H	58	U	OP2-P-O3'	7.18	121.00	105.20
20	H	90	A	OP2-P-O3'	7.18	121.00	105.20
20	H	74	U	OP2-P-O3'	7.18	121.00	105.20
20	H	79	G	OP2-P-O3'	7.18	120.99	105.20
20	H	57	A	OP2-P-O3'	7.18	120.99	105.20
20	H	56	A	OP2-P-O3'	7.17	120.98	105.20
20	H	67	C	OP2-P-O3'	7.17	120.98	105.20
20	H	181	G	OP2-P-O3'	7.17	120.98	105.20
20	H	84	C	OP2-P-O3'	7.17	120.97	105.20
20	H	150	U	OP2-P-O3'	7.17	120.97	105.20
20	H	80	A	OP2-P-O3'	7.15	120.94	105.20
14	T	344	GLN	N-CA-CB	7.14	123.46	110.60
20	H	83	A	OP2-P-O3'	7.14	120.90	105.20
39	s	60	PRO	N-CA-CB	7.11	111.83	103.30
20	H	168	A	P-O5'-C5'	-7.10	109.54	120.90
20	H	167	U	N3-C2-O2	-7.06	117.26	122.20
14	T	187	LYS	C-N-CD	-7.02	105.15	120.60
5	G	127	G	C4'-C3'-O3'	6.96	126.92	113.00
5	G	121	C	C4'-C3'-O3'	6.95	126.89	113.00
1	A	775	ASN	CA-CB-CG	-6.92	98.17	113.40
1	A	1461	ASP	CB-CA-C	-6.90	96.61	110.40
5	G	122	U	N1-C1'-C2'	-6.86	104.45	112.00
20	H	183	G	O3'-P-O5'	-6.84	91.01	104.00
3	E	193	THR	CA-CB-OG1	-6.83	94.65	109.00
20	H	82	G	O3'-P-O5'	-6.82	91.03	104.00
20	H	77	C	O3'-P-O5'	-6.81	91.05	104.00
20	H	59	A	O3'-P-O5'	-6.81	91.06	104.00
20	H	113	G	O3'-P-O5'	-6.81	91.06	104.00
20	H	91	U	O3'-P-O5'	-6.81	91.07	104.00
20	H	78	C	O3'-P-O5'	-6.80	91.07	104.00
20	H	141	C	O3'-P-O5'	-6.80	91.08	104.00
20	H	150	U	O3'-P-O5'	-6.80	91.09	104.00
20	H	180	G	O3'-P-O5'	-6.79	91.09	104.00
20	H	73	C	O3'-P-O5'	-6.79	91.09	104.00
20	H	74	U	O3'-P-O5'	-6.79	91.09	104.00
20	H	56	A	O3'-P-O5'	-6.79	91.10	104.00
20	H	148	C	O3'-P-O5'	-6.79	91.10	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	H	68	G	O3'-P-O5'	-6.79	91.11	104.00
20	H	182	U	O3'-P-O5'	-6.78	91.11	104.00
20	H	57	A	O3'-P-O5'	-6.78	91.12	104.00
20	H	89	U	O3'-P-O5'	-6.78	91.12	104.00
20	H	54	U	O3'-P-O5'	-6.78	91.12	104.00
18	B	104	C	C2'-C3'-O3'	-6.78	94.59	109.50
20	H	93	A	O3'-P-O5'	-6.78	91.12	104.00
20	H	181	G	O3'-P-O5'	-6.78	91.12	104.00
20	H	79	G	O3'-P-O5'	-6.77	91.13	104.00
20	H	55	U	O3'-P-O5'	-6.77	91.14	104.00
20	H	72	U	O3'-P-O5'	-6.77	91.14	104.00
20	H	80	A	O3'-P-O5'	-6.77	91.14	104.00
20	H	90	A	O3'-P-O5'	-6.77	91.14	104.00
1	A	1496	PRO	CB-CA-C	-6.77	95.08	112.00
20	H	149	A	O3'-P-O5'	-6.76	91.15	104.00
20	H	58	U	O3'-P-O5'	-6.76	91.15	104.00
20	H	88	A	O3'-P-O5'	-6.76	91.16	104.00
1	A	1265	THR	CA-CB-OG1	-6.76	94.81	109.00
20	H	83	A	O3'-P-O5'	-6.76	91.16	104.00
20	H	92	U	O3'-P-O5'	-6.76	91.16	104.00
20	H	69	U	O3'-P-O5'	-6.75	91.17	104.00
20	H	81	G	O3'-P-O5'	-6.75	91.18	104.00
20	H	84	C	O3'-P-O5'	-6.75	91.18	104.00
37	o	23	GLU	OE1-CD-OE2	-6.75	115.20	123.30
14	T	399	LYS	CB-CA-C	-6.74	96.92	110.40
20	H	71	C	O3'-P-O5'	-6.74	91.19	104.00
20	H	114	A	O3'-P-O5'	-6.74	91.20	104.00
20	H	155	C	P-O3'-C3'	6.74	127.78	119.70
20	H	70	C	O3'-P-O5'	-6.73	91.22	104.00
20	H	67	C	O3'-P-O5'	-6.72	91.23	104.00
1	A	775	ASN	CB-CA-C	-6.72	96.96	110.40
20	H	166	G	C8-N9-C4	-6.70	103.72	106.40
39	t	60	PRO	N-CA-CB	6.69	111.33	103.30
16	V	467	LEU	CA-CB-CG	6.64	130.58	115.30
38	p	89	ASP	CB-CG-OD1	6.62	124.26	118.30
5	G	127	G	N9-C1'-C2'	-6.59	104.75	112.00
39	q	46	PRO	N-CA-CB	6.57	111.19	103.30
39	s	46	PRO	N-CA-CB	6.57	111.19	103.30
39	r	46	PRO	N-CA-CB	6.49	111.09	103.30
1	A	167	PRO	N-CD-CG	-6.48	93.48	103.20
2	C	67	PRO	CB-CA-C	-6.47	95.84	112.00
40	K	90	PRO	N-CA-CB	6.46	111.05	103.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	q	60	PRO	N-CA-CB	6.45	111.04	103.30
33	w	114	LYS	N-CA-C	-6.42	93.65	111.00
7	L	159	LEU	CA-CB-CG	6.40	130.02	115.30
1	A	1094	ARG	CB-CA-C	-6.37	97.66	110.40
5	G	84	U	C2'-C3'-O3'	-6.36	95.51	109.50
36	Q	929	CYS	O-C-N	-6.36	112.53	122.70
37	o	5	THR	N-CA-CB	-6.32	98.29	110.30
5	G	122	U	C5'-C4'-C3'	-6.31	105.91	116.00
20	H	165	A	O4'-C1'-N9	-6.30	103.16	108.20
5	G	124	G	C2'-C3'-O3'	6.30	123.78	113.70
1	A	1261	ASN	CA-CB-CG	-6.29	99.56	113.40
40	K	78	PRO	N-CA-CB	6.28	110.84	103.30
2	C	308	CYS	CA-CB-SG	6.26	125.28	114.00
7	L	9	GLY	C-N-CA	6.24	137.31	121.70
20	H	166	G	N9-C4-C5	6.24	107.90	105.40
22	X	108	GLU	CB-CA-C	-6.24	97.92	110.40
22	X	64	ARG	CB-CA-C	-6.19	98.01	110.40
14	T	401	PRO	CB-CA-C	6.17	127.42	112.00
5	G	21	A	O3'-P-O5'	6.14	115.67	104.00
4	4	-6	C	C6-N1-C1'	-6.14	113.44	120.80
1	A	1523	ARG	N-CA-CB	-6.12	99.59	110.60
12	R	320	HIS	CB-CA-C	6.11	122.61	110.40
20	H	162	U	N1-C2-O2	6.10	127.07	122.80
12	R	310	ARG	CB-CG-CD	-6.08	95.79	111.60
37	o	132	ARG	CD-NE-CZ	6.03	132.04	123.60
12	R	223	PRO	CB-CA-C	-6.02	96.96	112.00
10	O	193	LEU	CB-CG-CD2	-6.01	100.78	111.00
20	H	166	G	N3-C4-C5	-5.99	125.60	128.60
1	A	1091	TYR	N-CA-CB	-5.99	99.83	110.60
6	J	220	LEU	CA-CB-CG	5.98	129.05	115.30
37	o	78	ARG	NE-CZ-NH2	-5.97	117.31	120.30
22	X	103	GLN	CB-CA-C	-5.97	98.47	110.40
1	A	663	ARG	CB-CA-C	-5.96	98.48	110.40
14	T	400	PHE	CB-CA-C	5.95	122.29	110.40
37	o	21	ASP	CB-CG-OD1	5.94	123.65	118.30
39	t	46	PRO	N-CA-CB	5.94	110.42	103.30
6	J	670	PRO	N-CA-CB	5.93	110.42	103.30
6	J	240	THR	CA-CB-OG1	-5.92	96.58	109.00
38	p	25	ARG	CD-NE-CZ	5.91	131.88	123.60
6	J	675	PRO	N-CA-CB	5.88	110.36	103.30
37	o	64	ARG	NE-CZ-NH1	5.88	123.24	120.30
6	J	637	PRO	N-CA-CB	5.87	110.35	103.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	I	458	LYS	O-C-N	5.87	132.10	122.70
20	H	168	A	C5'-C4'-C3'	-5.87	106.61	116.00
20	H	172	C	P-O3'-C3'	5.86	126.73	119.70
37	o	27	ARG	CB-CA-C	-5.85	98.69	110.40
6	J	604	PRO	N-CA-CB	5.85	110.32	103.30
23	I	459	ALA	O-C-N	5.84	132.04	122.70
18	B	26	A	P-O5'-C5'	-5.83	111.58	120.90
5	G	21	A	P-O3'-C3'	-5.82	112.72	119.70
20	H	164	C	C5-C4-N4	-5.80	116.14	120.20
39	q	19	PRO	N-CA-CB	5.80	110.26	103.30
14	T	342	GLU	CB-CA-C	5.79	121.97	110.40
11	P	6	ARG	CB-CA-C	-5.78	98.84	110.40
23	I	457	ARG	O-C-N	5.77	131.93	122.70
20	H	167	U	O3'-P-O5'	-5.74	93.09	104.00
6	J	566	PRO	N-CA-CB	5.73	110.17	103.30
39	r	19	PRO	N-CA-CB	5.72	110.16	103.30
12	R	217	LYS	CB-CA-C	-5.71	98.98	110.40
17	W	139	LEU	CA-CB-CG	5.69	128.38	115.30
12	R	214	ILE	CG1-CB-CG2	-5.68	98.90	111.40
1	A	187	PRO	N-CA-C	5.68	126.86	112.10
36	Q	934	TYR	C-N-CA	-5.68	107.51	121.70
37	o	75	ARG	NH1-CZ-NH2	5.67	125.64	119.40
39	t	19	PRO	N-CA-CB	5.65	110.08	103.30
20	H	156	U	P-O3'-C3'	-5.65	112.92	119.70
4	4	-12	G	C4'-C3'-O3'	5.62	124.24	113.00
20	H	166	G	C6-N1-C2	-5.59	121.74	125.10
5	G	2	U	N1-C1'-C2'	-5.57	105.87	112.00
14	T	324	HIS	CB-CA-C	-5.57	99.26	110.40
14	T	213	GLU	N-CA-CB	-5.56	100.59	110.60
37	o	58	ASP	N-CA-CB	-5.56	100.59	110.60
36	Q	93	SER	N-CA-CB	5.56	118.84	110.50
39	s	19	PRO	N-CA-CB	5.51	109.91	103.30
36	Q	944	TRP	C-N-CA	-5.48	108.00	121.70
17	W	532	LEU	CB-CG-CD1	-5.47	101.70	111.00
19	F	73	A	P-O3'-C3'	5.46	126.26	119.70
39	r	60	PRO	N-CA-CB	5.45	109.84	103.30
14	T	407	GLN	CB-CA-C	-5.44	99.52	110.40
18	B	20	G	O4'-C1'-N9	5.44	112.55	108.20
1	A	1091	TYR	CB-CG-CD1	5.42	124.25	121.00
22	X	86	GLU	CB-CG-CD	5.42	128.85	114.20
11	P	8	THR	CB-CA-C	5.38	126.14	111.60
20	H	157	G	O4'-C1'-N9	-5.38	103.89	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	H	106	G	O5'-P-OP1	5.37	117.15	110.70
1	A	1556	ASP	CB-CA-C	-5.37	99.67	110.40
5	G	122	U	C2'-C3'-O3'	5.36	122.27	113.70
12	R	303	GLU	CB-CA-C	5.34	121.07	110.40
20	H	156	U	OP2-P-O3'	5.33	116.94	105.20
2	C	91	GLU	O-C-N	-5.33	110.97	121.10
12	R	275	LEU	CA-CB-CG	5.33	127.56	115.30
37	o	47	ILE	N-CA-CB	5.32	123.03	110.80
14	T	189	GLN	CB-CA-C	5.31	121.01	110.40
13	S	106	ASP	CB-CG-OD1	5.30	123.07	118.30
1	A	186	GLU	CB-CG-CD	-5.30	99.89	114.20
14	T	309	ASP	O-C-N	5.29	131.17	122.70
12	R	304	MET	CB-CG-SD	-5.29	96.53	112.40
1	A	1318	THR	N-CA-CB	-5.28	100.28	110.30
17	W	82	ASN	C-N-CD	-5.27	109.01	120.60
23	I	694	ILE	C-N-CA	5.26	134.85	121.70
38	p	39	ASP	CB-CG-OD2	-5.26	113.56	118.30
1	A	1753	LEU	N-CA-CB	-5.26	99.88	110.40
20	H	162	U	C2-N3-C4	-5.26	123.84	127.00
6	J	239	ARG	CG-CD-NE	-5.26	100.76	111.80
4	4	-6	C	N1-C2-O2	5.25	122.05	118.90
1	A	1301	ILE	CG1-CB-CG2	-5.25	99.85	111.40
4	4	-6	C	O4'-C1'-N1	5.24	112.39	108.20
14	T	309	ASP	CB-CG-OD1	5.24	123.02	118.30
3	E	192	ASN	C-N-CA	5.22	134.76	121.70
25	Y	685	ASP	C-N-CA	5.22	134.75	121.70
20	H	157	G	P-O5'-C5'	-5.21	112.56	120.90
17	W	243	VAL	CG1-CB-CG2	-5.21	102.56	110.90
10	O	28	LEU	CB-CG-CD2	-5.20	102.16	111.00
20	H	156	U	C4'-C3'-C2'	5.20	107.80	102.60
33	w	115	GLY	N-CA-C	5.19	126.07	113.10
1	A	1469	ASN	CB-CA-C	-5.18	100.04	110.40
5	G	96	U	N1-C1'-C2'	-5.18	106.30	112.00
1	A	187	PRO	CA-N-CD	5.17	118.94	111.70
5	G	2	U	C3'-C2'-C1'	5.17	105.63	101.50
20	H	170	C	N3-C4-C5	-5.16	119.83	121.90
38	p	39	ASP	CB-CG-OD1	5.15	122.94	118.30
20	H	160	A	P-O5'-C5'	-5.15	112.66	120.90
1	A	1303	LEU	CA-CB-CG	-5.14	103.47	115.30
5	G	121	C	C4'-C3'-C2'	5.11	107.71	102.60
20	H	176	G	OP1-P-OP2	-5.11	111.93	119.60
25	Y	686	GLU	C-N-CA	5.11	134.47	121.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	G	126	G	O5'-P-OP2	-5.10	101.11	105.70
20	H	160	A	C4'-C3'-C2'	-5.10	97.50	102.60
25	Y	689	GLU	N-CA-C	-5.08	97.27	111.00
25	Y	426	LEU	C-N-CD	-5.08	109.43	120.60
4	4	-6	C	N3-C2-O2	-5.08	118.35	121.90
1	A	167	PRO	N-CA-C	-5.07	98.91	112.10
2	C	359	LYS	CA-CB-CG	5.04	124.48	113.40
37	o	99	SER	N-CA-CB	-5.03	102.96	110.50
20	H	170	C	O4'-C1'-C2'	-5.02	100.78	105.80

There are no chirality outliers.

All (45) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1019	TYR	Peptide
1	A	1201	ARG	Peptide
1	A	1210	LYS	Peptide
1	A	1338	SER	Peptide
1	A	1507	SER	Mainchain
1	A	1686	ASP	Peptide
1	A	186	GLU	Mainchain
1	A	1879	PHE	Peptide
1	A	196	ASP	Mainchain
1	A	377	GLU	Peptide
1	A	385	GLU	Peptide
1	A	55	ASP	Peptide
1	A	698	PRO	Peptide
1	A	73	HIS	Peptide
1	A	775	ASN	Sidechain
2	C	308	CYS	Peptide
2	C	358	LYS	Peptide
2	C	360	ALA	Peptide
2	C	534	VAL	Peptide
2	C	902	HIS	Peptide
23	I	309	ALA	Mainchain
23	I	310	LYS	Mainchain
23	I	311	MET	Mainchain
23	I	83	LYS	Mainchain
23	I	84	HIS	Mainchain
6	J	215	THR	Peptide
6	J	216	ASP	Peptide
6	J	237	LYS	Mainchain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
9	N	136	HIS	Peptide
9	N	3	LYS	Peptide
9	N	4	VAL	Peptide
10	O	63	MET	Peptide
11	P	204	GLN	Peptide
11	P	30	TYR	Peptide
11	P	48	GLN	Peptide
36	Q	90	TYR	Mainchain
12	R	183	GLN	Peptide
12	R	185	GLY	Peptide
12	R	212	PHE	Peptide
12	R	303	GLU	Mainchain
12	R	66	GLU	Peptide
12	R	94	GLY	Peptide
17	W	518	PRO	Peptide
28	d	112	ASN	Peptide
28	k	112	ASN	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1980/2335 (85%)	1807 (91%)	160 (8%)	13 (1%)	19	53
2	C	856/972 (88%)	790 (92%)	64 (8%)	2 (0%)	44	73
3	E	297/357 (83%)	276 (93%)	20 (7%)	1 (0%)	37	67
6	J	529/848 (62%)	491 (93%)	31 (6%)	7 (1%)	10	41
7	L	425/802 (53%)	408 (96%)	15 (4%)	2 (0%)	25	59

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
8	M	128/243 (53%)	117 (91%)	11 (9%)	0	100	100
9	N	141/144 (98%)	125 (89%)	14 (10%)	2 (1%)	9	40
10	O	283/420 (67%)	259 (92%)	23 (8%)	1 (0%)	30	63
11	P	107/229 (47%)	88 (82%)	16 (15%)	3 (3%)	4	27
12	R	274/536 (51%)	247 (90%)	23 (8%)	4 (2%)	8	39
13	S	157/166 (95%)	148 (94%)	9 (6%)	0	100	100
14	T	310/514 (60%)	278 (90%)	25 (8%)	7 (2%)	5	31
15	U	68/2752 (2%)	60 (88%)	8 (12%)	0	100	100
16	V	444/908 (49%)	431 (97%)	12 (3%)	1 (0%)	44	73
17	W	507/579 (88%)	433 (85%)	68 (13%)	6 (1%)	11	43
21	b	98/240 (41%)	93 (95%)	2 (2%)	3 (3%)	3	26
21	i	84/240 (35%)	82 (98%)	2 (2%)	0	100	100
22	X	67/254 (26%)	64 (96%)	3 (4%)	0	100	100
23	I	575/855 (67%)	562 (98%)	11 (2%)	2 (0%)	37	67
24	y	77/301 (26%)	74 (96%)	1 (1%)	2 (3%)	4	28
25	Y	667/1220 (55%)	642 (96%)	23 (3%)	2 (0%)	37	67
26	a	77/126 (61%)	76 (99%)	1 (1%)	0	100	100
26	h	77/126 (61%)	76 (99%)	1 (1%)	0	100	100
27	c	80/119 (67%)	77 (96%)	3 (4%)	0	100	100
27	j	80/119 (67%)	77 (96%)	3 (4%)	0	100	100
28	d	95/118 (80%)	91 (96%)	4 (4%)	0	100	100
28	k	81/118 (69%)	78 (96%)	3 (4%)	0	100	100
29	f	72/86 (84%)	69 (96%)	3 (4%)	0	100	100
29	m	72/86 (84%)	69 (96%)	3 (4%)	0	100	100
30	e	77/92 (84%)	76 (99%)	1 (1%)	0	100	100
30	l	76/92 (83%)	75 (99%)	1 (1%)	0	100	100
31	g	72/76 (95%)	70 (97%)	2 (3%)	0	100	100
31	n	65/76 (86%)	63 (97%)	2 (3%)	0	100	100
32	v	142/146 (97%)	138 (97%)	4 (3%)	0	100	100
33	w	89/174 (51%)	87 (98%)	1 (1%)	1 (1%)	12	45
34	u	384/411 (93%)	372 (97%)	9 (2%)	3 (1%)	16	51

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
35	x	23/703 (3%)	22 (96%)	1 (4%)	0	100	100
36	Q	1308/1485 (88%)	1278 (98%)	27 (2%)	3 (0%)	44	73
37	o	160/255 (63%)	146 (91%)	12 (8%)	2 (1%)	10	41
38	p	92/225 (41%)	90 (98%)	2 (2%)	0	100	100
39	q	130/504 (26%)	117 (90%)	7 (5%)	6 (5%)	2	18
39	r	129/504 (26%)	118 (92%)	9 (7%)	2 (2%)	8	38
39	s	130/504 (26%)	114 (88%)	8 (6%)	8 (6%)	1	13
39	t	129/504 (26%)	116 (90%)	9 (7%)	4 (3%)	3	26
40	K	147/225 (65%)	139 (95%)	5 (3%)	3 (2%)	6	34
All	All	11861/21789 (54%)	11109 (94%)	662 (6%)	90 (1%)	19	51

All (90) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	167	PRO
1	A	857	ASN
1	A	942	PRO
1	A	1831	LYS
6	J	217	GLU
7	L	10	VAL
7	L	125	PRO
9	N	41	ARG
9	N	43	VAL
11	P	7	PRO
11	P	8	THR
12	R	233	PRO
14	T	187	LYS
14	T	188	PRO
14	T	341	ALA
14	T	343	PRO
14	T	401	PRO
17	W	82	ASN
17	W	83	PRO
17	W	259	GLN
23	I	532	LYS
24	y	44	GLU
34	u	383	ASN
36	Q	934	TYR
39	q	24	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
39	q	59	HIS
39	q	60	PRO
39	s	9	ASN
39	s	55	ILE
39	s	60	PRO
39	s	66	PRO
39	s	71	ILE
39	t	9	ASN
39	t	69	THR
40	K	78	PRO
1	A	204	LEU
1	A	1092	ILE
2	C	439	PRO
6	J	709	VAL
14	T	344	GLN
25	Y	1185	ASP
33	w	115	GLY
34	u	340	GLY
34	u	385	ASP
37	o	160	LYS
39	q	9	ASN
39	q	19	PRO
39	s	24	VAL
1	A	1515	TRP
2	C	63	LYS
6	J	188	GLN
12	R	52	PRO
12	R	186	VAL
16	V	597	PRO
24	y	41	TYR
39	q	23	HIS
39	r	9	ASN
39	t	67	SER
1	A	570	ASP
1	A	1134	TRP
1	A	1135	PRO
3	E	193	THR
6	J	206	LEU
6	J	341	PRO
6	J	604	PRO
11	P	205	LYS
12	R	73	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	T	407	GLN
17	W	74	PRO
17	W	258	PRO
25	Y	1182	LYS
36	Q	525	PRO
37	o	32	PRO
39	t	65	PRO
40	K	65	ILE
1	A	364	SER
1	A	1494	TYR
1	A	1758	PRO
21	b	105	GLY
21	b	106	ILE
39	s	62	ARG
6	J	216	ASP
10	O	20	PHE
23	I	372	ARG
36	Q	532	PRO
21	b	115	PRO
17	W	271	PRO
40	K	17	PRO
39	s	38	GLY
39	r	60	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1780/2108 (84%)	1702 (96%)	78 (4%)	24	53
2	C	761/866 (88%)	740 (97%)	21 (3%)	38	64
3	E	256/300 (85%)	255 (100%)	1 (0%)	89	95
6	J	241/751 (32%)	236 (98%)	5 (2%)	48	71
7	L	218/709 (31%)	209 (96%)	9 (4%)	26	55
8	M	117/209 (56%)	113 (97%)	4 (3%)	32	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
9	N	130/130 (100%)	123 (95%)	7 (5%)	18	48
10	O	255/361 (71%)	254 (100%)	1 (0%)	89	95
11	P	101/203 (50%)	94 (93%)	7 (7%)	13	40
12	R	236/457 (52%)	213 (90%)	23 (10%)	6	29
13	S	129/134 (96%)	128 (99%)	1 (1%)	79	88
14	T	268/441 (61%)	253 (94%)	15 (6%)	17	47
15	U	21/2432 (1%)	20 (95%)	1 (5%)	21	51
16	V	98/838 (12%)	95 (97%)	3 (3%)	35	62
17	W	448/502 (89%)	434 (97%)	14 (3%)	35	62
21	b	83/177 (47%)	81 (98%)	2 (2%)	44	67
21	i	77/177 (44%)	75 (97%)	2 (3%)	41	65
22	X	68/230 (30%)	46 (68%)	22 (32%)	0	1
23	I	198/749 (26%)	185 (93%)	13 (7%)	14	42
25	Y	32/1085 (3%)	26 (81%)	6 (19%)	1	8
26	a	72/101 (71%)	72 (100%)	0	100	100
26	h	70/101 (69%)	70 (100%)	0	100	100
27	c	77/101 (76%)	75 (97%)	2 (3%)	41	65
27	j	77/101 (76%)	75 (97%)	2 (3%)	41	65
28	d	90/110 (82%)	88 (98%)	2 (2%)	47	69
28	k	80/110 (73%)	78 (98%)	2 (2%)	42	66
29	f	63/74 (85%)	62 (98%)	1 (2%)	58	76
29	m	63/74 (85%)	62 (98%)	1 (2%)	58	76
30	e	74/84 (88%)	74 (100%)	0	100	100
30	l	73/84 (87%)	73 (100%)	0	100	100
31	g	64/66 (97%)	63 (98%)	1 (2%)	58	76
31	n	59/66 (89%)	58 (98%)	1 (2%)	56	75
37	o	139/218 (64%)	135 (97%)	4 (3%)	37	63
38	p	82/195 (42%)	79 (96%)	3 (4%)	29	58
All	All	6600/14344 (46%)	6346 (96%)	254 (4%)	30	57

All (254) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	164	MET
1	A	181	ASN
1	A	188	LEU
1	A	189	GLU
1	A	191	ILE
1	A	193	LEU
1	A	194	GLU
1	A	195	LEU
1	A	199	GLU
1	A	202	PRO
1	A	240	ARG
1	A	346	ASP
1	A	362	ARG
1	A	387	PHE
1	A	409	ARG
1	A	413	LEU
1	A	579	GLN
1	A	642	ARG
1	A	664	HIS
1	A	666	LYS
1	A	762	ARG
1	A	773	LYS
1	A	774	LYS
1	A	818	GLU
1	A	847	LYS
1	A	852	VAL
1	A	853	LYS
1	A	855	ARG
1	A	856	LEU
1	A	858	GLN
1	A	861	ARG
1	A	880	ARG
1	A	944	ASP
1	A	994	ASN
1	A	1089	CYS
1	A	1091	TYR
1	A	1093	ASP
1	A	1131	LYS
1	A	1136	ARG
1	A	1189	MET
1	A	1249	MET
1	A	1251	SER
1	A	1253	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1257	THR
1	A	1258	LYS
1	A	1261	ASN
1	A	1263	TRP
1	A	1318	THR
1	A	1319	PRO
1	A	1341	ARG
1	A	1402	ARG
1	A	1418	ARG
1	A	1459	ARG
1	A	1460	HIS
1	A	1468	ASN
1	A	1471	ARG
1	A	1496	PRO
1	A	1501	LEU
1	A	1502	PHE
1	A	1504	GLU
1	A	1505	LYS
1	A	1528	GLN
1	A	1554	GLN
1	A	1555	LEU
1	A	1556	ASP
1	A	1560	ILE
1	A	1561	PHE
1	A	1562	MET
1	A	1565	LYS
1	A	1578	ARG
1	A	1749	LYS
1	A	1751	LEU
1	A	1752	GLN
1	A	1753	LEU
1	A	1755	SER
1	A	1757	GLU
1	A	1763	LEU
1	A	1833	LEU
2	C	64	LYS
2	C	82	GLN
2	C	84	GLU
2	C	85	ASP
2	C	87	GLN
2	C	93	ILE
2	C	95	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	297	ASN
2	C	359	LYS
2	C	495	ARG
2	C	513	ASN
2	C	572	GLU
2	C	573	GLU
2	C	673	LYS
2	C	748	ASP
2	C	749	THR
2	C	750	LEU
2	C	756	LYS
2	C	799	GLU
2	C	802	HIS
2	C	826	ARG
3	E	190	PHE
6	J	201	ARG
6	J	205	LEU
6	J	221	ASN
6	J	239	ARG
6	J	244	ASN
7	L	4	ILE
7	L	5	MET
7	L	6	ILE
7	L	7	LYS
7	L	10	VAL
7	L	123	LEU
7	L	133	GLU
7	L	181	ARG
7	L	240	ARG
8	M	152	LEU
8	M	198	ARG
8	M	212	ASN
8	M	215	ASN
9	N	35	GLU
9	N	38	GLU
9	N	40	LYS
9	N	41	ARG
9	N	43	VAL
9	N	119	CYS
9	N	130	ARG
10	O	222	ARG
11	P	3	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	P	7	PRO
11	P	8	THR
11	P	10	GLU
11	P	13	ARG
11	P	18	LYS
11	P	212	ASN
12	R	78	ARG
12	R	95	LYS
12	R	123	GLU
12	R	124	VAL
12	R	128	ASP
12	R	131	ASP
12	R	212	PHE
12	R	217	LYS
12	R	220	ARG
12	R	303	GLU
12	R	307	GLN
12	R	310	ARG
12	R	312	MET
12	R	314	GLN
12	R	315	LYS
12	R	316	GLU
12	R	317	LYS
12	R	324	LEU
12	R	325	ARG
12	R	329	GLN
12	R	332	ARG
12	R	334	ARG
12	R	335	ARG
13	S	126	HIS
14	T	189	GLN
14	T	191	HIS
14	T	197	TYR
14	T	338	CYS
14	T	343	PRO
14	T	400	PHE
14	T	401	PRO
14	T	402	ASP
14	T	405	PHE
14	T	407	GLN
14	T	408	ASN
14	T	412	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	T	416	ILE
14	T	442	ARG
14	T	454	VAL
15	U	23	LEU
16	V	458	THR
16	V	535	THR
16	V	597	PRO
17	W	72	LEU
17	W	74	PRO
17	W	76	VAL
17	W	129	ARG
17	W	182	LYS
17	W	200	VAL
17	W	233	LYS
17	W	243	VAL
17	W	257	ILE
17	W	322	ARG
17	W	492	ASN
17	W	495	ARG
17	W	500	LYS
17	W	529	ASN
21	b	13	ILE
21	b	58	GLN
22	X	54	LEU
22	X	57	ARG
22	X	59	GLN
22	X	60	GLU
22	X	62	LYS
22	X	72	GLN
22	X	78	MET
22	X	79	VAL
22	X	84	GLU
22	X	86	GLU
22	X	92	GLU
22	X	96	GLN
22	X	97	GLN
22	X	99	LEU
22	X	101	GLU
22	X	102	LYS
22	X	104	ARG
22	X	106	GLU
22	X	113	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	X	114	GLU
22	X	116	ARG
22	X	120	LYS
23	I	532	LYS
23	I	548	PHE
23	I	606	TRP
23	I	668	CYS
23	I	691	CYS
23	I	694	ILE
23	I	699	THR
23	I	724	LEU
23	I	725	ARG
23	I	726	ILE
23	I	727	ARG
23	I	730	VAL
23	I	731	GLN
25	Y	413	LYS
25	Y	418	ASP
25	Y	419	PHE
25	Y	420	ASP
25	Y	421	GLU
25	Y	425	ILE
27	c	40	LEU
27	c	54	GLN
28	d	45	ASN
28	d	112	ASN
29	f	55	LEU
31	g	65	ASN
21	i	13	ILE
21	i	58	GLN
27	j	40	LEU
27	j	54	GLN
28	k	45	ASN
28	k	112	ASN
29	m	55	LEU
31	n	65	ASN
37	o	5	THR
37	o	55	ARG
37	o	114	SER
37	o	126	THR
38	p	17	LYS
38	p	46	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
38	p	87	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (92) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	57	GLN
1	A	78	ASN
1	A	105	ASN
1	A	181	ASN
1	A	361	HIS
1	A	457	ASN
1	A	467	GLN
1	A	495	GLN
1	A	584	HIS
1	A	703	GLN
1	A	704	ASN
1	A	711	GLN
1	A	792	HIS
1	A	793	ASN
1	A	994	ASN
1	A	1014	ASN
1	A	1096	HIS
1	A	1124	ASN
1	A	1148	ASN
1	A	1359	HIS
1	A	1460	HIS
1	A	1487	HIS
1	A	1528	GLN
1	A	1717	ASN
1	A	1766	GLN
2	C	60	HIS
2	C	137	HIS
2	C	208	HIS
2	C	210	ASN
2	C	245	HIS
2	C	297	ASN
2	C	451	HIS
2	C	513	ASN
2	C	680	ASN
2	C	802	HIS
2	C	856	HIS
3	E	101	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	E	192	ASN
3	E	253	ASN
6	J	212	GLN
6	J	221	ASN
6	J	244	ASN
6	J	275	ASN
6	J	331	GLN
6	J	347	HIS
7	L	175	GLN
7	L	186	GLN
7	L	266	HIS
8	M	212	ASN
9	N	54	HIS
10	O	113	ASN
10	O	196	GLN
10	O	294	ASN
12	R	189	ASN
12	R	279	HIS
12	R	307	GLN
12	R	320	HIS
13	S	87	HIS
13	S	111	GLN
13	S	126	HIS
14	T	297	HIS
14	T	384	HIS
14	T	437	HIS
14	T	455	GLN
16	V	474	HIS
17	W	71	HIS
17	W	82	ASN
17	W	264	ASN
17	W	472	ASN
17	W	492	ASN
17	W	529	ASN
17	W	549	HIS
21	b	22	GLN
21	b	76	ASN
22	X	61	GLN
22	X	72	GLN
22	X	96	GLN
23	I	601	GLN
26	a	60	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
27	c	64	ASN
28	d	69	ASN
29	f	58	HIS
31	g	65	ASN
26	h	60	GLN
21	i	22	GLN
21	i	76	ASN
27	j	64	ASN
28	k	69	ASN
29	m	58	HIS
31	n	65	ASN
37	o	130	HIS
38	p	7	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
18	B	82/117 (70%)	17 (20%)	4 (4%)
19	F	96/107 (89%)	45 (46%)	16 (16%)
20	H	133/188 (70%)	34 (25%)	10 (7%)
4	4	13/46 (28%)	8 (61%)	3 (23%)
5	G	80/174 (45%)	63 (78%)	19 (23%)
All	All	404/632 (63%)	167 (41%)	52 (12%)

All (167) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
4	4	-12	G
4	4	-11	G
4	4	-10	C
4	4	-9	C
4	4	-7	C
4	4	-6	C
4	4	-4	A
4	4	-1	G
5	G	2	U
5	G	3	A
5	G	5	G
5	G	6	A
5	G	7	G
5	G	8	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	G	10	U
5	G	11	A
5	G	12	G
5	G	13	C
5	G	14	A
5	G	17	U
5	G	21	A
5	G	22	C
5	G	23	U
5	G	24	G
5	G	25	G
5	G	26	U
5	G	27	U
5	G	28	A
5	G	29	C
5	G	30	C
5	G	31	U
5	G	73	G
5	G	74	G
5	G	75	U
5	G	76	U
5	G	77	U
5	G	78	C
5	G	79	C
5	G	80	U
5	G	81	U
5	G	82	G
5	G	83	A
5	G	84	U
5	G	87	U
5	G	88	G
5	G	89	U
5	G	90	C
5	G	91	A
5	G	92	U
5	G	93	A
5	G	96	U
5	G	97	A
5	G	98	U
5	G	99	C
5	G	100	C
5	G	101	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	G	102	G
5	G	103	U
5	G	119	A
5	G	120	G
5	G	121	C
5	G	122	U
5	G	123	C
5	G	124	G
5	G	125	C
5	G	126	G
5	G	127	G
5	G	128	U
5	G	129	U
5	G	130	G
5	G	132	G
18	B	12	U
18	B	13	C
18	B	19	A
18	B	20	G
18	B	21	A
18	B	22	U
18	B	23	C
18	B	24	G
18	B	25	C
18	B	26	A
18	B	28	A
18	B	36	C
18	B	38	C
18	B	45	C
18	B	57	G
18	B	70	A
18	B	71	C
19	F	6	C
19	F	7	G
19	F	8	C
19	F	9	U
19	F	10	U
19	F	12	G
19	F	25	C
19	F	26	U
19	F	27	A
19	F	28	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
19	F	29	A
19	F	31	U
19	F	33	G
19	F	34	G
19	F	35	A
19	F	36	A
19	F	37	C
19	F	38	G
19	F	40	U
19	F	43	A
19	F	45	A
19	F	46	G
19	F	47	A
19	F	48	A
19	F	49	G
19	F	51	U
19	F	54	G
19	F	56	A
19	F	59	G
19	F	60	C
19	F	61	C
19	F	62	C
19	F	68	C
19	F	73	A
19	F	74	U
19	F	78	A
19	F	79	C
19	F	80	G
19	F	81	C
19	F	82	A
19	F	83	A
19	F	84	A
19	F	85	U
19	F	86	U
19	F	87	C
20	H	13	C
20	H	14	C
20	H	15	U
20	H	16	U
20	H	17	U
20	H	19	G
20	H	24	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
20	H	25	G
20	H	28	C
20	H	29	A
20	H	30	A
20	H	31	G
20	H	33	G
20	H	37	U
20	H	39	U
20	H	40	C
20	H	41	U
20	H	42	G
20	H	43	U
20	H	112	G
20	H	143	A
20	H	147	G
20	H	152	G
20	H	153	A
20	H	154	C
20	H	156	U
20	H	157	G
20	H	164	C
20	H	165	A
20	H	168	A
20	H	169	C
20	H	177	A
20	H	178	A
20	H	179	C

All (52) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
4	4	-13	C
4	4	-12	G
4	4	-11	G
5	G	1	G
5	G	16	G
5	G	20	A
5	G	21	A
5	G	22	C
5	G	23	U
5	G	90	C
5	G	95	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	G	96	U
5	G	97	A
5	G	98	U
5	G	100	C
5	G	119	A
5	G	120	G
5	G	124	G
5	G	125	C
5	G	126	G
5	G	128	U
5	G	129	U
18	B	18	C
18	B	19	A
18	B	20	G
18	B	27	U
19	F	5	U
19	F	7	G
19	F	25	C
19	F	26	U
19	F	33	G
19	F	34	G
19	F	35	A
19	F	36	A
19	F	45	A
19	F	50	A
19	F	58	G
19	F	59	G
19	F	73	A
19	F	81	C
19	F	84	A
19	F	86	U
20	H	15	U
20	H	28	C
20	H	29	A
20	H	30	A
20	H	38	A
20	H	39	U
20	H	40	C
20	H	156	U
20	H	164	C
20	H	168	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
12	SEP	R	224	12	8,9,10	1.69	3 (37%)	8,12,14	2.06	3 (37%)
12	SEP	R	232	12	8,9,10	1.55	1 (12%)	8,12,14	1.71	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	SEP	R	224	12	-	0/5/8/10	-
12	SEP	R	232	12	-	1/5/8/10	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	R	232	SEP	P-O1P	3.39	1.61	1.50
12	R	224	SEP	P-OG	-2.84	1.51	1.60
12	R	224	SEP	CB-CA	-2.13	1.45	1.52
12	R	224	SEP	P-O2P	-2.05	1.46	1.54

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	R	224	SEP	OG-CB-CA	-4.52	103.74	108.14
12	R	232	SEP	P-OG-CB	-4.07	107.09	118.30
12	R	232	SEP	OG-CB-CA	2.34	110.42	108.14
12	R	224	SEP	O3P-P-O2P	2.30	116.42	107.64
12	R	224	SEP	O3P-P-OG	-2.14	101.03	106.73

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
12	R	232	SEP	N-CA-CB-OG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 15 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
41	IHP	A	3000	-	36,36,36	0.72	0	54,60,60	1.05	0
42	GTP	C	1500	43	26,34,34	1.50	3 (11%)	32,54,54	1.95	7 (21%)
45	ATP	Q	1501	43	26,33,33	1.72	8 (30%)	31,52,52	1.85	10 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
41	IHP	A	3000	-	-	3/30/54/54	0/1/1/1
42	GTP	C	1500	43	-	1/18/38/38	0/3/3/3
45	ATP	Q	1501	43	-	4/18/38/38	0/3/3/3

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
42	C	1500	GTP	C5-C6	-4.84	1.37	1.47
45	Q	1501	ATP	C2'-C1'	-3.63	1.48	1.53
45	Q	1501	ATP	C4-N3	3.47	1.40	1.35
45	Q	1501	ATP	C6-N6	3.34	1.46	1.34
45	Q	1501	ATP	C2'-C3'	-2.76	1.45	1.53
42	C	1500	GTP	C5-C4	-2.41	1.36	1.43
42	C	1500	GTP	O4'-C4'	-2.25	1.40	1.45
45	Q	1501	ATP	O2'-C2'	-2.24	1.37	1.43
45	Q	1501	ATP	O3'-C3'	-2.17	1.37	1.43
45	Q	1501	ATP	C3'-C4'	-2.16	1.47	1.53
45	Q	1501	ATP	C2-N3	2.14	1.35	1.32

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
42	C	1500	GTP	PA-O3A-PB	-5.63	113.49	132.83
45	Q	1501	ATP	PB-O3B-PG	-5.46	114.08	132.83
42	C	1500	GTP	PB-O3B-PG	-4.37	117.82	132.83
45	Q	1501	ATP	N3-C2-N1	-4.17	122.16	128.68
42	C	1500	GTP	C5-C6-N1	3.72	120.52	113.95
42	C	1500	GTP	C2-N1-C6	-3.48	118.70	125.10
42	C	1500	GTP	C3'-C2'-C1'	3.20	105.80	100.98
42	C	1500	GTP	C8-N7-C5	2.83	108.39	102.99
45	Q	1501	ATP	PA-O3A-PB	-2.59	123.92	132.83
45	Q	1501	ATP	C1'-N9-C4	-2.52	122.22	126.64
45	Q	1501	ATP	O2G-PG-O1G	-2.40	101.27	110.68
45	Q	1501	ATP	O2A-PA-O1A	-2.35	100.62	112.24
45	Q	1501	ATP	O2G-PG-O3B	2.25	112.19	104.64
42	C	1500	GTP	O6-C6-C5	-2.21	120.05	124.37
45	Q	1501	ATP	O2B-PB-O1B	-2.08	101.95	112.24
45	Q	1501	ATP	O5'-C5'-C4'	2.07	116.13	108.99
45	Q	1501	ATP	O3G-PG-O3B	2.04	111.49	104.64

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
41	A	3000	IHP	C3-O13-P3-O43
42	C	1500	GTP	O4'-C4'-C5'-O5'
45	Q	1501	ATP	C5'-O5'-PA-O1A
45	Q	1501	ATP	C5'-O5'-PA-O2A
41	A	3000	IHP	C3-C4-O14-P4

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
45	Q	1501	ATP	PB-O3A-PA-O2A
41	A	3000	IHP	C4-O14-P4-O44
45	Q	1501	ATP	C5'-O5'-PA-O3A


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-32317. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 193



Y Index: 227




Z Index: 197


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.38. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1511 nm³; this corresponds to an approximate mass of 1365 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.278 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-32317 and PDB model 7W59. Per-residue inclusion information can be found in [section 3](#) on [page 14](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.38 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.38).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 78% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

































The table lists the average atom inclusion at the recommended contour level (0.38) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7840	 0.2680
4	 0.9930	 0.4660
A	 0.9080	 0.4360
B	 0.9410	 0.3070
C	 0.9120	 0.4070
E	 0.9420	 0.4320
F	 0.9510	 0.3510
G	 0.7400	 0.1590
H	 0.7980	 0.1190
I	 0.9150	 0.2190
J	 0.9070	 0.3200
K	 0.9470	 0.1950
L	 0.8990	 0.3480
M	 0.8760	 0.4000
N	 0.9380	 0.4560
O	 0.8940	 0.3870
P	 0.8340	 0.4200
Q	 0.5800	 0.0360
R	 0.8750	 0.4190
S	 0.9270	 0.4120
T	 0.9660	 0.5060
U	 0.8800	 0.3190
V	 0.5730	 0.1630
W	 0.8580	 0.3230
X	 0.9320	 0.4390
Y	 0.2980	 0.0460
a	 0.7690	 0.1890
b	 0.7540	 0.1470
c	 0.8630	 0.0820
d	 0.7680	 0.0280
e	 0.6850	 0.1080
f	 0.7670	 0.0650
g	 0.5850	 0.0950
h	 0.7070	 0.0390
i	 0.5380	 0.0180



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
j	 0.6140	 0.0150
k	 0.6200	 0.0240
l	 0.7020	 0.0070
m	 0.7990	 0.0160
n	 0.7580	 0.0690
o	 0.5350	 0.0260
p	 0.7860	 0.0300
q	 0.6090	 0.0490
r	 0.9330	 0.1960
s	 0.4960	 0.1310
t	 0.4140	 0.0610
u	 0.1990	 0.0220
v	 0.0070	 -0.0000
w	 0.0130	 -0.0170
x	 0.0650	 0.0020
y	 0.8000	 0.1020