



wwPDB X-ray Structure Validation Summary Report ⓘ

Jun 12, 2024 – 04:02 PM EDT

PDB ID : 3W7R
Title : Structure of Human dihydroorotate dehydrogenase in complex with mii-4-097
Authors : Inaoka, D.K.; Iida, M.; Tabuchi, T.; Lee, N.; Hashimoto, S.; Matsuoka, S.; Kuranaga, T.; Shiba, T.; Sakamoto, K.; Suzuki, S.; Balogun, E.O.; Nara, T.; Aoki, T.; Inoue, M.; Honma, T.; Tanaka, A.; Harada, S.; Kita, K.
Deposited on : 2013-03-06
Resolution : 1.68 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	2.36.2
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.68 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6780 (1.70-1.66)
Clashscore	141614	7310 (1.70-1.66)
Ramachandran outliers	138981	7173 (1.70-1.66)
Sidechain outliers	138945	7172 (1.70-1.66)
RSRZ outliers	127900	6661 (1.70-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	390	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	GOL	A	410	-	X	-	-
6	GOL	A	431	-	-	X	-
7	ORO	A	432	-	X	-	-
8	SO4	A	435	-	-	X	-
9	ACT	A	438	-	-	X	-
9	ACT	A	443	-	-	-	X

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 3626 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydroorotate dehydrogenase (quinone), mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	367	Total	C	N	O	S	5	16	0
			2944	1837	546	556	5			


There are 23 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	7	MET	-	expression tag	UNP Q02127
A	8	GLY	-	expression tag	UNP Q02127
A	9	HIS	-	expression tag	UNP Q02127
A	10	HIS	-	expression tag	UNP Q02127
A	11	HIS	-	expression tag	UNP Q02127
A	12	HIS	-	expression tag	UNP Q02127
A	13	HIS	-	expression tag	UNP Q02127
A	14	HIS	-	expression tag	UNP Q02127
A	15	HIS	-	expression tag	UNP Q02127
A	16	HIS	-	expression tag	UNP Q02127
A	17	HIS	-	expression tag	UNP Q02127
A	18	HIS	-	expression tag	UNP Q02127
A	19	SER	-	expression tag	UNP Q02127
A	20	SER	-	expression tag	UNP Q02127
A	21	GLY	-	expression tag	UNP Q02127
A	22	HIS	-	expression tag	UNP Q02127
A	23	ILE	-	expression tag	UNP Q02127
A	24	ASP	-	expression tag	UNP Q02127
A	25	ASP	-	expression tag	UNP Q02127
A	26	ASP	-	expression tag	UNP Q02127
A	27	ASP	-	expression tag	UNP Q02127
A	28	LYS	-	expression tag	UNP Q02127
A	29	HIS	-	expression tag	UNP Q02127

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Cl 1 1	0	0

- Molecule 3 is DECYLAMINE-N,N-DIMETHYL-N-OXIDE (three-letter code: DDQ) (formula: C₁₂H₂₇NO).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O 14 12 1 1	0	0
3	A	1	Total C N O 14 12 1 1	0	0
3	A	1	Total C N O 14 12 1 1	0	0
3	A	1	Total C N O 14 12 1 1	0	0
3	A	1	Total C N O 14 12 1 1	0	0
3	A	1	Total C N O 14 12 1 1	0	0

- Molecule 4 is 2,6-dioxo-5-[2-(4-phenylphenyl)ethyl]-1,2,3,6- tetrahydropyrimidine-4-carboxylic acid (three-letter code: W7A) (formula: C₁₉H₁₆N₂O₄).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	1
			50	38	4	8		

- Molecule 5 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: $C_{17}H_{21}N_4O_9P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: $\text{C}_3\text{H}_8\text{O}_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	1
			12	6	6		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is OROTIC ACID (three-letter code: ORO) (formula: $C_5H_4N_2O_4$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			11	5	2	4		

- Molecule 8 is SULFATE ION (three-letter code: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	O	S	0	0
			5	4	1		
8	A	1	Total	O	S	0	0
			5	4	1		
8	A	1	Total	O	S	0	0
			5	4	1		
8	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 9 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	317	Total	O	0	2
			319	319		

- Molecule 1: Dihydroorotate dehydrogenase (quinone), mitochondrial



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	90.45Å 90.45Å 123.06Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	36.34 – 1.68 36.34 – 1.68	Depositor EDS
% Data completeness (in resolution range)	99.9 (36.34-1.68) 99.9 (36.34-1.68)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.79 (at 1.68Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.140 , 0.172 0.148 , 0.177	Depositor DCC
R_{free} test set	3387 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	13.1	Xtriage
Anisotropy	0.018	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 60.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.016 for -h,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	3626	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.79% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, CL, GOL, FMN, W7A, DDQ, ACT, ORO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.51	18/2991 (0.6%)	1.25	13/4035 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	11

The worst 5 of 18 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	196	ALA	C-N	-7.05	1.17	1.34
1	A	266	GLU	CD-OE1	-6.38	1.18	1.25
1	A	258	PRO	N-CD	6.03	1.56	1.47
1	A	337[A]	SER	CB-OG	-6.01	1.34	1.42
1	A	337[B]	SER	CB-OG	-6.01	1.34	1.42

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	31	ALA	O-C-N	-18.26	93.49	122.70
1	A	226	GLY	O-C-N	-10.76	105.48	122.70
1	A	31	ALA	CA-C-N	9.55	138.21	117.20
1	A	347	ARG	NE-CZ-NH2	-6.64	116.98	120.30
1	A	372	ARG	NE-CZ-NH2	-5.61	117.50	120.30

There are no chirality outliers.

5 of 11 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	226	GLY	Peptide,Mainchain
1	A	31	ALA	Peptide,Mainchain
1	A	32[B]	THR	Mainchain
1	A	395	ARG	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2944	0	2975	78	0
2	A	1	0	0	0	0
3	A	84	0	162	3	0
4	A	50	0	30	3	0
5	A	31	0	19	0	0
6	A	138	0	184	25	0
7	A	11	0	3	0	0
8	A	20	0	0	6	0
9	A	28	0	21	5	0
10	A	319	0	0	17	0
All	All	3626	0	3394	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

The worst 5 of 88 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:227[B]:LYS:HG2	1:A:228:ALA:N	1.39	1.17
1:A:362[B]:TRP:CZ2	6:A:431:GOL:H2	1.84	1.11
1:A:362[B]:TRP:HZ2	6:A:431:GOL:H2	0.92	1.08
1:A:30:MET:HG3	1:A:31:ALA:H	1.23	0.99
1:A:362[B]:TRP:HZ2	6:A:431:GOL:C2	1.78	0.96

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	380/390 (97%)	368 (97%)	11 (3%)	1 (0%)	41	23

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	31	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	312/317 (98%)	303 (97%)	9 (3%)	42	21

5 of 9 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	247	VAL
1	A	356	TYR
1	A	49	LEU
1	A	61	ARG
1	A	72	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 45 ligands modelled in this entry, 1 is monoatomic - leaving 44 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	GOL	A	414	-	5,5,5	0.26	0	5,5,5	0.44	0
6	GOL	A	424	-	5,5,5	0.52	0	5,5,5	1.12	0
8	SO4	A	434	-	4,4,4	0.70	0	6,6,6	0.75	0
4	W7A	A	408[B]	-	27,27,27	3.04	12 (44%)	35,37,37	2.77	9 (25%)
6	GOL	A	427	-	5,5,5	1.20	1 (20%)	5,5,5	1.30	1 (20%)
6	GOL	A	423	-	5,5,5	0.63	0	5,5,5	0.59	0
4	W7A	A	408[A]	-	27,27,27	2.35	9 (33%)	35,37,37	2.43	12 (34%)
3	DDQ	A	406	-	11,13,13	2.00	2 (18%)	12,15,15	0.94	1 (8%)
9	ACT	A	439	-	3,3,3	0.64	0	3,3,3	1.14	0
9	ACT	A	443	-	3,3,3	1.26	0	3,3,3	1.31	0
6	GOL	A	415	-	5,5,5	0.36	0	5,5,5	1.24	1 (20%)
6	GOL	A	419[B]	-	5,5,5	0.40	0	5,5,5	0.47	0
9	ACT	A	441	-	3,3,3	0.87	0	3,3,3	0.50	0
6	GOL	A	419[A]	-	5,5,5	0.36	0	5,5,5	0.51	0
8	SO4	A	433	-	4,4,4	0.80	0	6,6,6	0.62	0
5	FMN	A	409	-	33,33,33	1.59	8 (24%)	48,50,50	1.58	9 (18%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	ORO	A	432	-	10,11,11	2.89	5 (50%)	10,15,15	6.93	4 (40%)
6	GOL	A	417	-	5,5,5	1.18	0	5,5,5	1.32	1 (20%)
6	GOL	A	428	-	5,5,5	0.48	0	5,5,5	0.65	0
3	DDQ	A	407	-	11,13,13	2.42	1 (9%)	12,15,15	2.76	3 (25%)
6	GOL	A	412	-	5,5,5	0.34	0	5,5,5	0.61	0
3	DDQ	A	405	-	11,13,13	2.22	1 (9%)	12,15,15	0.90	1 (8%)
3	DDQ	A	404	-	11,13,13	2.21	2 (18%)	12,15,15	0.79	1 (8%)
9	ACT	A	442	-	3,3,3	0.82	0	3,3,3	0.74	0
6	GOL	A	411	-	5,5,5	0.50	0	5,5,5	1.10	0
6	GOL	A	430	-	5,5,5	0.32	0	5,5,5	1.19	0
6	GOL	A	425	-	5,5,5	0.44	0	5,5,5	2.95	2 (40%)
6	GOL	A	429	-	5,5,5	0.91	0	5,5,5	1.04	0
6	GOL	A	413	-	5,5,5	0.93	0	5,5,5	1.57	1 (20%)
6	GOL	A	421	-	5,5,5	0.71	0	5,5,5	2.07	1 (20%)
8	SO4	A	435	-	4,4,4	0.59	0	6,6,6	0.41	0
6	GOL	A	420	-	5,5,5	0.96	0	5,5,5	1.35	1 (20%)
9	ACT	A	440	-	3,3,3	0.67	0	3,3,3	1.43	0
9	ACT	A	437	-	3,3,3	1.08	0	3,3,3	0.31	0
6	GOL	A	418	-	5,5,5	0.71	0	5,5,5	0.56	0
6	GOL	A	410	-	5,5,5	1.26	1 (20%)	5,5,5	2.79	3 (60%)
9	ACT	A	438	-	3,3,3	0.71	0	3,3,3	1.22	0
3	DDQ	A	402	-	11,13,13	1.84	1 (9%)	12,15,15	0.45	0
3	DDQ	A	403	-	11,13,13	2.19	2 (18%)	12,15,15	0.37	0
6	GOL	A	426	-	5,5,5	1.32	1 (20%)	5,5,5	1.40	1 (20%)
6	GOL	A	431	-	5,5,5	0.58	0	5,5,5	1.07	0
6	GOL	A	422	-	5,5,5	0.15	0	5,5,5	1.40	1 (20%)
8	SO4	A	436	-	4,4,4	0.51	0	6,6,6	0.93	0
6	GOL	A	416	-	5,5,5	0.59	0	5,5,5	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	A	414	-	-	2/4/4/4	-
6	GOL	A	424	-	-	4/4/4/4	-
4	W7A	A	408[B]	-	-	1/13/13/13	0/3/3/3
6	GOL	A	427	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	A	423	-	-	1/4/4/4	-
4	W7A	A	408[A]	-	-	1/13/13/13	0/3/3/3
3	DDQ	A	406	-	-	7/11/11/11	-
6	GOL	A	415	-	-	2/4/4/4	-
6	GOL	A	419[B]	-	-	4/4/4/4	-
6	GOL	A	419[A]	-	-	4/4/4/4	-
5	FMN	A	409	-	-	4/18/18/18	0/3/3/3
7	ORO	A	432	-	-	4/4/4/4	0/1/1/1
6	GOL	A	417	-	-	0/4/4/4	-
6	GOL	A	428	-	-	1/4/4/4	-
3	DDQ	A	407	-	-	4/11/11/11	-
6	GOL	A	412	-	-	4/4/4/4	-
3	DDQ	A	405	-	-	6/11/11/11	-
3	DDQ	A	404	-	-	5/11/11/11	-
6	GOL	A	411	-	-	4/4/4/4	-
6	GOL	A	430	-	-	4/4/4/4	-
6	GOL	A	425	-	-	0/4/4/4	-
6	GOL	A	429	-	-	4/4/4/4	-
6	GOL	A	413	-	-	0/4/4/4	-
6	GOL	A	421	-	-	2/4/4/4	-
6	GOL	A	420	-	-	4/4/4/4	-
6	GOL	A	418	-	-	3/4/4/4	-
6	GOL	A	410	-	-	2/4/4/4	-
3	DDQ	A	402	-	-	5/11/11/11	-
3	DDQ	A	403	-	-	4/11/11/11	-
6	GOL	A	426	-	-	3/4/4/4	-
6	GOL	A	431	-	-	0/4/4/4	-
6	GOL	A	422	-	-	2/4/4/4	-
6	GOL	A	416	-	-	0/4/4/4	-

The worst 5 of 46 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	408[B]	W7A	CAL-C5	-8.93	1.28	1.51
3	A	407	DDQ	O1-N1	-7.81	1.23	1.42
3	A	405	DDQ	O1-N1	-6.96	1.25	1.42
7	A	432	ORO	C5-C4	6.88	1.44	1.37
3	A	404	DDQ	O1-N1	-6.67	1.25	1.42

The worst 5 of 53 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	432	ORO	C2-N3-C4	18.16	126.57	114.49
4	A	408[B]	W7A	C5-C6-N1	11.54	124.47	115.70
7	A	432	ORO	C5-C4-N3	-9.45	113.11	124.16
4	A	408[A]	W7A	C5-C6-N1	7.81	121.64	115.70
7	A	432	ORO	C6-C5-C4	6.83	121.14	116.73

There are no chirality outliers.

5 of 93 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	405	DDQ	C2-C1-N1-CM1
3	A	407	DDQ	C2-C1-N1-CM2
6	A	411	GOL	O1-C1-C2-C3
6	A	412	GOL	C1-C2-C3-O3
6	A	415	GOL	O1-C1-C2-O2

There are no ring outliers.

22 monomers are involved in 40 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	414	GOL	1	0
4	A	408[B]	W7A	2	0
6	A	427	GOL	1	0
6	A	423	GOL	1	0
4	A	408[A]	W7A	1	0
3	A	406	DDQ	3	0
9	A	439	ACT	1	0
6	A	415	GOL	2	0
6	A	419[B]	GOL	2	0
6	A	417	GOL	1	0
6	A	428	GOL	1	0
6	A	412	GOL	1	0
9	A	442	ACT	1	0
6	A	430	GOL	2	0
6	A	425	GOL	1	0
6	A	413	GOL	2	0
6	A	421	GOL	2	0
8	A	435	SO4	6	0
6	A	420	GOL	2	0
6	A	418	GOL	2	0
9	A	438	ACT	3	0


Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	431	GOL	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	196:ALA	C	197[A]:GLU	N	1.17

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	367/390 (94%)	-0.10	15 (4%) 37 39	7, 13, 33, 86	2 (0%)

The worst 5 of 15 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	72	ARG	8.4
1	A	30	MET	6.4
1	A	31	ALA	5.9
1	A	70	ARG	5.7
1	A	73	PHE	4.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	DDQ	A	405	14/14	0.51	0.35	59,65,82,86	0
3	DDQ	A	403	14/14	0.56	0.38	62,74,86,95	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	DDQ	A	404	14/14	0.64	0.31	75,87,96,96	0
3	DDQ	A	406	14/14	0.65	0.39	45,66,81,82	0
6	GOL	A	412	6/6	0.68	0.15	61,61,68,70	0
6	GOL	A	427	6/6	0.72	0.30	31,37,44,46	0
9	ACT	A	441	4/4	0.72	0.15	56,61,64,65	0
6	GOL	A	419[A]	6/6	0.73	0.26	36,43,44,45	6
6	GOL	A	419[B]	6/6	0.73	0.26	55,57,59,59	6
6	GOL	A	426	6/6	0.74	0.27	33,45,54,57	0
9	ACT	A	443	4/4	0.75	0.43	39,42,43,50	0
3	DDQ	A	407	14/14	0.77	0.17	27,39,72,72	0
9	ACT	A	442	4/4	0.78	0.33	54,55,60,61	0
6	GOL	A	424	6/6	0.79	0.16	46,50,54,58	0
6	GOL	A	410	6/6	0.79	0.17	21,27,29,32	0
9	ACT	A	439	4/4	0.80	0.34	39,42,49,55	0
3	DDQ	A	402	14/14	0.80	0.28	52,59,70,71	0
6	GOL	A	418	6/6	0.81	0.26	33,51,54,59	0
6	GOL	A	422	6/6	0.82	0.17	33,52,57,61	0
6	GOL	A	413	6/6	0.82	0.12	26,42,43,45	0
6	GOL	A	425	6/6	0.82	0.21	26,35,41,42	0
6	GOL	A	430	6/6	0.83	0.37	51,54,58,61	0
6	GOL	A	423	6/6	0.83	0.28	61,68,75,79	0
9	ACT	A	440	4/4	0.83	0.22	41,53,55,57	0
6	GOL	A	421	6/6	0.84	0.19	29,43,50,55	0
6	GOL	A	416	6/6	0.85	0.22	33,42,49,51	0
6	GOL	A	420	6/6	0.86	0.23	33,41,48,51	0
6	GOL	A	429	6/6	0.88	0.21	28,38,52,53	0
6	GOL	A	411	6/6	0.88	0.14	35,43,45,51	0
8	SO4	A	434	5/5	0.88	0.32	50,57,63,68	0
6	GOL	A	415	6/6	0.88	0.15	37,51,59,60	0
6	GOL	A	414	6/6	0.89	0.26	53,56,60,65	0
9	ACT	A	437	4/4	0.90	0.18	33,50,50,58	0
6	GOL	A	428	6/6	0.90	0.12	49,57,58,58	0
6	GOL	A	417	6/6	0.90	0.16	22,40,46,47	0
8	SO4	A	436	5/5	0.91	0.28	48,50,61,61	0
6	GOL	A	431	6/6	0.92	0.13	25,41,50,51	0
4	W7A	A	408[A]	25/25	0.94	0.09	11,13,20,22	25
4	W7A	A	408[B]	25/25	0.94	0.09	13,16,19,21	25
9	ACT	A	438	4/4	0.94	0.12	20,28,35,35	0
8	SO4	A	435	5/5	0.94	0.48	46,51,68,71	0
7	ORO	A	432	11/11	0.99	0.04	6,7,8,10	0
8	SO4	A	433	5/5	0.99	0.10	23,23,28,32	0
5	FMN	A	409	31/31	0.99	0.09	5,6,8,9	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	CL	A	401	1/1	0.99	0.03	17,17,17,17	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around W7A A 408 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.