



# wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2025 – 04:40 PM JST

PDB ID : 7W8N  
Title : Microbial Hormone-sensitive lipase E53 wild type  
Authors : Yang, X.; Li, Z.; Xu, X.; Li, J.  
Deposited on : 2021-12-08  
Resolution : 1.75 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.21
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.41.2


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	2888 (1.76-1.76)
Clashscore	180529	3097 (1.76-1.76)
Ramachandran outliers	177936	3072 (1.76-1.76)
Sidechain outliers	177891	3072 (1.76-1.76)
RSRZ outliers	164620	2887 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	314	<div> <div>2%</div> <div> <div></div> <div>89%</div> <div>8%</div> <div>..</div> </div> </div>
1	B	314	<div> <div>%</div> <div> <div></div> <div>89%</div> <div>8%</div> <div>..</div> </div> </div>
1	D	314	<div> <div>4%</div> <div> <div></div> <div>88%</div> <div>10%</div> <div>..</div> </div> </div>
2	C	314	<div> <div>2%</div> <div> <div></div> <div>92%</div> <div>6%</div> <div>.</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
12	NPO	B	620	-	-	X	X
12	NPO	B	621	-	-	-	X
13	NA	C	820	-	-	-	X
3	GOL	C	809	-	-	X	-
3	GOL	C	813	-	-	X	-
5	6NA	D	418	-	-	X	-
6	DMS	C	819	-	-	X	-
7	CCN	A	409	-	-	X	-
7	CCN	A	418	-	-	X	-
7	CCN	B	618	-	-	X	-
7	CCN	C	811	-	-	X	-
7	CCN	D	415	-	-	X	-
8	D8F	B	623	-	-	X	-
8	D8F	C	817	-	-	X	-

## 2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 20536 atoms, of which 9530 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lipase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	309	Total	C	H	N	O	S	0	0	0
			4534	1444	2257	391	430	12			
1	B	309	Total	C	H	N	O	S	0	0	0
			4559	1450	2270	391	436	12			
1	D	309	Total	C	H	N	O	S	0	0	0
			4559	1450	2270	391	436	12			


- Molecule 2 is a protein called Lipase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	C	309	Total	C	H	N	O	S	0	0	0
			4545	1446	2264	391	432	12			

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	204	ALA	GLU	conflict	UNP A0A074MDU6

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	H	O	0	0
			9	3	3	3		
3	B	1	Total	C	H	O	0	0
			9	3	3	3		
3	C	1	Total	C	H	O	0	0
			8	3	2	3		
3	C	1	Total	C	H	O	0	0
			8	3	2	3		
3	C	1	Total	C	H	O	0	0
			9	3	3	3		
3	C	1	Total	C	H	O	0	0
			9	3	3	3		
3	C	1	Total	C	H	O	0	0
			9	3	3	3		
3	D	1	Total	C	H	O	0	0
			9	3	3	3		
3	D	1	Total	C	H	O	0	0
			8	3	2	3		

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H	O	0	0
			10	2	6	2		
4	A	1	Total	C	H	O	0	0
			10	2	6	2		
4	A	1	Total	C	H	O	0	0
			10	2	6	2		
4	A	1	Total	C	H	O	0	0
			10	2	6	2		
4	B	1	Total	C	H	O	0	0
			10	2	6	2		
4	B	1	Total	C	H	O	0	0
			10	2	6	2		
4	B	1	Total	C	H	O	0	0
			10	2	6	2		
4	B	1	Total	C	H	O	0	0
			10	2	6	2		
4	B	1	Total	C	H	O	0	0
			10	2	6	2		
4	C	1	Total	C	H	O	0	0
			10	2	6	2		
4	C	1	Total	C	H	O	0	0
			10	2	6	2		
4	C	1	Total	C	H	O	0	0
			10	2	6	2		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	C	1	Total	C	H	O	0	0
			10	2	6	2		
4	C	1	Total	C	H	O	0	0
			10	2	6	2		
4	C	1	Total	C	H	O	0	0
			10	2	6	2		
4	C	1	Total	C	H	O	0	0
			10	2	6	2		
4	C	1	Total	C	H	O	0	0
			10	2	6	2		
4	D	1	Total	C	H	O	0	0
			10	2	6	2		
4	D	1	Total	C	H	O	0	0
			10	2	6	2		
4	D	1	Total	C	H	O	0	0
			10	2	6	2		
4	D	1	Total	C	H	O	0	0
			10	2	6	2		
4	D	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 5 is HEXANOIC ACID (three-letter code: 6NA) (formula:  $C_6H_{12}O_2$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	H	O	0	0
			19	6	11	2		
5	A	1	Total	C	H	O	0	0
			19	6	11	2		
5	C	1	Total	C	H	O	0	0
			19	6	11	2		
5	D	1	Total	C	H	O	0	0
			19	6	11	2		
5	D	1	Total	C	H	O	0	0
			19	6	11	2		

- Molecule 6 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C<sub>2</sub>H<sub>6</sub>OS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
6	A	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
6	A	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
6	A	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
6	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
6	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
6	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		


Continued on next page...



*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
6	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
6	C	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
6	D	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
6	D	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
6	D	1	Total	C	H	O	S	0	0
			10	2	6	1	1		

- Molecule 7 is ACETONITRILE (three-letter code: CCN) (formula: C<sub>2</sub>H<sub>3</sub>N).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	H	N	0	0
			6	2	3	1		
7	A	1	Total	C	H	N	0	0
			6	2	3	1		
7	A	1	Total	C	H	N	0	0
			6	2	3	1		
7	A	1	Total	C	H	N	0	0
			6	2	3	1		
7	A	1	Total	C	H	N	0	0
			6	2	3	1		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total 6	C 2	H 3	N 1	0	0
7	B	1	Total 6	C 2	H 3	N 1	0	0
7	B	1	Total 6	C 2	H 3	N 1	0	0
7	B	1	Total 6	C 2	H 3	N 1	0	0
7	B	1	Total 6	C 2	H 3	N 1	0	0
7	B	1	Total 6	C 2	H 3	N 1	0	0
7	B	1	Total 6	C 2	H 3	N 1	0	0
7	C	1	Total 6	C 2	H 3	N 1	0	0
7	C	1	Total 6	C 2	H 3	N 1	0	0
7	C	1	Total 6	C 2	H 3	N 1	0	0
7	C	1	Total 6	C 2	H 3	N 1	0	0
7	D	1	Total 6	C 2	H 3	N 1	0	0
7	D	1	Total 6	C 2	H 3	N 1	0	0
7	D	1	Total 6	C 2	H 3	N 1	0	0
7	D	1	Total 6	C 2	H 3	N 1	0	0
7	D	1	Total 6	C 2	H 3	N 1	0	0
7	D	1	Total 6	C 2	H 3	N 1	0	0
7	D	1	Total 6	C 2	H 3	N 1	0	0
7	D	1	Total 6	C 2	H 3	N 1	0	0

- Molecule 8 is (4-nitrophenyl) hexanoate (three-letter code: D8F) (formula: C<sub>12</sub>H<sub>15</sub>NO<sub>4</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	A	1	Total	C	H	N	O	0	0
			32	12	15	1	4		
8	B	1	Total	C	H	N	O	0	0
			32	12	15	1	4		
8	C	1	Total	C	H	N	O	0	0
			32	12	15	1	4		
8	D	1	Total	C	H	N	O	0	0
			32	12	15	1	4		

- Molecule 9 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	O	S	0	0
			5	4	1		
9	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 10 is 1,4-DIETHYLENE DIOXIDE (three-letter code: DIO) (formula: C<sub>4</sub>H<sub>8</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	B	1	Total	C	H	O	0	0
			14	4	8	2		

- Molecule 11 is butanoic acid (three-letter code: BUA) (formula: C<sub>4</sub>H<sub>8</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	B	1	Total	C	H	O	0	0
			13	4	7	2		

- Molecule 12 is P-NITROPHENOL (three-letter code: NPO) (formula:  $C_6H_5NO_3$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
12	B	1	Total	C	H	N	O	0	0
			15	6	5	1	3		
12	B	1	Total	C	H	N	O	0	0
			15	6	5	1	3		
12	D	1	Total	C	H	N	O	0	0
			15	6	5	1	3		

- Molecule 13 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	C	1	Total	Na	0	0
			1	1		

- Molecule 14 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	A	399	Total	O	0	0
			399	399		
14	B	323	Total	O	0	0
			323	323		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	C	397	Total 397	O 397	0	0
14	D	312	Total 312	O 312	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Lipase




- Molecule 1: Lipase



- Molecule 1: Lipase



- Molecule 2: Lipase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	70.58Å 129.84Å 221.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.71 – 1.75 48.71 – 1.75	Depositor EDS
% Data completeness (in resolution range)	99.9 (48.71-1.75) 99.8 (48.71-1.75)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.50 (at 1.75Å)	Xtriage
Refinement program	REFMAC 5.8.0257, PHENIX 1.18	Depositor
R, $R_{free}$	0.164 , 0.179 0.168 , 0.179	Depositor DCC
$R_{free}$ test set	10293 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	26.0	Xtriage
Anisotropy	0.601	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.40 , 42.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	20536	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 16.07% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NPO, NA, SO4, D8F, BUA, DIO, EDO, CCN, 6NA, DMS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.52	1/2328 (0.0%)	0.73	2/3178 (0.1%)
1	B	0.48	1/2340 (0.0%)	0.64	1/3193 (0.0%)
1	D	0.48	1/2340 (0.0%)	0.66	1/3193 (0.0%)
2	C	0.58	2/2332 (0.1%)	0.73	2/3183 (0.1%)
All	All	0.52	5/9340 (0.1%)	0.69	6/12747 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	284	HIS	CE1-NE2	-6.39	1.18	1.32
2	C	284	HIS	ND1-CE1	-5.96	1.19	1.34
1	B	284	HIS	ND1-CE1	-5.58	1.20	1.34
2	C	284	HIS	CG-ND1	-5.24	1.27	1.38
1	A	162	SER	CA-CB	-5.12	1.45	1.52

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	163	ALA	CB-CA-C	-6.86	99.81	110.10
1	A	162	SER	CB-CA-C	6.02	121.53	110.10
1	D	162	SER	CB-CA-C	6.01	121.52	110.10
1	B	162	SER	CB-CA-C	5.94	121.39	110.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	162	SER	CB-CA-C	5.79	121.10	110.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	283	THR	Mainchain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2277	2257	2257	37	0
1	B	2289	2270	2269	37	1
1	D	2289	2270	2269	43	0
2	C	2281	2264	2264	33	0
3	A	6	3	8	0	0
3	B	6	3	8	0	0
3	C	30	13	37	12	0
3	D	12	5	15	2	0
4	A	16	24	24	4	0
4	B	28	42	42	2	0
4	C	32	48	48	2	0
4	D	24	36	36	2	0
5	A	16	22	22	2	0
5	C	8	11	11	0	0
5	D	16	22	22	15	0
6	A	16	24	24	6	0
6	B	20	30	30	2	0
6	C	4	6	6	4	0
6	D	12	18	18	3	0
7	A	18	18	18	5	0
7	B	18	18	18	6	0
7	C	12	12	12	5	0
7	D	24	24	24	8	0
8	A	17	15	0	6	0
8	B	17	15	0	10	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	C	17	15	0	9	0
8	D	17	15	0	5	0
9	A	10	0	0	0	0
10	B	6	8	8	0	0
11	B	6	7	7	2	0
12	B	20	10	10	10	1
12	D	10	5	5	3	0
13	C	1	0	0	0	0
14	A	399	0	0	13	0
14	B	323	0	0	9	0
14	C	397	0	0	10	0
14	D	312	0	0	15	0
All	All	11006	9530	9512	175	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 175 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:162:SER:OG	8:B:623:D8F:CAN	2.20	0.89
1:A:177:ALA:O	1:A:178:LYS:HE2	1.75	0.87
6:A:414:DMS:O	14:A:501:HOH:O	1.92	0.85
1:B:162:SER:OG	8:B:623:D8F:CAQ	2.29	0.81
6:D:401:DMS:S	5:D:418:6NA:H6C3	2.22	0.79

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:21:MET:SD	12:B:621:NPO:OH[2_754]	2.14	0.06

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	307/314 (98%)	300 (98%)	7 (2%)	0	100	100
1	B	307/314 (98%)	301 (98%)	6 (2%)	0	100	100
1	D	307/314 (98%)	299 (97%)	8 (3%)	0	100	100
2	C	307/314 (98%)	299 (97%)	8 (3%)	0	100	100
All	All	1228/1256 (98%)	1199 (98%)	29 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/240 (97%)	230 (99%)	2 (1%)	75	65
1	B	235/240 (98%)	233 (99%)	2 (1%)	75	65
1	D	235/240 (98%)	232 (99%)	3 (1%)	65	51
2	C	233/239 (98%)	231 (99%)	2 (1%)	75	65
All	All	935/959 (98%)	926 (99%)	9 (1%)	73	61

5 of 9 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	151	ARG
1	D	191	PHE
1	B	151	ARG
2	C	151	ARG
2	C	191	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

Of 88 ligands modelled in this entry, 1 is monoatomic - leaving 87 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	EDO	B	603	-	3,3,3	0.35	0	2,2,2	0.80	0
6	DMS	D	401	-	3,3,3	0.70	0	3,3,3	0.97	0
6	DMS	D	413	-	3,3,3	0.71	0	3,3,3	0.80	0
4	EDO	B	605	-	3,3,3	0.43	0	2,2,2	0.45	0
4	EDO	A	412	-	3,3,3	0.56	0	2,2,2	0.12	0
7	CCN	D	419	-	2,2,2	0.98	0	1,1,1	0.28	0
4	EDO	A	404	-	3,3,3	0.55	0	2,2,2	0.07	0
7	CCN	A	413	-	2,2,2	0.88	0	1,1,1	0.28	0
4	EDO	B	602	-	3,3,3	0.23	0	2,2,2	0.92	0
6	DMS	B	611	-	3,3,3	0.69	0	3,3,3	0.73	0
7	CCN	A	418	-	2,2,2	0.96	0	1,1,1	0.27	0
7	CCN	B	607	-	2,2,2	0.93	0	1,1,1	0.26	0
6	DMS	A	406	-	3,3,3	0.63	0	3,3,3	0.88	0
7	CCN	A	409	-	2,2,2	0.90	0	1,1,1	0.38	0
7	CCN	D	404	-	2,2,2	0.89	0	1,1,1	0.38	0
4	EDO	A	402	-	3,3,3	0.32	0	2,2,2	0.57	0
9	SO4	A	419	-	4,4,4	0.12	0	6,6,6	0.11	0
6	DMS	A	414	-	3,3,3	0.68	0	3,3,3	0.81	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	CCN	B	610	-	2,2,2	0.97	0	1,1,1	0.12	0
4	EDO	B	624	-	3,3,3	0.37	0	2,2,2	0.25	0
4	EDO	C	803	-	3,3,3	0.48	0	2,2,2	0.24	0
3	GOL	C	802	-	5,5,5	1.36	0	5,5,5	1.37	0
3	GOL	A	401	-	5,5,5	1.25	1 (20%)	5,5,5	0.79	0
3	GOL	D	410	-	5,5,5	0.84	0	5,5,5	1.25	1 (20%)
7	CCN	D	411	-	2,2,2	0.91	0	1,1,1	0.29	0
7	CCN	B	614	-	2,2,2	0.93	0	1,1,1	0.16	0
8	D8F	B	623	-	16,17,17	3.38	7 (43%)	19,21,21	1.53	3 (15%)
7	CCN	B	613	-	2,2,2	0.88	0	1,1,1	0.49	0
5	6NA	D	412	-	7,7,7	0.92	0	7,7,7	1.22	0
3	GOL	D	402	-	5,5,5	0.92	0	5,5,5	1.46	1 (20%)
4	EDO	B	606	-	3,3,3	0.48	0	2,2,2	0.28	0
4	EDO	D	407	-	3,3,3	0.57	0	2,2,2	0.20	0
6	DMS	A	415	-	3,3,3	0.75	0	3,3,3	0.84	0
7	CCN	A	411	-	2,2,2	0.90	0	1,1,1	0.42	0
3	GOL	C	809	-	5,5,5	1.26	0	5,5,5	1.21	1 (20%)
4	EDO	D	414	-	3,3,3	0.46	0	2,2,2	0.85	0
6	DMS	A	407	-	3,3,3	0.68	0	3,3,3	0.61	0
7	CCN	C	808	-	2,2,2	0.85	0	1,1,1	0.35	0
4	EDO	B	608	-	3,3,3	0.50	0	2,2,2	0.45	0
7	CCN	D	417	-	2,2,2	0.97	0	1,1,1	0.49	0
6	DMS	B	612	-	3,3,3	0.67	0	3,3,3	0.96	0
4	EDO	C	806	-	3,3,3	0.46	0	2,2,2	0.65	0
4	EDO	D	403	-	3,3,3	0.53	0	2,2,2	0.29	0
5	6NA	D	418	-	7,7,7	0.87	1 (14%)	7,7,7	1.42	1 (14%)
7	CCN	D	408	-	2,2,2	0.89	0	1,1,1	0.07	0
5	6NA	A	417	-	7,7,7	0.97	0	7,7,7	1.44	1 (14%)
7	CCN	D	415	-	2,2,2	0.94	0	1,1,1	0.44	0
5	6NA	C	810	-	7,7,7	1.03	0	7,7,7	1.10	0
7	CCN	A	410	-	2,2,2	0.91	0	1,1,1	0.42	0
4	EDO	C	801	-	3,3,3	0.41	0	2,2,2	0.43	0
4	EDO	D	405	-	3,3,3	0.48	0	2,2,2	0.23	0
4	EDO	C	812	-	3,3,3	0.62	0	2,2,2	0.20	0
12	NPO	B	621	-	9,10,10	1.13	1 (11%)	11,13,13	0.96	1 (9%)
11	BUA	B	615	-	5,5,5	1.10	0	5,5,5	1.29	1 (20%)
6	DMS	D	409	-	3,3,3	0.72	0	3,3,3	0.60	0
8	D8F	C	817	-	16,17,17	3.09	7 (43%)	19,21,21	1.59	2 (10%)
7	CCN	D	416	-	2,2,2	0.94	0	1,1,1	0.48	0
4	EDO	C	818	-	3,3,3	0.49	0	2,2,2	0.25	0
6	DMS	B	622	-	3,3,3	0.70	0	3,3,3	0.82	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	GOL	C	816	-	5,5,5	0.80	0	5,5,5	1.24	0
8	D8F	D	423	-	16,17,17	3.59	8 (50%)	19,21,21	1.58	3 (15%)
6	DMS	B	616	-	3,3,3	0.73	0	3,3,3	0.75	0
9	SO4	A	420	-	4,4,4	0.16	0	6,6,6	0.13	0
6	DMS	B	617	-	3,3,3	0.67	0	3,3,3	0.67	0
3	GOL	C	813	-	5,5,5	1.29	0	5,5,5	0.73	0
7	CCN	C	807	-	2,2,2	0.88	0	1,1,1	0.34	0
7	CCN	B	609	-	2,2,2	0.94	0	1,1,1	0.38	0
5	6NA	A	403	-	7,7,7	0.94	0	7,7,7	1.53	1 (14%)
4	EDO	A	405	-	3,3,3	0.52	0	2,2,2	0.09	0
8	D8F	A	416	-	16,17,17	3.29	8 (50%)	19,21,21	1.84	3 (15%)
3	GOL	B	619	-	5,5,5	0.84	0	5,5,5	1.02	0
7	CCN	C	821	-	2,2,2	1.03	0	1,1,1	0.39	0
12	NPO	D	421	-	9,10,10	1.26	1 (11%)	11,13,13	0.77	0
4	EDO	D	406	-	3,3,3	0.39	0	2,2,2	0.60	0
3	GOL	C	814	-	5,5,5	0.61	0	5,5,5	1.17	0
7	CCN	D	420	-	2,2,2	0.91	0	1,1,1	0.20	0
4	EDO	C	804	-	3,3,3	0.41	0	2,2,2	0.72	0
4	EDO	B	601	-	3,3,3	0.51	0	2,2,2	0.15	0
4	EDO	C	815	-	3,3,3	0.54	0	2,2,2	0.33	0
4	EDO	C	805	-	3,3,3	0.45	0	2,2,2	0.44	0
6	DMS	C	819	-	3,3,3	0.68	0	3,3,3	0.72	0
7	CCN	A	408	-	2,2,2	0.87	0	1,1,1	0.29	0
7	CCN	B	618	-	2,2,2	0.89	0	1,1,1	0.35	0
10	DIO	B	604	-	6,6,6	0.69	0	6,6,6	0.71	0
4	EDO	D	422	-	3,3,3	0.48	0	2,2,2	0.30	0
7	CCN	C	811	-	2,2,2	0.91	0	1,1,1	0.36	0
12	NPO	B	620	-	9,10,10	1.34	1 (11%)	11,13,13	4.13	2 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	B	603	-	-	0/1/1/1	-
3	GOL	C	813	-	-	2/4/4/4	-
4	EDO	C	806	-	-	1/1/1/1	-
4	EDO	D	403	-	-	1/1/1/1	-
4	EDO	C	803	-	-	0/1/1/1	-
3	GOL	C	802	-	-	3/4/4/4	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	6NA	D	418	-	-	4/5/5/5	-
3	GOL	A	401	-	-	1/4/4/4	-
4	EDO	B	605	-	-	1/1/1/1	-
4	EDO	A	412	-	-	0/1/1/1	-
4	EDO	A	405	-	-	1/1/1/1	-
3	GOL	D	410	-	-	4/4/4/4	-
5	6NA	A	403	-	-	4/5/5/5	-
5	6NA	A	417	-	-	1/5/5/5	-
8	D8F	A	416	-	-	6/11/13/13	0/1/1/1
3	GOL	B	619	-	-	4/4/4/4	-
12	NPO	D	421	-	-	0/2/4/4	0/1/1/1
5	6NA	C	810	-	-	4/5/5/5	-
4	EDO	A	404	-	-	1/1/1/1	-
4	EDO	D	406	-	-	0/1/1/1	-
3	GOL	C	814	-	-	2/4/4/4	-
4	EDO	C	801	-	-	0/1/1/1	-
8	D8F	B	623	-	-	7/11/13/13	0/1/1/1
4	EDO	D	405	-	-	1/1/1/1	-
4	EDO	B	602	-	-	0/1/1/1	-
4	EDO	C	804	-	-	0/1/1/1	-
5	6NA	D	412	-	-	3/5/5/5	-
4	EDO	C	812	-	-	1/1/1/1	-
12	NPO	B	621	-	-	2/2/4/4	0/1/1/1
3	GOL	D	402	-	-	2/4/4/4	-
4	EDO	B	606	-	-	1/1/1/1	-
4	EDO	B	601	-	-	1/1/1/1	-
4	EDO	C	815	-	-	1/1/1/1	-
4	EDO	D	407	-	-	1/1/1/1	-
4	EDO	C	805	-	-	1/1/1/1	-
3	GOL	C	809	-	-	4/4/4/4	-
11	BUA	B	615	-	-	1/3/3/3	-
4	EDO	A	402	-	-	1/1/1/1	-
4	EDO	D	414	-	-	1/1/1/1	-
8	D8F	C	817	-	-	5/11/13/13	0/1/1/1
10	DIO	B	604	-	-	-	0/1/1/1
4	EDO	C	818	-	-	1/1/1/1	-
4	EDO	D	422	-	-	1/1/1/1	-
3	GOL	C	816	-	-	1/4/4/4	-
8	D8F	D	423	-	-	5/11/13/13	0/1/1/1

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	NPO	B	620	-	-	0/2/4/4	0/1/1/1
4	EDO	B	608	-	-	1/1/1/1	-
4	EDO	B	624	-	-	1/1/1/1	-

The worst 5 of 35 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	D	423	D8F	CAP-CAM	8.00	1.53	1.38
8	B	623	D8F	CAP-CAM	7.55	1.52	1.38
8	A	416	D8F	CAP-CAM	7.39	1.52	1.38
8	D	423	D8F	CAQ-CAO	7.04	1.52	1.38
8	C	817	D8F	CAP-CAM	6.55	1.50	1.38

The worst 5 of 21 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	B	620	NPO	C6-C1-N1	9.85	126.79	119.38
12	B	620	NPO	C2-C1-N1	-8.94	112.65	119.38
8	C	817	D8F	CAL-OAA-CAK	-4.79	106.92	119.42
8	D	423	D8F	OAA-CAK-CAI	4.40	123.39	110.67
8	A	416	D8F	OAA-CAK-CAI	4.40	123.38	110.67

There are no chirality outliers.

5 of 83 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	619	GOL	O1-C1-C2-O2
3	B	619	GOL	O1-C1-C2-C3
3	B	619	GOL	C1-C2-C3-O3
3	C	802	GOL	C1-C2-C3-O3
3	C	802	GOL	O2-C2-C3-O3

There are no ring outliers.

45 monomers are involved in 122 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	D	401	DMS	3	0
4	B	605	EDO	1	0
4	A	412	EDO	1	0
7	D	419	CCN	1	0
4	A	404	EDO	1	0


*Continued on next page...*




*Continued from previous page...*



Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	418	CCN	2	0
7	B	607	CCN	1	0
6	A	406	DMS	2	0
7	A	409	CCN	2	0
7	D	404	CCN	1	0
6	A	414	DMS	3	0
4	B	624	EDO	1	0
3	D	410	GOL	1	0
7	D	411	CCN	1	0
7	B	614	CCN	1	0
8	B	623	D8F	10	0
5	D	412	6NA	3	0
3	D	402	GOL	1	0
6	A	415	DMS	1	0
3	C	809	GOL	7	0
4	D	414	EDO	2	0
7	C	808	CCN	1	0
6	B	612	DMS	2	0
5	D	418	6NA	12	0
7	D	408	CCN	1	0
5	A	417	6NA	1	0
7	D	415	CCN	3	0
12	B	621	NPO	2	1
11	B	615	BUA	2	0
8	C	817	D8F	9	0
4	C	818	EDO	1	0
8	D	423	D8F	5	0
3	C	813	GOL	5	0
5	A	403	6NA	1	0
4	A	405	EDO	2	0
8	A	416	D8F	6	0
7	C	821	CCN	1	0
12	D	421	NPO	3	0
7	D	420	CCN	1	0
4	C	805	EDO	1	0
6	C	819	DMS	4	0
7	A	408	CCN	1	0
7	B	618	CCN	4	0
7	C	811	CCN	3	0
12	B	620	NPO	8	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In


addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## Ligand D8F D 423



## Ligand 6NA A 403







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	309/314 (98%)	-0.44	5 (1%) 70 76	22, 28, 47, 60	0
1	B	309/314 (98%)	-0.11	3 (0%) 79 84	24, 32, 53, 68	0
1	D	309/314 (98%)	0.05	11 (3%) 46 53	24, 33, 57, 69	0
2	C	309/314 (98%)	-0.44	5 (1%) 70 76	21, 28, 46, 62	0
All	All	1236/1256 (98%)	-0.24	24 (1%) 66 72	21, 30, 51, 69	0

The worst 5 of 24 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	27	ALA	3.9
1	A	4	THR	3.5
1	D	212	LEU	3.5
1	A	23	GLY	3.5
1	A	312	GLY	3.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
6	DMS	A	414	4/4	0.44	0.29	42,50,56,71	10
12	NPO	B	621	10/10	0.56	0.46	135,164,197,201	15
5	6NA	C	810	8/8	0.62	0.23	49,61,71,71	0
6	DMS	D	413	4/4	0.62	0.24	67,90,102,104	0
6	DMS	A	407	4/4	0.62	0.22	61,73,80,86	0
4	EDO	A	412	4/4	0.68	0.19	47,56,64,64	0
8	D8F	A	416	17/17	0.71	0.23	28,46,55,57	0
12	NPO	B	620	10/10	0.72	0.54	143,155,193,196	15
6	DMS	B	622	4/4	0.72	0.19	47,57,58,77	0
6	DMS	A	406	4/4	0.73	0.20	51,61,72,85	0
7	CCN	B	607	3/3	0.74	0.28	55,56,67,67	0
6	DMS	B	611	4/4	0.74	0.21	68,81,92,92	0
8	D8F	B	623	17/17	0.74	0.22	38,54,66,70	0
7	CCN	A	410	3/3	0.74	0.22	42,45,54,54	0
7	CCN	A	411	3/3	0.74	0.32	47,53,57,57	0
3	GOL	C	813	6/6	0.75	0.27	48,54,67,67	0
6	DMS	C	819	4/4	0.75	0.20	58,70,80,87	0
6	DMS	B	616	4/4	0.75	0.22	59,84,88,88	0
7	CCN	D	411	3/3	0.75	0.22	43,52,52,54	0
4	EDO	B	605	4/4	0.76	0.17	43,52,57,69	0
4	EDO	C	812	4/4	0.76	0.26	50,61,67,74	0
6	DMS	D	409	4/4	0.76	0.24	70,86,96,96	0
12	NPO	D	421	10/10	0.76	0.27	55,66,86,86	15
8	D8F	C	817	17/17	0.77	0.20	27,43,53,54	0
8	D8F	D	423	17/17	0.77	0.19	38,52,61,62	0
6	DMS	A	415	4/4	0.77	0.21	23,30,53,68	10
3	GOL	C	816	6/6	0.77	0.20	47,53,67,72	0
7	CCN	B	610	3/3	0.77	0.30	45,48,58,58	0
13	NA	C	820	1/1	0.78	0.44	64,64,64,64	0
11	BUA	B	615	6/6	0.79	0.14	36,50,60,60	0
3	GOL	B	619	6/6	0.79	0.20	46,53,64,64	0
7	CCN	B	609	3/3	0.79	0.21	46,49,56,56	0
4	EDO	B	608	4/4	0.79	0.21	53,66,74,83	0
5	6NA	D	418	8/8	0.79	0.28	24,34,41,41	19
7	CCN	C	807	3/3	0.80	0.21	47,50,57,57	0
7	CCN	D	408	3/3	0.80	0.22	42,51,51,53	0
5	6NA	A	417	8/8	0.80	0.18	50,60,78,78	0
7	CCN	D	415	3/3	0.80	0.21	39,47,47,50	0
7	CCN	D	420	3/3	0.80	0.21	45,52,63,63	0
6	DMS	D	401	4/4	0.80	0.25	56,67,83,83	0
5	6NA	D	412	8/8	0.80	0.17	54,65,78,78	0
4	EDO	C	818	4/4	0.81	0.15	42,51,65,78	0
7	CCN	B	613	3/3	0.81	0.20	45,54,55,56	0

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	EDO	D	414	4/4	0.81	0.16	33,40,48,52	0
4	EDO	C	806	4/4	0.81	0.16	52,63,71,71	0
7	CCN	B	614	3/3	0.82	0.25	40,48,48,53	0
4	EDO	C	805	4/4	0.83	0.13	40,49,56,68	0
7	CCN	D	416	3/3	0.83	0.20	36,41,44,44	0
7	CCN	D	404	3/3	0.84	0.15	39,47,48,48	0
7	CCN	D	417	3/3	0.84	0.17	38,46,55,55	0
6	DMS	B	617	4/4	0.84	0.17	51,62,66,69	0
4	EDO	D	403	4/4	0.85	0.16	43,51,58,63	0
9	SO4	A	419	5/5	0.85	0.10	52,52,63,63	0
7	CCN	C	808	3/3	0.85	0.25	46,54,65,65	0
4	EDO	B	606	4/4	0.85	0.15	56,68,80,80	0
5	6NA	A	403	8/8	0.85	0.17	37,47,63,63	0
7	CCN	A	413	3/3	0.85	0.21	45,54,54,54	0
7	CCN	A	418	3/3	0.85	0.21	36,44,44,50	0
4	EDO	D	422	4/4	0.86	0.15	41,50,59,60	0
4	EDO	C	815	4/4	0.86	0.18	48,57,63,64	0
4	EDO	B	624	4/4	0.86	0.14	38,46,49,52	0
7	CCN	A	409	3/3	0.86	0.16	45,48,54,54	0
4	EDO	A	405	4/4	0.87	0.13	38,46,56,64	0
3	GOL	D	410	6/6	0.87	0.15	51,56,68,68	0
7	CCN	A	408	3/3	0.87	0.19	40,47,48,48	0
4	EDO	B	601	4/4	0.87	0.15	41,49,59,67	0
7	CCN	D	419	3/3	0.88	0.15	38,44,49,49	0
3	GOL	C	814	6/6	0.88	0.14	41,45,54,54	0
4	EDO	C	803	4/4	0.88	0.13	56,68,77,92	0
4	EDO	B	603	4/4	0.89	0.13	36,50,60,60	0
4	EDO	D	407	4/4	0.89	0.16	37,47,63,71	0
9	SO4	A	420	5/5	0.89	0.10	60,65,78,93	0
4	EDO	C	801	4/4	0.89	0.12	40,48,55,56	0
7	CCN	C	811	3/3	0.90	0.15	34,41,44,47	0
4	EDO	B	602	4/4	0.90	0.13	31,43,51,51	0
4	EDO	A	404	4/4	0.90	0.13	39,47,54,64	0
4	EDO	D	405	4/4	0.90	0.12	34,52,53,64	0
3	GOL	C	809	6/6	0.90	0.17	28,36,41,42	8
6	DMS	B	612	4/4	0.91	0.17	48,59,72,72	0
7	CCN	B	618	3/3	0.91	0.27	35,38,46,46	0
3	GOL	D	402	6/6	0.91	0.11	35,42,49,55	0
3	GOL	C	802	6/6	0.92	0.12	30,35,41,43	0
4	EDO	A	402	4/4	0.92	0.12	36,43,51,51	0
10	DIO	B	604	6/6	0.93	0.09	36,43,46,46	0
4	EDO	C	804	4/4	0.93	0.13	34,46,56,56	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
7	CCN	C	821	3/3	0.93	0.15	27,32,40,41	0
4	EDO	D	406	4/4	0.94	0.10	37,45,53,54	0
3	GOL	A	401	6/6	0.95	0.08	30,36,40,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around NPO B 621:**




2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around 6NA C 810:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around D8F A 416:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NPO B 620:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around D8F B 623:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around NPO D 421:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around D8F C 817:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around D8F D 423:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 6NA D 418:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 6NA A 417:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 6NA D 412:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around 6NA A 403:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.