



wwPDB X-ray Structure Validation Summary Report ⓘ

Jun 16, 2024 – 04:37 PM EDT

PDB ID : 4WF9
Title : The crystal structure of the large ribosomal subunit of *Staphylococcus aureus* in complex with telithromycin
Authors : Eyal, Z.; Matzov, D.; Krupkin, M.; Wekselman, I.; Zimmerman, E.; Rozenberg, H.; Bashan, A.; Yonath, A.E.
Deposited on : 2014-09-14
Resolution : 3.43 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 3.43 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.


























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1486 (3.50-3.34)
Clashscore	141614	1572 (3.50-3.34)
Ramachandran outliers	138981	1534 (3.50-3.34)
Sidechain outliers	138945	1535 (3.50-3.34)
RSRZ outliers	127900	1395 (3.50-3.34)
RNA backbone	3102	1012 (3.88-2.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	X	2923	 51% 32% 9% 7%
2	Y	114	 49% 44% 5%
3	A	277	 6% 67% 26%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	B	220	
5	C	207	
6	D	179	
7	E	178	
8	G	145	
9	H	122	
10	I	146	
11	J	144	
12	K	122	
13	L	119	
14	M	116	
15	N	118	
16	O	102	
17	P	117	
18	Q	91	
19	R	105	
20	S	217	
21	T	94	
22	V	69	
23	W	59	
24	Z	58	
25	2	45	
26	3	66	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
27	TEL	X	3001	X	-	-	-
28	MPD	X	3005	-	-	X	-
29	MG	X	3010	-	-	-	X
29	MG	X	3011	-	-	-	X
29	MG	X	3014	-	-	-	X
29	MG	X	3016	-	-	-	X
29	MG	X	3022	-	-	-	X
29	MG	X	3025	-	-	-	X
29	MG	X	3028	-	-	-	X
29	MG	X	3226	-	-	-	X
29	MG	X	3252	-	-	-	X
29	MG	X	3258	-	-	-	X
29	MG	X	3260	-	-	-	X
29	MG	X	3276	-	-	-	X
29	MG	X	3303	-	-	-	X
29	MG	X	3340	-	-	-	X
29	MG	X	3349	-	-	-	X
29	MG	X	3354	-	-	-	X
29	MG	X	3357	-	-	-	X
29	MG	X	3358	-	-	-	X
29	MG	X	3360	-	-	-	X
29	MG	Y	207	-	-	-	X
30	MN	X	3032	-	-	-	X
30	MN	X	3040	-	-	-	X
30	MN	X	3051	-	-	-	X
30	MN	X	3151	-	-	-	X
30	MN	X	3181	-	-	-	X
30	MN	X	3200	-	-	-	X
30	MN	X	3267	-	-	-	X
30	MN	X	3272	-	-	-	X
32	EOH	X	3367	-	-	-	X

2 Entry composition

There are 33 unique types of molecules in this entry. The entry contains 81033 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	X	2712	Total	C	N	O	P	0	0	0
			58145	25958	10650	18825	2712			

- Molecule 2 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	Y	114	Total	C	N	O	P	0	0	0
			2430	1086	436	794	114			

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	269	Total	C	N	O	S	0	0	0
			1640	995	319	321	5			

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	B	215	Total	C	N	O	S	0	0	0
			1566	980	291	290	5			

- Molecule 5 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	C	200	Total	C	N	O	S	0	0	0
			1314	812	250	250	2			

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	D	160	Total	C	N	O	S	0	0	0
			823	498	160	164	1			

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	E	156	Total	C	N	O	S	0	0	0
			930	575	173	181	1			

- Molecule 8 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	G	145	Total	C	N	O	S	0	0	0
			1105	691	205	206	3			

- Molecule 9 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	H	122	Total	C	N	O	S	0	0	0
			877	542	166	165	4			

- Molecule 10 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	I	131	Total	C	N	O	S	0	0	0
			830	503	164	162	1			

- Molecule 11 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	J	141	Total	C	N	O	S	0	0	0
			1054	673	196	181	4			

- Molecule 12 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	K	119	Total	C	N	O	S	0	0	0
			900	554	174	171	1			

- Molecule 13 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
13	L	109	Total	C	N	O	0	0	0
			667	405	134	128			

- Molecule 14 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	M	110	Total	C	N	O			
			834	526	167	141	0	0	0

- Molecule 15 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
15	N	116	Total	C	N	O	S		
			929	584	188	153	4	0	0

- Molecule 16 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
16	O	102	Total	C	N	O	S		
			756	481	138	136	1	0	0

- Molecule 17 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
17	P	112	Total	C	N	O	S		
			856	534	161	158	3	0	0

- Molecule 18 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	Q	89	Total	C	N	O	S		
			600	375	107	116	2	0	0

- Molecule 19 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
19	R	101	Total	C	N	O	S		
			609	373	111	124	1	0	0

- Molecule 20 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
20	S	167	Total	C	N	O	S		
			1082	680	192	208	2	0	0

- Molecule 21 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
21	T	75	Total	C	N	O	0	0	0
			541	336	101	104			

- Molecule 22 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
22	V	63	Total	C	N	O	0	0	0
			416	256	75	85			

- Molecule 23 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	W	58	Total	C	N	O	S	0	0	0
			449	279	84	85	1			

- Molecule 24 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	Z	45	Total	C	N	O	S	0	0	0
			352	215	73	60	4			


- Molecule 25 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	2	44	Total	C	N	O	S	0	0	0
			362	222	86	53	1			

- Molecule 26 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	3	60	Total	C	N	O	S	0	0	0
			390	239	77	72	2			

- Molecule 27 is TELITHROMYCIN (three-letter code: TEL) (formula: C₄₃H₆₅N₅O₁₀).



-
- Chemical structure of 2-methyl-2-pyridinecarboxamide (MPD) is shown. The structure includes a pyridine ring with a methyl group (C5) and a carboxamide group (C1, C2, O2, OH) attached to the 2-position. The atoms are labeled: C1, C2, C3, C4(S), C5, O4, O2, OH, and CM.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
28	X	1	Total C O 8 6 2	0	0
28	X	1	Total C O 8 6 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
28	X	1	Total	C	O	0	0
			8	6	2		
28	X	1	Total	C	O	0	0
			8	6	2		
28	X	1	Total	C	O	0	0
			8	6	2		
28	X	1	Total	C	O	0	0
			8	6	2		
28	X	1	Total	C	O	0	0
			8	6	2		

- Molecule 29 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
29	X	136	Total	Mg	0	0
			136	136		
29	Y	4	Total	Mg	0	0
			4	4		
29	A	1	Total	Mg	0	0
			1	1		
29	B	1	Total	Mg	0	0
			1	1		
29	C	3	Total	Mg	0	0
			3	3		
29	G	1	Total	Mg	0	0
			1	1		
29	O	1	Total	Mg	0	0
			1	1		
29	R	1	Total	Mg	0	0
			1	1		
29	T	1	Total	Mg	0	0
			1	1		

- Molecule 30 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
30	X	221	Total	Mn	0	0
			221	221		
30	Y	6	Total	Mn	0	0
			6	6		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
30	I	2	Total	Mn	0	0
			2	2		
30	J	1	Total	Mn	0	0
			1	1		
30	M	1	Total	Mn	0	0
			1	1		

- Molecule 31 is SPERMIDINE (three-letter code: SPD) (formula: $C_7H_{19}N_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
31	X	1	Total	C	N	0	0
			10	7	3		
31	X	1	Total	C	N	0	0
			10	7	3		
31	X	1	Total	C	N	0	0
			10	7	3		
31	X	1	Total	C	N	0	0
			10	7	3		
31	S	1	Total	C	N	0	0
			10	7	3		

- Molecule 32 is ETHANOL (three-letter code: EOH) (formula: C_2H_6O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
32	X	1	Total	C	O	0	0
			3	2	1		
32	X	1	Total	C	O	0	0
			3	2	1		
32	X	1	Total	C	O	0	0
			3	2	1		

- Molecule 33 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: $C_8H_{18}N_2O_4S$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
33	L	1	Total	C	N	O	S	0	0
			15	8	2	4	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 23S ribosomal RNA




C2090	C2091	C1994	G1902	U1825	G1743	G1638	G1570	G1509	U1446	G1357	A1269	G1169	U1097	A985
G	G	A1997	U1907	G1826	A1744	G1639	G1571	U1510	A1447	A1358	U1270	G1170	A1098	G986
G	G	A1998	A1908	C1827	A1745	U1640	A1572	C1511	A1448	A1359	G	A	G	A989
G	G	G1909	C1909	U1828	G1746	G	A1573	U1512	A1449	G1360	U1174	U	A	G990
G	G	G1910	G1910	C1832	U1753	G1643	A1574	A1513	A1450	G1361	G1274	G	U	G997
G	G	A1911	A1911	C1833	C1754	G1650	A1575	A1514	U1451	U1366	A1275	U	G	G1000
G	G	A1912	A1912	G1834	U1755	G1651	A1576	G1515	C1452	U1366	G1276	U	G	G1005
G	G	G1915	G1915	U	U1756	G1652	A1577	A1516	U1454	G1376	G1277	U	G	G1006
G	G	A1836	A1836	A1837	U1757	A1653	A1578	G1518	U	U1377	G1278	U	G	G1007
G	G	A1837	A1837	A1758	U1758	A1654	U	U1519	U	U1378	U1280	U	G	G1008
G	G	G1838	G1838	G1759	U1759	A1655	U	A	U	U1382	U1281	C	U	G1009
G	G	G1839	G1839	G1760	U1760	A1656	U	A1521	A	C1382	U1281	C	U	G1010
G	G	U1840	U1840	G1761	U1762	A1657	G	G1522	A1459	G1383	A1285	U	U	G1011
G	G	G1841	G1841	U1762	U1762	A1658	A	G1523	U1460	G1384	G1286	U	U	G1012
G	G	A1842	A1842	U1763	U1763	A1659	G	C1524	C1461	U1392	A1195	A	A	A1017
G	G	U1843	U1843	C1766	C1766	G1669	U	U1525	G1462	G1391	A1196	G	G	A1018
G	G	U1844	U1844	G1767	G1767	A1670	C	U1526	A1463	G1392	G1197	A	A	A1019
G	G	U1845	U1845	C1768	C1768	A1671	U	A1527	U1464	G1393	A1198	A	A	A1020
G	G	U1846	U1846	C1769	C1769	A1672	U	G1528	G1465	G1394	A1199	G	C	A1021
G	G	A1848	A1848	C1770	C1770	U1680	C	U1529	G1466	G1395	A1200	C	A	C1026
G	G	G1849	G1849	A1771	A1771	U1681	G	U1530	G1467	C1400	G1206	G	G	G1027
G	G	U1854	U1854	G1772	G1772	U1682	A1592	U1531	G1468	G1401	G1207	C	C	G1028
G	G	G1855	G1855	A1773	A1773	G1683	G1593	U	G1469	A1402	U1300	C	C	A1034
G	G	A1856	A1856	U1774	U1774	G1684	U1594	A	A1471	G1405	G1301	A	U	A1035
G	G	C1857	C1857	G1775	G1775	A1685	G1595	G	C1472	U1408	G1302	U	C	A1036
G	G	U1857	U1857	A1776	A1776	G1686	U1596	C	C1473	G1409	A1303	C	A	C1037
G	G	G1858	G1858	U1777	U1777	G1687	U1597	U	C1474	U1410	G1304	U	A	C1038
G	G	U1859	U1859	C1778	C1778	G1688	U1598	A	A1475	A1415	U1305	U	U	C1039
G	G	A1860	A1860	G1779	G1779	U1689	U1599	A	G1476	G1411	G1308	U	U	A1040
G	G	G1861	G1861	U1780	U1780	A1690	U1601	A1539	U1477	G1412	C1309	U	A	C1049
G	G	U1862	U1862	C1781	C1781	A1691	U1602	U1540	A1478	G1413	A1310	A	A	A1055
G	G	C1863	C1863	A1789	A1789	G1692	U1603	C1542	U1479	G1414	U1217	A	A	U1056
G	G	G1864	G1864	G1790	G1790	U1693	C1604	G1543	U1480	A1415	A1311	G	G	A1057
G	G	U1865	U1865	C1791	C1791	G1694	U1605	C1544	U1481	G1416	A1312	U	A	U1063
G	G	C1866	C1866	G1792	G1792	G1695	C1606	U1545	A1483	G1417	A1313	G	G	A1064
G	G	A1867	A1867	U1793	U1793	G1696	U1607	A1546	C1486	G1418	C1315	U	U	A1065
G	G	U1868	U1868	C1794	C1794	G1697	U1608	C1547	G1487	U1419	G1226	G	G	G1066
G	G	G1869	G1869	A1795	A1795	U1700	U1612	U1550	G1488	G1420	G1229	C	C	U1069
G	G	U1870	U1870	C1796	C1796	U1701	G1613	U1551	A1489	A1421	G1234	A	A	A1070
G	G	A1871	A1871	G1797	G1797	U1702	A1614	U	G1490	A1422	U1238	U	U	A1071
G	G	G1872	G1872	U1798	U1798	U1703	G1615	A	C1491	G1423	A1241	A	A	A1072
G	G	U1873	U1873	A1799	A1799	A1708	A1616	U1555	U1492	G1424	G1342	G	G	U1077
G	G	C1874	C1874	G1799	G1799	G1718	U1623	G1556	U1493	G1425	A1242	U	U	U1084
G	G	U1875	U1875	U1799	U1799	U1719	U1624	G1557	C1494	G1426	G1343	U	U	U1085
G	G	A1876	A1876	C1799	C1799	A1721	U1625	C1558	G1495	U1431	U1247	U	U	G1086
G	G	G1877	G1877	U1800	U1800	U1724	A1626	U1559	G1496	U1432	U1248	U	U	C1087
G	G	U1878	U1878	A1801	A1801	G1730	U1627	A1560	U1497	A1433	G1249	U	U	C1088
G	G	C1879	C1879	G1802	G1802	U1731	A1628	U1561	U1498	U1434	U1250	U	U	U1089
G	G	U1880	U1880	A1803	A1803	U1732	U1629	A1562	G1500	U1435	G1346	U	U	A1090
G	G	G1881	G1881	C1804	C1804	G1733	A1630	C1563	A1501	U1436	A1258	U	U	G1091
G	G	U1882	U1882	A1805	A1805	U1734	G1631	G1564	A1502	C1436	U1349	U	U	C1092
G	G	C1883	C1883	G1806	G1806	A1738	A1632	U1565	U1503	U1437	U1350	U	U	A1093
G	G	U1884	U1884	U1807	U1807	G1739	A	U1566	U1504	U1438	A1353	U	U	G1094
G	G	A1885	A1885	U1808	U1808	U1740	A	G1567	G1505	U1439	G1261	U	U	G1095
G	G	G1886	G1886	C1809	C1809	G1741	U1635	U1568	C1506	U1440	A1262	U	U	C1096
G	G	U1887	U1887	A1810	A1810	U1742	U1636	A1569	U1507	U1441	A1263	U	U	C1097
G	G	G1888	G1888	U1811	U1811	A1742	U1637	G1569	C1508	U1442	A1264	U	U	C1098
G	G	U1889	U1889	A1812	A1812	U1743	A	U1570	U1509	U1443	A1265	U	U	C1099
G	G	G1890	G1890	C1813	C1813	U1744	A	G1571	G1508	U1444	A1266	U	U	C1100
G	G	U1891	U1891	A1814	A1814	U1745	U1638	U1572	U1510	U1445	A1267	U	U	C1101
G	G	C1892	C1892	U1815	U1815	U1746	U1639	U1573	U1511	U1446	A1268	U	U	C1102
G	G	U1893	U1893	A1816	A1816	U1747	U1640	A1574	U1512	U1447	A1269	U	U	C1103
G	G	G1894	G1894	C1817	C1817	U1748	A1641	U1575	U1513	U1448	A1270	U	U	C1104
G	G	U1895	U1895	A1818	A1818	U1749	G1642	G1576	U1514	U1449	A1271	U	U	C1105
G	G	C1896	C1896	G1819	G1819	U1750	A1643	U1577	U1515	U1450	A1272	U	U	C1106
G	G	U1897	U1897	U1820	U1820	U1751	A	U1578	U1516	U1451	A1273	U	U	C1107
G	G	C	C	U1821	U1821	U1752	A	U1579	U1517	U1452	A1274	U	U	C1108
G	G	U1822	U1822	C1822	C1822	U1753	A	G1580	U1518	U1453	A1275	U	U	C1109
G	G	U1823	U1823	U1823	U1823	U1754	U1635	U1581	U1519	U1454	A1276	U	U	C1110
G	G	C1901	C1901	U1824	U1824	U1755	U1636	U1582	U1520	U1455	A1277	U	U	C1111
G	G	U1991	U1991	U1825	U1825	U1756	U1637	U1583	U1521	U1456	A1278	U	U	C1112
G	G	C1992	C1992	U1826	U1826	U1757	U1638	U1584	U1522	U1457	A1279	U	U	C1113
G	G	U1993	U1993	U1827	U1827	U1758	U1639	U1585	U1523	U1458	A1280	U	U	C1114
G	G	C1994	C1994	U1828	U1828	U1759	U1640	U1586	U1524	U1459	A1281	U	U	C1115
G	G	U1995	U1995	U1829	U1829	U1760	U1641	U1587	U1525	U1460	A1282	U	U	C1116
G	G	C1996	C1996	U1830	U1830	U1761	U1642	U1588	U1526	U1461	A1283	U	U	C1117
G	G	U1997	U1997	U1831	U1831	U1762	U1643	U1589	U1527	U1462	A1284	U	U	C1118
G	G	C1998	C1998	U1832	U1832	U1763	U1644	U1590	U1528	U1463	A1285	U	U	C1119
G	G	U1999	U1999	U1833	U1833	U1764	U1645	U1591	U1529	U1464	A1286	U	U	C1120
G	G	C1999	C1999	U1834	U1834	U1765	U1646	U1592	U1530	U1465	A1287	U	U	C1121
G	G	U2000	U2000	U1835	U1835	U1766	U1647	U1593	U1531	U1466	A1288	U	U	C1122
G	G	C2001	C2001	U1836	U1836	U1767	U1648	U1594	U1532	U1467	A1289	U	U	C1123
G	G	U2002	U2002	U1837	U1837	U1768	U1649	U1595	U1533	U1468	A1290	U	U	C1124
G	G	C2003	C2003	U1838	U1838	U1769	U1650	U1596	U1534	U1469	A1291	U	U	C1125
G	G	U2004	U2004	U1839	U1839	U1770	U1651	U1597	U1535	U1470	A1292	U	U	C1126
G	G	C2005	C2005	U1840	U1840	U1771	U1652	U1598	U1536	U1471	A1293	U	U	C1127
G	G	U2006	U2006	U1841	U1841	U1772	U1653	U1599	U1537	U1472	A1294	U	U	C1128
G	G	C2007	C2007	U1842	U1842	U1773	U1654	U1600	U1538	U1473	A1295	U	U	C1129
G	G	U2008	U2008	U1843	U1843	U1774	U1655	U1601	U1539	U1474	A1296	U	U	C1130
G	G	C2009	C2009	U1844	U1844	U1775	U1656	U1602	U1540	U1475	A1297	U	U	C1131
G	G	U2010	U2010	U1845	U1845	U1776	U1657	U1603	U1541	U1476	A1298	U	U	C1132
G	G	C2011	C2011	U1846	U1846	U1777	U1658	U1604	U1542	U1477	A1299	U	U	C1133
G	G	U2012	U2012	U1847	U1847	U1778	U1659	U1605	U1543	U1478	A1300	U	U	C1134
G	G	C2013	C2013	U1848	U1848	U1779	U1660	U1606	U1544	U1479	A1301	U	U	C1135
G	G	U2014	U2014	U1										




• Molecule 2: 5S ribosomal RNA


Chain Y: 49% 44% 5%



• Molecule 3: 50S ribosomal protein L2


Chain A: 6% 67% 26%






• Molecule 4: 50S ribosomal protein L3

Chain B: 52% 36% 10% .




• Molecule 5: 50S ribosomal protein L4

Chain C: 60% 30% 7% .




• Molecule 6: 50S ribosomal protein L5


Chain D: 12% 78% 9% 11% .




• Molecule 7: 50S ribosomal protein L6

Chain E: 6% 55% 28% 5% 12% .







• Molecule 8: 50S ribosomal protein L13




• Molecule 9: 50S ribosomal protein L14




• Molecule 10: 50S ribosomal protein L15




• Molecule 11: 50S ribosomal protein L16




- Molecule 12: 50S ribosomal protein L17




- Molecule 13: 50S ribosomal protein L18




- Molecule 14: 50S ribosomal protein L19



- Molecule 15: 50S ribosomal protein L20




- Molecule 16: 50S ribosomal protein L21



- Molecule 17: 50S ribosomal protein L22

Chain P: 



- Molecule 18: 50S ribosomal protein L23

Chain Q: 




- Molecule 19: 50S ribosomal protein L24

Chain R: 




- Molecule 20: 50S ribosomal protein L25

Chain S: 




- Molecule 21: 50S ribosomal protein L27

Chain T: 




- Molecule 22: 50S ribosomal protein L29

Chain V:  68% 17% 6% 9%





- Molecule 23: 50S ribosomal protein L30

Chain W:  2% 69% 22% 7%



- Molecule 24: 50S ribosomal protein L32

Chain Z:  2% 43% 29% 5% 22%



- Molecule 25: 50S ribosomal protein L34

Chain 2:  7% 62% 31% 0% 0%



- Molecule 26: 50S ribosomal protein L35

Chain 3:  68% 21% 0% 9%



4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	282.66Å 282.66Å 877.08Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.19 – 3.43 50.19 – 3.43	Depositor EDS
% Data completeness (in resolution range)	97.4 (50.19-3.43) 97.4 (50.19-3.43)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.14 (at 3.40Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, R_{free}	0.192 , 0.232 0.192 , 0.232	Depositor DCC
R_{free} test set	13519 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	114.5	Xtriage
Anisotropy	0.215	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.22 , 76.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	81033	wwPDB-VP
Average B, all atoms (Å ²)	84.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: SPD, MN, MG, EPE, MPD, TEL, EOH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	X	0.56	10/65105 (0.0%)	1.06	170/101500 (0.2%)
2	Y	0.52	1/2717 (0.0%)	1.06	14/4232 (0.3%)
3	A	0.35	0/1671	0.65	0/2304
4	B	0.51	0/1589	0.79	1/2139 (0.0%)
5	C	0.46	0/1332	0.72	0/1826
6	D	0.26	0/826	0.61	0/1147
7	E	0.51	0/941	0.79	0/1302
8	G	0.45	0/1127	0.68	0/1524
9	H	0.40	0/884	0.63	0/1195
10	I	0.56	0/838	0.91	1/1139 (0.1%)
11	J	0.43	0/1078	0.68	0/1457
12	K	0.44	0/903	0.71	0/1209
13	L	0.34	0/672	0.66	0/922
14	M	0.46	0/846	0.75	1/1139 (0.1%)
15	N	0.51	0/941	0.67	0/1248
16	O	0.46	0/766	0.68	0/1028
17	P	0.47	0/864	0.69	0/1164
18	Q	0.33	0/607	0.58	0/830
19	R	0.39	0/614	0.65	0/847
20	S	0.38	0/1094	0.64	1/1503 (0.1%)
21	T	0.44	0/547	0.63	0/733
22	V	0.36	0/417	0.53	0/571
23	W	0.47	0/451	0.66	0/607
24	Z	0.48	0/358	0.67	0/478
25	2	0.41	0/366	0.65	0/480
26	3	0.51	0/393	0.76	0/529
All	All	0.53	11/87947 (0.0%)	1.00	188/133053 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a

sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	A	0	1
5	C	0	1
All	All	0	2

The worst 5 of 11 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	X	2845	G	N9-C4	-7.38	1.32	1.38
1	X	2845	G	C2-N3	-5.96	1.27	1.32
1	X	350	G	N9-C4	5.89	1.42	1.38
1	X	2048	G	N9-C8	5.88	1.42	1.37
1	X	1065	A	N9-C4	-5.80	1.34	1.37

The worst 5 of 188 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	X	2845	G	N3-C4-N9	-15.55	116.67	126.00
1	X	2845	G	N3-C4-C5	13.97	135.58	128.60
1	X	2048	G	C5-N7-C8	-11.50	98.55	104.30
1	X	2048	G	N3-C4-C5	11.50	134.35	128.60
1	X	2048	G	C4-C5-N7	10.80	115.12	110.80

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	A	115	ILE	Peptide
5	C	140	LYS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	X	58145	0	29245	725	1
2	Y	2430	0	1229	40	0
3	A	1640	0	1255	51	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	1566	0	1559	68	0
5	C	1314	0	1146	44	0
6	D	823	0	433	7	0
7	E	930	0	688	32	0
8	G	1105	0	1064	34	0
9	H	877	0	882	33	0
10	I	830	0	703	32	0
11	J	1054	0	1040	30	0
12	K	900	0	924	38	0
13	L	667	0	507	20	0
14	M	834	0	850	33	0
15	N	929	0	988	34	0
16	O	756	0	754	32	0
17	P	856	0	909	33	0
18	Q	600	0	500	22	0
19	R	609	0	484	17	0
20	S	1082	0	919	17	0
21	T	541	0	518	12	0
22	V	416	0	348	5	0
23	W	449	0	490	8	0
24	Z	352	0	358	20	0
25	2	362	0	398	12	0
26	3	390	0	346	4	0
27	X	58	0	65	13	0
28	X	64	0	112	15	0
29	A	1	0	0	0	0
29	B	1	0	0	0	0
29	C	3	0	0	0	0
29	G	1	0	0	0	0
29	O	1	0	0	0	0
29	R	1	0	0	0	0
29	T	1	0	0	0	0
29	X	136	0	0	0	0
29	Y	4	0	0	0	0
30	I	2	0	0	0	0
30	J	1	0	0	0	0
30	M	1	0	0	0	0
30	X	221	0	0	0	0
30	Y	6	0	0	0	0
31	S	10	0	19	1	0
31	X	40	0	76	5	0
32	X	9	0	18	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
33	L	15	0	17	0	0
All	All	81033	0	48844	1274	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 1274 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:2649:U:O2'	1:X:2845:G:N2	1.98	0.96
1:X:2231:C:HO2'	1:X:2232:A:H8	1.10	0.93
1:X:1886:A:N6	1:X:1910:G:O2'	2.06	0.89
1:X:721:A:H8	1:X:2096:G:H21	1.15	0.87
2:Y:18:G:H1	2:Y:61:U:H3	1.20	0.87

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:136:A:OP1	1:X:1453:G:N2[12_554]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	267/277 (96%)	211 (79%)	34 (13%)	22 (8%)	1	8
4	B	213/220 (97%)	179 (84%)	18 (8%)	16 (8%)	1	9
5	C	198/207 (96%)	166 (84%)	20 (10%)	12 (6%)	1	13
6	D	156/179 (87%)	114 (73%)	30 (19%)	12 (8%)	1	9
7	E	154/178 (86%)	112 (73%)	29 (19%)	13 (8%)	1	8

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
8	G	143/145 (99%)	126 (88%)	13 (9%)	4 (3%)	5	30
9	H	120/122 (98%)	108 (90%)	12 (10%)	0	100	100
10	I	129/146 (88%)	89 (69%)	25 (19%)	15 (12%)	0	4
11	J	139/144 (96%)	119 (86%)	15 (11%)	5 (4%)	3	25
12	K	117/122 (96%)	99 (85%)	13 (11%)	5 (4%)	2	21
13	L	107/119 (90%)	88 (82%)	10 (9%)	9 (8%)	1	8
14	M	108/116 (93%)	94 (87%)	9 (8%)	5 (5%)	2	19
15	N	114/118 (97%)	107 (94%)	5 (4%)	2 (2%)	8	38
16	O	100/102 (98%)	90 (90%)	9 (9%)	1 (1%)	15	51
17	P	110/117 (94%)	104 (94%)	6 (6%)	0	100	100
18	Q	87/91 (96%)	76 (87%)	10 (12%)	1 (1%)	14	49
19	R	99/105 (94%)	72 (73%)	21 (21%)	6 (6%)	1	13
20	S	165/217 (76%)	129 (78%)	19 (12%)	17 (10%)	0	6
21	T	73/94 (78%)	66 (90%)	6 (8%)	1 (1%)	11	43
22	V	61/69 (88%)	57 (93%)	1 (2%)	3 (5%)	2	18
23	W	56/59 (95%)	51 (91%)	4 (7%)	1 (2%)	8	38
24	Z	43/58 (74%)	40 (93%)	3 (7%)	0	100	100
25	2	42/45 (93%)	39 (93%)	3 (7%)	0	100	100
26	3	58/66 (88%)	47 (81%)	6 (10%)	5 (9%)	1	8
All	All	2859/3116 (92%)	2383 (83%)	321 (11%)	155 (5%)	2	16

5 of 155 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	27	THR
3	A	51	VAL
3	A	126	VAL
3	A	141	VAL
3	A	154	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	109/224 (49%)	100 (92%)	9 (8%)	11	39
4	B	156/177 (88%)	125 (80%)	31 (20%)	1	5
5	C	103/169 (61%)	86 (84%)	17 (16%)	2	11
6	D	14/158 (9%)	12 (86%)	2 (14%)	3	17
7	E	56/155 (36%)	41 (73%)	15 (27%)	0	2
8	G	110/123 (89%)	88 (80%)	22 (20%)	1	5
9	H	89/100 (89%)	77 (86%)	12 (14%)	4	19
10	I	61/112 (54%)	45 (74%)	16 (26%)	0	2
11	J	99/119 (83%)	84 (85%)	15 (15%)	3	15
12	K	89/102 (87%)	72 (81%)	17 (19%)	1	6
13	L	36/95 (38%)	26 (72%)	10 (28%)	0	2
14	M	82/102 (80%)	63 (77%)	19 (23%)	1	3
15	N	92/98 (94%)	82 (89%)	10 (11%)	6	28
16	O	72/86 (84%)	58 (81%)	14 (19%)	1	6
17	P	90/94 (96%)	79 (88%)	11 (12%)	5	22
18	Q	46/82 (56%)	40 (87%)	6 (13%)	4	20
19	R	43/90 (48%)	30 (70%)	13 (30%)	0	2
20	S	84/190 (44%)	73 (87%)	11 (13%)	4	20
21	T	50/75 (67%)	40 (80%)	10 (20%)	1	5
22	V	33/62 (53%)	25 (76%)	8 (24%)	0	3
23	W	52/53 (98%)	44 (85%)	8 (15%)	2	14
24	Z	39/51 (76%)	34 (87%)	5 (13%)	4	20
25	2	37/40 (92%)	34 (92%)	3 (8%)	11	41
26	3	30/57 (53%)	26 (87%)	4 (13%)	4	19
All	All	1672/2614 (64%)	1384 (83%)	288 (17%)	2	10

5 of 288 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
19	R	38	VAL
26	3	52	LYS
19	R	100	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	V	16	GLU
9	H	10	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	53	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	X	2693/2923 (92%)	619 (22%)	28 (1%)
2	Y	113/114 (99%)	16 (14%)	0
All	All	2806/3037 (92%)	635 (22%)	28 (0%)

5 of 635 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	X	9	U
1	X	14	A
1	X	15	G
1	X	25	U
1	X	34	U

5 of 28 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	X	1490	G
1	X	2474	G
1	X	1568	U
1	X	1952	C
1	X	1521	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 398 ligands modelled in this entry, 380 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
32	EOH	X	3367	-	2,2,2	0.48	0	1,1,1	0.75	0
32	EOH	X	3368	-	2,2,2	0.53	0	1,1,1	0.65	0
28	MPD	X	3004	-	7,7,7	0.57	0	9,10,10	0.20	0
33	EPE	L	201	-	15,15,15	0.77	1 (6%)	18,20,20	0.58	0
32	EOH	X	3366	-	2,2,2	0.58	0	1,1,1	0.62	0
28	MPD	X	3006	-	7,7,7	0.73	0	9,10,10	0.49	0
31	SPD	X	3362	-	9,9,9	0.17	0	8,8,8	0.24	0
28	MPD	X	3003	-	7,7,7	0.58	0	9,10,10	0.26	0
28	MPD	X	3002	-	7,7,7	0.76	0	9,10,10	0.45	0
28	MPD	X	3008	-	7,7,7	0.84	0	9,10,10	0.28	0
31	SPD	X	3363	-	9,9,9	0.17	0	8,8,8	0.18	0
28	MPD	X	3007	-	7,7,7	0.58	0	9,10,10	0.11	0
28	MPD	X	3009	-	7,7,7	0.51	0	9,10,10	0.24	0
31	SPD	S	301	-	9,9,9	0.19	0	8,8,8	0.42	0
27	TEL	X	3001	-	59,62,62	0.62	1 (1%)	77,92,92	1.69	11 (14%)
31	SPD	X	3364	-	9,9,9	0.24	0	8,8,8	0.30	0
28	MPD	X	3005	-	7,7,7	0.81	0	9,10,10	1.13	0
31	SPD	X	3365	-	9,9,9	0.30	0	8,8,8	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
33	EPE	L	201	-	-	3/9/19/19	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
28	MPD	X	3004	-	-	1/5/5/5	-
28	MPD	X	3006	-	-	1/5/5/5	-
31	SPD	X	3362	-	-	3/7/7/7	-
28	MPD	X	3003	-	-	1/5/5/5	-
28	MPD	X	3002	-	-	1/5/5/5	-
28	MPD	X	3008	-	-	3/5/5/5	-
31	SPD	X	3363	-	-	2/7/7/7	-
28	MPD	X	3007	-	-	0/5/5/5	-
28	MPD	X	3009	-	-	4/5/5/5	-
31	SPD	S	301	-	-	2/7/7/7	-
27	TEL	X	3001	-	1/1/19/19	28/73/108/108	0/4/5/5
31	SPD	X	3364	-	-	4/7/7/7	-
28	MPD	X	3005	-	-	4/5/5/5	-
31	SPD	X	3365	-	-	5/7/7/7	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
27	X	3001	TEL	C21-C26	3.16	1.57	1.52
33	L	201	EPE	C10-S	-2.76	1.73	1.77

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
27	X	3001	TEL	O5-C2-C4	-6.85	90.45	105.63
27	X	3001	TEL	O5-C2-C3	-5.54	97.55	103.16
27	X	3001	TEL	C2-O5-C10	-4.57	105.67	109.29
27	X	3001	TEL	O32-C28-C24	4.21	114.97	105.71
27	X	3001	TEL	O9-C4-C2	3.34	113.02	105.48

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
27	X	3001	TEL	C21

5 of 62 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
27	X	3001	TEL	C1-C2-C4-O9
27	X	3001	TEL	O5-C2-C4-O9

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
27	X	3001	TEL	C2-C3-C7-C13
27	X	3001	TEL	N6-C3-C7-C13
27	X	3001	TEL	O18-C13-C19-C23

There are no ring outliers.

11 monomers are involved in 34 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
28	X	3006	MPD	1	0
28	X	3003	MPD	3	0
28	X	3002	MPD	1	0
28	X	3008	MPD	1	0
28	X	3007	MPD	2	0
28	X	3009	MPD	1	0
31	S	301	SPD	1	0
27	X	3001	TEL	13	0
31	X	3364	SPD	1	0
28	X	3005	MPD	6	0
31	X	3365	SPD	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	X	2712/2923 (92%)	-0.40	10 (0%) 92 91	27, 74, 174, 288	0
2	Y	114/114 (100%)	-0.53	0 100 100	48, 98, 151, 203	0
3	A	269/277 (97%)	-0.03	16 (5%) 22 24	56, 101, 146, 177	0
4	B	215/220 (97%)	-0.18	1 (0%) 91 90	34, 49, 101, 155	0
5	C	200/207 (96%)	-0.29	1 (0%) 91 90	40, 65, 112, 165	0
6	D	160/179 (89%)	0.27	21 (13%) 3 5	88, 155, 209, 263	0
7	E	156/178 (87%)	-0.19	11 (7%) 16 19	71, 131, 190, 205	0
8	G	145/145 (100%)	0.16	4 (2%) 53 52	36, 51, 83, 115	0
9	H	122/122 (100%)	-0.13	3 (2%) 57 56	57, 75, 116, 154	0
10	I	131/146 (89%)	-0.12	4 (3%) 49 48	22, 78, 139, 210	0
11	J	141/144 (97%)	0.55	12 (8%) 10 13	43, 73, 162, 258	0
12	K	119/122 (97%)	-0.26	0 100 100	31, 57, 129, 169	0
13	L	109/119 (91%)	-0.54	1 (0%) 84 83	55, 96, 149, 205	0
14	M	110/116 (94%)	-0.26	0 100 100	46, 69, 127, 189	0
15	N	116/118 (98%)	-0.38	0 100 100	18, 45, 80, 106	0
16	O	102/102 (100%)	-0.46	0 100 100	23, 60, 93, 179	0
17	P	112/117 (95%)	0.20	2 (1%) 68 67	37, 50, 116, 177	0
18	Q	89/91 (97%)	0.28	7 (7%) 12 16	63, 93, 138, 173	0
19	R	101/105 (96%)	0.33	12 (11%) 4 6	54, 98, 196, 218	0
20	S	167/217 (76%)	-0.29	9 (5%) 25 27	48, 83, 170, 292	0
21	T	75/94 (79%)	0.45	3 (4%) 38 38	44, 65, 106, 134	0
22	V	63/69 (91%)	-0.10	0 100 100	82, 107, 145, 185	0
23	W	58/59 (98%)	0.16	1 (1%) 70 69	26, 52, 98, 195	0
24	Z	45/58 (77%)	-0.18	1 (2%) 62 61	29, 60, 157, 181	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
25	2	44/45 (97%)	0.42	3 (6%) 17 20	59, 67, 97, 140	0
26	3	60/66 (90%)	-0.08	0 100 100	35, 57, 91, 96	0
All	All	5735/6153 (93%)	-0.23	122 (2%) 63 63	18, 75, 168, 292	0

The worst 5 of 122 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
6	D	83	MET	5.8
23	W	1	MET	5.8
20	S	146	THR	5.7
11	J	139	GLY	5.7
3	A	94	VAL	5.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
30	MN	X	3151	1/1	0.35	0.56	135,135,135,135	0
29	MG	X	3010	1/1	0.47	0.51	84,84,84,84	0
29	MG	X	3354	1/1	0.51	0.49	59,59,59,59	0
30	MN	X	3180	1/1	0.52	0.23	121,121,121,121	0
29	MG	X	3303	1/1	0.53	0.73	63,63,63,63	0
30	MN	X	3200	1/1	0.53	0.64	161,161,161,161	0
29	MG	X	3252	1/1	0.54	0.53	45,45,45,45	0
29	MG	T	101	1/1	0.55	0.36	44,44,44,44	0
30	MN	X	3040	1/1	0.56	0.55	100,100,100,100	0
29	MG	X	3260	1/1	0.56	0.54	64,64,64,64	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
30	MN	X	3218	1/1	0.58	0.22	128,128,128,128	0
30	MN	X	3272	1/1	0.58	0.52	156,156,156,156	0
30	MN	X	3036	1/1	0.59	0.34	96,96,96,96	0
29	MG	X	3335	1/1	0.60	0.28	81,81,81,81	0
29	MG	X	3226	1/1	0.60	0.45	64,64,64,64	0
29	MG	X	3316	1/1	0.62	0.12	38,38,38,38	0
31	SPD	S	301	10/10	0.63	0.39	67,67,67,67	0
29	MG	X	3022	1/1	0.65	1.09	62,62,62,62	0
32	EOH	X	3367	3/3	0.66	0.70	77,77,77,77	0
29	MG	X	3340	1/1	0.67	0.43	55,55,55,55	0
29	MG	X	3258	1/1	0.68	0.66	73,73,73,73	0
29	MG	X	3028	1/1	0.69	1.50	66,66,66,66	0
30	MN	X	3171	1/1	0.69	0.19	82,82,82,82	0
29	MG	X	3325	1/1	0.69	0.34	49,49,49,49	0
30	MN	X	3042	1/1	0.69	0.17	161,161,161,161	0
29	MG	Y	207	1/1	0.71	0.41	51,51,51,51	0
30	MN	X	3209	1/1	0.71	0.26	122,122,122,122	0
29	MG	X	3025	1/1	0.71	0.47	16,16,16,16	1
29	MG	X	3358	1/1	0.72	0.57	59,59,59,59	0
30	MN	X	3267	1/1	0.73	0.57	140,140,140,140	0
30	MN	X	3332	1/1	0.73	0.14	122,122,122,122	0
31	SPD	X	3364	10/10	0.74	0.26	80,80,80,80	0
30	MN	X	3051	1/1	0.74	0.58	120,120,120,120	0
29	MG	X	3349	1/1	0.74	0.73	74,74,74,74	0
30	MN	X	3181	1/1	0.75	0.52	121,121,121,121	0
29	MG	X	3357	1/1	0.75	0.40	51,51,51,51	0
29	MG	X	3014	1/1	0.76	0.41	26,26,26,26	1
30	MN	Y	205	1/1	0.76	0.24	132,132,132,132	0
29	MG	X	3360	1/1	0.76	1.35	78,78,78,78	0
30	MN	X	3182	1/1	0.76	0.24	117,117,117,117	0
30	MN	X	3032	1/1	0.76	0.46	122,122,122,122	0
30	MN	M	201	1/1	0.77	0.20	105,105,105,105	0
29	MG	X	3276	1/1	0.77	0.66	51,51,51,51	0
29	MG	X	3016	1/1	0.77	1.24	12,12,12,12	1
29	MG	X	3011	1/1	0.77	0.77	50,50,50,50	0
30	MN	X	3046	1/1	0.78	0.37	97,97,97,97	0
29	MG	X	3253	1/1	0.78	0.19	65,65,65,65	0
29	MG	X	3031	1/1	0.78	0.19	45,45,45,45	0
29	MG	X	3327	1/1	0.79	0.38	48,48,48,48	0
30	MN	X	3041	1/1	0.80	0.36	127,127,127,127	0
29	MG	X	3255	1/1	0.80	0.42	59,59,59,59	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
30	MN	X	3361	1/1	0.80	0.23	158,158,158,158	0
30	MN	X	3146	1/1	0.80	0.30	124,124,124,124	0
30	MN	X	3092	1/1	0.81	0.56	103,103,103,103	0
30	MN	X	3037	1/1	0.81	0.58	131,131,131,131	0
30	MN	X	3247	1/1	0.81	0.18	104,104,104,104	0
29	MG	X	3308	1/1	0.81	0.51	44,44,44,44	0
30	MN	X	3152	1/1	0.81	0.37	104,104,104,104	0
29	MG	X	3273	1/1	0.81	0.26	78,78,78,78	0
30	MN	X	3175	1/1	0.81	0.07	111,111,111,111	0
29	MG	X	3274	1/1	0.81	0.96	44,44,44,44	0
29	MG	X	3018	1/1	0.81	1.05	42,42,42,42	0
29	MG	X	3020	1/1	0.81	0.97	40,40,40,40	0
30	MN	X	3058	1/1	0.81	0.49	113,113,113,113	0
30	MN	X	3205	1/1	0.81	0.10	141,141,141,141	0
32	EOH	X	3368	3/3	0.81	0.71	55,55,55,55	0
29	MG	X	3282	1/1	0.82	0.41	43,43,43,43	0
29	MG	X	3235	1/1	0.82	0.63	62,62,62,62	0
30	MN	J	201	1/1	0.82	0.11	103,103,103,103	0
29	MG	B	301	1/1	0.82	0.35	46,46,46,46	0
29	MG	C	301	1/1	0.83	0.13	31,31,31,31	0
29	MG	X	3339	1/1	0.83	0.38	66,66,66,66	0
29	MG	X	3249	1/1	0.83	0.28	59,59,59,59	0
30	MN	X	3170	1/1	0.83	0.39	70,70,70,70	0
29	MG	X	3030	1/1	0.83	0.38	48,48,48,48	0
31	SPD	X	3363	10/10	0.83	0.33	75,75,75,75	0
30	MN	X	3246	1/1	0.83	0.21	104,104,104,104	0
29	MG	X	3353	1/1	0.83	0.39	39,39,39,39	0
30	MN	X	3091	1/1	0.83	0.27	78,78,78,78	0
29	MG	X	3297	1/1	0.83	0.74	44,44,44,44	0
30	MN	X	3220	1/1	0.84	0.92	153,153,153,153	0
29	MG	X	3259	1/1	0.84	1.00	63,63,63,63	0
30	MN	X	3033	1/1	0.84	0.28	106,106,106,106	0
30	MN	X	3101	1/1	0.84	0.26	83,83,83,83	0
30	MN	X	3185	1/1	0.84	0.32	112,112,112,112	0
29	MG	X	3231	1/1	0.85	0.67	64,64,64,64	0
29	MG	X	3191	1/1	0.85	0.84	79,79,79,79	0
30	MN	X	3206	1/1	0.85	0.51	133,133,133,133	0
30	MN	Y	208	1/1	0.85	0.57	173,173,173,173	0
29	MG	X	3024	1/1	0.85	0.42	31,31,31,31	1
29	MG	X	3275	1/1	0.85	0.63	29,29,29,29	0
29	MG	X	3230	1/1	0.85	0.28	71,71,71,71	0
29	MG	X	3343	1/1	0.85	1.28	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
30	MN	X	3094	1/1	0.85	0.57	94,94,94,94	0
29	MG	X	3347	1/1	0.85	0.41	37,37,37,37	0
29	MG	X	3348	1/1	0.85	0.57	46,46,46,46	0
30	MN	X	3065	1/1	0.86	0.40	76,76,76,76	0
30	MN	X	3237	1/1	0.86	0.50	87,87,87,87	0
30	MN	X	3164	1/1	0.86	0.12	103,103,103,103	0
30	MN	X	3084	1/1	0.86	0.21	72,72,72,72	0
30	MN	X	3117	1/1	0.86	0.28	67,67,67,67	0
30	MN	X	3271	1/1	0.86	0.21	140,140,140,140	0
30	MN	X	3144	1/1	0.86	0.40	127,127,127,127	0
29	MG	X	3315	1/1	0.86	0.37	60,60,60,60	0
29	MG	X	3229	1/1	0.86	1.16	62,62,62,62	0
30	MN	X	3135	1/1	0.87	0.15	99,99,99,99	0
30	MN	X	3198	1/1	0.87	1.22	162,162,162,162	0
29	MG	X	3224	1/1	0.87	1.04	70,70,70,70	0
30	MN	X	3265	1/1	0.87	0.36	148,148,148,148	0
29	MG	X	3301	1/1	0.87	0.15	30,30,30,30	0
29	MG	Y	206	1/1	0.87	0.48	45,45,45,45	0
30	MN	X	3112	1/1	0.87	0.35	77,77,77,77	0
29	MG	X	3324	1/1	0.87	0.27	55,55,55,55	0
30	MN	X	3183	1/1	0.87	0.29	128,128,128,128	0
29	MG	X	3021	1/1	0.88	0.27	56,56,56,56	0
30	MN	X	3266	1/1	0.88	0.37	147,147,147,147	0
30	MN	X	3148	1/1	0.88	0.35	112,112,112,112	0
29	MG	G	201	1/1	0.88	0.29	31,31,31,31	0
30	MN	X	3199	1/1	0.88	0.46	132,132,132,132	0
29	MG	O	201	1/1	0.88	0.25	0,0,0,0	1
30	MN	X	3204	1/1	0.88	0.37	141,141,141,141	0
28	MPD	X	3004	8/8	0.88	0.26	86,86,86,86	0
30	MN	X	3165	1/1	0.88	0.38	83,83,83,83	0
29	MG	X	3333	1/1	0.88	0.21	45,45,45,45	0
28	MPD	X	3008	8/8	0.88	0.34	61,61,61,61	0
30	MN	X	3122	1/1	0.88	0.22	71,71,71,71	0
29	MG	X	3323	1/1	0.88	0.13	48,48,48,48	0
30	MN	X	3239	1/1	0.88	0.18	154,154,154,154	0
32	EOH	X	3366	3/3	0.88	0.27	32,32,32,32	0
30	MN	X	3140	1/1	0.88	0.28	127,127,127,127	0
29	MG	X	3225	1/1	0.88	0.54	56,56,56,56	0
30	MN	X	3093	1/1	0.89	0.40	83,83,83,83	0
30	MN	X	3268	1/1	0.89	0.41	81,81,81,81	0
29	MG	X	3192	1/1	0.89	0.66	45,45,45,45	0
29	MG	X	3233	1/1	0.89	0.97	57,57,57,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
30	MN	X	3331	1/1	0.89	0.71	119,119,119,119	0
29	MG	X	3342	1/1	0.89	0.17	53,53,53,53	0
30	MN	X	3115	1/1	0.89	0.38	65,65,65,65	0
30	MN	X	3038	1/1	0.89	0.28	151,151,151,151	0
30	MN	X	3214	1/1	0.89	0.18	78,78,78,78	0
30	MN	X	3073	1/1	0.89	0.24	65,65,65,65	0
30	MN	X	3131	1/1	0.89	0.56	109,109,109,109	0
29	MG	X	3307	1/1	0.89	0.18	49,49,49,49	0
30	MN	X	3085	1/1	0.89	0.35	77,77,77,77	0
30	MN	X	3142	1/1	0.89	0.17	117,117,117,117	0
29	MG	X	3344	1/1	0.89	0.09	67,67,67,67	0
29	MG	A	301	1/1	0.89	0.73	45,45,45,45	0
30	MN	X	3147	1/1	0.89	0.40	89,89,89,89	0
33	EPE	L	201	15/15	0.89	0.13	125,125,125,125	0
29	MG	X	3295	1/1	0.90	0.47	57,57,57,57	0
29	MG	X	3318	1/1	0.90	0.30	47,47,47,47	0
30	MN	X	3161	1/1	0.90	0.25	93,93,93,93	0
30	MN	X	3120	1/1	0.90	0.20	98,98,98,98	0
29	MG	X	3023	1/1	0.90	0.28	26,26,26,26	1
30	MN	X	3207	1/1	0.90	0.34	130,130,130,130	0
30	MN	X	3166	1/1	0.90	0.33	72,72,72,72	0
30	MN	X	3210	1/1	0.90	0.14	128,128,128,128	0
29	MG	X	3372	1/1	0.90	1.47	56,56,56,56	0
29	MG	X	3157	1/1	0.90	0.52	61,61,61,61	0
28	MPD	X	3003	8/8	0.90	0.41	64,64,64,64	0
30	MN	X	3222	1/1	0.90	0.26	101,101,101,101	0
29	MG	X	3306	1/1	0.90	0.64	66,66,66,66	0
27	TEL	X	3001	58/58	0.90	0.39	30,40,52,52	0
29	MG	X	3352	1/1	0.90	0.39	66,66,66,66	0
28	MPD	X	3002	8/8	0.90	0.20	44,44,44,44	0
28	MPD	X	3009	8/8	0.90	0.28	99,99,99,99	0
30	MN	X	3150	1/1	0.90	0.52	123,123,123,123	0
29	MG	X	3322	1/1	0.91	0.10	67,67,67,67	0
30	MN	X	3055	1/1	0.91	0.63	121,121,121,121	0
29	MG	X	3314	1/1	0.91	0.44	55,55,55,55	0
29	MG	X	3359	1/1	0.91	0.46	60,60,60,60	0
30	MN	X	3244	1/1	0.91	0.18	96,96,96,96	0
30	MN	Y	210	1/1	0.91	1.02	176,176,176,176	0
29	MG	X	3299	1/1	0.91	1.21	52,52,52,52	0
30	MN	X	3076	1/1	0.91	0.18	85,85,85,85	0
30	MN	X	3248	1/1	0.91	0.12	115,115,115,115	0
29	MG	X	3232	1/1	0.91	0.21	42,42,42,42	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
29	MG	R	201	1/1	0.91	0.20	24,24,24,24	0
29	MG	X	3287	1/1	0.91	0.55	36,36,36,36	0
30	MN	X	3212	1/1	0.91	0.19	94,94,94,94	0
30	MN	X	3159	1/1	0.91	0.20	81,81,81,81	0
29	MG	X	3319	1/1	0.91	0.63	53,53,53,53	0
29	MG	X	3012	1/1	0.92	0.47	16,16,16,16	1
29	MG	X	3290	1/1	0.92	0.56	45,45,45,45	0
29	MG	X	3293	1/1	0.92	0.36	32,32,32,32	0
29	MG	X	3351	1/1	0.92	0.07	57,57,57,57	0
29	MG	X	3234	1/1	0.92	0.20	34,34,34,34	0
29	MG	X	3334	1/1	0.92	0.18	64,64,64,64	0
30	MN	X	3056	1/1	0.92	0.21	135,135,135,135	0
30	MN	I	202	1/1	0.92	0.33	100,100,100,100	0
28	MPD	X	3006	8/8	0.92	0.25	74,74,74,74	0
29	MG	X	3298	1/1	0.92	0.47	41,41,41,41	0
28	MPD	X	3007	8/8	0.92	0.46	70,70,70,70	0
29	MG	X	3341	1/1	0.92	0.14	92,92,92,92	0
29	MG	X	3281	1/1	0.92	0.43	21,21,21,21	0
29	MG	X	3017	1/1	0.92	0.92	46,46,46,46	0
29	MG	X	3304	1/1	0.92	0.66	40,40,40,40	0
30	MN	X	3269	1/1	0.92	0.37	134,134,134,134	0
30	MN	X	3178	1/1	0.92	0.25	98,98,98,98	0
30	MN	X	3202	1/1	0.93	0.16	124,124,124,124	0
29	MG	X	3350	1/1	0.93	0.30	71,71,71,71	0
29	MG	X	3302	1/1	0.93	0.11	61,61,61,61	0
29	MG	X	3312	1/1	0.93	0.49	36,36,36,36	0
30	MN	X	3068	1/1	0.93	0.25	102,102,102,102	0
29	MG	X	3313	1/1	0.93	0.28	67,67,67,67	0
30	MN	X	3075	1/1	0.93	0.20	33,33,33,33	0
30	MN	X	3039	1/1	0.93	0.41	107,107,107,107	0
30	MN	X	3139	1/1	0.93	0.29	121,121,121,121	0
30	MN	X	3217	1/1	0.93	0.28	116,116,116,116	0
30	MN	X	3176	1/1	0.93	0.29	78,78,78,78	0
30	MN	X	3080	1/1	0.93	0.24	55,55,55,55	0
29	MG	X	3288	1/1	0.93	1.05	39,39,39,39	0
29	MG	X	3027	1/1	0.93	0.32	38,38,38,38	0
29	MG	X	3305	1/1	0.93	0.47	60,60,60,60	0
31	SPD	X	3362	10/10	0.93	0.24	16,16,16,16	0
29	MG	X	3251	1/1	0.93	0.24	59,59,59,59	0
30	MN	X	3245	1/1	0.93	0.48	98,98,98,98	0
30	MN	X	3047	1/1	0.93	0.31	94,94,94,94	0
29	MG	X	3195	1/1	0.93	0.79	28,28,28,28	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
29	MG	X	3337	1/1	0.93	0.28	69,69,69,69	0
30	MN	X	3263	1/1	0.93	0.21	114,114,114,114	0
30	MN	X	3107	1/1	0.93	0.42	62,62,62,62	0
29	MG	X	3019	1/1	0.94	0.23	32,32,32,32	0
29	MG	X	3277	1/1	0.94	0.29	51,51,51,51	0
30	MN	X	3132	1/1	0.94	0.70	116,116,116,116	0
29	MG	X	3300	1/1	0.94	0.66	59,59,59,59	0
29	MG	X	3278	1/1	0.94	0.56	63,63,63,63	0
30	MN	X	3172	1/1	0.94	0.58	113,113,113,113	0
29	MG	X	3321	1/1	0.94	0.49	74,74,74,74	0
29	MG	X	3336	1/1	0.94	0.61	40,40,40,40	0
30	MN	X	3098	1/1	0.94	0.26	94,94,94,94	0
30	MN	X	3100	1/1	0.94	0.23	57,57,57,57	0
30	MN	X	3219	1/1	0.94	0.22	90,90,90,90	0
29	MG	X	3155	1/1	0.94	0.67	21,21,21,21	0
30	MN	X	3105	1/1	0.94	0.49	48,48,48,48	0
30	MN	X	3236	1/1	0.94	0.31	105,105,105,105	0
28	MPD	X	3005	8/8	0.94	0.28	20,20,20,20	0
30	MN	X	3043	1/1	0.94	0.28	67,67,67,67	0
30	MN	X	3243	1/1	0.94	0.58	107,107,107,107	0
30	MN	X	3045	1/1	0.94	0.08	82,82,82,82	0
29	MG	X	3286	1/1	0.94	0.12	30,30,30,30	0
30	MN	X	3082	1/1	0.94	0.33	71,71,71,71	0
31	SPD	X	3365	10/10	0.94	0.20	54,54,54,54	0
30	MN	X	3201	1/1	0.94	0.38	106,106,106,106	0
30	MN	X	3162	1/1	0.94	0.22	114,114,114,114	0
30	MN	X	3254	1/1	0.94	0.27	105,105,105,105	0
30	MN	X	3261	1/1	0.94	0.21	89,89,89,89	0
30	MN	X	3262	1/1	0.94	0.09	130,130,130,130	0
29	MG	X	3292	1/1	0.95	0.32	30,30,30,30	0
29	MG	X	3279	1/1	0.95	0.29	66,66,66,66	0
29	MG	C	302	1/1	0.95	0.44	44,44,44,44	0
30	MN	X	3137	1/1	0.95	0.29	103,103,103,103	0
30	MN	X	3138	1/1	0.95	0.12	91,91,91,91	0
30	MN	X	3086	1/1	0.95	0.22	74,74,74,74	0
29	MG	X	3294	1/1	0.95	0.43	32,32,32,32	0
29	MG	X	3280	1/1	0.95	0.27	51,51,51,51	0
29	MG	X	3196	1/1	0.95	1.06	41,41,41,41	0
30	MN	X	3145	1/1	0.95	0.39	122,122,122,122	0
29	MG	X	3197	1/1	0.95	0.15	58,58,58,58	0
30	MN	X	3095	1/1	0.95	0.51	87,87,87,87	0
29	MG	X	3311	1/1	0.95	0.15	39,39,39,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
29	MG	X	3257	1/1	0.95	0.08	48,48,48,48	0
29	MG	X	3326	1/1	0.95	0.56	71,71,71,71	0
29	MG	X	3345	1/1	0.95	0.13	56,56,56,56	0
30	MN	X	3071	1/1	0.95	0.36	77,77,77,77	0
30	MN	X	3369	1/1	0.95	0.41	70,70,70,70	0
30	MN	X	3373	1/1	0.95	0.27	44,44,44,44	0
30	MN	X	3109	1/1	0.95	0.22	62,62,62,62	0
29	MG	X	3026	1/1	0.95	0.30	41,41,41,41	0
30	MN	X	3215	1/1	0.95	0.24	95,95,95,95	0
30	MN	I	201	1/1	0.95	0.27	71,71,71,71	0
30	MN	X	3163	1/1	0.95	0.35	118,118,118,118	0
29	MG	X	3029	1/1	0.95	0.13	51,51,51,51	0
29	MG	Y	209	1/1	0.95	0.35	59,59,59,59	0
30	MN	X	3077	1/1	0.95	0.21	62,62,62,62	0
30	MN	X	3167	1/1	0.95	0.59	110,110,110,110	0
30	MN	X	3227	1/1	0.95	0.47	116,116,116,116	0
30	MN	X	3121	1/1	0.95	0.33	71,71,71,71	0
29	MG	X	3015	1/1	0.95	0.42	48,48,48,48	0
30	MN	X	3124	1/1	0.95	0.21	67,67,67,67	0
30	MN	X	3126	1/1	0.95	0.24	62,62,62,62	0
30	MN	X	3128	1/1	0.95	0.19	55,55,55,55	0
30	MN	X	3177	1/1	0.95	0.32	89,89,89,89	0
30	MN	X	3059	1/1	0.96	0.41	111,111,111,111	0
30	MN	X	3114	1/1	0.96	0.17	59,59,59,59	0
30	MN	X	3064	1/1	0.96	0.35	94,94,94,94	0
30	MN	X	3328	1/1	0.96	0.39	88,88,88,88	0
30	MN	X	3329	1/1	0.96	0.06	95,95,95,95	0
29	MG	X	3338	1/1	0.96	0.33	64,64,64,64	0
29	MG	X	3317	1/1	0.96	0.17	49,49,49,49	0
30	MN	X	3069	1/1	0.96	0.54	76,76,76,76	0
30	MN	X	3070	1/1	0.96	0.44	74,74,74,74	0
30	MN	X	3153	1/1	0.96	0.37	41,41,41,41	0
30	MN	Y	201	1/1	0.96	0.13	84,84,84,84	0
30	MN	Y	202	1/1	0.96	0.17	126,126,126,126	0
30	MN	Y	204	1/1	0.96	0.40	146,146,146,146	0
29	MG	C	303	1/1	0.96	0.15	38,38,38,38	0
30	MN	X	3241	1/1	0.96	0.24	66,66,66,66	0
30	MN	X	3160	1/1	0.96	0.23	101,101,101,101	0
30	MN	X	3072	1/1	0.96	0.25	74,74,74,74	0
29	MG	X	3346	1/1	0.96	0.24	31,31,31,31	0
30	MN	X	3099	1/1	0.96	0.57	88,88,88,88	0
29	MG	X	3228	1/1	0.96	0.41	62,62,62,62	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
30	MN	X	3053	1/1	0.96	0.22	63,63,63,63	0
30	MN	X	3104	1/1	0.96	0.47	53,53,53,53	0
29	MG	X	3310	1/1	0.96	0.44	36,36,36,36	0
30	MN	X	3208	1/1	0.96	0.40	109,109,109,109	0
30	MN	X	3169	1/1	0.96	0.13	85,85,85,85	0
29	MG	X	3250	1/1	0.96	0.59	25,25,25,25	0
30	MN	X	3108	1/1	0.96	0.29	70,70,70,70	0
29	MG	X	3193	1/1	0.96	0.23	27,27,27,27	0
30	MN	X	3110	1/1	0.96	0.30	51,51,51,51	0
30	MN	X	3179	1/1	0.97	0.18	69,69,69,69	0
30	MN	X	3054	1/1	0.97	0.19	76,76,76,76	0
30	MN	X	3044	1/1	0.97	0.35	34,34,34,34	0
30	MN	X	3221	1/1	0.97	0.47	51,51,51,51	0
30	MN	X	3154	1/1	0.97	0.47	47,47,47,47	0
30	MN	X	3356	1/1	0.97	0.41	41,41,41,41	0
30	MN	X	3134	1/1	0.97	0.28	90,90,90,90	0
30	MN	X	3184	1/1	0.97	0.17	99,99,99,99	0
29	MG	X	3296	1/1	0.97	0.38	56,56,56,56	0
30	MN	X	3186	1/1	0.97	0.13	142,142,142,142	0
30	MN	X	3136	1/1	0.97	0.25	59,59,59,59	0
29	MG	X	3285	1/1	0.97	0.28	56,56,56,56	0
29	MG	X	3013	1/1	0.97	0.96	41,41,41,41	0
30	MN	X	3074	1/1	0.97	0.44	68,68,68,68	0
30	MN	X	3060	1/1	0.97	0.12	67,67,67,67	0
30	MN	X	3203	1/1	0.97	0.31	78,78,78,78	0
30	MN	X	3119	1/1	0.97	0.33	87,87,87,87	0
30	MN	X	3143	1/1	0.97	0.12	85,85,85,85	0
30	MN	X	3061	1/1	0.97	0.34	69,69,69,69	0
30	MN	X	3062	1/1	0.97	0.32	72,72,72,72	0
30	MN	X	3050	1/1	0.97	0.22	87,87,87,87	0
30	MN	X	3123	1/1	0.97	0.22	38,38,38,38	0
30	MN	X	3174	1/1	0.97	0.21	77,77,77,77	0
29	MG	X	3320	1/1	0.97	0.22	53,53,53,53	0
30	MN	X	3149	1/1	0.97	0.33	112,112,112,112	0
30	MN	X	3066	1/1	0.97	0.38	49,49,49,49	0
30	MN	X	3270	1/1	0.97	0.41	120,120,120,120	0
29	MG	X	3283	1/1	0.97	0.28	36,36,36,36	0
30	MN	X	3133	1/1	0.98	0.17	81,81,81,81	0
30	MN	X	3158	1/1	0.98	0.37	91,91,91,91	0
30	MN	X	3034	1/1	0.98	0.18	81,81,81,81	0
30	MN	X	3035	1/1	0.98	0.55	149,149,149,149	0
30	MN	X	3079	1/1	0.98	0.20	52,52,52,52	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
30	MN	X	3113	1/1	0.98	0.35	62,62,62,62	0
30	MN	X	3355	1/1	0.98	0.35	68,68,68,68	0
30	MN	X	3187	1/1	0.98	0.21	45,45,45,45	0
30	MN	X	3189	1/1	0.98	0.25	43,43,43,43	0
30	MN	X	3238	1/1	0.98	0.36	126,126,126,126	0
30	MN	X	3371	1/1	0.98	0.25	34,34,34,34	0
29	MG	Y	203	1/1	0.98	0.39	19,19,19,19	0
30	MN	X	3240	1/1	0.98	0.58	52,52,52,52	0
30	MN	X	3096	1/1	0.98	0.22	46,46,46,46	0
30	MN	X	3116	1/1	0.98	0.48	70,70,70,70	0
30	MN	X	3141	1/1	0.98	0.24	99,99,99,99	0
30	MN	X	3097	1/1	0.98	0.23	64,64,64,64	0
30	MN	X	3081	1/1	0.98	0.32	49,49,49,49	0
29	MG	X	3156	1/1	0.98	0.44	14,14,14,14	0
29	MG	X	3291	1/1	0.98	0.27	26,26,26,26	0
29	MG	X	3223	1/1	0.98	0.10	42,42,42,42	0
30	MN	X	3173	1/1	0.98	0.39	72,72,72,72	0
30	MN	X	3102	1/1	0.98	0.47	100,100,100,100	0
29	MG	X	3289	1/1	0.98	0.15	61,61,61,61	0
30	MN	X	3264	1/1	0.98	0.32	103,103,103,103	0
30	MN	X	3088	1/1	0.98	0.24	97,97,97,97	0
30	MN	X	3106	1/1	0.98	0.36	42,42,42,42	0
30	MN	X	3129	1/1	0.98	0.24	61,61,61,61	0
30	MN	X	3089	1/1	0.98	0.14	89,89,89,89	0
30	MN	X	3216	1/1	0.98	0.24	78,78,78,78	0
30	MN	X	3067	1/1	0.98	0.47	83,83,83,83	0
30	MN	X	3063	1/1	0.99	0.27	42,42,42,42	0
30	MN	X	3242	1/1	0.99	0.19	68,68,68,68	0
29	MG	X	3309	1/1	0.99	0.19	30,30,30,30	0
30	MN	X	3057	1/1	0.99	0.35	28,28,28,28	0
30	MN	X	3083	1/1	0.99	0.19	59,59,59,59	0
30	MN	X	3370	1/1	0.99	0.31	98,98,98,98	0
29	MG	X	3194	1/1	0.99	0.46	34,34,34,34	0
30	MN	X	3211	1/1	0.99	0.13	64,64,64,64	0
30	MN	X	3125	1/1	0.99	0.20	60,60,60,60	0
30	MN	X	3213	1/1	0.99	0.24	63,63,63,63	0
30	MN	X	3256	1/1	0.99	0.08	79,79,79,79	0
30	MN	X	3052	1/1	0.99	0.23	57,57,57,57	0
30	MN	X	3127	1/1	0.99	0.23	48,48,48,48	0
30	MN	X	3111	1/1	0.99	0.56	71,71,71,71	0
30	MN	X	3168	1/1	0.99	0.21	40,40,40,40	0
30	MN	X	3188	1/1	0.99	0.26	54,54,54,54	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
29	MG	X	3284	1/1	0.99	0.22	12,12,12,12	0
30	MN	X	3190	1/1	0.99	0.20	77,77,77,77	0
30	MN	X	3130	1/1	0.99	0.19	63,63,63,63	0
30	MN	X	3087	1/1	0.99	0.30	85,85,85,85	0
30	MN	X	3048	1/1	0.99	0.27	90,90,90,90	0
30	MN	X	3078	1/1	0.99	0.28	54,54,54,54	0
30	MN	X	3090	1/1	0.99	0.27	54,54,54,54	0
30	MN	X	3103	1/1	0.99	0.48	41,41,41,41	0
30	MN	X	3118	1/1	0.99	0.20	32,32,32,32	0
30	MN	X	3330	1/1	0.99	0.25	83,83,83,83	0
30	MN	X	3049	1/1	0.99	0.17	81,81,81,81	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.