



## wwPDB EM Validation Summary Report ⓘ

Nov 3, 2024 – 12:24 PM JST

PDB ID : 5WVE  
EMDB ID : EMD-6690  
Title : Apaf-1-Caspase-9 holoenzyme  
Authors : Li, Y.; Zhou, M.; Hu, Q.; Shi, Y.  
Deposited on : 2016-12-24  
Resolution : 4.40 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 4.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1248	<div><div>33%</div><div>32%46%13%•8%</div></div>
1	C	1248	<div><div>37%</div><div>32%46%13%•8%</div></div>
1	E	1248	<div><div>43%</div><div>31%46%13%•8%</div></div>
1	G	1248	<div><div>41%</div><div>31%46%14%•8%</div></div>
1	I	1248	<div><div>39%</div><div>32%46%13%•8%</div></div>
1	K	1248	<div><div>43%</div><div>32%46%13%•8%</div></div>
1	M	1248	<div><div>43%</div><div>32%46%13%•8%</div></div>
2	B	105	<div><div>49%</div><div>82%15%••</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	105	
2	F	105	
2	H	105	
2	J	105	
2	L	105	
2	N	105	
3	O	102	
3	P	102	
3	Q	102	
3	R	102	
3	W	102	
3	X	102	
4	S	100	
4	T	100	
4	U	100	
4	V	100	
4	Y	100	

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 78605 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Apoptotic protease-activating factor 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1144	Total	C	N	O	S	0	0
			9139	5789	1569	1720	61		
1	C	1144	Total	C	N	O	S	0	0
			9139	5789	1569	1720	61		
1	E	1144	Total	C	N	O	S	0	0
			9139	5789	1569	1720	61		
1	G	1144	Total	C	N	O	S	0	0
			9139	5789	1569	1720	61		
1	I	1144	Total	C	N	O	S	0	0
			9139	5789	1569	1720	61		
1	K	1144	Total	C	N	O	S	0	0
			9139	5789	1569	1720	61		
1	M	1144	Total	C	N	O	S	0	0
			9139	5789	1569	1720	61		

- Molecule 2 is a protein called Cytochrome c.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	104	Total	C	N	O	S	0	0
			823	524	144	151	4		
2	D	104	Total	C	N	O	S	0	0
			823	524	144	151	4		
2	F	104	Total	C	N	O	S	0	0
			823	524	144	151	4		
2	H	104	Total	C	N	O	S	0	0
			823	524	144	151	4		
2	J	104	Total	C	N	O	S	0	0
			823	524	144	151	4		
2	L	104	Total	C	N	O	S	0	0
			823	524	144	151	4		
2	N	104	Total	C	N	O	S	0	0
			823	524	144	151	4		

- Molecule 3 is a protein called Apoptotic protease-activating factor 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	O	91	Total	C	N	O	S	0	0
			735	461	127	141	6		
3	P	91	Total	C	N	O	S	0	0
			735	461	127	141	6		
3	Q	91	Total	C	N	O	S	0	0
			735	461	127	141	6		
3	R	91	Total	C	N	O	S	0	0
			735	461	127	141	6		
3	W	95	Total	C	N	O	S	0	0
			762	479	131	146	6		
3	X	92	Total	C	N	O	S	0	0
			742	466	128	142	6		

- Molecule 4 is a protein called Caspase.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	S	96	Total	C	N	O	S	0	0
			783	479	153	146	5		
4	T	96	Total	C	N	O	S	0	0
			783	479	153	146	5		
4	U	96	Total	C	N	O	S	0	0
			783	479	153	146	5		
4	V	96	Total	C	N	O	S	0	0
			783	479	153	146	5		
4	Y	95	Total	C	N	O	S	0	0
			777	475	152	145	5		

- Molecule 5 is 2'-DEOXYADENOSINE 5'-TRIPHOSPHATE (three-letter code: DTP) (formula:  $C_{10}H_{16}N_5O_{12}P_3$ ).




- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
6	K	1	Total	Mg	0
			1	1	
6	M	1	Total	Mg	0
			1	1	

- Molecule 7 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).




Mol	Chain	Residues	Atoms					AltConf
7	B	1	Total	C	Fe	N	O	0
			43	34	1	4	4	
7	D	1	Total	C	Fe	N	O	0
			43	34	1	4	4	
7	F	1	Total	C	Fe	N	O	0
			43	34	1	4	4	
7	H	1	Total	C	Fe	N	O	0
			43	34	1	4	4	
7	J	1	Total	C	Fe	N	O	0
			43	34	1	4	4	
7	L	1	Total	C	Fe	N	O	0
			43	34	1	4	4	
7	N	1	Total	C	Fe	N	O	0
			43	34	1	4	4	

### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Apoptotic protease-activating factor 1


















- Molecule 1: Apoptotic protease-activating factor 1



























- Molecule 2: Cytochrome c





- Molecule 2: Cytochrome c




- Molecule 2: Cytochrome c




- Molecule 2: Cytochrome c




- Molecule 2: Cytochrome c




• Molecule 2: Cytochrome c




• Molecule 3: Apoptotic protease-activating factor 1




• Molecule 3: Apoptotic protease-activating factor 1




• Molecule 3: Apoptotic protease-activating factor 1









• Molecule 3: Apoptotic protease-activating factor 1




• Molecule 3: Apoptotic protease-activating factor 1




• Molecule 3: Apoptotic protease-activating factor 1




• Molecule 4: Caspase




• Molecule 4: Caspase








• Molecule 4: Caspase



• Molecule 4: Caspase



• Molecule 4: Caspase



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	240130	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	32	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.325	Depositor
Minimum map value	-0.097	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.011	Depositor
Recommended contour level	0.06	Depositor
Map size ( $\text{\AA}$ )	428.80002, 428.80002, 428.80002	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	1.34, 1.34, 1.34	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, HEM, DTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.31	0/9337	0.52	2/12636 (0.0%)
1	C	0.30	0/9337	0.52	2/12636 (0.0%)
1	E	0.31	1/9337 (0.0%)	0.53	3/12636 (0.0%)
1	G	0.31	0/9337	0.52	2/12636 (0.0%)
1	I	0.31	0/9337	0.52	2/12636 (0.0%)
1	K	0.31	1/9337 (0.0%)	0.52	2/12636 (0.0%)
1	M	0.31	0/9337	0.52	2/12636 (0.0%)
2	B	0.65	0/839	0.73	0/1118
2	D	0.65	0/839	0.73	0/1118
2	F	0.65	0/839	0.73	0/1118
2	H	0.65	0/839	0.73	0/1118
2	J	0.65	0/839	0.73	0/1118
2	L	0.65	0/839	0.73	0/1118
2	N	0.65	0/839	0.73	0/1118
3	O	0.41	0/745	0.64	0/998
3	P	0.42	0/745	0.64	0/998
3	Q	0.40	0/745	0.62	0/998
3	R	0.41	0/745	0.64	0/998
3	W	0.66	0/773	0.58	0/1038
3	X	0.74	0/753	0.61	0/1010
4	S	0.42	0/790	0.66	0/1059
4	T	0.42	0/790	0.64	0/1059
4	U	0.40	0/790	0.62	0/1059
4	V	0.43	0/790	0.67	0/1059
4	Y	0.60	0/784	0.61	0/1051
All	All	0.37	2/79682 (0.0%)	0.55	15/107605 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.



Mol	Chain	#Chirality outliers	#Planarity outliers
4	T	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	K	1179	TRP	C-N	-6.36	1.19	1.34
1	E	236	PRO	N-CD	5.21	1.55	1.47

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	M	560	PHE	C-N-CD	-6.44	106.43	120.60
1	K	560	PHE	C-N-CD	-6.43	106.45	120.60
1	A	560	PHE	C-N-CD	-6.42	106.48	120.60
1	C	560	PHE	C-N-CD	-6.39	106.54	120.60
1	E	560	PHE	C-N-CD	-6.39	106.54	120.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	T	52	ARG	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9139	0	9004	1450	0
1	C	9139	0	9005	1398	0
1	E	9139	0	9005	1439	0
1	G	9139	0	9005	1410	0
1	I	9139	0	9005	1405	0
1	K	9139	0	9005	1410	0
1	M	9139	0	9005	1400	0
2	B	823	0	849	33	0
2	D	823	0	849	33	0
2	F	823	0	849	32	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	H	823	0	849	31	0
2	J	823	0	849	33	0
2	L	823	0	849	33	0
2	N	823	0	849	35	0
3	O	735	0	738	82	0
3	P	735	0	738	98	0
3	Q	735	0	738	124	0
3	R	735	0	738	101	0
3	W	762	0	768	36	0
3	X	742	0	745	17	0
4	S	783	0	792	109	0
4	T	783	0	792	115	0
4	U	783	0	792	119	0
4	V	783	0	792	67	0
4	Y	777	0	784	26	0
5	A	30	0	12	6	0
5	C	30	0	12	6	0
5	E	30	0	12	6	0
5	G	30	0	12	6	0
5	I	30	0	12	6	0
5	K	30	0	12	6	0
5	M	30	0	12	6	0
6	A	1	0	0	0	0
6	C	1	0	0	0	0
6	E	1	0	0	0	0
6	G	1	0	0	0	0
6	I	1	0	0	0	0
6	K	1	0	0	0	0
6	M	1	0	0	0	0
7	B	43	0	30	15	0
7	D	43	0	30	18	0
7	F	43	0	30	14	0
7	H	43	0	30	14	0
7	J	43	0	30	15	0
7	L	43	0	30	14	0
7	N	43	0	30	16	0
All	All	78605	0	77688	10505	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 67.

The worst 5 of 10505 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:862:TYR:CD1	1:C:885:VAL:HG12	1.35	1.62
1:M:862:TYR:CD1	1:M:885:VAL:HG12	1.35	1.60
1:K:862:TYR:CD1	1:K:885:VAL:HG12	1.35	1.60
1:C:862:TYR:CZ	1:C:881:HIS:HB2	1.06	1.59
1:I:862:TYR:CD1	1:I:885:VAL:HG12	1.35	1.59

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1142/1248 (92%)	1002 (88%)	93 (8%)	47 (4%)	2	18
1	C	1142/1248 (92%)	1002 (88%)	94 (8%)	46 (4%)	2	19
1	E	1142/1248 (92%)	999 (88%)	95 (8%)	48 (4%)	2	18
1	G	1142/1248 (92%)	1002 (88%)	93 (8%)	47 (4%)	2	18
1	I	1142/1248 (92%)	1002 (88%)	93 (8%)	47 (4%)	2	18
1	K	1142/1248 (92%)	1002 (88%)	93 (8%)	47 (4%)	2	18
1	M	1142/1248 (92%)	1002 (88%)	93 (8%)	47 (4%)	2	18
2	B	102/105 (97%)	100 (98%)	2 (2%)	0	100	100
2	D	102/105 (97%)	100 (98%)	2 (2%)	0	100	100
2	F	102/105 (97%)	100 (98%)	2 (2%)	0	100	100
2	H	102/105 (97%)	100 (98%)	2 (2%)	0	100	100
2	J	102/105 (97%)	100 (98%)	2 (2%)	0	100	100
2	L	102/105 (97%)	100 (98%)	2 (2%)	0	100	100
2	N	102/105 (97%)	100 (98%)	2 (2%)	0	100	100
3	O	89/102 (87%)	86 (97%)	3 (3%)	0	100	100
3	P	89/102 (87%)	87 (98%)	2 (2%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	Q	89/102 (87%)	86 (97%)	3 (3%)	0	100	100
3	R	89/102 (87%)	87 (98%)	2 (2%)	0	100	100
3	W	93/102 (91%)	93 (100%)	0	0	100	100
3	X	90/102 (88%)	90 (100%)	0	0	100	100
4	S	94/100 (94%)	92 (98%)	2 (2%)	0	100	100
4	T	94/100 (94%)	91 (97%)	3 (3%)	0	100	100
4	U	94/100 (94%)	88 (94%)	6 (6%)	0	100	100
4	V	94/100 (94%)	92 (98%)	2 (2%)	0	100	100
4	Y	93/100 (93%)	92 (99%)	1 (1%)	0	100	100
All	All	9716/10583 (92%)	8695 (90%)	692 (7%)	329 (3%)	5	21

5 of 329 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	147	PRO
1	A	557	ARG
1	A	560	PHE
1	A	562	ASN
1	A	574	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1027/1119 (92%)	840 (82%)	187 (18%)	1	9
1	C	1027/1119 (92%)	840 (82%)	187 (18%)	1	9
1	E	1027/1119 (92%)	840 (82%)	187 (18%)	1	9
1	G	1027/1119 (92%)	840 (82%)	187 (18%)	1	9
1	I	1027/1119 (92%)	840 (82%)	187 (18%)	1	9
1	K	1027/1119 (92%)	839 (82%)	188 (18%)	1	8
1	M	1027/1119 (92%)	840 (82%)	187 (18%)	1	9

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	86/87 (99%)	80 (93%)	6 (7%)	12	33
2	D	86/87 (99%)	81 (94%)	5 (6%)	17	38
2	F	86/87 (99%)	80 (93%)	6 (7%)	12	33
2	H	86/87 (99%)	81 (94%)	5 (6%)	17	38
2	J	86/87 (99%)	80 (93%)	6 (7%)	12	33
2	L	86/87 (99%)	80 (93%)	6 (7%)	12	33
2	N	86/87 (99%)	80 (93%)	6 (7%)	12	33
3	O	80/90 (89%)	77 (96%)	3 (4%)	28	50
3	P	80/90 (89%)	76 (95%)	4 (5%)	20	42
3	Q	80/90 (89%)	76 (95%)	4 (5%)	20	42
3	R	80/90 (89%)	76 (95%)	4 (5%)	20	42
3	W	84/90 (93%)	82 (98%)	2 (2%)	44	63
3	X	81/90 (90%)	79 (98%)	2 (2%)	42	62
4	S	85/89 (96%)	73 (86%)	12 (14%)	3	14
4	T	85/89 (96%)	80 (94%)	5 (6%)	16	38
4	U	85/89 (96%)	79 (93%)	6 (7%)	12	32
4	V	85/89 (96%)	77 (91%)	8 (9%)	7	23
4	Y	84/89 (94%)	77 (92%)	7 (8%)	9	28
All	All	8700/9427 (92%)	7293 (84%)	1407 (16%)	4	11

5 of 1407 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	I	882	LEU
1	K	1229	PHE
1	I	1232	TYR
1	I	881	HIS
1	K	360	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 242 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	1211	GLN
3	R	28	HIS
1	I	1126	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	Q	51	GLN
3	W	51	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 21 ligands modelled in this entry, 7 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
7	HEM	J	201	2	41,50,50	1.32	6 (14%)	45,82,82	1.73	6 (13%)
5	DTP	C	1301	6	26,32,32	0.85	1 (3%)	30,50,50	1.56	4 (13%)
5	DTP	M	1301	6	26,32,32	0.86	1 (3%)	30,50,50	1.56	4 (13%)
7	HEM	B	201	2	41,50,50	1.31	6 (14%)	45,82,82	1.74	6 (13%)
7	HEM	D	201	2	41,50,50	1.32	5 (12%)	45,82,82	1.74	6 (13%)
7	HEM	H	201	2	41,50,50	1.31	6 (14%)	45,82,82	1.73	6 (13%)
7	HEM	L	201	2	41,50,50	1.31	6 (14%)	45,82,82	1.72	6 (13%)
5	DTP	G	1301	6	26,32,32	0.86	1 (3%)	30,50,50	1.55	5 (16%)
5	DTP	A	1301	6	26,32,32	0.87	1 (3%)	30,50,50	1.56	4 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	DTP	I	1301	6	26,32,32	0.86	1 (3%)	30,50,50	1.55	4 (13%)
5	DTP	K	1301	6	26,32,32	0.85	1 (3%)	30,50,50	1.56	4 (13%)
7	HEM	F	201	2	41,50,50	1.32	5 (12%)	45,82,82	1.73	6 (13%)
7	HEM	N	201	2	41,50,50	1.31	5 (12%)	45,82,82	1.73	6 (13%)
5	DTP	E	1301	6	26,32,32	0.87	1 (3%)	30,50,50	1.57	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	HEM	J	201	2	-	7/12/54/54	-
5	DTP	C	1301	6	-	5/18/34/34	0/3/3/3
5	DTP	M	1301	6	-	5/18/34/34	0/3/3/3
7	HEM	B	201	2	-	7/12/54/54	-
7	HEM	D	201	2	-	7/12/54/54	-
7	HEM	H	201	2	-	7/12/54/54	-
7	HEM	L	201	2	-	7/12/54/54	-
5	DTP	G	1301	6	-	5/18/34/34	0/3/3/3
5	DTP	A	1301	6	-	5/18/34/34	0/3/3/3
5	DTP	I	1301	6	-	5/18/34/34	0/3/3/3
5	DTP	K	1301	6	-	5/18/34/34	0/3/3/3
7	HEM	F	201	2	-	7/12/54/54	-
7	HEM	N	201	2	-	7/12/54/54	-
5	DTP	E	1301	6	-	5/18/34/34	0/3/3/3

The worst 5 of 46 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	J	201	HEM	C1B-NB	-3.47	1.34	1.40
7	N	201	HEM	C1B-NB	-3.43	1.34	1.40
7	B	201	HEM	C1B-NB	-3.39	1.34	1.40
7	H	201	HEM	C1B-NB	-3.37	1.34	1.40
7	F	201	HEM	C1B-NB	-3.37	1.34	1.40

The worst 5 of 71 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	D	201	HEM	C1B-NB-C4B	4.70	109.93	105.07
7	D	201	HEM	CHC-C4B-NB	4.70	129.54	124.43
7	B	201	HEM	C1B-NB-C4B	4.70	109.93	105.07
7	J	201	HEM	CHC-C4B-NB	4.70	129.53	124.43
7	H	201	HEM	CHC-C4B-NB	4.68	129.52	124.43

There are no chirality outliers.

5 of 84 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1301	DTP	C5'-O5'-PA-O2A
5	A	1301	DTP	C5'-O5'-PA-O3A
5	C	1301	DTP	C5'-O5'-PA-O2A
5	C	1301	DTP	C5'-O5'-PA-O3A
5	E	1301	DTP	C5'-O5'-PA-O2A

There are no ring outliers.


14 monomers are involved in 148 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	J	201	HEM	15	0
5	C	1301	DTP	6	0
5	M	1301	DTP	6	0
7	B	201	HEM	15	0
7	D	201	HEM	18	0
7	H	201	HEM	14	0
7	L	201	HEM	14	0
5	G	1301	DTP	6	0
5	A	1301	DTP	6	0
5	I	1301	DTP	6	0
5	K	1301	DTP	6	0
7	F	201	HEM	14	0
7	N	201	HEM	16	0
5	E	1301	DTP	6	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the





average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.








































5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	K	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	K	1179:TRP	C	1180:VAL	N	1.19


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-6690. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 174



Y Index: 168




Z Index: 149


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.06. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 726 nm<sup>3</sup>; this corresponds to an approximate mass of 656 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ



\*Reported resolution corresponds to spatial frequency of 0.227 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-6690 and PDB model 5WVE. Per-residue inclusion information can be found in [section 3](#) on [page 8](#).


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.06 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.06).

## 9.4 Atom inclusion [i](#)























































At the recommended contour level, 49% of all backbone atoms, 43% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.06) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.4330	 0.0380
A	 0.5310	 0.0810
B	 0.4410	 0.0420
C	 0.5080	 0.0470
D	 0.5300	 0.0170
E	 0.4460	 0.0150
F	 0.5270	 0.0380
G	 0.4650	 0.0260
H	 0.4850	 -0.0000
I	 0.4880	 0.0440
J	 0.4140	 0.0310
K	 0.4470	 0.0360
L	 0.3330	 0.0170
M	 0.4550	 0.0380
N	 0.3340	 0.0140
O	 0.0800	 0.0250
P	 0.1380	 0.0500
Q	 0.1450	 0.0310
R	 0.1290	 0.0130
S	 0.2820	 0.0140
T	 0.1300	 0.0600
U	 0.0360	 0.0300
V	 0.0280	 0.0440
W	 0.0000	 0.0410
X	 0.0000	 -0.0170
Y	 0.0000	 -0.0060

