



wwPDB EM Validation Summary Report ⓘ

Nov 18, 2024 – 05:08 PM JST

PDB ID : 8XT2
EMDB ID : EMD-38634
Title : Cryo-EM structure of the human 55S mitoribosome with 10uM Tigecycline
Authors : Li, X.; Wang, M.; Cheng, J.
Deposited on : 2024-01-10
Resolution : 3.30 Å(reported)
Based on initial model : 7A5I

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L1	1559	
2	L2	69	
3	LB	305	
4	LC	348	
5	LD	311	
6	LI	267	
7	LJ	261	
8	LK	192	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	LM	178	 99% ..
10	LN	145	 79% 21%
11	LO	296	 96% . .
12	LP	251	 88% 12%
13	LQ	175	 86% . 13%
14	LR	179	 80% . 18%
15	LS	292	 74% . 25%
16	LT	149	 94% 6%
17	LU	205	 77% . 22%
18	LV	212	 78% 22%
19	LW	153	 93% 7%
20	LX	216	 93% 6%
21	La	148	 74% . 25%
22	Lb	256	 95% 5%
23	Lu	250	 70% 30%
24	Ld	161	 75% 25%
25	Lf	188	 57% 43%
26	Lg	65	 80% 20%
27	Lh	92	 50% 50%
28	Li	188	 51% 49%
29	Lj	103	 37% 63%
30	Lk	423	 93% 7%
31	Ll	380	 93% 7%
32	Lm	338	 86% 13%
33	Ln	206	 47% . 52%


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	Lo	137	
35	Lp	142	
36	Lq	215	
37	Lr	332	
38	Ls	306	
39	Lt	279	
40	Lv	212	
41	Lw	166	
42	Lx	158	
43	Ly	128	
44	Lz	123	
45	L3	112	
46	L4	138	
47	L5	128	
48	L6	102	
49	L7	206	
50	L8	222	
51	SR	196	
52	Sf	439	
53	SB	296	
54	SZ	167	
55	SE	430	
56	SF	125	
57	SG	242	
58	SI	396	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
59	SJ	201	
60	SK	194	
61	SL	138	
62	SN	128	
63	SO	257	
64	SP	137	
65	SQ	130	
66	SS	258	
67	ST	142	
68	SW	87	
69	SX	360	
70	SY	190	
71	Sa	173	
72	Sb	205	
73	Sc	414	
74	Sd	187	
75	Se	398	
76	Sg	395	
77	Si	106	
78	Sj	218	
79	Sk	323	
80	Sm	118	
81	Sn	199	
82	So	689	
83	S1	954	

2 Entry composition

There are 87 unique types of molecules in this entry. The entry contains 165243 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16s rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	L1	1500	Total	C	N	O	P	0	0
			31847	14290	5750	10307	1500		

- Molecule 2 is a RNA chain called Val tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	L2	56	Total	C	N	O	P	0	0
			1191	534	214	387	56		

- Molecule 3 is a protein called Large ribosomal subunit protein uL2m.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	LB	237	Total	C	N	O	S	0	0
			1851	1151	375	316	9		

- Molecule 4 is a protein called Large ribosomal subunit protein uL3m.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	LC	304	Total	C	N	O	S	0	0
			2393	1538	415	429	11		

- Molecule 5 is a protein called Large ribosomal subunit protein uL4m.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	LD	250	Total	C	N	O	S	0	0
			2013	1294	365	348	6		

- Molecule 6 is a protein called Large ribosomal subunit protein bL9m.

Mol	Chain	Residues	Atoms				AltConf	Trace
6	LI	95	Total	C	N	O	0	0
			784	498	152	134		

- Molecule 7 is a protein called Large ribosomal subunit protein uL10m.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	LJ	158	Total	C	N	O	S	0	0
			1283	828	235	210	10		

- Molecule 8 is a protein called Large ribosomal subunit protein uL11m.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	LK	175	Total	C	N	O	S	0	0
			1323	841	237	243	2		

- Molecule 9 is a protein called Large ribosomal subunit protein uL13m.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	LM	177	Total	C	N	O	S	0	0
			1451	934	259	251	7		

- Molecule 10 is a protein called Large ribosomal subunit protein uL14m.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	LN	115	Total	C	N	O	S	0	0
			889	559	171	154	5		

- Molecule 11 is a protein called Large ribosomal subunit protein uL15m.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	LO	287	Total	C	N	O	S	0	0
			2305	1472	425	402	6		

- Molecule 12 is a protein called Large ribosomal subunit protein uL16m.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	LP	221	Total	C	N	O	S	0	0
			1779	1138	325	306	10		

- Molecule 13 is a protein called Large ribosomal subunit protein bL17m.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	LQ	152	Total	C	N	O	S	0	0
			1245	784	239	215	7		

- Molecule 14 is a protein called Mitochondrial ribosomal protein L18, isoform CRA_b.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	LR	146	Total	C	N	O	S	0	0
			1189	743	226	215	5		

- Molecule 15 is a protein called Large ribosomal subunit protein bL19m.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	LS	219	Total	C	N	O	S	0	0
			1822	1168	322	323	9		

- Molecule 16 is a protein called Large ribosomal subunit protein bL20m.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	LT	140	Total	C	N	O	S	0	0
			1153	732	231	186	4		

- Molecule 17 is a protein called Large ribosomal subunit protein bL21m.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	LU	160	Total	C	N	O	S	0	0
			1284	829	226	225	4		

- Molecule 18 is a protein called 39S ribosomal protein L22, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	LV	166	Total	C	N	O	S	0	0
			1368	875	254	232	7		

- Molecule 19 is a protein called Large ribosomal subunit protein uL23m.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	LW	143	Total	C	N	O	S	0	0
			1188	752	224	208	4		

- Molecule 20 is a protein called Large ribosomal subunit protein uL24m.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	LX	202	Total	C	N	O	S	0	0
			1652	1053	294	297	8		

- Molecule 21 is a protein called Large ribosomal subunit protein bL27m.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	La	111	Total	C	N	O	S	0	0
			871	558	164	146	3		

- Molecule 22 is a protein called Large ribosomal subunit protein bL28m.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	Lb	243	Total	C	N	O	S	0	0
			2035	1317	351	362	5		

- Molecule 23 is a protein called Large ribosomal subunit protein uL29m.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	Lu	176	Total	C	N	O	S	0	0
			1517	970	291	252	4		

- Molecule 24 is a protein called Large ribosomal subunit protein uL30m.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	Ld	120	Total	C	N	O	S	0	0
			978	626	183	166	3		

- Molecule 25 is a protein called Large ribosomal subunit protein bL32m.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Lf	108	Total	C	N	O	S	0	0
			880	545	172	157	6		

- Molecule 26 is a protein called Large ribosomal subunit protein bL33m.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	Lg	52	Total	C	N	O	S	0	0
			433	278	83	70	2		

- Molecule 27 is a protein called Large ribosomal subunit protein bL34m.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	Lh	46	Total	C	N	O	S	0	0
			376	233	83	59	1		

- Molecule 28 is a protein called Large ribosomal subunit protein bL35m.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	Li	95	Total	C	N	O	S	0	0
			831	539	162	127	3		

- Molecule 29 is a protein called Large ribosomal subunit protein bL36m.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Lj	38	Total	C	N	O	S	0	0
			341	217	72	48	4		

- Molecule 30 is a protein called Large ribosomal subunit protein mL37.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	Lk	394	Total	C	N	O	S	0	0
			3210	2073	560	566	11		

- Molecule 31 is a protein called Large ribosomal subunit protein mL38.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Ll	354	Total	C	N	O	S	0	0
			2947	1881	525	532	9		

- Molecule 32 is a protein called Large ribosomal subunit protein mL39.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Lm	293	Total	C	N	O	S	0	0
			2382	1525	404	435	18		

- Molecule 33 is a protein called Large ribosomal subunit protein mL40.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Ln	99	Total	C	N	O	S	0	0
			836	535	144	155	2		

- Molecule 34 is a protein called Large ribosomal subunit protein mL41.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Lo	124	Total	C	N	O	S	0	0
			997	644	170	181	2		

- Molecule 35 is a protein called Large ribosomal subunit protein mL42.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	Lp	97	Total	C	N	O	S	0	0
			815	514	147	149	5		

- Molecule 36 is a protein called Large ribosomal subunit protein mL43.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	Lq	148	Total	C	N	O	S	0	0
			1178	733	229	213	3		

- Molecule 37 is a protein called Large ribosomal subunit protein mL44.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	Lr	275	Total	C	N	O	S	0	0
			2217	1415	383	410	9		

- Molecule 38 is a protein called Large ribosomal subunit protein mL45.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	Ls	214	Total	C	N	O	S	0	0
			1754	1117	304	320	13		

- Molecule 39 is a protein called Large ribosomal subunit protein mL46.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	Lt	217	Total	C	N	O	S	0	0
			1762	1124	310	323	5		

- Molecule 40 is a protein called Large ribosomal subunit protein mL48.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	Lv	131	Total	C	N	O	S	0	0
			1035	661	169	201	4		

- Molecule 41 is a protein called Large ribosomal subunit protein mL49.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	Lw	132	Total	C	N	O	S	0	0
			1097	710	191	194	2		

- Molecule 42 is a protein called Large ribosomal subunit protein mL50.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	Lx	110	Total	C	N	O	S	0	0
			895	568	156	168	3		

- Molecule 43 is a protein called Large ribosomal subunit protein mL51.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	Ly	97	Total	C	N	O	S	0	0
			827	532	165	126	4		

- Molecule 44 is a protein called 39S ribosomal protein L52, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	Lz	92	Total	C	N	O	S	0	0
			732	454	142	134	2		

- Molecule 45 is a protein called Large ribosomal subunit protein mL53.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	L3	96	Total	C	N	O	S	0	0
			743	462	143	133	5		

- Molecule 46 is a protein called Large ribosomal subunit protein mL54.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	L4	83	Total	C	N	O	S	0	0
			703	446	124	130	3		

- Molecule 47 is a protein called Large ribosomal subunit protein mL55.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	L5	45	Total	C	N	O	S	0	0
			372	232	76	62	2		

- Molecule 48 is a protein called Large ribosomal subunit protein mL63.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	L6	94	Total	C	N	O	S	0	0
			797	501	165	128	3		

- Molecule 49 is a protein called Large ribosomal subunit protein mL62.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	L7	127	Total	C	N	O	S	0	0
			1058	661	201	192	4		

- Molecule 50 is a protein called Large ribosomal subunit protein mL64.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	L8	128	Total	C	N	O	S	0	0
			1076	671	208	192	5		

- Molecule 51 is a protein called Large ribosomal subunit protein mL66.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	SR	146	Total	C	N	O	S	0	0
			1203	764	232	199	8		

- Molecule 52 is a protein called Large ribosomal subunit protein mL65.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	Sf	370	Total	C	N	O	S	0	0
			3036	1946	542	534	14		

- Molecule 53 is a protein called Small ribosomal subunit protein uS2m.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	SB	217	Total	C	N	O	S	0	0
			1768	1131	321	306	10		

- Molecule 54 is a protein called Small ribosomal subunit protein uS3m.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	SZ	132	Total	C	N	O	S	0	0
			1082	699	195	184	4		

- Molecule 55 is a protein called Small ribosomal subunit protein uS5m.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	SE	320	Total	C	N	O	S	0	0
			2540	1600	473	455	12		

- Molecule 56 is a protein called Small ribosomal subunit protein bS6m.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	SF	122	Total	C	N	O	S	0	0
			972	614	177	177	4		

- Molecule 57 is a protein called Small ribosomal subunit protein uS7m.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	SG	201	Total	C	N	O	S	0	0
			1668	1069	305	283	11		

- Molecule 58 is a protein called Small ribosomal subunit protein uS9m.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	SI	304	Total	C	N	O	S	0	0
			2501	1591	444	452	14		

- Molecule 59 is a protein called Small ribosomal subunit protein uS10m.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	SJ	122	Total	C	N	O	S	0	0
			999	643	168	185	3		

- Molecule 60 is a protein called Small ribosomal subunit protein uS11m.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	SK	136	Total	C	N	O	S	0	0
			1011	637	192	178	4		

- Molecule 61 is a protein called Small ribosomal subunit protein uS12m.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	SL	108	Total	C	N	O	S	0	0
			838	521	169	142	6		

- Molecule 62 is a protein called Small ribosomal subunit protein uS14m.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	SN	101	Total	C	N	O	S	0	0
			861	537	179	140	5		

- Molecule 63 is a protein called Small ribosomal subunit protein uS15m.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	SO	164	Total	C	N	O	S	0	0
			1382	883	257	235	7		

- Molecule 64 is a protein called Small ribosomal subunit protein bS16m.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	SP	116	Total	C	N	O	S	0	0
			920	582	182	150	6		

- Molecule 65 is a protein called Small ribosomal subunit protein uS17m.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	SQ	107	Total	C	N	O	S	0	0
			846	549	153	141	3		

- Molecule 66 is a protein called Small ribosomal subunit protein mS40.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	SS	185	Total	C	N	O	S	0	0
			1528	970	285	267	6		

- Molecule 67 is a protein called Small ribosomal subunit protein bS18m.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	ST	96	Total	C	N	O	S	0	0
			774	498	133	135	8		

- Molecule 68 is a protein called Small ribosomal subunit protein bS21m.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	SW	86	Total	C	N	O	S	0	0
			740	458	150	124	8		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
SW	50	ARG	CYS	variant	UNP P82921

- Molecule 69 is a protein called Small ribosomal subunit protein mS22.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	SX	295	Total	C	N	O	S	0	0
			2405	1530	413	454	8		

- Molecule 70 is a protein called Small ribosomal subunit protein mS23.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	SY	126	Total	C	N	O	S	0	0
			1042	673	183	185	1		

- Molecule 71 is a protein called Small ribosomal subunit protein mS25.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	Sa	162	Total	C	N	O	S	0	0
			1330	850	231	238	11		

- Molecule 72 is a protein called Small ribosomal subunit protein mS26.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	Sb	173	Total	C	N	O	S	0	0
			1454	894	294	262	4		

- Molecule 73 is a protein called Small ribosomal subunit protein mS27.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	Sc	385	Total	C	N	O	S	0	0
			3116	1980	522	603	11		

- Molecule 74 is a protein called Small ribosomal subunit protein bS1m.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	Sd	97	Total	C	N	O	S	0	0
			766	486	137	139	4		

- Molecule 75 is a protein called Small ribosomal subunit protein mS29.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	Se	350	Total	C	N	O	S	0	0
			2836	1813	497	515	11		

- Molecule 76 is a protein called Small ribosomal subunit protein mS31.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	Sg	108	Total	C	N	O	S	0	0
			903	587	145	169	2		

- Molecule 77 is a protein called Small ribosomal subunit protein mS33.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	Si	86	Total	C	N	O	S	0	0
			731	467	131	129	4		

- Molecule 78 is a protein called Small ribosomal subunit protein mS34.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	Sj	201	Total	C	N	O	S	0	0
			1680	1062	321	292	5		

- Molecule 79 is a protein called Small ribosomal subunit protein mS35.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	Sk	256	Total	C	N	O	S	0	0
			2068	1317	349	392	10		

- Molecule 80 is a protein called Small ribosomal subunit protein mS37.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	Sm	116	Total	C	N	O	S	0	0
			925	574	181	162	8		

- Molecule 81 is a protein called Small ribosomal subunit protein mS38.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	Sn	69	Total	C	N	O	S	0	0
			610	393	130	86	1		

- Molecule 82 is a protein called Small ribosomal subunit protein mS39.

Mol	Chain	Residues	Atoms					AltConf	Trace
82	So	616	Total	C	N	O	S	0	0
			4981	3177	849	928	27		

- Molecule 83 is a RNA chain called 12s rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
83	S1	928	Total	C	N	O	P	0	0
			19716	8840	3560	6388	928		


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
S1	873	A	U	conflict	GB 587653826

- Molecule 84 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
84	L1	104	Total	Mg	0
			104	104	
84	LB	3	Total	Mg	0
			3	3	
84	LC	1	Total	Mg	0
			1	1	
84	LP	1	Total	Mg	0
			1	1	
84	La	1	Total	Mg	0
			1	1	
84	Lw	1	Total	Mg	0
			1	1	
84	L6	1	Total	Mg	0
			1	1	
84	S1	33	Total	Mg	0
			33	33	

- Molecule 85 is TIGECYCLINE (three-letter code: T1C) (formula: C₂₉H₄₁N₅O₈) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
85	L1	1	Total	C	N	O	0
			42	29	5	8	
85	L1	1	Total	C	N	O	0
			42	29	5	8	
85	S1	1	Total	C	N	O	0
			42	29	5	8	


- Molecule 86 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
86	Lf	1	Total	Zn	0
			1	1	
86	Lj	1	Total	Zn	0
			1	1	
86	SR	1	Total	Zn	0
			1	1	
86	SB	1	Total	Zn	0
			1	1	
86	SS	1	Total	Zn	0
			1	1	
86	ST	1	Total	Zn	0
			1	1	
86	Sa	1	Total	Zn	0
			1	1	

- Molecule 87 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).




Mol	Chain	Residues	Atoms					AltConf
87	Se	1	Total	C	N	O	P	0
			28	10	5	11	2	




- Molecule 2: Val tRNA

Chain L2: 64% 17% 19%




- Molecule 3: Large ribosomal subunit protein uL2m

Chain LB: 77% 22%




- Molecule 4: Large ribosomal subunit protein uL3m

Chain LC: 87% 13%




- Molecule 5: Large ribosomal subunit protein uL4m

Chain LD: 80% 20%



- Molecule 6: Large ribosomal subunit protein bL9m

Chain LI: 35% 64%



- Molecule 7: Large ribosomal subunit protein uL10m

Chain LJ:



NET	ALA	ALA	ALA	VAL	ALA	GLY	MET	LEU	ARG	GLY	GLY	LEU	LEU	PRO	GLN	ALA	ALA	GLY	ARG	LEU	PRO	THR	LEU	LEU	GLN	THR	VAL	ARG	TYR	GLY	S30	P66	SER	PRO	PRO	PRO	SER	PRO	PRO	PRO	GLN	GLU	GLU	ILE	G77	M95	D137	E163	R169	D182	N193	K196	L197	PRO	SER
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	-----	-----

LEU	PRO	LEU	LEU	VAL	GLN	GLY	GLU	LEU	VAL	GLY	GLY	LEU	THR	THR	CYS	LEU	THR	GLN	THR	HIS	LEU	LEU	GLN	GLN	PRO	LEU	GLN	GLN	LEU	THR	THR	THR	LEU	ASP	ASP	GLN	LYS	ASP	ASP	ASN	GLY	LYS	ASP	ASP	PRO	ASP	THR	VAL	PRO
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ASP
SER

- Molecule 8: Large ribosomal subunit protein uL11m


Chain LK:



MET	SER	LYS	LEU	GLY	ARG	ALA	ALA	ARG	GLY	LEU	ARG	LYS	PRO	GLU	VAL	GLY	G18	I60	A121	E187	E188	A189	A190	K191	K192
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------

- Molecule 9: Large ribosomal subunit protein uL13m

Chain LM:



```

graph LR
    MET[MET] --> S2[S2]
    S2 --> M25[M25]
    M25 --> L178[L178]
  
```

- Molecule 10: Large ribosomal subunit protein uL14m


Chain LN:



MET	ALA	PHE	PHE	THR	GLY	LEU	TRP	GLY	PRO	PHE	THR	CYS	VAL	SER	ARG	VAL	LEU	SER	HIS	HIS	CYS	PHE	SER	THR	THR	GLY	LEU	SER	SER	A31	V145
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

- Molecule 11: Large ribosomal subunit protein uL15m

Chain LO:



MET
ALA
GLY
PRO
LEU
GLN
GLY
GLY
GLY
A10
R39
N170
S296

- Molecule 12: Large ribosomal subunit protein uL16m


Chain LP:




MET	TRP	ARG	LEU	LEU	ALA	ARG	ALA	SER	ALA	PRO	LEU	LEU	ARG	VAL	PRO	LEU	SER	ASP	SER	TRP	ALA	LEU	LEU	PRO	ALA	SER	GLY	VAL	K31	V251
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------


- Molecule 13: Large ribosomal subunit protein bL17m

Chain LQ:  86% 13%





- Molecule 14: Mitochondrial ribosomal protein L18, isoform CRA_b

Chain LR:  80% 18%




- Molecule 15: Large ribosomal subunit protein bL19m

Chain LS:  74% 25%





- Molecule 16: Large ribosomal subunit protein bL20m

Chain LT:  94% 6%





- Molecule 17: Large ribosomal subunit protein bL21m

Chain LU:  77% 22%




- Molecule 18: 39S ribosomal protein L22, mitochondrial

Chain LV:  78% 22%



- Molecule 19: Large ribosomal subunit protein uL23m

Chain LW:  93% 7%




- Molecule 20: Large ribosomal subunit protein uL24m

Chain LX: 93% 6%




- Molecule 21: Large ribosomal subunit protein bL27m

Chain La: 74% 25%




- Molecule 22: Large ribosomal subunit protein bL28m

Chain Lb: 95% 5%




- Molecule 23: Large ribosomal subunit protein uL29m

Chain Lu: 70% 30%



- Molecule 24: Large ribosomal subunit protein uL30m

Chain Ld: 75% 25%





- Molecule 25: Large ribosomal subunit protein bL32m

Chain Lf: 57% 43%




- Molecule 32: Large ribosomal subunit protein mL39

Chain Lm:  86% 13%




- Molecule 33: Large ribosomal subunit protein mL40

Chain Ln:  47% 52%




- Molecule 34: Large ribosomal subunit protein mL41

Chain Lo:  91% 9%




- Molecule 35: Large ribosomal subunit protein mL42

Chain Lp:  67% 32%




- Molecule 36: Large ribosomal subunit protein mL43

Chain Lq:  69% 31%




- Molecule 37: Large ribosomal subunit protein mL44

Chain Lr:  83% 17%



THR
ALA
SER


- Molecule 38: Large ribosomal subunit protein mL45

Chain Ls:  6% 70% 30%

MET ALA ALA PRO ILE PRO GLY PHE SER CYS LEU SER ARG PHE LEU LEU GLY TRP TRP PHE ARG GLN PRO VAL LEU VAL THR GLN SER ALA TLE VAL PRO VAL ARG THR LYS LYS ARG PHE THR PRO ILE TYR GLN PRO LYS PHE LYS THR LYS GLU GLU PHE MET HIS ALA

ARG LYS GLY VAL ILE PRO PRO ARG K71 R96 R97 R98 SER LEU SER LYS GLY LEU ILE GLU ARG THR E110 R111 M112 K113 K114 T115 M116 A117 S118 S121 I122 R123 Y128 D129 K135 M202 M203 E295 ALA GLN GLY GLU ALA GLN LYS PRO GLN LEU ALA

- Molecule 39: Large ribosomal subunit protein mL46

Chain Lt:  76% 22%

MET ALA ALA PRO VAL ARG THR LEU LEU GLY VAL ALA GLY GLY TRP ARG ARG PHE GLU ARG LEU TRP ALA GLY SER LEU SER ARG SER LEU ALA ALA PRO SER SER ASN GLY S43 K102 A103 D104 LEU HIS ASP GLU ASP GLU GLN ASP ILE LEU L116

K132 A140 L205 F217 PRO GLN MET ARG THR GLU SER ASN L277 K248 P266 L269 L279


- Molecule 40: Large ribosomal subunit protein mL48

Chain Lv:  62% 38%

MET SER THR GLU LYS VAL LEU CYS LEU CYS ARG ASN ASN THR ILE PHE LYS GLN ALA PHE ARG PHE LEU LEU ARG PHE ARG THR SER GLY GLU LYS PRO TYR VAL GLY GLY ILE LEU LEU SER ILE SER ARG PRO Y48 E66 GLU PRO LYS LYS LYS LYS VAL GLU

V77 L82 G83 T84 D85 Q138 ASP GLN GLY SER LYS M144 D193 PHE LYS GLY ARG PHE LEU LYS ALA ARG ARG PRO GLU GLU LEU LEU ALA LYS LEU LYS

- Molecule 41: Large ribosomal subunit protein mL49

Chain Lw:  80% 20%


MET ALA ALA THR MET PHE ARG ALA THR ARG LEU ARG GLY TRP ARG THR GLY VAL GLN ARG GLY CYS GLY LEU ARG LEU LEU SER GLN THR ARG PHE GLY LYS PRO ASP Y35 F166


- Molecule 42: Large ribosomal subunit protein mL50

Chain Lx:  70% 30%

MET ALA ARG SER VAL SER GLY THR ARG GLY VAL PHE MET TRP THR VAL SER GLY THR ARG GLY PRO CYS ARG GLU PHE TRP ARG PHE ARG LYS GLU LYS ASP PRO VAL VAL VAL THR VAL GLU LYS LYS PRO I49 F78 G79 S80 S81 L82 D83 Y158


- Molecule 43: Large ribosomal subunit protein mL51

Chain Ly:  76% 24%





- Molecule 44: 39S ribosomal protein L52, mitochondrial

Chain Lz:  73% 25%




- Molecule 45: Large ribosomal subunit protein mL53

Chain L3:  84% 14%




- Molecule 46: Large ribosomal subunit protein mL54

Chain L4:  57% 40%




- Molecule 47: Large ribosomal subunit protein mL55

Chain L5:  34% 65%





- Molecule 48: Large ribosomal subunit protein mL63

Chain L6:  92% 8%





- Molecule 49: Large ribosomal subunit protein mL62

Chain L7:  60% 38%




- Molecule 50: Large ribosomal subunit protein mL64

Chain L8:  58% 42%






- Molecule 51: Large ribosomal subunit protein mL66

Chain SR:  74% 26%






- Molecule 52: Large ribosomal subunit protein mL65

Chain Sf:  84% 16%





- Molecule 53: Small ribosomal subunit protein uS2m

Chain SB:  73% 27%




- Molecule 54: Small ribosomal subunit protein uS3m


Chain SZ:  79% 21%




- Molecule 55: Small ribosomal subunit protein uS5m




- Molecule 56: Small ribosomal subunit protein bS6m




- Molecule 57: Small ribosomal subunit protein uS7m



- Molecule 58: Small ribosomal subunit protein uS9m




- Molecule 59: Small ribosomal subunit protein uS10m





- Molecule 60: Small ribosomal subunit protein uS11m

Chain SK:  70% 30%





- Molecule 61: Small ribosomal subunit protein uS12m

Chain SL:  78% 22%




- Molecule 62: Small ribosomal subunit protein uS14m

Chain SN:  77% 21%





- Molecule 63: Small ribosomal subunit protein uS15m

Chain SO:  64% 36%





- Molecule 64: Small ribosomal subunit protein bS16m

Chain SP:  85% 15%





- Molecule 65: Small ribosomal subunit protein uS17m

Chain SQ:  82% 18%




- Molecule 66: Small ribosomal subunit protein mS40

Chain SS:  71% 28%




- Molecule 67: Small ribosomal subunit protein bS18m

Chain ST:  68% 32%






- Molecule 68: Small ribosomal subunit protein bS21m

Chain SW:  98% ..





- Molecule 69: Small ribosomal subunit protein mS22

Chain SX:  7% 82% 18%




- Molecule 70: Small ribosomal subunit protein mS23

Chain SY:  66% 34%



- Molecule 71: Small ribosomal subunit protein mS25


Chain Sa:  92% 6%




- Molecule 72: Small ribosomal subunit protein mS26

MET	LEU	ARG	ALA	LEU	SER	ARG	LEU	GLY	GLY	THR	CYS	ARG	PRO	ARG	ALA	PRO	LEU	VAL	LEU	PRO	ALA	ARG	GLY	R27	N109	R199	PRO	GLN	ARG	ARG	ASP	SER
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	-----	-----	-----	-----	-----	-----


- Chain Sc: 




- Chain Sd:  50% 48%




- Chain Se: 87% • 12%



- Chain Sg:  27% 73%




Chain So:



• Molecule 83: 12s rRNA

Chain S1:





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	83274	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION; Relion	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.065	Depositor
Minimum map value	-0.012	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.01	Depositor
Map size (Å)	446.88, 446.88, 446.88	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.064, 1.064, 1.064	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, MG, ZN, T1C

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	L1	0.58	0/35628	0.98	88/55448 (0.2%)
2	L2	0.30	0/1328	0.98	0/2056
3	LB	0.34	0/1888	0.62	0/2538
4	LC	0.34	0/2462	0.57	1/3340 (0.0%)
5	LD	0.36	0/2071	0.65	1/2817 (0.0%)
6	LI	0.37	0/798	0.71	1/1073 (0.1%)
7	LJ	0.34	0/1308	0.82	1/1761 (0.1%)
8	LK	0.32	0/1340	0.57	0/1802
9	LM	0.35	0/1495	0.60	1/2029 (0.0%)
10	LN	0.31	0/904	0.55	0/1218
11	LO	0.37	0/2359	0.62	0/3185
12	LP	0.35	0/1826	0.62	0/2458
13	LQ	0.34	0/1269	0.63	0/1708
14	LR	0.35	1/1215 (0.1%)	0.62	1/1645 (0.1%)
15	LS	0.32	0/1863	0.61	1/2509 (0.0%)
16	LT	0.39	0/1174	0.62	0/1572
17	LU	0.36	0/1311	0.68	2/1778 (0.1%)
18	LV	0.36	0/1402	0.57	0/1886
19	LW	0.37	0/1217	0.62	0/1644
20	LX	0.33	0/1697	0.65	0/2302
21	La	0.39	0/893	0.61	1/1204 (0.1%)
22	Lb	0.31	0/2090	0.54	0/2825
23	Lu	0.35	0/1552	0.61	0/2079
24	Ld	0.35	0/1003	0.56	0/1354
25	Lf	0.32	0/895	0.57	0/1201
26	Lg	0.32	0/438	0.66	0/583
27	Lh	0.36	0/382	0.61	0/507
28	Li	0.35	0/852	0.60	0/1136
29	Lj	0.34	0/349	0.63	0/461
30	Lk	0.31	0/3305	0.56	0/4502
31	Ll	0.34	0/3042	0.61	0/4140
32	Lm	0.31	0/2439	0.57	1/3299 (0.0%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	Ln	0.34	0/855	0.66	1/1152 (0.1%)
34	Lo	0.34	0/1025	0.56	0/1379
35	Lp	0.35	0/839	0.58	0/1136
36	Lq	0.36	0/1202	0.65	0/1626
37	Lr	0.33	0/2264	0.57	0/3059
38	Ls	0.31	0/1800	0.63	1/2436 (0.0%)
39	Lt	0.29	0/1797	0.63	1/2422 (0.0%)
40	Lv	0.32	0/1051	0.62	0/1422
41	Lw	0.37	0/1134	0.63	0/1547
42	Lx	0.35	0/918	0.63	0/1249
43	Ly	0.37	0/849	0.61	0/1135
44	Lz	0.34	0/747	0.64	0/1005
45	L3	0.31	0/754	0.71	1/1017 (0.1%)
46	L4	0.32	0/722	0.75	3/978 (0.3%)
47	L5	0.29	0/379	0.82	1/510 (0.2%)
48	L6	0.35	0/818	0.61	0/1097
49	L7	0.37	0/1071	0.75	3/1433 (0.2%)
50	L8	0.31	0/1107	0.62	0/1498
51	SR	0.34	0/1238	0.63	0/1676
52	Sf	0.33	0/3114	0.58	0/4225
53	SB	0.39	0/1811	0.68	0/2451
54	SZ	0.35	0/1112	0.68	0/1505
55	SE	0.32	0/2590	0.63	1/3477 (0.0%)
56	SF	0.32	0/989	0.67	0/1335
57	SG	0.29	0/1708	0.61	2/2291 (0.1%)
58	SI	0.30	0/2555	0.58	0/3424
59	SJ	0.35	0/1019	0.78	1/1379 (0.1%)
60	SK	0.32	0/1031	0.60	0/1390
61	SL	0.33	0/854	0.67	0/1148
62	SN	0.31	0/879	0.72	1/1182 (0.1%)
63	SO	0.33	0/1406	0.60	0/1878
64	SP	0.34	0/941	0.70	0/1265
65	SQ	0.29	0/864	0.55	0/1169
66	SS	0.29	0/1580	0.61	0/2150
67	ST	0.36	0/791	0.65	0/1062
68	SW	0.39	0/752	0.66	1/1001 (0.1%)
69	SX	0.31	0/2452	0.62	0/3310
70	SY	0.34	0/1069	0.67	1/1441 (0.1%)
71	Sa	0.30	0/1361	0.59	1/1829 (0.1%)
72	Sb	0.27	0/1474	0.60	0/1976
73	Sc	0.27	0/3177	0.53	1/4292 (0.0%)
74	Sd	0.34	0/778	0.77	1/1048 (0.1%)
75	Se	0.28	0/2908	0.56	1/3936 (0.0%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
76	Sg	0.29	0/931	0.60	1/1259 (0.1%)
77	Si	0.31	0/748	0.66	1/1000 (0.1%)
78	Sj	0.29	0/1723	0.69	2/2334 (0.1%)
79	Sk	0.38	1/2113 (0.0%)	0.68	0/2863
80	Sm	0.44	1/939 (0.1%)	0.77	2/1256 (0.2%)
81	Sn	0.34	0/621	0.65	0/820
82	So	0.29	0/5093	0.57	2/6891 (0.0%)
83	S1	0.39	0/22053	0.98	66/34324 (0.2%)
All	All	0.40	3/173801 (0.0%)	0.77	195/246748 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
7	LJ	0	1
8	LK	0	1
11	LO	0	1
13	LQ	0	1
18	LV	0	1
31	Ll	0	1
39	Lt	0	1
46	L4	0	1
47	L5	0	1
49	L7	0	1
55	SE	0	1
59	SJ	0	1
79	Sk	0	1
All	All	0	13

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
80	Sm	55	CYS	CB-SG	-8.35	1.68	1.82
79	Sk	66	TRP	CB-CG	-6.15	1.39	1.50
14	LR	147	PRO	C-N	-5.52	1.21	1.34

The worst 5 of 195 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
83	S1	118	C	C2-N1-C1'	9.86	129.64	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	LU	121	ASP	CB-CG-OD1	8.53	125.98	118.30
1	L1	1542	C	C2-N1-C1'	8.47	128.11	118.80
80	Sm	55	CYS	CA-CB-SG	8.25	128.85	114.00
49	L7	75	ARG	CG-CD-NE	-8.12	94.75	111.80

There are no chirality outliers.

5 of 13 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
7	LJ	163	GLU	Peptide
8	LK	60	ILE	Peptide
11	LO	39	ARG	Sidechain
13	LQ	110	ILE	Peptide
18	LV	129	VAL	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	LB	235/305 (77%)	228 (97%)	6 (3%)	1 (0%)	30	61
4	LC	302/348 (87%)	283 (94%)	19 (6%)	0	100	100
5	LD	248/311 (80%)	235 (95%)	13 (5%)	0	100	100
6	LI	93/267 (35%)	87 (94%)	6 (6%)	0	100	100
7	LJ	154/261 (59%)	142 (92%)	12 (8%)	0	100	100
8	LK	173/192 (90%)	166 (96%)	7 (4%)	0	100	100
9	LM	175/178 (98%)	163 (93%)	12 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
10	LN	113/145 (78%)	109 (96%)	4 (4%)	0	100	100
11	LO	285/296 (96%)	274 (96%)	11 (4%)	0	100	100
12	LP	219/251 (87%)	213 (97%)	6 (3%)	0	100	100
13	LQ	150/175 (86%)	139 (93%)	10 (7%)	1 (1%)	19	50
14	LR	144/179 (80%)	142 (99%)	2 (1%)	0	100	100
15	LS	217/292 (74%)	207 (95%)	10 (5%)	0	100	100
16	LT	138/149 (93%)	135 (98%)	3 (2%)	0	100	100
17	LU	158/205 (77%)	154 (98%)	4 (2%)	0	100	100
18	LV	164/212 (77%)	157 (96%)	7 (4%)	0	100	100
19	LW	139/153 (91%)	136 (98%)	3 (2%)	0	100	100
20	LX	200/216 (93%)	191 (96%)	9 (4%)	0	100	100
21	La	109/148 (74%)	105 (96%)	4 (4%)	0	100	100
22	Lb	241/256 (94%)	233 (97%)	8 (3%)	0	100	100
23	Lu	174/250 (70%)	171 (98%)	3 (2%)	0	100	100
24	Ld	118/161 (73%)	112 (95%)	6 (5%)	0	100	100
25	Lf	106/188 (56%)	102 (96%)	4 (4%)	0	100	100
26	Lg	50/65 (77%)	49 (98%)	1 (2%)	0	100	100
27	Lh	44/92 (48%)	43 (98%)	1 (2%)	0	100	100
28	Li	93/188 (50%)	89 (96%)	4 (4%)	0	100	100
29	Lj	36/103 (35%)	35 (97%)	1 (3%)	0	100	100
30	Lk	392/423 (93%)	378 (96%)	14 (4%)	0	100	100
31	Ll	352/380 (93%)	328 (93%)	24 (7%)	0	100	100
32	Lm	291/338 (86%)	277 (95%)	14 (5%)	0	100	100
33	Ln	97/206 (47%)	85 (88%)	12 (12%)	0	100	100
34	Lo	122/137 (89%)	118 (97%)	4 (3%)	0	100	100
35	Lp	93/142 (66%)	88 (95%)	5 (5%)	0	100	100
36	Lq	146/215 (68%)	135 (92%)	11 (8%)	0	100	100
37	Lr	271/332 (82%)	266 (98%)	5 (2%)	0	100	100
38	Ls	210/306 (69%)	203 (97%)	7 (3%)	0	100	100
39	Lt	211/279 (76%)	189 (90%)	21 (10%)	1 (0%)	25	56
40	Lv	125/212 (59%)	121 (97%)	4 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
41	Lw	130/166 (78%)	124 (95%)	6 (5%)	0	100	100
42	Lx	108/158 (68%)	105 (97%)	3 (3%)	0	100	100
43	Ly	95/128 (74%)	90 (95%)	5 (5%)	0	100	100
44	Lz	90/123 (73%)	85 (94%)	5 (6%)	0	100	100
45	L3	94/112 (84%)	81 (86%)	13 (14%)	0	100	100
46	L4	81/138 (59%)	75 (93%)	6 (7%)	0	100	100
47	L5	43/128 (34%)	38 (88%)	5 (12%)	0	100	100
48	L6	92/102 (90%)	91 (99%)	1 (1%)	0	100	100
49	L7	119/206 (58%)	114 (96%)	4 (3%)	1 (1%)	16	46
50	L8	126/222 (57%)	125 (99%)	1 (1%)	0	100	100
51	SR	140/196 (71%)	135 (96%)	5 (4%)	0	100	100
52	Sf	366/439 (83%)	348 (95%)	16 (4%)	2 (0%)	25	56
53	SB	215/296 (73%)	207 (96%)	8 (4%)	0	100	100
54	SZ	130/167 (78%)	115 (88%)	15 (12%)	0	100	100
55	SE	314/430 (73%)	293 (93%)	21 (7%)	0	100	100
56	SF	120/125 (96%)	116 (97%)	4 (3%)	0	100	100
57	SG	197/242 (81%)	193 (98%)	4 (2%)	0	100	100
58	SI	300/396 (76%)	274 (91%)	26 (9%)	0	100	100
59	SJ	120/201 (60%)	105 (88%)	15 (12%)	0	100	100
60	SK	134/194 (69%)	128 (96%)	6 (4%)	0	100	100
61	SL	106/138 (77%)	92 (87%)	13 (12%)	1 (1%)	14	44
62	SN	99/128 (77%)	92 (93%)	7 (7%)	0	100	100
63	SO	162/257 (63%)	155 (96%)	7 (4%)	0	100	100
64	SP	114/137 (83%)	109 (96%)	5 (4%)	0	100	100
65	SQ	105/130 (81%)	96 (91%)	9 (9%)	0	100	100
66	SS	183/258 (71%)	165 (90%)	18 (10%)	0	100	100
67	ST	94/142 (66%)	89 (95%)	5 (5%)	0	100	100
68	SW	84/87 (97%)	82 (98%)	2 (2%)	0	100	100
69	SX	293/360 (81%)	281 (96%)	12 (4%)	0	100	100
70	SY	124/190 (65%)	119 (96%)	5 (4%)	0	100	100
71	Sa	160/173 (92%)	149 (93%)	11 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
72	Sb	171/205 (83%)	167 (98%)	4 (2%)	0	100	100
73	Sc	383/414 (92%)	374 (98%)	9 (2%)	0	100	100
74	Sd	95/187 (51%)	87 (92%)	7 (7%)	1 (1%)	12	40
75	Se	348/398 (87%)	332 (95%)	16 (5%)	0	100	100
76	Sg	106/395 (27%)	98 (92%)	8 (8%)	0	100	100
77	Si	84/106 (79%)	82 (98%)	2 (2%)	0	100	100
78	Sj	197/218 (90%)	176 (89%)	21 (11%)	0	100	100
79	Sk	252/323 (78%)	223 (88%)	29 (12%)	0	100	100
80	Sm	114/118 (97%)	107 (94%)	7 (6%)	0	100	100
81	Sn	67/199 (34%)	63 (94%)	4 (6%)	0	100	100
82	So	614/689 (89%)	594 (97%)	20 (3%)	0	100	100
All	All	13557/17977 (75%)	12862 (95%)	687 (5%)	8 (0%)	50	76

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
39	Lt	266	PRO
49	L7	190	GLN
52	Sf	250	PHE
61	SL	72	LYS
74	Sd	109	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	LB	191/245 (78%)	190 (100%)	1 (0%)	86	91
4	LC	258/290 (89%)	258 (100%)	0	100	100
5	LD	217/262 (83%)	217 (100%)	0	100	100
6	LI	86/228 (38%)	86 (100%)	0	100	100
7	LJ	145/232 (62%)	145 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
8	LK	137/150 (91%)	137 (100%)	0	100	100
9	LM	155/156 (99%)	155 (100%)	0	100	100
10	LN	98/124 (79%)	98 (100%)	0	100	100
11	LO	245/249 (98%)	244 (100%)	1 (0%)	89	93
12	LP	188/211 (89%)	188 (100%)	0	100	100
13	LQ	133/150 (89%)	133 (100%)	0	100	100
14	LR	128/154 (83%)	128 (100%)	0	100	100
15	LS	201/256 (78%)	199 (99%)	2 (1%)	73	84
16	LT	118/126 (94%)	118 (100%)	0	100	100
17	LU	145/180 (81%)	144 (99%)	1 (1%)	81	88
18	LV	146/182 (80%)	146 (100%)	0	100	100
19	LW	128/135 (95%)	128 (100%)	0	100	100
20	LX	180/191 (94%)	179 (99%)	1 (1%)	84	90
21	La	91/119 (76%)	91 (100%)	0	100	100
22	Lb	219/229 (96%)	219 (100%)	0	100	100
23	Lu	159/223 (71%)	159 (100%)	0	100	100
24	Ld	111/147 (76%)	111 (100%)	0	100	100
25	Lf	97/164 (59%)	97 (100%)	0	100	100
26	Lg	49/60 (82%)	49 (100%)	0	100	100
27	Lh	40/72 (56%)	40 (100%)	0	100	100
28	Li	88/166 (53%)	88 (100%)	0	100	100
29	Lj	37/89 (42%)	37 (100%)	0	100	100
30	Lk	353/368 (96%)	353 (100%)	0	100	100
31	Ll	313/332 (94%)	313 (100%)	0	100	100
32	Lm	269/303 (89%)	269 (100%)	0	100	100
33	Ln	91/190 (48%)	89 (98%)	2 (2%)	47	69
34	Lo	104/112 (93%)	104 (100%)	0	100	100
35	Lp	93/133 (70%)	91 (98%)	2 (2%)	47	69
36	Lq	130/186 (70%)	130 (100%)	0	100	100
37	Lr	241/288 (84%)	241 (100%)	0	100	100
38	Ls	196/274 (72%)	196 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
39	Lt	188/236 (80%)	187 (100%)	1 (0%)	86	91
40	Lv	116/188 (62%)	116 (100%)	0	100	100
41	Lw	122/148 (82%)	122 (100%)	0	100	100
42	Lx	104/148 (70%)	104 (100%)	0	100	100
43	Ly	86/110 (78%)	86 (100%)	0	100	100
44	Lz	73/97 (75%)	71 (97%)	2 (3%)	40	65
45	L3	81/90 (90%)	80 (99%)	1 (1%)	67	80
46	L4	78/116 (67%)	78 (100%)	0	100	100
47	L5	40/113 (35%)	40 (100%)	0	100	100
48	L6	80/87 (92%)	80 (100%)	0	100	100
49	L7	117/181 (65%)	117 (100%)	0	100	100
50	L8	110/178 (62%)	110 (100%)	0	100	100
51	SR	133/169 (79%)	133 (100%)	0	100	100
52	Sf	326/381 (86%)	326 (100%)	0	100	100
53	SB	191/249 (77%)	190 (100%)	1 (0%)	86	91
54	SZ	115/143 (80%)	115 (100%)	0	100	100
55	SE	267/357 (75%)	267 (100%)	0	100	100
56	SF	104/107 (97%)	104 (100%)	0	100	100
57	SG	178/209 (85%)	178 (100%)	0	100	100
58	SI	263/342 (77%)	261 (99%)	2 (1%)	79	87
59	SJ	112/180 (62%)	111 (99%)	1 (1%)	75	85
60	SK	104/147 (71%)	103 (99%)	1 (1%)	73	84
61	SL	93/118 (79%)	93 (100%)	0	100	100
62	SN	91/113 (80%)	89 (98%)	2 (2%)	47	69
63	SO	152/226 (67%)	152 (100%)	0	100	100
64	SP	95/113 (84%)	95 (100%)	0	100	100
65	SQ	93/115 (81%)	93 (100%)	0	100	100
66	SS	166/230 (72%)	165 (99%)	1 (1%)	84	90
67	ST	87/123 (71%)	87 (100%)	0	100	100
68	SW	78/79 (99%)	78 (100%)	0	100	100
69	SX	263/318 (83%)	262 (100%)	1 (0%)	89	93

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
70	SY	109/164 (66%)	109 (100%)	0	100	100
71	Sa	150/157 (96%)	148 (99%)	2 (1%)	65	79
72	Sb	148/174 (85%)	147 (99%)	1 (1%)	81	88
73	Sc	338/364 (93%)	338 (100%)	0	100	100
74	Sd	84/158 (53%)	83 (99%)	1 (1%)	67	80
75	Se	310/351 (88%)	309 (100%)	1 (0%)	91	94
76	Sg	97/357 (27%)	97 (100%)	0	100	100
77	Si	79/95 (83%)	78 (99%)	1 (1%)	65	79
78	Sj	175/190 (92%)	174 (99%)	1 (1%)	84	90
79	Sk	235/291 (81%)	234 (100%)	1 (0%)	89	93
80	Sm	99/101 (98%)	98 (99%)	1 (1%)	73	84
81	Sn	63/166 (38%)	63 (100%)	0	100	100
82	So	548/609 (90%)	546 (100%)	2 (0%)	89	93
All	All	12121/15564 (78%)	12087 (100%)	34 (0%)	90	94

5 of 34 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
77	Si	46	LYS
78	Sj	135	MET
82	So	594	LYS
44	Lz	110	LYS
44	Lz	104	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 25 such sidechains are listed below:

Mol	Chain	Res	Type
60	SK	129	GLN
73	Sc	388	GLN
82	So	333	GLN
72	Sb	139	GLN
73	Sc	391	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	L1	1491/1559 (95%)	354 (23%)	10 (0%)
2	L2	51/69 (73%)	12 (23%)	0
83	S1	921/954 (96%)	186 (20%)	10 (1%)
All	All	2463/2582 (95%)	552 (22%)	20 (0%)

5 of 552 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	L1	5	A
1	L1	6	A
1	L1	7	C
1	L1	8	C
1	L1	9	U

5 of 20 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
83	S1	599	U
83	S1	768	G
83	S1	890	C
83	S1	887	C
1	L1	929	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 156 ligands modelled in this entry, 152 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
85	T1C	L1	1705	-	44,45,45	1.19	4 (9%)	53,72,72	0.92	2 (3%)
85	T1C	S1	1034	84	44,45,45	1.22	3 (6%)	53,72,72	1.05	2 (3%)
87	GDP	Se	500	-	24,30,30	0.94	1 (4%)	30,47,47	1.32	4 (13%)
85	T1C	L1	1706	84	44,45,45	1.17	4 (9%)	53,72,72	0.98	3 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
85	T1C	L1	1705	-	-	6/22/80/80	0/4/4/4
85	T1C	S1	1034	84	-	10/22/80/80	0/4/4/4
87	GDP	Se	500	-	-	1/12/32/32	0/3/3/3
85	T1C	L1	1706	84	-	10/22/80/80	0/4/4/4

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
85	S1	1034	T1C	C21-N21	5.49	1.48	1.33
85	L1	1706	T1C	C21-N21	5.42	1.47	1.33
85	L1	1705	T1C	C21-N21	5.37	1.47	1.33
85	L1	1705	T1C	C4-N4	2.49	1.53	1.47
87	Se	500	GDP	C6-N1	-2.40	1.34	1.37

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
85	S1	1034	T1C	C1-C1C-C12	3.95	114.52	109.88
85	S1	1034	T1C	C11-C1B-C12	3.70	121.73	118.80
87	Se	500	GDP	C3'-C2'-C1'	3.53	106.30	100.98
87	Se	500	GDP	PA-O3A-PB	-3.48	120.87	132.83
85	L1	1706	T1C	O1C-C1C-C12	-3.09	105.19	110.14

There are no chirality outliers.

5 of 27 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
85	L1	1705	T1C	C41-C4-N4-C43
85	L1	1705	T1C	C3-C2-C21-O21

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
85	L1	1705	T1C	C3-C2-C21-N21
85	L1	1705	T1C	C1-C2-C21-O21
85	L1	1706	T1C	C92-C91-N9-C9


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-38634. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 210




Y Index: 210




Z Index: 210


6.2.2 Raw map



X Index: 210



Y Index: 210




Z Index: 210


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 199




Y Index: 206




Z Index: 219


6.3.2 Raw map



X Index: 199



Y Index: 206




Z Index: 219


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.01. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2621 nm^3 ; this corresponds to an approximate mass of 2368 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹

8.2 Resolution estimates


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.30	-	-
Author-provided FSC curve	3.31	3.95	3.37
Unmasked-calculated*	3.95	5.98	4.06

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.95 differs from the reported value 3.3 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-38634 and PDB model 8XT2. Per-residue inclusion information can be found in section [3](#) on page [21](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.01 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.01).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 97% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ





















































































The table lists the average atom inclusion at the recommended contour level (0.01) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9210	 0.4150
L1	 0.9980	 0.4930
L2	 0.9770	 0.3350
L3	 0.8870	 0.3250
L4	 0.8020	 0.2870
L5	 0.9660	 0.3440
L6	 0.9780	 0.5020
L7	 0.8990	 0.4170
L8	 0.8880	 0.4010
LB	 0.9850	 0.5190
LC	 0.9610	 0.4820
LD	 0.9570	 0.4940
LI	 0.9230	 0.4220
LJ	 0.8690	 0.3190
LK	 0.7710	 0.2390
LM	 0.9770	 0.4960
LN	 0.9800	 0.4880
LO	 0.9490	 0.4870
LP	 0.9680	 0.4780
LQ	 0.9610	 0.4820
LR	 0.9390	 0.4500
LS	 0.9480	 0.4640
LT	 0.9680	 0.4920
LU	 0.9510	 0.4900
LV	 0.9560	 0.5020
LW	 0.9200	 0.4680
LX	 0.8320	 0.4240
La	 0.9820	 0.5130
Lb	 0.9100	 0.4570
Ld	 0.9660	 0.5070
Lf	 0.9480	 0.4800
Lg	 0.9790	 0.4660
Lh	 1.0000	 0.5210
Li	 0.9860	 0.5240
Lj	 0.9880	 0.5100

















Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Lk	 0.9470	 0.4650
Ll	 0.9230	 0.4220
Lm	 0.8830	 0.4050
Ln	 0.8850	 0.2890
Lo	 0.8900	 0.4600
Lp	 0.9190	 0.4570
Lq	 0.9660	 0.4950
Lr	 0.9220	 0.4460
Ls	 0.7640	 0.3850
Lt	 0.8560	 0.2430
Lu	 0.9520	 0.4660
Lv	 0.8910	 0.3450
Lw	 0.9520	 0.4850
Lx	 0.7970	 0.4050
Ly	 0.9820	 0.5120
Lz	 0.9250	 0.4500
S1	 0.9960	 0.4300
SB	 0.9330	 0.4150
SE	 0.8990	 0.3840
SF	 0.9270	 0.4530
SG	 0.9370	 0.3640
SI	 0.9000	 0.3170
SJ	 0.9000	 0.2820
SK	 0.9610	 0.4450
SL	 0.9820	 0.4400
SN	 0.9310	 0.3030
SO	 0.9240	 0.4100
SP	 0.9220	 0.3330
SQ	 0.9690	 0.4580
SR	 0.9770	 0.4750
SS	 0.9040	 0.3310
ST	 0.9250	 0.4480
SW	 0.9630	 0.4600
SX	 0.7510	 0.2830
SY	 0.8640	 0.3650
SZ	 0.8960	 0.3160
Sa	 0.9280	 0.4060
Sb	 0.8760	 0.3220
Sc	 0.7770	 0.2020
Sd	 0.9010	 0.4120
Se	 0.9030	 0.3060
Sf	 0.9630	 0.4790

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Sg	 0.7460	 0.2220
Si	 0.9070	 0.2600
Sj	 0.9010	 0.2740
Sk	 0.8370	 0.2340
Sm	 0.9350	 0.3930
Sn	 0.9850	 0.4690
So	 0.2830	 0.1160