



## wwPDB EM Validation Summary Report ⓘ

Dec 28, 2024 – 10:23 AM EST

PDB ID : 6XZQ  
EMDB ID : EMD-10665  
Title : Influenza C virus polymerase in complex with human ANP32A - Subclass 1  
Authors : Fan, H.; Carrique, L.; Keown, J.R.; Grimes, J.M.; Fodor, E.  
Deposited on : 2020-02-05  
Resolution : 3.60 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.40

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	I	47	 15% 19% 6% 60%
2	A	709	 84% 13%
2	D	709	 9% 63% 11%
3	B	754	 81% 11%
3	E	754	 9% 49% 11%
4	C	920	 71% 12% 16%
4	F	920	 16% 5% 79%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	G	263	<div><div></div><div>5%</div><div>50%</div><div>10%</div><div>40%</div></div>

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 56888 atoms, of which 28480 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called RNA (5'-R(\*AP\*GP\*UP\*AP\*GP\*AP\*AP\*AP\*CP\*AP\*AP\*GP\*GP\*GP\*CP\*CP\*CP\*UP\*G)-3').

Mol	Chain	Residues	Atoms						AltConf	Trace
1	I	19	Total	C	H	N	O	P	0	0
			617	184	208	81	126	18		

- Molecule 2 is a protein called Polymerase acidic protein.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	A	696	Total	C	H	N	O	S	0	0
			11269	3599	5623	955	1049	43		
2	D	525	Total	C	H	N	O	S	0	0
			8550	2710	4298	729	779	34		

- Molecule 3 is a protein called RNA-directed RNA polymerase catalytic subunit.

Mol	Chain	Residues	Atoms						AltConf	Trace
3	B	698	Total	C	H	N	O	S	0	0
			11188	3534	5623	934	1045	52		
3	E	448	Total	C	H	N	O	S	0	0
			7239	2297	3649	588	670	35		

- Molecule 4 is a protein called Polymerase basic protein 2.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	C	772	Total	C	H	N	O	S	0	0
			12385	3888	6237	1080	1142	38		
4	F	195	Total	C	H	N	O	S	0	0
			3101	985	1563	267	280	6		

There are 292 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	775	GLU	-	expression tag	UNP Q9IMP3
C	776	ASN	-	expression tag	UNP Q9IMP3

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	777	LEU	-	expression tag	UNP Q9IMP3
C	778	TYR	-	expression tag	UNP Q9IMP3
C	779	PHE	-	expression tag	UNP Q9IMP3
C	780	GLN	-	expression tag	UNP Q9IMP3
C	781	GLY	-	expression tag	UNP Q9IMP3
C	782	GLU	-	expression tag	UNP Q9IMP3
C	783	LEU	-	expression tag	UNP Q9IMP3
C	784	LYS	-	expression tag	UNP Q9IMP3
C	785	THR	-	expression tag	UNP Q9IMP3
C	786	ALA	-	expression tag	UNP Q9IMP3
C	787	ALA	-	expression tag	UNP Q9IMP3
C	788	LEU	-	expression tag	UNP Q9IMP3
C	789	ALA	-	expression tag	UNP Q9IMP3
C	790	GLN	-	expression tag	UNP Q9IMP3
C	791	HIS	-	expression tag	UNP Q9IMP3
C	792	ASP	-	expression tag	UNP Q9IMP3
C	793	GLU	-	expression tag	UNP Q9IMP3
C	794	ALA	-	expression tag	UNP Q9IMP3
C	795	VAL	-	expression tag	UNP Q9IMP3
C	796	ASP	-	expression tag	UNP Q9IMP3
C	797	ASN	-	expression tag	UNP Q9IMP3
C	798	LYS	-	expression tag	UNP Q9IMP3
C	799	PHE	-	expression tag	UNP Q9IMP3
C	800	ASN	-	expression tag	UNP Q9IMP3
C	801	LYS	-	expression tag	UNP Q9IMP3
C	802	GLU	-	expression tag	UNP Q9IMP3
C	803	GLN	-	expression tag	UNP Q9IMP3
C	804	GLN	-	expression tag	UNP Q9IMP3
C	805	ASN	-	expression tag	UNP Q9IMP3
C	806	ALA	-	expression tag	UNP Q9IMP3
C	807	PHE	-	expression tag	UNP Q9IMP3
C	808	TYR	-	expression tag	UNP Q9IMP3
C	809	GLU	-	expression tag	UNP Q9IMP3
C	810	ILE	-	expression tag	UNP Q9IMP3
C	811	LEU	-	expression tag	UNP Q9IMP3
C	812	HIS	-	expression tag	UNP Q9IMP3
C	813	LEU	-	expression tag	UNP Q9IMP3
C	814	PRO	-	expression tag	UNP Q9IMP3
C	815	ASN	-	expression tag	UNP Q9IMP3
C	816	LEU	-	expression tag	UNP Q9IMP3
C	817	ASN	-	expression tag	UNP Q9IMP3
C	818	GLU	-	expression tag	UNP Q9IMP3

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	819	GLU	-	expression tag	UNP Q9IMP3
C	820	GLN	-	expression tag	UNP Q9IMP3
C	821	ARG	-	expression tag	UNP Q9IMP3
C	822	ASN	-	expression tag	UNP Q9IMP3
C	823	ALA	-	expression tag	UNP Q9IMP3
C	824	PHE	-	expression tag	UNP Q9IMP3
C	825	ILE	-	expression tag	UNP Q9IMP3
C	826	GLN	-	expression tag	UNP Q9IMP3
C	827	SER	-	expression tag	UNP Q9IMP3
C	828	LEU	-	expression tag	UNP Q9IMP3
C	829	LYS	-	expression tag	UNP Q9IMP3
C	830	ASP	-	expression tag	UNP Q9IMP3
C	831	ASP	-	expression tag	UNP Q9IMP3
C	832	PRO	-	expression tag	UNP Q9IMP3
C	833	SER	-	expression tag	UNP Q9IMP3
C	834	GLN	-	expression tag	UNP Q9IMP3
C	835	SER	-	expression tag	UNP Q9IMP3
C	836	ALA	-	expression tag	UNP Q9IMP3
C	837	ASN	-	expression tag	UNP Q9IMP3
C	838	LEU	-	expression tag	UNP Q9IMP3
C	839	LEU	-	expression tag	UNP Q9IMP3
C	840	ALA	-	expression tag	UNP Q9IMP3
C	841	GLU	-	expression tag	UNP Q9IMP3
C	842	ALA	-	expression tag	UNP Q9IMP3
C	843	LYS	-	expression tag	UNP Q9IMP3
C	844	LYS	-	expression tag	UNP Q9IMP3
C	845	LEU	-	expression tag	UNP Q9IMP3
C	846	ASN	-	expression tag	UNP Q9IMP3
C	847	ASP	-	expression tag	UNP Q9IMP3
C	848	ALA	-	expression tag	UNP Q9IMP3
C	849	GLN	-	expression tag	UNP Q9IMP3
C	850	ALA	-	expression tag	UNP Q9IMP3
C	851	PRO	-	expression tag	UNP Q9IMP3
C	852	LYS	-	expression tag	UNP Q9IMP3
C	853	VAL	-	expression tag	UNP Q9IMP3
C	854	ASP	-	expression tag	UNP Q9IMP3
C	855	ASN	-	expression tag	UNP Q9IMP3
C	856	LYS	-	expression tag	UNP Q9IMP3
C	857	PHE	-	expression tag	UNP Q9IMP3
C	858	ASN	-	expression tag	UNP Q9IMP3
C	859	LYS	-	expression tag	UNP Q9IMP3
C	860	GLU	-	expression tag	UNP Q9IMP3

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	861	GLN	-	expression tag	UNP Q9IMP3
C	862	GLN	-	expression tag	UNP Q9IMP3
C	863	ASN	-	expression tag	UNP Q9IMP3
C	864	ALA	-	expression tag	UNP Q9IMP3
C	865	PHE	-	expression tag	UNP Q9IMP3
C	866	TYR	-	expression tag	UNP Q9IMP3
C	867	GLU	-	expression tag	UNP Q9IMP3
C	868	ILE	-	expression tag	UNP Q9IMP3
C	869	LEU	-	expression tag	UNP Q9IMP3
C	870	HIS	-	expression tag	UNP Q9IMP3
C	871	LEU	-	expression tag	UNP Q9IMP3
C	872	PRO	-	expression tag	UNP Q9IMP3
C	873	ASN	-	expression tag	UNP Q9IMP3
C	874	LEU	-	expression tag	UNP Q9IMP3
C	875	ASN	-	expression tag	UNP Q9IMP3
C	876	GLU	-	expression tag	UNP Q9IMP3
C	877	GLU	-	expression tag	UNP Q9IMP3
C	878	GLN	-	expression tag	UNP Q9IMP3
C	879	ARG	-	expression tag	UNP Q9IMP3
C	880	ASN	-	expression tag	UNP Q9IMP3
C	881	ALA	-	expression tag	UNP Q9IMP3
C	882	PHE	-	expression tag	UNP Q9IMP3
C	883	ILE	-	expression tag	UNP Q9IMP3
C	884	GLN	-	expression tag	UNP Q9IMP3
C	885	SER	-	expression tag	UNP Q9IMP3
C	886	LEU	-	expression tag	UNP Q9IMP3
C	887	LYS	-	expression tag	UNP Q9IMP3
C	888	ALA	-	expression tag	UNP Q9IMP3
C	889	ASP	-	expression tag	UNP Q9IMP3
C	890	PRO	-	expression tag	UNP Q9IMP3
C	891	SER	-	expression tag	UNP Q9IMP3
C	892	GLN	-	expression tag	UNP Q9IMP3
C	893	SER	-	expression tag	UNP Q9IMP3
C	894	ALA	-	expression tag	UNP Q9IMP3
C	895	ASN	-	expression tag	UNP Q9IMP3
C	896	LEU	-	expression tag	UNP Q9IMP3
C	897	LEU	-	expression tag	UNP Q9IMP3
C	898	ALA	-	expression tag	UNP Q9IMP3
C	899	GLU	-	expression tag	UNP Q9IMP3
C	900	ALA	-	expression tag	UNP Q9IMP3
C	901	LYS	-	expression tag	UNP Q9IMP3
C	902	LYS	-	expression tag	UNP Q9IMP3

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	903	LEU	-	expression tag	UNP Q9IMP3
C	904	ASN	-	expression tag	UNP Q9IMP3
C	905	GLY	-	expression tag	UNP Q9IMP3
C	906	ALA	-	expression tag	UNP Q9IMP3
C	907	GLN	-	expression tag	UNP Q9IMP3
C	908	ALA	-	expression tag	UNP Q9IMP3
C	909	PRO	-	expression tag	UNP Q9IMP3
C	910	LYS	-	expression tag	UNP Q9IMP3
C	911	VAL	-	expression tag	UNP Q9IMP3
C	912	ASP	-	expression tag	UNP Q9IMP3
C	913	ALA	-	expression tag	UNP Q9IMP3
C	914	ASN	-	expression tag	UNP Q9IMP3
C	915	SER	-	expression tag	UNP Q9IMP3
C	916	ALA	-	expression tag	UNP Q9IMP3
C	917	GLY	-	expression tag	UNP Q9IMP3
C	918	LYS	-	expression tag	UNP Q9IMP3
C	919	SER	-	expression tag	UNP Q9IMP3
C	920	THR	-	expression tag	UNP Q9IMP3
F	775	GLU	-	expression tag	UNP Q9IMP3
F	776	ASN	-	expression tag	UNP Q9IMP3
F	777	LEU	-	expression tag	UNP Q9IMP3
F	778	TYR	-	expression tag	UNP Q9IMP3
F	779	PHE	-	expression tag	UNP Q9IMP3
F	780	GLN	-	expression tag	UNP Q9IMP3
F	781	GLY	-	expression tag	UNP Q9IMP3
F	782	GLU	-	expression tag	UNP Q9IMP3
F	783	LEU	-	expression tag	UNP Q9IMP3
F	784	LYS	-	expression tag	UNP Q9IMP3
F	785	THR	-	expression tag	UNP Q9IMP3
F	786	ALA	-	expression tag	UNP Q9IMP3
F	787	ALA	-	expression tag	UNP Q9IMP3
F	788	LEU	-	expression tag	UNP Q9IMP3
F	789	ALA	-	expression tag	UNP Q9IMP3
F	790	GLN	-	expression tag	UNP Q9IMP3
F	791	HIS	-	expression tag	UNP Q9IMP3
F	792	ASP	-	expression tag	UNP Q9IMP3
F	793	GLU	-	expression tag	UNP Q9IMP3
F	794	ALA	-	expression tag	UNP Q9IMP3
F	795	VAL	-	expression tag	UNP Q9IMP3
F	796	ASP	-	expression tag	UNP Q9IMP3
F	797	ASN	-	expression tag	UNP Q9IMP3
F	798	LYS	-	expression tag	UNP Q9IMP3

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	799	PHE	-	expression tag	UNP Q9IMP3
F	800	ASN	-	expression tag	UNP Q9IMP3
F	801	LYS	-	expression tag	UNP Q9IMP3
F	802	GLU	-	expression tag	UNP Q9IMP3
F	803	GLN	-	expression tag	UNP Q9IMP3
F	804	GLN	-	expression tag	UNP Q9IMP3
F	805	ASN	-	expression tag	UNP Q9IMP3
F	806	ALA	-	expression tag	UNP Q9IMP3
F	807	PHE	-	expression tag	UNP Q9IMP3
F	808	TYR	-	expression tag	UNP Q9IMP3
F	809	GLU	-	expression tag	UNP Q9IMP3
F	810	ILE	-	expression tag	UNP Q9IMP3
F	811	LEU	-	expression tag	UNP Q9IMP3
F	812	HIS	-	expression tag	UNP Q9IMP3
F	813	LEU	-	expression tag	UNP Q9IMP3
F	814	PRO	-	expression tag	UNP Q9IMP3
F	815	ASN	-	expression tag	UNP Q9IMP3
F	816	LEU	-	expression tag	UNP Q9IMP3
F	817	ASN	-	expression tag	UNP Q9IMP3
F	818	GLU	-	expression tag	UNP Q9IMP3
F	819	GLU	-	expression tag	UNP Q9IMP3
F	820	GLN	-	expression tag	UNP Q9IMP3
F	821	ARG	-	expression tag	UNP Q9IMP3
F	822	ASN	-	expression tag	UNP Q9IMP3
F	823	ALA	-	expression tag	UNP Q9IMP3
F	824	PHE	-	expression tag	UNP Q9IMP3
F	825	ILE	-	expression tag	UNP Q9IMP3
F	826	GLN	-	expression tag	UNP Q9IMP3
F	827	SER	-	expression tag	UNP Q9IMP3
F	828	LEU	-	expression tag	UNP Q9IMP3
F	829	LYS	-	expression tag	UNP Q9IMP3
F	830	ASP	-	expression tag	UNP Q9IMP3
F	831	ASP	-	expression tag	UNP Q9IMP3
F	832	PRO	-	expression tag	UNP Q9IMP3
F	833	SER	-	expression tag	UNP Q9IMP3
F	834	GLN	-	expression tag	UNP Q9IMP3
F	835	SER	-	expression tag	UNP Q9IMP3
F	836	ALA	-	expression tag	UNP Q9IMP3
F	837	ASN	-	expression tag	UNP Q9IMP3
F	838	LEU	-	expression tag	UNP Q9IMP3
F	839	LEU	-	expression tag	UNP Q9IMP3
F	840	ALA	-	expression tag	UNP Q9IMP3

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	841	GLU	-	expression tag	UNP Q9IMP3
F	842	ALA	-	expression tag	UNP Q9IMP3
F	843	LYS	-	expression tag	UNP Q9IMP3
F	844	LYS	-	expression tag	UNP Q9IMP3
F	845	LEU	-	expression tag	UNP Q9IMP3
F	846	ASN	-	expression tag	UNP Q9IMP3
F	847	ASP	-	expression tag	UNP Q9IMP3
F	848	ALA	-	expression tag	UNP Q9IMP3
F	849	GLN	-	expression tag	UNP Q9IMP3
F	850	ALA	-	expression tag	UNP Q9IMP3
F	851	PRO	-	expression tag	UNP Q9IMP3
F	852	LYS	-	expression tag	UNP Q9IMP3
F	853	VAL	-	expression tag	UNP Q9IMP3
F	854	ASP	-	expression tag	UNP Q9IMP3
F	855	ASN	-	expression tag	UNP Q9IMP3
F	856	LYS	-	expression tag	UNP Q9IMP3
F	857	PHE	-	expression tag	UNP Q9IMP3
F	858	ASN	-	expression tag	UNP Q9IMP3
F	859	LYS	-	expression tag	UNP Q9IMP3
F	860	GLU	-	expression tag	UNP Q9IMP3
F	861	GLN	-	expression tag	UNP Q9IMP3
F	862	GLN	-	expression tag	UNP Q9IMP3
F	863	ASN	-	expression tag	UNP Q9IMP3
F	864	ALA	-	expression tag	UNP Q9IMP3
F	865	PHE	-	expression tag	UNP Q9IMP3
F	866	TYR	-	expression tag	UNP Q9IMP3
F	867	GLU	-	expression tag	UNP Q9IMP3
F	868	ILE	-	expression tag	UNP Q9IMP3
F	869	LEU	-	expression tag	UNP Q9IMP3
F	870	HIS	-	expression tag	UNP Q9IMP3
F	871	LEU	-	expression tag	UNP Q9IMP3
F	872	PRO	-	expression tag	UNP Q9IMP3
F	873	ASN	-	expression tag	UNP Q9IMP3
F	874	LEU	-	expression tag	UNP Q9IMP3
F	875	ASN	-	expression tag	UNP Q9IMP3
F	876	GLU	-	expression tag	UNP Q9IMP3
F	877	GLU	-	expression tag	UNP Q9IMP3
F	878	GLN	-	expression tag	UNP Q9IMP3
F	879	ARG	-	expression tag	UNP Q9IMP3
F	880	ASN	-	expression tag	UNP Q9IMP3
F	881	ALA	-	expression tag	UNP Q9IMP3
F	882	PHE	-	expression tag	UNP Q9IMP3

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	883	ILE	-	expression tag	UNP Q9IMP3
F	884	GLN	-	expression tag	UNP Q9IMP3
F	885	SER	-	expression tag	UNP Q9IMP3
F	886	LEU	-	expression tag	UNP Q9IMP3
F	887	LYS	-	expression tag	UNP Q9IMP3
F	888	ALA	-	expression tag	UNP Q9IMP3
F	889	ASP	-	expression tag	UNP Q9IMP3
F	890	PRO	-	expression tag	UNP Q9IMP3
F	891	SER	-	expression tag	UNP Q9IMP3
F	892	GLN	-	expression tag	UNP Q9IMP3
F	893	SER	-	expression tag	UNP Q9IMP3
F	894	ALA	-	expression tag	UNP Q9IMP3
F	895	ASN	-	expression tag	UNP Q9IMP3
F	896	LEU	-	expression tag	UNP Q9IMP3
F	897	LEU	-	expression tag	UNP Q9IMP3
F	898	ALA	-	expression tag	UNP Q9IMP3
F	899	GLU	-	expression tag	UNP Q9IMP3
F	900	ALA	-	expression tag	UNP Q9IMP3
F	901	LYS	-	expression tag	UNP Q9IMP3
F	902	LYS	-	expression tag	UNP Q9IMP3
F	903	LEU	-	expression tag	UNP Q9IMP3
F	904	ASN	-	expression tag	UNP Q9IMP3
F	905	GLY	-	expression tag	UNP Q9IMP3
F	906	ALA	-	expression tag	UNP Q9IMP3
F	907	GLN	-	expression tag	UNP Q9IMP3
F	908	ALA	-	expression tag	UNP Q9IMP3
F	909	PRO	-	expression tag	UNP Q9IMP3
F	910	LYS	-	expression tag	UNP Q9IMP3
F	911	VAL	-	expression tag	UNP Q9IMP3
F	912	ASP	-	expression tag	UNP Q9IMP3
F	913	ALA	-	expression tag	UNP Q9IMP3
F	914	ASN	-	expression tag	UNP Q9IMP3
F	915	SER	-	expression tag	UNP Q9IMP3
F	916	ALA	-	expression tag	UNP Q9IMP3
F	917	GLY	-	expression tag	UNP Q9IMP3
F	918	LYS	-	expression tag	UNP Q9IMP3
F	919	SER	-	expression tag	UNP Q9IMP3
F	920	THR	-	expression tag	UNP Q9IMP3


- Molecule 5 is a protein called Acidic leucine-rich nuclear phosphoprotein 32 family member A.

Mol	Chain	Residues	Atoms						AltConf	Trace
5	G	158	Total	C	H	N	O	S	0	0
			2539	786	1279	216	254	4		


There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	-13	HIS	-	expression tag	UNP P39687
G	-12	HIS	-	expression tag	UNP P39687
G	-11	HIS	-	expression tag	UNP P39687
G	-10	HIS	-	expression tag	UNP P39687
G	-9	HIS	-	expression tag	UNP P39687
G	-8	HIS	-	expression tag	UNP P39687
G	-7	LEU	-	expression tag	UNP P39687
G	-6	GLU	-	expression tag	UNP P39687
G	-5	VAL	-	expression tag	UNP P39687
G	-4	LEU	-	expression tag	UNP P39687
G	-3	PHE	-	expression tag	UNP P39687
G	-2	GLU	-	expression tag	UNP P39687
G	-1	GLY	-	expression tag	UNP P39687
G	0	PRO	-	expression tag	UNP P39687






• Molecule 3: RNA-directed RNA polymerase catalytic subunit



• Molecule 3: RNA-directed RNA polymerase catalytic subunit







## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	85000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	32.1	Depositor
Minimum defocus (nm)	2000	Depositor
Maximum defocus (nm)	3500	Depositor
Magnification	130000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.605	Depositor
Minimum map value	-0.349	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.021	Depositor
Recommended contour level	0.138	Depositor
Map size ( $\text{\AA}$ )	325.5, 325.5, 325.5	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	1.085, 1.085, 1.085	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	I	0.30	0/458	0.92	0/711
2	A	0.32	0/5764	0.46	0/7746
2	D	0.30	0/4342	0.46	0/5835
3	B	0.32	0/5661	0.47	0/7606
3	E	0.26	0/3655	0.43	0/4910
4	C	0.30	0/6259	0.47	0/8425
4	F	0.26	0/1571	0.46	0/2123
5	G	0.25	0/1274	0.44	0/1716
All	All	0.30	0/28984	0.47	0/39072

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	I	409	208	210	8	0
2	A	5646	5623	5645	63	0
2	D	4252	4298	4305	47	0
3	B	5565	5623	5639	52	0
3	E	3590	3649	3648	53	0
4	C	6148	6237	6261	68	0
4	F	1538	1563	1562	29	0
5	G	1260	1279	1281	15	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	28408	28480	28551	316	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 316 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:156:THR:OG1	3:E:157:GLU:OE2	1.92	0.86
2:A:584:ARG:NH2	3:B:501:GLU:OE1	2.16	0.79
2:A:86:GLU:N	2:A:86:GLU:OE1	2.20	0.74
2:D:390:ILE:O	2:D:622:ARG:NH1	2.19	0.74
1:I:5:G:N2	1:I:5:G:OP2	2.21	0.74

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	692/709 (98%)	663 (96%)	29 (4%)	0	100	100
2	D	523/709 (74%)	501 (96%)	22 (4%)	0	100	100
3	B	688/754 (91%)	653 (95%)	35 (5%)	0	100	100
3	E	440/754 (58%)	416 (94%)	24 (6%)	0	100	100
4	C	770/920 (84%)	724 (94%)	46 (6%)	0	100	100
4	F	193/920 (21%)	186 (96%)	7 (4%)	0	100	100
5	G	156/263 (59%)	146 (94%)	10 (6%)	0	100	100
All	All	3462/5029 (69%)	3289 (95%)	173 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	620/631 (98%)	607 (98%)	13 (2%)	48	71
2	D	468/631 (74%)	451 (96%)	17 (4%)	30	59
3	B	620/669 (93%)	605 (98%)	15 (2%)	44	67
3	E	405/669 (60%)	399 (98%)	6 (2%)	60	78
4	C	677/801 (84%)	653 (96%)	24 (4%)	31	60
4	F	170/801 (21%)	167 (98%)	3 (2%)	54	74
5	G	147/240 (61%)	145 (99%)	2 (1%)	62	79
All	All	3107/4442 (70%)	3027 (97%)	80 (3%)	42	65

5 of 80 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	D	414	TYR
3	E	61	PHE
2	D	465	SER
2	D	624	GLN
4	F	663	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 32 such sidechains are listed below:

Mol	Chain	Res	Type
3	E	414	ASN
4	F	580	ASN
4	C	113	ASN
4	C	103	ASN
4	F	610	ASN

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	I	17/47 (36%)	7 (41%)	1 (5%)

5 of 7 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	I	6	A
1	I	8	A
1	I	11	A
1	I	14	G
1	I	36	C

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	I	38	U

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-10665. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


### 6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 151




Y Index: 156




Z Index: 175


### 6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.138. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 232 nm<sup>3</sup>; this corresponds to an approximate mass of 209 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.278 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.278  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.60	-	-
Author-provided FSC curve	3.55	4.07	3.65
Unmasked-calculated*	4.40	7.90	4.59

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.40 differs from the reported value 3.6 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-10665 and PDB model 6XZQ. Per-residue inclusion information can be found in section 3 on page 13.


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.138 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.138).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 77% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.138) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div><div></div></div> 0.7650	<div><div></div></div> 0.4000
A	<div><div></div></div> 0.8280	<div><div></div></div> 0.4360
B	<div><div></div></div> 0.8460	<div><div></div></div> 0.4450
C	<div><div></div></div> 0.7990	<div><div></div></div> 0.4280
D	<div><div></div></div> 0.7250	<div><div></div></div> 0.3810
E	<div><div></div></div> 0.6600	<div><div></div></div> 0.2960
F	<div><div></div></div> 0.6580	<div><div></div></div> 0.3350
G	<div><div></div></div> 0.6860	<div><div></div></div> 0.3600
I	<div><div></div></div> 0.7480	<div><div></div></div> 0.3250

1.0

0.0

<0.0