



wwPDB EM Validation Summary Report ⓘ

Nov 13, 2024 – 10:39 AM JST

PDB ID : 8Y1E
EMDB ID : EMD-38833
Title : 3up-TM conformation of HKU1-B S protein after incubation of the receptor
Authors : Xia, L.Y.; Zhang, Y.Y.; Zhou, Q.
Deposited on : 2024-01-24
Resolution : 2.70 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	1290	71% 20% • 6%
1	B	1290	73% 18% • 6%
1	C	1290	73% 17% • 6%
2	D	384	54% 30% 6% 10%
2	E	384	55% 29% 5% 10%
2	F	384	54% 30% 6% 10%
3	G	6	17% 83%
3	L	6	33% 50% 17%
3	Q	6	17% 67% 17%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	H	2	 50%50%
4	I	2	 50%50%
4	J	2	 50%50%
4	K	2	 100%
4	M	2	 50%50%
4	N	2	 50%50%
4	O	2	 50%50%
4	P	2	 100%
4	R	2	 100%
4	S	2	 50%50%
4	T	2	 50%50%
4	U	2	 100%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 37611 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1208	Total	C	N	O	S	0	0
			9425	6003	1551	1814	57		
1	B	1208	Total	C	N	O	S	0	0
			9425	6003	1551	1814	57		
1	C	1208	Total	C	N	O	S	0	0
			9425	6003	1551	1814	57		

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	752	GLY	ARG	conflict	UNP Q14EB0
A	753	SER	ARG	conflict	UNP Q14EB0
A	754	ALA	LYS	conflict	UNP Q14EB0
A	755	SER	ARG	conflict	UNP Q14EB0
A	1067	PRO	ASN	conflict	UNP Q14EB0
A	1068	PRO	LEU	conflict	UNP Q14EB0
B	752	GLY	ARG	conflict	UNP Q14EB0
B	753	SER	ARG	conflict	UNP Q14EB0
B	754	ALA	LYS	conflict	UNP Q14EB0
B	755	SER	ARG	conflict	UNP Q14EB0
B	1067	PRO	ASN	conflict	UNP Q14EB0
B	1068	PRO	LEU	conflict	UNP Q14EB0
C	752	GLY	ARG	conflict	UNP Q14EB0
C	753	SER	ARG	conflict	UNP Q14EB0
C	754	ALA	LYS	conflict	UNP Q14EB0
C	755	SER	ARG	conflict	UNP Q14EB0
C	1067	PRO	ASN	conflict	UNP Q14EB0
C	1068	PRO	LEU	conflict	UNP Q14EB0


- Molecule 2 is a protein called Transmembrane protease serine 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	D	345	Total	C	N	O	S	0	0
			2690	1702	467	498	23		
2	E	345	Total	C	N	O	S	0	0
			2690	1702	467	498	23		
2	F	345	Total	C	N	O	S	0	0
			2690	1702	467	498	23		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	255	GLN	ARG	conflict	UNP O15393
E	255	GLN	ARG	conflict	UNP O15393
F	255	GLN	ARG	conflict	UNP O15393

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
3	G	6	Total	C	N	O	0	0
			72	40	2	30		
3	L	6	Total	C	N	O	0	0
			72	40	2	30		
3	Q	6	Total	C	N	O	0	0
			72	40	2	30		

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
4	H	2	Total	C	N	O	0	0
			28	16	2	10		
4	I	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
4	J	2	Total	C	N	O	0	0
			28	16	2	10		
4	K	2	Total	C	N	O	0	0
			28	16	2	10		
4	M	2	Total	C	N	O	0	0
			28	16	2	10		
4	N	2	Total	C	N	O	0	0
			28	16	2	10		
4	O	2	Total	C	N	O	0	0
			28	16	2	10		
4	P	2	Total	C	N	O	0	0
			28	16	2	10		
4	R	2	Total	C	N	O	0	0
			28	16	2	10		
4	S	2	Total	C	N	O	0	0
			28	16	2	10		
4	T	2	Total	C	N	O	0	0
			28	16	2	10		
4	U	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
5	A	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	B	1	Total 14	C 8	N 1	O 5	0
5	C	1	Total 14	C 8	N 1	O 5	0
5	C	1	Total 14	C 8	N 1	O 5	0
5	C	1	Total 14	C 8	N 1	O 5	0
5	C	1	Total 14	C 8	N 1	O 5	0
5	C	1	Total 14	C 8	N 1	O 5	0
5	C	1	Total 14	C 8	N 1	O 5	0
5	C	1	Total 14	C 8	N 1	O 5	0
5	C	1	Total 14	C 8	N 1	O 5	0
5	C	1	Total 14	C 8	N 1	O 5	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
5	C	1	Total	C	N	O	0
			14	8	1	5	
5	C	1	Total	C	N	O	0
			14	8	1	5	
5	C	1	Total	C	N	O	0
			14	8	1	5	
5	C	1	Total	C	N	O	0
			14	8	1	5	
5	C	1	Total	C	N	O	0
			14	8	1	5	
5	C	1	Total	C	N	O	0
			14	8	1	5	
5	C	1	Total	C	N	O	0
			14	8	1	5	

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Spike glycoprotein




- Molecule 1: Spike glycoprotein






• Molecule 1: Spike glycoprotein


Chain C: 73% 17% 6%






• Molecule 2: Transmembrane protease serine 2

Chain D: 54% 30% 6% 10%



• Molecule 2: Transmembrane protease serine 2


Chain E: 55% 29% 5% 10%





- Molecule 2: Transmembrane protease serine 2

Chain F: 54% 30% 6% 10%



- Molecule 3: alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 17% 83%



- Molecule 3: alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L: 33% 50% 17%



- Molecule 3: alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q: 17% 67% 17%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  100%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	366277	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.48	0/9653	0.60	0/13146
1	B	0.51	0/9653	0.60	1/13146 (0.0%)
1	C	0.49	0/9653	0.59	0/13146
2	D	0.47	0/2762	0.62	0/3755
2	E	0.47	0/2762	0.62	0/3755
2	F	0.47	0/2762	0.62	0/3755
All	All	0.49	0/37245	0.60	1/50703 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	3
1	C	0	2
2	D	0	3
2	E	0	3
2	F	0	3
All	All	0	15

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	902	LEU	CA-CB-CG	5.18	127.22	115.30

There are no chirality outliers.

5 of 15 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1127	GLY	Peptide
1	B	1127	GLY	Peptide
1	B	51	VAL	Peptide
1	B	930	GLU	Peptide
1	C	930	GLU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9425	0	9073	125	0
1	B	9425	0	9073	121	0
1	C	9425	0	9074	98	0
2	D	2690	0	2592	79	0
2	E	2690	0	2592	71	0
2	F	2690	0	2592	78	0
3	G	72	0	61	0	0
3	L	72	0	61	3	0
3	Q	72	0	61	2	0
4	H	28	0	25	2	0
4	I	28	0	25	0	0
4	J	28	0	25	5	0
4	K	28	0	25	0	0
4	M	28	0	25	2	0
4	N	28	0	25	0	0
4	O	28	0	25	0	0
4	P	28	0	25	0	0
4	R	28	0	25	0	0
4	S	28	0	25	0	0
4	T	28	0	25	0	0
4	U	28	0	25	0	0
5	A	238	0	221	6	0
5	B	238	0	221	4	0
5	C	238	0	221	2	0
All	All	37611	0	36142	552	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 552 close contacts within the same asymmetric unit are listed below, sorted by

their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:609:TYR:CE2	1:B:611:ASN:HB3	1.50	1.44
1:B:380:GLY:HA2	1:B:607:LEU:CD1	1.55	1.35
1:B:380:GLY:HA2	1:B:607:LEU:HD13	1.15	1.13
1:B:380:GLY:CA	1:B:607:LEU:HD13	1.79	1.11
1:B:609:TYR:CE2	1:B:611:ASN:CB	2.40	1.05

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1206/1290 (94%)	1101 (91%)	102 (8%)	3 (0%)	44	68
1	B	1206/1290 (94%)	1088 (90%)	115 (10%)	3 (0%)	44	68
1	C	1206/1290 (94%)	1096 (91%)	109 (9%)	1 (0%)	48	73
2	D	343/384 (89%)	277 (81%)	66 (19%)	0	100	100
2	E	343/384 (89%)	277 (81%)	66 (19%)	0	100	100
2	F	343/384 (89%)	277 (81%)	66 (19%)	0	100	100
All	All	4647/5022 (92%)	4116 (89%)	524 (11%)	7 (0%)	45	68

5 of 7 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	325	PRO
1	A	1128	ASN
1	B	609	TYR
1	A	605	ASN
1	B	52	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1082/1159 (93%)	931 (86%)	151 (14%)	3	7
1	B	1082/1159 (93%)	941 (87%)	141 (13%)	3	8
1	C	1082/1159 (93%)	946 (87%)	136 (13%)	3	9
2	D	293/326 (90%)	237 (81%)	56 (19%)	1	3
2	E	293/326 (90%)	237 (81%)	56 (19%)	1	3
2	F	293/326 (90%)	237 (81%)	56 (19%)	1	3
All	All	4125/4455 (93%)	3529 (86%)	596 (14%)	5	7

5 of 596 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	D	371	MET
2	F	362	LYS
2	D	440	ASP
2	D	366	LEU
2	E	372	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 66 such sidechains are listed below:

Mol	Chain	Res	Type
2	E	253	GLN
2	E	408	GLN
2	F	438	GLN
1	B	840	ASN
1	B	630	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

42 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	G	1	1,3	14,14,15	0.33	0	17,19,21	0.62	1 (5%)
3	NAG	G	2	3	14,14,15	0.22	0	17,19,21	0.55	0
3	MAN	G	3	3	11,11,12	1.39	3 (27%)	15,15,17	1.81	3 (20%)
3	MAN	G	4	3	11,11,12	0.84	0	15,15,17	1.14	2 (13%)
3	MAN	G	5	3	11,11,12	0.78	0	15,15,17	1.06	2 (13%)
3	MAN	G	6	3	11,11,12	0.72	0	15,15,17	1.26	2 (13%)
4	NAG	H	1	1,4	14,14,15	0.18	0	17,19,21	0.53	0
4	NAG	H	2	4	14,14,15	0.26	0	17,19,21	0.49	0
4	NAG	I	1	1,4	14,14,15	0.47	0	17,19,21	0.71	0
4	NAG	I	2	4	14,14,15	0.41	0	17,19,21	0.74	1 (5%)
4	NAG	J	1	1,4	14,14,15	0.30	0	17,19,21	0.62	0
4	NAG	J	2	4	14,14,15	0.56	0	17,19,21	0.54	0
4	NAG	K	1	1,4	14,14,15	0.23	0	17,19,21	0.51	0
4	NAG	K	2	4	14,14,15	0.30	0	17,19,21	0.53	0
3	NAG	L	1	1,3	14,14,15	0.33	0	17,19,21	0.62	0
3	NAG	L	2	3	14,14,15	0.22	0	17,19,21	0.54	0
3	MAN	L	3	3	11,11,12	1.38	3 (27%)	15,15,17	1.80	3 (20%)
3	MAN	L	4	3	11,11,12	0.82	0	15,15,17	1.15	2 (13%)
3	MAN	L	5	3	11,11,12	0.81	0	15,15,17	1.05	2 (13%)
3	MAN	L	6	3	11,11,12	0.74	0	15,15,17	1.27	2 (13%)
4	NAG	M	1	4	14,14,15	0.74	1 (7%)	17,19,21	0.49	0
4	NAG	M	2	4	14,14,15	0.23	0	17,19,21	0.66	1 (5%)
4	NAG	N	1	1,4	14,14,15	0.47	0	17,19,21	0.71	0
4	NAG	N	2	4	14,14,15	0.42	0	17,19,21	0.74	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	O	1	1,4	14,14,15	1.05	1 (7%)	17,19,21	0.87	0
4	NAG	O	2	4	14,14,15	0.57	0	17,19,21	0.53	0
4	NAG	P	1	1,4	14,14,15	0.23	0	17,19,21	0.50	0
4	NAG	P	2	4	14,14,15	0.30	0	17,19,21	0.53	0
3	NAG	Q	1	1,3	14,14,15	0.33	0	17,19,21	0.63	1 (5%)
3	NAG	Q	2	3	14,14,15	0.23	0	17,19,21	0.54	0
3	MAN	Q	3	3	11,11,12	1.39	3 (27%)	15,15,17	1.81	3 (20%)
3	MAN	Q	4	3	11,11,12	0.82	0	15,15,17	1.15	2 (13%)
3	MAN	Q	5	3	11,11,12	0.79	0	15,15,17	1.05	2 (13%)
3	MAN	Q	6	3	11,11,12	0.73	0	15,15,17	1.27	2 (13%)
4	NAG	R	1	1,4	14,14,15	0.31	0	17,19,21	0.40	0
4	NAG	R	2	4	14,14,15	0.24	0	17,19,21	0.58	0
4	NAG	S	1	1,4	14,14,15	0.48	0	17,19,21	0.71	0
4	NAG	S	2	4	14,14,15	0.41	0	17,19,21	0.73	1 (5%)
4	NAG	T	1	1,4	14,14,15	1.05	1 (7%)	17,19,21	0.88	0
4	NAG	T	2	4	14,14,15	0.55	0	17,19,21	0.54	0
4	NAG	U	1	1,4	14,14,15	0.23	0	17,19,21	0.50	0
4	NAG	U	2	4	14,14,15	0.31	0	17,19,21	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	G	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	G	2	3	-	2/6/23/26	0/1/1/1
3	MAN	G	3	3	-	2/2/19/22	1/1/1/1
3	MAN	G	4	3	-	2/2/19/22	0/1/1/1
3	MAN	G	5	3	-	0/2/19/22	0/1/1/1
3	MAN	G	6	3	-	2/2/19/22	0/1/1/1
4	NAG	H	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	H	2	4	-	2/6/23/26	0/1/1/1
4	NAG	I	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	I	2	4	-	1/6/23/26	0/1/1/1
4	NAG	J	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	J	2	4	-	2/6/23/26	0/1/1/1
4	NAG	K	1	1,4	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	K	2	4	-	2/6/23/26	0/1/1/1
3	NAG	L	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	L	2	3	-	2/6/23/26	0/1/1/1
3	MAN	L	3	3	-	2/2/19/22	1/1/1/1
3	MAN	L	4	3	-	2/2/19/22	0/1/1/1
3	MAN	L	5	3	-	0/2/19/22	0/1/1/1
3	MAN	L	6	3	-	2/2/19/22	0/1/1/1
4	NAG	M	1	4	-	2/6/23/26	0/1/1/1
4	NAG	M	2	4	-	2/6/23/26	0/1/1/1
4	NAG	N	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	N	2	4	-	1/6/23/26	0/1/1/1
4	NAG	O	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	O	2	4	-	2/6/23/26	0/1/1/1
4	NAG	P	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	P	2	4	-	2/6/23/26	0/1/1/1
3	NAG	Q	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	Q	2	3	-	2/6/23/26	0/1/1/1
3	MAN	Q	3	3	-	2/2/19/22	1/1/1/1
3	MAN	Q	4	3	-	2/2/19/22	0/1/1/1
3	MAN	Q	5	3	-	0/2/19/22	0/1/1/1
3	MAN	Q	6	3	-	2/2/19/22	0/1/1/1
4	NAG	R	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	R	2	4	-	2/6/23/26	0/1/1/1
4	NAG	S	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	S	2	4	-	1/6/23/26	0/1/1/1
4	NAG	T	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	T	2	4	-	2/6/23/26	0/1/1/1
4	NAG	U	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	U	2	4	-	2/6/23/26	0/1/1/1

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	T	1	NAG	O5-C1	-3.71	1.37	1.43
4	O	1	NAG	O5-C1	-3.70	1.37	1.43
4	M	1	NAG	O5-C1	-2.63	1.39	1.43
3	L	3	MAN	O5-C5	2.58	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	3	MAN	O5-C5	2.56	1.48	1.43

The worst 5 of 33 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	3	MAN	C1-O5-C5	5.47	119.60	112.19
3	Q	3	MAN	C1-O5-C5	5.45	119.58	112.19
3	L	3	MAN	C1-O5-C5	5.43	119.55	112.19
3	Q	6	MAN	C1-O5-C5	3.85	117.40	112.19
3	L	6	MAN	C1-O5-C5	3.83	117.38	112.19

There are no chirality outliers.

5 of 73 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	H	2	NAG	O5-C5-C6-O6
4	J	1	NAG	O5-C5-C6-O6
4	K	2	NAG	O5-C5-C6-O6
4	M	2	NAG	O5-C5-C6-O6
4	P	2	NAG	O5-C5-C6-O6


All (3) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	G	3	MAN	C1-C2-C3-C4-C5-O5
3	Q	3	MAN	C1-C2-C3-C4-C5-O5
3	L	3	MAN	C1-C2-C3-C4-C5-O5


5 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	L	6	MAN	3	0
3	Q	6	MAN	2	0
4	H	1	NAG	2	0
4	M	1	NAG	2	0
4	J	1	NAG	5	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









































5.6 Ligand geometry [i](#)

51 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	B	2010	1	14,14,15	0.44	0	17,19,21	0.50	0
5	NAG	A	2015	1	14,14,15	0.45	0	17,19,21	0.65	1 (5%)
5	NAG	B	2011	1	14,14,15	0.30	0	17,19,21	0.53	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	B	2015	1	14,14,15	0.22	0	17,19,21	0.55	0
5	NAG	C	2013	1	14,14,15	0.25	0	17,19,21	0.62	1 (5%)
5	NAG	B	2017	1	14,14,15	0.40	0	17,19,21	0.56	0
5	NAG	C	2004	1	14,14,15	0.26	0	17,19,21	0.51	0
5	NAG	B	2008	1	14,14,15	0.58	0	17,19,21	0.77	1 (5%)
5	NAG	A	2003	1	14,14,15	0.27	0	17,19,21	0.66	1 (5%)
5	NAG	C	2011	1	14,14,15	0.31	0	17,19,21	0.49	0
5	NAG	C	2001	1	14,14,15	0.33	0	17,19,21	0.63	1 (5%)
5	NAG	A	2011	1	14,14,15	0.34	0	17,19,21	0.43	0
5	NAG	B	2001	1	14,14,15	0.40	0	17,19,21	1.17	2 (11%)
5	NAG	A	2001	1	14,14,15	0.26	0	17,19,21	0.52	0
5	NAG	A	2007	1	14,14,15	0.30	0	17,19,21	0.50	0
5	NAG	B	2007	1	14,14,15	0.39	0	17,19,21	0.47	0
5	NAG	B	2009	1	14,14,15	0.36	0	17,19,21	0.94	1 (5%)
5	NAG	C	2015	1	14,14,15	0.39	0	17,19,21	0.47	0
5	NAG	C	2006	1	14,14,15	0.24	0	17,19,21	0.47	0
5	NAG	A	2006	1	14,14,15	0.43	0	17,19,21	0.41	0
5	NAG	A	2016	1	14,14,15	0.26	0	17,19,21	0.54	0
5	NAG	C	2017	1	14,14,15	0.25	0	17,19,21	0.50	0
5	NAG	C	2009	1	14,14,15	0.35	0	17,19,21	0.94	1 (5%)
5	NAG	C	2007	1	14,14,15	0.45	0	17,19,21	0.45	0
5	NAG	B	2016	1	14,14,15	0.48	0	17,19,21	0.57	0
5	NAG	B	2006	1	14,14,15	0.38	0	17,19,21	0.61	1 (5%)
5	NAG	C	2003	1	14,14,15	0.32	0	17,19,21	0.35	0
5	NAG	A	2005	1	14,14,15	0.45	0	17,19,21	0.39	0
5	NAG	B	2005	1	14,14,15	0.19	0	17,19,21	0.60	0
5	NAG	C	2002	1	14,14,15	0.39	0	17,19,21	0.67	1 (5%)
5	NAG	C	2010	1	14,14,15	0.29	0	17,19,21	0.48	0
5	NAG	A	2009	1	14,14,15	0.36	0	17,19,21	0.94	1 (5%)
5	NAG	B	2012	1	14,14,15	0.36	0	17,19,21	0.82	1 (5%)
5	NAG	C	2014	1	14,14,15	0.46	0	17,19,21	0.64	1 (5%)
5	NAG	A	2008	1	14,14,15	0.57	0	17,19,21	0.77	1 (5%)
5	NAG	A	2002	1	14,14,15	0.36	0	17,19,21	0.60	1 (5%)
5	NAG	C	2005	1	14,14,15	0.24	0	17,19,21	0.47	0
5	NAG	A	2013	1	14,14,15	0.40	0	17,19,21	0.42	0
5	NAG	C	2012	1	14,14,15	0.22	0	17,19,21	0.67	1 (5%)
5	NAG	A	2014	1	14,14,15	0.29	0	17,19,21	0.46	0
5	NAG	A	2004	1	14,14,15	0.37	0	17,19,21	0.53	0
5	NAG	B	2014	1	14,14,15	0.32	0	17,19,21	0.53	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	B	2003	1	14,14,15	0.46	0	17,19,21	0.36	0
5	NAG	C	2016	1	14,14,15	0.34	0	17,19,21	0.65	1 (5%)
5	NAG	C	2008	1	14,14,15	0.57	0	17,19,21	0.77	1 (5%)
5	NAG	B	2002	1	14,14,15	0.36	0	17,19,21	0.54	0
5	NAG	A	2010	1	14,14,15	0.50	0	17,19,21	0.44	0
5	NAG	B	2013	1	14,14,15	0.49	0	17,19,21	0.49	0
5	NAG	A	2012	1	14,14,15	0.21	0	17,19,21	0.74	1 (5%)
5	NAG	B	2004	1	14,14,15	0.29	0	17,19,21	0.46	0
5	NAG	A	2017	1	14,14,15	0.35	0	17,19,21	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	B	2010	1	-	2/6/23/26	0/1/1/1
5	NAG	A	2015	1	-	2/6/23/26	0/1/1/1
5	NAG	B	2011	1	-	0/6/23/26	0/1/1/1
5	NAG	B	2015	1	-	2/6/23/26	0/1/1/1
5	NAG	C	2013	1	-	2/6/23/26	0/1/1/1
5	NAG	B	2017	1	-	2/6/23/26	0/1/1/1
5	NAG	C	2004	1	-	2/6/23/26	0/1/1/1
5	NAG	B	2008	1	-	2/6/23/26	0/1/1/1
5	NAG	A	2003	1	-	2/6/23/26	0/1/1/1
5	NAG	C	2011	1	-	2/6/23/26	0/1/1/1
5	NAG	C	2001	1	-	2/6/23/26	0/1/1/1
5	NAG	A	2011	1	-	2/6/23/26	0/1/1/1
5	NAG	B	2001	1	-	0/6/23/26	0/1/1/1
5	NAG	A	2001	1	-	2/6/23/26	0/1/1/1
5	NAG	A	2007	1	-	2/6/23/26	0/1/1/1
5	NAG	B	2007	1	-	2/6/23/26	0/1/1/1
5	NAG	B	2009	1	-	2/6/23/26	0/1/1/1
5	NAG	C	2015	1	-	2/6/23/26	0/1/1/1
5	NAG	C	2006	1	-	2/6/23/26	0/1/1/1
5	NAG	A	2006	1	-	1/6/23/26	0/1/1/1
5	NAG	A	2016	1	-	0/6/23/26	0/1/1/1
5	NAG	C	2017	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	C	2009	1	-	2/6/23/26	0/1/1/1
5	NAG	C	2007	1	-	0/6/23/26	0/1/1/1
5	NAG	B	2016	1	-	2/6/23/26	0/1/1/1
5	NAG	B	2006	1	-	0/6/23/26	0/1/1/1
5	NAG	C	2003	1	-	2/6/23/26	0/1/1/1
5	NAG	A	2005	1	-	2/6/23/26	0/1/1/1
5	NAG	B	2005	1	-	0/6/23/26	0/1/1/1
5	NAG	C	2002	1	-	2/6/23/26	0/1/1/1
5	NAG	C	2010	1	-	2/6/23/26	0/1/1/1
5	NAG	A	2009	1	-	2/6/23/26	0/1/1/1
5	NAG	B	2012	1	-	2/6/23/26	0/1/1/1
5	NAG	C	2014	1	-	0/6/23/26	0/1/1/1
5	NAG	A	2008	1	-	2/6/23/26	0/1/1/1
5	NAG	A	2002	1	-	2/6/23/26	0/1/1/1
5	NAG	C	2005	1	-	2/6/23/26	0/1/1/1
5	NAG	A	2013	1	-	1/6/23/26	0/1/1/1
5	NAG	C	2012	1	-	2/6/23/26	0/1/1/1
5	NAG	A	2014	1	-	2/6/23/26	0/1/1/1
5	NAG	A	2004	1	-	2/6/23/26	0/1/1/1
5	NAG	B	2014	1	-	2/6/23/26	0/1/1/1
5	NAG	B	2003	1	-	2/6/23/26	0/1/1/1
5	NAG	C	2016	1	-	0/6/23/26	0/1/1/1
5	NAG	C	2008	1	-	2/6/23/26	0/1/1/1
5	NAG	B	2002	1	-	0/6/23/26	0/1/1/1
5	NAG	A	2010	1	-	2/6/23/26	0/1/1/1
5	NAG	B	2013	1	-	1/6/23/26	0/1/1/1
5	NAG	A	2012	1	-	2/6/23/26	0/1/1/1
5	NAG	B	2004	1	-	0/6/23/26	0/1/1/1
5	NAG	A	2017	1	-	1/6/23/26	0/1/1/1

There are no bond length outliers.

The worst 5 of 20 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	2009	NAG	C1-O5-C5	3.34	116.72	112.19
5	B	2009	NAG	C1-O5-C5	3.34	116.71	112.19
5	C	2009	NAG	C1-O5-C5	3.32	116.69	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	2012	NAG	C1-O5-C5	2.92	116.16	112.19
5	A	2008	NAG	C1-O5-C5	2.73	115.89	112.19

There are no chirality outliers.

5 of 76 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
5	C	2006	NAG	O5-C5-C6-O6
5	C	2012	NAG	O5-C5-C6-O6
5	C	2004	NAG	O5-C5-C6-O6
5	A	2012	NAG	O5-C5-C6-O6
5	C	2011	NAG	O5-C5-C6-O6



There are no ring outliers.

6 monomers are involved in 12 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	2001	NAG	2	0
5	B	2001	NAG	3	0
5	A	2001	NAG	4	0
5	A	2006	NAG	1	0
5	A	2005	NAG	1	0
5	B	2005	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.










Ligand NAG C 2013







Ligand NAG B 2017

















































Ligand NAG C 2010







Ligand NAG A 2009


































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.