



wwPDB X-ray Structure Validation Summary Report i

Jun 24, 2024 – 11:32 PM EDT

PDB ID : 6YFO
Title : Virus-like particle of bacteriophage GQ-907
Authors : Rumniks, J.; Kalnins, G.; Sisovs, M.; Lieknina, I.; Tars, K.
Deposited on : 2020-03-26
Resolution : 3.48 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:


MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.20.1
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

Continued from previous page...

Mol	Chain	Length	Quality of chain	
1	AF	131	5%	73% 27%
1	AG	131	5%	79% 21%
1	AH	131	3%	68% 32%
1	AI	131	7%	69% 31%
1	AJ	131	2%	79% 20%
1	AK	131	2%	69% 31%
1	AL	131	%	76% 24%
1	AM	131	2%	80% 19%
1	AN	131	2%	69% 31%
1	AO	131	4%	69% 31%
1	AP	131	2%	82% 17%
1	AQ	131	2%	71% 29%
1	AR	131	3%	74% 26%
1	AS	131	%	80% 19%
1	AT	131	2%	68% 32%
1	AU	131	8%	74% 26%
1	AV	131	%	80% 19%
1	AW	131	3%	69% 31%
1	AX	131	4%	73% 27%
1	AY	131	2%	82% 18%
1	AZ	131	2%	71% 29%
1	BA	131	5%	75% 25%
1	BB	131	2%	79% 20%
1	BC	131	%	70% 30%
1	BD	131	2%	76% 24%

Continued on next page...

Continued from previous page...




Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
1	DC	131	9%	74% 26%
1	DD	131	8%	82% 18%
1	DE	131	2%	67% 33%
1	DF	131	8%	77% 23%
1	DG	131	2%	78% 21%
1	DH	131	3%	67% 33%
1	DI	131	5%	69% 31%
1	DJ	131	2%	82% 18%
1	DK	131	2%	73% 27%
1	DL	131	2%	80% 20%


- Molecule 1: coat protein




- Molecule 1: coat protein



- Molecule 1: coat protein



- Molecule 1: coat protein



- Molecule 1: coat protein




- Molecule 1: coat protein







- Molecule 1: coat protein



- Molecule 1: coat protein




- Molecule 1: coat protein






- Molecule 1: coat protein




- Molecule 1: coat protein



- Molecule 1: coat protein



- Molecule 1: coat protein



- Molecule 1: coat protein






- Molecule 1: coat protein



- Molecule 1: coat protein



- Molecule 1: coat protein




- Molecule 1: coat protein






- Molecule 1: coat protein




- Molecule 1: coat protein




- Molecule 1: coat protein



- Molecule 1: coat protein



- Molecule 1: coat protein





- Molecule 1: coat protein






- Molecule 1: coat protein




- Molecule 1: coat protein




- Molecule 1: coat protein




- Molecule 1: coat protein




- Molecule 1: coat protein




- Molecule 1: coat protein




- Molecule 1: coat protein




- Molecule 1: coat protein



- Molecule 1: coat protein





- Molecule 1: coat protein




- Molecule 1: coat protein




- Molecule 1: coat protein





- Molecule 1: coat protein




- Molecule 1: coat protein



- Molecule 1: coat protein



- Molecule 1: coat protein



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	415.01 Å 335.00 Å 291.78 Å 90.00° 134.66° 90.00°	Depositor
Resolution (Å)	49.14 – 3.48 49.14 – 3.48	Depositor EDS
% Data completeness (in resolution range)	96.5 (49.14-3.48) 98.2 (49.14-3.48)	Depositor EDS
R_{merge}	0.45	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	0.97 (at 3.48 Å)	Xtriage
Refinement program	PHENIX 1.14_3260	Depositor
R , R_{free}	0.269 , 0.271 0.273 , 0.275	Depositor DCC
R_{free} test set	10004 reflections (2.83%)	wwPDB-VP
Wilson B-factor (Å ²)	121.7	Xtriage
Anisotropy	0.231	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 72.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.37$, $\langle L^2 \rangle = 0.20$	Xtriage
Estimated twinning fraction	0.079 for h+2*l,k,-h-l 0.094 for h,-k,-h-l 0.095 for -h-2*l,-k,l	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	87480	wwPDB-VP
Average B, all atoms (Å ²)	110.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	AA	0.32	0/985	0.57	0/1338
1	AB	0.31	0/985	0.57	0/1338
1	AC	0.31	0/985	0.56	0/1338
1	AD	0.32	0/985	0.57	0/1338
1	AE	0.31	0/985	0.57	0/1338
1	AF	0.31	0/985	0.57	0/1338
1	AG	0.32	0/985	0.57	0/1338
1	AH	0.31	0/985	0.57	0/1338
1	AI	0.31	0/985	0.56	0/1338
1	AJ	0.32	0/985	0.57	0/1338
1	AK	0.31	0/985	0.57	0/1338
1	AL	0.31	0/985	0.56	0/1338
1	AM	0.32	0/985	0.57	0/1338
1	AN	0.31	0/985	0.57	0/1338
1	AO	0.31	0/985	0.56	0/1338
1	AP	0.32	0/985	0.57	0/1338
1	AQ	0.31	0/985	0.57	0/1338
1	AR	0.31	0/985	0.56	0/1338
1	AS	0.32	0/985	0.57	0/1338
1	AT	0.31	0/985	0.57	0/1338
1	AU	0.31	0/985	0.56	0/1338
1	AV	0.32	0/985	0.57	0/1338
1	AW	0.31	0/985	0.57	0/1338
1	AX	0.31	0/985	0.56	0/1338
1	AY	0.32	0/985	0.57	0/1338
1	AZ	0.31	0/985	0.57	0/1338
1	BA	0.31	0/985	0.57	0/1338
1	BB	0.32	0/985	0.57	0/1338
1	BC	0.31	0/985	0.57	0/1338
1	BD	0.31	0/985	0.57	0/1338
1	BE	0.32	0/985	0.57	0/1338
1	BF	0.31	0/985	0.57	0/1338
1	BG	0.31	0/985	0.56	0/1338
1	BH	0.32	0/985	0.57	0/1338

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	BI	0.31	0/985	0.57	0/1338
1	BJ	0.31	0/985	0.56	0/1338
1	BK	0.32	0/985	0.57	0/1338
1	BL	0.31	0/985	0.57	0/1338
1	BM	0.31	0/985	0.57	0/1338
1	BN	0.32	0/985	0.57	0/1338
1	BO	0.31	0/985	0.57	0/1338
1	BP	0.31	0/985	0.57	0/1338
1	BQ	0.32	0/985	0.57	0/1338
1	BR	0.31	0/985	0.57	0/1338
1	BS	0.31	0/985	0.57	0/1338
1	BT	0.32	0/985	0.57	0/1338
1	BU	0.31	0/985	0.57	0/1338
1	BV	0.31	0/985	0.56	0/1338
1	BW	0.32	0/985	0.58	0/1338
1	BX	0.31	0/985	0.57	0/1338
1	BY	0.31	0/985	0.57	0/1338
1	BZ	0.32	0/985	0.57	0/1338
1	CA	0.31	0/985	0.57	0/1338
1	CB	0.31	0/985	0.57	0/1338
1	CC	0.32	0/985	0.57	0/1338
1	CD	0.31	0/985	0.57	0/1338
1	CE	0.31	0/985	0.56	0/1338
1	CF	0.32	0/985	0.57	0/1338
1	CG	0.31	0/985	0.57	0/1338
1	CH	0.31	0/985	0.57	0/1338
1	CI	0.32	0/985	0.57	0/1338
1	CJ	0.31	0/985	0.57	0/1338
1	CK	0.31	0/985	0.56	0/1338
1	CL	0.32	0/985	0.57	0/1338
1	CM	0.31	0/985	0.57	0/1338
1	CN	0.31	0/985	0.57	0/1338
1	CO	0.32	0/985	0.57	0/1338
1	CP	0.31	0/985	0.57	0/1338
1	CQ	0.31	0/985	0.57	0/1338
1	CR	0.32	0/985	0.57	0/1338
1	CS	0.31	0/985	0.57	0/1338
1	CT	0.31	0/985	0.57	0/1338
1	CU	0.32	0/985	0.57	0/1338
1	CV	0.31	0/985	0.57	0/1338
1	CW	0.31	0/985	0.57	0/1338
1	CX	0.32	0/985	0.57	0/1338
1	CY	0.31	0/985	0.57	0/1338

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	CZ	0.31	0/985	0.57	0/1338
1	DA	0.32	0/985	0.57	0/1338
1	DB	0.31	0/985	0.57	0/1338
1	DC	0.31	0/985	0.56	0/1338
1	DD	0.32	0/985	0.57	0/1338
1	DE	0.31	0/985	0.57	0/1338
1	DF	0.31	0/985	0.57	0/1338
1	DG	0.32	0/985	0.57	0/1338
1	DH	0.31	0/985	0.57	0/1338
1	DI	0.31	0/985	0.57	0/1338
1	DJ	0.32	0/985	0.57	0/1338
1	DK	0.31	0/985	0.57	0/1338
1	DL	0.31	0/985	0.57	0/1338
All	All	0.31	0/88650	0.57	0/120420

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	972	0	977	26	0
1	AB	972	0	977	39	0
1	AC	972	0	977	39	0
1	AD	972	0	977	25	0
1	AE	972	0	977	41	0
1	AF	972	0	977	41	0
1	AG	972	0	977	27	0
1	AH	972	0	977	38	0
1	AI	972	0	977	52	0
1	AJ	972	0	977	26	0
1	AK	972	0	977	40	0
1	AL	972	0	977	34	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AM	972	0	977	26	0
1	AN	972	0	977	33	0
1	AO	972	0	977	51	0
1	AP	972	0	977	20	1
1	AQ	972	0	977	29	0
1	AR	972	0	977	35	1
1	AS	972	0	977	28	0
1	AT	972	0	977	39	0
1	AU	972	0	977	37	0
1	AV	972	0	977	25	0
1	AW	972	0	977	38	0
1	AX	972	0	977	35	0
1	AY	972	0	977	21	0
1	AZ	972	0	977	29	0
1	BA	972	0	977	31	0
1	BB	972	0	977	24	0
1	BC	972	0	977	39	0
1	BD	972	0	977	33	0
1	BE	972	0	977	29	0
1	BF	972	0	977	41	0
1	BG	972	0	977	39	0
1	BH	972	0	977	21	0
1	BI	972	0	977	31	0
1	BJ	972	0	977	42	0
1	BK	972	0	977	24	0
1	BL	972	0	977	42	0
1	BM	972	0	977	55	0
1	BN	972	0	977	20	0
1	BO	972	0	977	36	0
1	BP	972	0	977	45	0
1	BQ	972	0	977	21	0
1	BR	972	0	977	33	0
1	BS	972	0	977	29	1
1	BT	972	0	977	24	0
1	BU	972	0	977	36	0
1	BV	972	0	977	40	0
1	BW	972	0	977	26	0
1	BX	972	0	977	43	0
1	BY	972	0	977	53	0
1	BZ	972	0	977	21	0
1	CA	972	0	977	44	0
1	CB	972	0	977	31	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	CC	972	0	977	29	0
1	CD	972	0	977	46	0
1	CE	972	0	977	51	0
1	CF	972	0	977	27	0
1	CG	972	0	977	30	2
1	CH	972	0	977	26	1
1	CI	972	0	977	28	0
1	CJ	972	0	977	34	0
1	CK	972	0	977	44	0
1	CL	972	0	977	25	0
1	CM	972	0	977	34	0
1	CN	972	0	977	42	0
1	CO	972	0	977	20	0
1	CP	972	0	977	36	0
1	CQ	972	0	977	19	0
1	CR	972	0	977	24	0
1	CS	972	0	977	36	0
1	CT	972	0	977	35	0
1	CU	972	0	977	24	0
1	CV	972	0	977	38	0
1	CW	972	0	977	35	0
1	CX	972	0	977	24	0
1	CY	972	0	977	35	0
1	CZ	972	0	977	34	0
1	DA	972	0	977	25	0
1	DB	972	0	977	35	0
1	DC	972	0	977	38	0
1	DD	972	0	977	24	0
1	DE	972	0	977	38	0
1	DF	972	0	977	32	0
1	DG	972	0	977	29	0
1	DH	972	0	977	40	0
1	DI	972	0	977	55	0
1	DJ	972	0	977	23	0
1	DK	972	0	977	28	0
1	DL	972	0	977	21	0
All	All	87480	0	87930	2312	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

The worst 5 of 2312 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:BA:16:ILE:HD13	1:CW:114:GLN:HE21	1.10	1.14
1:AX:16:ILE:HD13	1:CT:114:GLN:HE21	1.12	1.12
1:BA:114:GLN:HE21	1:CW:16:ILE:HD13	1.11	1.10
1:AX:114:GLN:HE21	1:CT:16:ILE:HD13	1.18	1.08
1:AL:16:ILE:HD13	1:CB:114:GLN:HE21	1.19	1.07

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:BS:17:THR:O	1:CH:12:THR:OG1[2_555]	2.03	0.17
1:AR:30:THR:OG1	1:CG:33:ASN:OD1[2_555]	2.04	0.16
1:AP:33:ASN:OD1	1:CG:30:THR:OG1[2_555]	2.13	0.07

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	AA	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	AB	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	AC	129/131 (98%)	129 (100%)	0	0	100 100
1	AD	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	AE	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	AF	129/131 (98%)	129 (100%)	0	0	100 100
1	AG	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	AH	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	AI	129/131 (98%)	129 (100%)	0	0	100 100
1	AJ	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	AK	129/131 (98%)	128 (99%)	1 (1%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	AL	129/131 (98%)	129 (100%)	0	0	100 100
1	AM	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	AN	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	AO	129/131 (98%)	129 (100%)	0	0	100 100
1	AP	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	AQ	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	AR	129/131 (98%)	129 (100%)	0	0	100 100
1	AS	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	AT	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	AU	129/131 (98%)	129 (100%)	0	0	100 100
1	AV	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	AW	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	AX	129/131 (98%)	129 (100%)	0	0	100 100
1	AY	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	AZ	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	BA	129/131 (98%)	129 (100%)	0	0	100 100
1	BB	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	BC	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	BD	129/131 (98%)	129 (100%)	0	0	100 100
1	BE	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	BF	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	BG	129/131 (98%)	129 (100%)	0	0	100 100
1	BH	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	BI	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	BJ	129/131 (98%)	129 (100%)	0	0	100 100
1	BK	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	BL	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	BM	129/131 (98%)	129 (100%)	0	0	100 100
1	BN	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	BO	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	BP	129/131 (98%)	129 (100%)	0	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	BQ	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	BR	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	BS	129/131 (98%)	129 (100%)	0	0	100 100
1	BT	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	BU	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	BV	129/131 (98%)	129 (100%)	0	0	100 100
1	BW	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	BX	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	BY	129/131 (98%)	129 (100%)	0	0	100 100
1	BZ	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	CA	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	CB	129/131 (98%)	129 (100%)	0	0	100 100
1	CC	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	CD	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	CE	129/131 (98%)	129 (100%)	0	0	100 100
1	CF	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	CG	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	CH	129/131 (98%)	129 (100%)	0	0	100 100
1	CI	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	CJ	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	CK	129/131 (98%)	129 (100%)	0	0	100 100
1	CL	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	CM	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	CN	129/131 (98%)	129 (100%)	0	0	100 100
1	CO	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	CP	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	CQ	129/131 (98%)	129 (100%)	0	0	100 100
1	CR	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	CS	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	CT	129/131 (98%)	129 (100%)	0	0	100 100
1	CU	129/131 (98%)	127 (98%)	2 (2%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	CV	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	CW	129/131 (98%)	129 (100%)	0	0	100 100
1	CX	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	CY	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	CZ	129/131 (98%)	129 (100%)	0	0	100 100
1	DA	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	DB	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	DC	129/131 (98%)	129 (100%)	0	0	100 100
1	DD	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	DE	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	DF	129/131 (98%)	129 (100%)	0	0	100 100
1	DG	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	DH	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	DI	129/131 (98%)	129 (100%)	0	0	100 100
1	DJ	129/131 (98%)	127 (98%)	2 (2%)	0	100 100
1	DK	129/131 (98%)	128 (99%)	1 (1%)	0	100 100
1	DL	129/131 (98%)	129 (100%)	0	0	100 100
All	All	11610/11790 (98%)	11520 (99%)	90 (1%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	AA	108/108 (100%)	107 (99%)	1 (1%)	78 91
1	AB	108/108 (100%)	108 (100%)	0	100 100
1	AC	108/108 (100%)	108 (100%)	0	100 100
1	AD	108/108 (100%)	107 (99%)	1 (1%)	78 91

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AE	108/108 (100%)	108 (100%)	0	100	100
1	AF	108/108 (100%)	108 (100%)	0	100	100
1	AG	108/108 (100%)	107 (99%)	1 (1%)	78	91
1	AH	108/108 (100%)	108 (100%)	0	100	100
1	AI	108/108 (100%)	108 (100%)	0	100	100
1	AJ	108/108 (100%)	107 (99%)	1 (1%)	78	91
1	AK	108/108 (100%)	108 (100%)	0	100	100
1	AL	108/108 (100%)	108 (100%)	0	100	100
1	AM	108/108 (100%)	107 (99%)	1 (1%)	78	91
1	AN	108/108 (100%)	108 (100%)	0	100	100
1	AO	108/108 (100%)	108 (100%)	0	100	100
1	AP	108/108 (100%)	107 (99%)	1 (1%)	78	91
1	AQ	108/108 (100%)	108 (100%)	0	100	100
1	AR	108/108 (100%)	108 (100%)	0	100	100
1	AS	108/108 (100%)	107 (99%)	1 (1%)	78	91
1	AT	108/108 (100%)	108 (100%)	0	100	100
1	AU	108/108 (100%)	108 (100%)	0	100	100
1	AV	108/108 (100%)	107 (99%)	1 (1%)	78	91
1	AW	108/108 (100%)	108 (100%)	0	100	100
1	AX	108/108 (100%)	108 (100%)	0	100	100
1	AY	108/108 (100%)	107 (99%)	1 (1%)	78	91
1	AZ	108/108 (100%)	108 (100%)	0	100	100
1	BA	108/108 (100%)	108 (100%)	0	100	100
1	BB	108/108 (100%)	107 (99%)	1 (1%)	78	91
1	BC	108/108 (100%)	108 (100%)	0	100	100
1	BD	108/108 (100%)	108 (100%)	0	100	100
1	BE	108/108 (100%)	107 (99%)	1 (1%)	78	91
1	BF	108/108 (100%)	108 (100%)	0	100	100
1	BG	108/108 (100%)	108 (100%)	0	100	100
1	BH	108/108 (100%)	107 (99%)	1 (1%)	78	91
1	BI	108/108 (100%)	108 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	BJ	108/108 (100%)	108 (100%)	0	100 100
1	BK	108/108 (100%)	107 (99%)	1 (1%)	78 91
1	BL	108/108 (100%)	108 (100%)	0	100 100
1	BM	108/108 (100%)	108 (100%)	0	100 100
1	BN	108/108 (100%)	107 (99%)	1 (1%)	78 91
1	BO	108/108 (100%)	108 (100%)	0	100 100
1	BP	108/108 (100%)	108 (100%)	0	100 100
1	BQ	108/108 (100%)	107 (99%)	1 (1%)	78 91
1	BR	108/108 (100%)	108 (100%)	0	100 100
1	BS	108/108 (100%)	108 (100%)	0	100 100
1	BT	108/108 (100%)	107 (99%)	1 (1%)	78 91
1	BU	108/108 (100%)	108 (100%)	0	100 100
1	BV	108/108 (100%)	108 (100%)	0	100 100
1	BW	108/108 (100%)	107 (99%)	1 (1%)	78 91
1	BX	108/108 (100%)	108 (100%)	0	100 100
1	BY	108/108 (100%)	108 (100%)	0	100 100
1	BZ	108/108 (100%)	107 (99%)	1 (1%)	78 91
1	CA	108/108 (100%)	108 (100%)	0	100 100
1	CB	108/108 (100%)	108 (100%)	0	100 100
1	CC	108/108 (100%)	107 (99%)	1 (1%)	78 91
1	CD	108/108 (100%)	108 (100%)	0	100 100
1	CE	108/108 (100%)	108 (100%)	0	100 100
1	CF	108/108 (100%)	107 (99%)	1 (1%)	78 91
1	CG	108/108 (100%)	108 (100%)	0	100 100
1	CH	108/108 (100%)	108 (100%)	0	100 100
1	CI	108/108 (100%)	107 (99%)	1 (1%)	78 91
1	CJ	108/108 (100%)	108 (100%)	0	100 100
1	CK	108/108 (100%)	108 (100%)	0	100 100
1	CL	108/108 (100%)	107 (99%)	1 (1%)	78 91
1	CM	108/108 (100%)	108 (100%)	0	100 100
1	CN	108/108 (100%)	108 (100%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	CO	108/108 (100%)	107 (99%)	1 (1%)	78	91
1	CP	108/108 (100%)	108 (100%)	0	100	100
1	CQ	108/108 (100%)	108 (100%)	0	100	100
1	CR	108/108 (100%)	107 (99%)	1 (1%)	78	91
1	CS	108/108 (100%)	108 (100%)	0	100	100
1	CT	108/108 (100%)	108 (100%)	0	100	100
1	CU	108/108 (100%)	107 (99%)	1 (1%)	78	91
1	CV	108/108 (100%)	108 (100%)	0	100	100
1	CW	108/108 (100%)	108 (100%)	0	100	100
1	CX	108/108 (100%)	107 (99%)	1 (1%)	78	91
1	CY	108/108 (100%)	108 (100%)	0	100	100
1	CZ	108/108 (100%)	108 (100%)	0	100	100
1	DA	108/108 (100%)	107 (99%)	1 (1%)	78	91
1	DB	108/108 (100%)	108 (100%)	0	100	100
1	DC	108/108 (100%)	108 (100%)	0	100	100
1	DD	108/108 (100%)	107 (99%)	1 (1%)	78	91
1	DE	108/108 (100%)	108 (100%)	0	100	100
1	DF	108/108 (100%)	108 (100%)	0	100	100
1	DG	108/108 (100%)	107 (99%)	1 (1%)	78	91
1	DH	108/108 (100%)	108 (100%)	0	100	100
1	DI	108/108 (100%)	108 (100%)	0	100	100
1	DJ	108/108 (100%)	107 (99%)	1 (1%)	78	91
1	DK	108/108 (100%)	108 (100%)	0	100	100
1	DL	108/108 (100%)	108 (100%)	0	100	100
All	All	9720/9720 (100%)	9690 (100%)	30 (0%)	92	97

5 of 30 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	BQ	36	ASN
1	DD	36	ASN
1	BZ	36	ASN
1	DJ	36	ASN
1	CU	36	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 61 such sidechains are listed below:

Mol	Chain	Res	Type
1	BR	29	GLN
1	DE	29	GLN
1	CA	36	ASN
1	DB	36	ASN
1	DK	29	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	AA	131/131 (100%)	0.21	4 (3%)	49	45	64, 111, 139, 160	0
1	AB	131/131 (100%)	0.02	2 (1%)	73	70	64, 109, 138, 177	0
1	AC	131/131 (100%)	0.37	9 (6%)	16	18	64, 110, 142, 191	0
1	AD	131/131 (100%)	0.14	5 (3%)	40	37	64, 111, 139, 160	0
1	AE	131/131 (100%)	0.08	3 (2%)	60	56	64, 109, 138, 177	0
1	AF	131/131 (100%)	0.08	6 (4%)	32	30	64, 110, 142, 191	0
1	AG	131/131 (100%)	0.15	6 (4%)	32	30	64, 111, 139, 160	0
1	AH	131/131 (100%)	0.14	4 (3%)	49	45	64, 109, 138, 177	0
1	AI	131/131 (100%)	0.40	9 (6%)	16	18	64, 110, 142, 191	0
1	AJ	131/131 (100%)	0.11	3 (2%)	60	56	64, 111, 139, 160	0
1	AK	131/131 (100%)	0.07	3 (2%)	60	56	64, 109, 138, 177	0
1	AL	131/131 (100%)	0.11	1 (0%)	86	82	64, 110, 142, 191	0
1	AM	131/131 (100%)	0.07	1 (0%)	86	82	64, 111, 139, 160	0
1	AN	131/131 (100%)	0.17	3 (2%)	60	56	64, 109, 138, 177	0
1	AO	131/131 (100%)	0.26	5 (3%)	40	37	64, 110, 142, 191	0
1	AP	131/131 (100%)	-0.09	2 (1%)	73	70	64, 111, 139, 160	0
1	AQ	131/131 (100%)	-0.05	3 (2%)	60	56	64, 109, 138, 177	0
1	AR	131/131 (100%)	0.15	4 (3%)	49	45	64, 110, 142, 191	0
1	AS	131/131 (100%)	0.01	1 (0%)	86	82	64, 111, 139, 160	0
1	AT	131/131 (100%)	0.12	3 (2%)	60	56	64, 109, 138, 177	0
1	AU	131/131 (100%)	0.39	11 (8%)	11	13	64, 110, 142, 191	0
1	AV	131/131 (100%)	0.04	1 (0%)	86	82	64, 111, 139, 160	0
1	AW	131/131 (100%)	-0.01	4 (3%)	49	45	64, 109, 138, 177	0
1	AX	131/131 (100%)	0.03	5 (3%)	40	37	64, 110, 142, 191	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AY	131/131 (100%)	-0.02	2 (1%) 73 70	64, 111, 139, 160	0
1	AZ	131/131 (100%)	-0.01	3 (2%) 60 56	64, 109, 138, 177	0
1	BA	131/131 (100%)	0.08	7 (5%) 26 25	64, 110, 142, 191	0
1	BB	131/131 (100%)	0.11	2 (1%) 73 70	64, 111, 139, 160	0
1	BC	131/131 (100%)	0.12	1 (0%) 86 82	64, 109, 138, 177	0
1	BD	131/131 (100%)	-0.01	3 (2%) 60 56	64, 110, 142, 191	0
1	BE	131/131 (100%)	0.31	9 (6%) 16 18	64, 111, 139, 160	0
1	BF	131/131 (100%)	0.26	7 (5%) 26 25	64, 109, 138, 177	0
1	BG	131/131 (100%)	0.16	8 (6%) 21 21	64, 110, 142, 191	0
1	BH	131/131 (100%)	0.30	12 (9%) 9 10	64, 111, 139, 160	0
1	BI	131/131 (100%)	0.02	3 (2%) 60 56	64, 109, 138, 177	0
1	BJ	131/131 (100%)	0.25	10 (7%) 13 15	64, 110, 142, 191	0
1	BK	131/131 (100%)	0.11	9 (6%) 16 18	64, 111, 139, 160	0
1	BL	131/131 (100%)	0.19	3 (2%) 60 56	64, 109, 138, 177	0
1	BM	131/131 (100%)	0.30	12 (9%) 9 10	64, 110, 142, 191	0
1	BN	131/131 (100%)	0.11	3 (2%) 60 56	64, 111, 139, 160	0
1	BO	131/131 (100%)	-0.04	5 (3%) 40 37	64, 109, 138, 177	0
1	BP	131/131 (100%)	0.32	9 (6%) 16 18	64, 110, 142, 191	0
1	BQ	131/131 (100%)	0.16	8 (6%) 21 21	64, 111, 139, 160	0
1	BR	131/131 (100%)	0.03	3 (2%) 60 56	64, 109, 138, 177	0
1	BS	131/131 (100%)	0.17	5 (3%) 40 37	64, 110, 142, 191	0
1	BT	131/131 (100%)	0.08	5 (3%) 40 37	64, 111, 139, 160	0
1	BU	131/131 (100%)	-0.01	2 (1%) 73 70	64, 109, 138, 177	0
1	BV	131/131 (100%)	0.22	11 (8%) 11 13	64, 110, 142, 191	0
1	BW	131/131 (100%)	0.18	5 (3%) 40 37	64, 111, 139, 160	0
1	BX	131/131 (100%)	0.08	3 (2%) 60 56	64, 109, 138, 177	0
1	BY	131/131 (100%)	0.15	2 (1%) 73 70	64, 110, 142, 191	0
1	BZ	131/131 (100%)	0.08	7 (5%) 26 25	64, 111, 139, 160	0
1	CA	131/131 (100%)	0.15	4 (3%) 49 45	64, 109, 138, 177	0
1	CB	131/131 (100%)	0.20	5 (3%) 40 37	64, 110, 142, 191	0
1	CC	131/131 (100%)	0.18	4 (3%) 49 45	64, 111, 139, 160	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9	
1	CD	131/131 (100%)	0.01	4 (3%)	49	45	64, 109, 138, 177	0
1	CE	131/131 (100%)	0.13	8 (6%)	21	21	64, 110, 142, 191	0
1	CF	131/131 (100%)	0.30	6 (4%)	32	30	64, 111, 139, 160	0
1	CG	131/131 (100%)	0.08	6 (4%)	32	30	64, 109, 138, 177	0
1	CH	131/131 (100%)	0.15	5 (3%)	40	37	64, 110, 142, 191	0
1	CI	131/131 (100%)	0.09	7 (5%)	26	25	64, 111, 139, 160	0
1	CJ	131/131 (100%)	-0.06	2 (1%)	73	70	64, 109, 138, 177	0
1	CK	131/131 (100%)	0.14	8 (6%)	21	21	64, 110, 142, 191	0
1	CL	131/131 (100%)	0.25	10 (7%)	13	15	64, 111, 139, 160	0
1	CM	131/131 (100%)	0.09	4 (3%)	49	45	64, 109, 138, 177	0
1	CN	131/131 (100%)	0.04	1 (0%)	86	82	64, 110, 142, 191	0
1	CO	131/131 (100%)	-0.05	2 (1%)	73	70	64, 111, 139, 160	0
1	CP	131/131 (100%)	-0.01	3 (2%)	60	56	64, 109, 138, 177	0
1	CQ	131/131 (100%)	0.01	3 (2%)	60	56	64, 110, 142, 191	0
1	CR	131/131 (100%)	0.10	6 (4%)	32	30	64, 111, 139, 160	0
1	CS	131/131 (100%)	0.10	5 (3%)	40	37	64, 109, 138, 177	0
1	CT	131/131 (100%)	0.32	16 (12%)	4	6	64, 110, 142, 191	0
1	CU	131/131 (100%)	-0.04	4 (3%)	49	45	64, 111, 139, 160	0
1	CV	131/131 (100%)	0.09	5 (3%)	40	37	64, 109, 138, 177	0
1	CW	131/131 (100%)	0.47	17 (12%)	3	5	64, 110, 142, 191	0
1	CX	131/131 (100%)	-0.01	4 (3%)	49	45	64, 111, 139, 160	0
1	CY	131/131 (100%)	-0.09	1 (0%)	86	82	64, 109, 138, 177	0
1	CZ	131/131 (100%)	0.13	4 (3%)	49	45	64, 110, 142, 191	0
1	DA	131/131 (100%)	-0.04	3 (2%)	60	56	64, 111, 139, 160	0
1	DB	131/131 (100%)	0.09	8 (6%)	21	21	64, 109, 138, 177	0
1	DC	131/131 (100%)	0.25	12 (9%)	9	10	64, 110, 142, 191	0
1	DD	131/131 (100%)	0.37	10 (7%)	13	15	64, 111, 139, 160	0
1	DE	131/131 (100%)	0.10	3 (2%)	60	56	64, 109, 138, 177	0
1	DF	131/131 (100%)	0.27	10 (7%)	13	15	64, 110, 142, 191	0
1	DG	131/131 (100%)	-0.00	3 (2%)	60	56	64, 111, 139, 160	0
1	DH	131/131 (100%)	0.04	4 (3%)	49	45	64, 109, 138, 177	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	DI	131/131 (100%)	0.17	6 (4%) 32 30	64, 110, 142, 191	0
1	DJ	131/131 (100%)	-0.01	3 (2%) 60 56	64, 111, 139, 160	0
1	DK	131/131 (100%)	-0.00	2 (1%) 73 70	64, 109, 138, 177	0
1	DL	131/131 (100%)	0.03	3 (2%) 60 56	64, 110, 142, 191	0
All	All	11790/11790 (100%)	0.12	468 (3%) 38 35	64, 110, 141, 191	0

The worst 5 of 468 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	BH	65	TYR	6.2
1	CT	88	ASN	5.8
1	CW	24	PHE	5.5
1	AU	54	LYS	5.4
1	BH	62	ASN	5.2

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.