



## Full wwPDB EM Validation Report ⓘ

Nov 4, 2024 – 02:31 PM JST

PDB ID : 7YF0  
EMDB ID : EMD-33780  
Title : In situ structure of polymerase complex of mammalian reovirus in the core  
Authors : Bao, K.Y.; Zhang, X.L.; Li, D.Y.; Zhu, P.  
Deposited on : 2022-07-07  
Resolution : 3.40 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39




# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*










The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	1275	 10% 90%
1	2	1275	 10% 90%
1	3	1275	 10% 90%
1	4	1275	 9% 91%
1	5	1275	 10% 90%
1	A	1275	 6% 84% 14%
1	B	1275	 8% 82% 17%
1	C	1275	 9% 82% 16%
1	D	1275	 8% 81% 17%

Continued on next page...



*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	E	1275	
1	a	1275	
1	b	1275	
1	c	1275	
1	d	1275	
1	e	1275	
2	H	1289	
2	I	1289	
2	J	1289	
2	K	1289	
2	L	1289	
3	R	1267	
4	U	736	



## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 143441 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA helicase.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	128	Total	C	N	O	S	0	0
			945	560	176	206	3		
1	2	128	Total	C	N	O	S	0	0
			945	560	176	206	3		
1	3	127	Total	C	N	O	S	0	0
			940	557	175	205	3		
1	4	120	Total	C	N	O	S	0	0
			879	521	162	193	3		
1	5	128	Total	C	N	O	S	0	0
			945	560	176	206	3		
1	A	1096	Total	C	N	O	S	0	0
			8628	5504	1462	1611	51		
1	B	1061	Total	C	N	O	S	0	0
			8360	5341	1415	1553	51		
1	C	1066	Total	C	N	O	S	0	0
			8409	5374	1422	1562	51		
1	D	1054	Total	C	N	O	S	0	0
			8327	5321	1408	1549	49		
1	E	1061	Total	C	N	O	S	0	0
			8385	5356	1420	1560	49		
1	a	1077	Total	C	N	O	S	0	0
			8496	5430	1443	1572	51		
1	b	1074	Total	C	N	O	S	0	0
			8470	5413	1437	1569	51		
1	c	1077	Total	C	N	O	S	0	0
			8499	5432	1443	1573	51		
1	d	1084	Total	C	N	O	S	0	0
			8547	5458	1451	1587	51		
1	e	1084	Total	C	N	O	S	0	0
			8547	5458	1451	1587	51		

- Molecule 2 is a protein called Lambda-2 protein.



Mol	Chain	Residues	Atoms					AltConf	Trace
2	H	1023	Total	C	N	O	S	0	0
			8069	5148	1374	1518	29		
2	I	1023	Total	C	N	O	S	0	0
			8069	5148	1374	1518	29		
2	J	1023	Total	C	N	O	S	0	0
			8069	5148	1374	1518	29		
2	K	1023	Total	C	N	O	S	0	0
			8069	5148	1374	1518	29		
2	L	1023	Total	C	N	O	S	0	0
			8069	5148	1374	1518	29		

- Molecule 3 is a protein called RNA-directed RNA polymerase.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	R	1065	Total	C	N	O	S	0	0
			8455	5405	1434	1556	60		

- Molecule 4 is a protein called Mu-2 protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	U	665	Total	C	N	O	S	0	0
			5312	3408	904	970	30		

- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
5	B	1	Total	Zn	0
			1	1	
5	C	1	Total	Zn	0
			1	1	
5	a	1	Total	Zn	0
			1	1	
5	b	1	Total	Zn	0
			1	1	
5	c	1	Total	Zn	0
			1	1	
5	d	1	Total	Zn	0
			1	1	
5	e	1	Total	Zn	0
			1	1	








ARG	THR	PRO	GLN	ASP	LEU	VAL
THR	PRO	LEU	SER	PRO	VAL	GLY
ASN	THR	ALA	THR	THR	VAL	THR
ILE	SER	LEU	HIS	MET	LEU	PRO
THR	ILE	TRP	LEU	THR	VAL	LEU
ASN	SER	GLN	TRP	GLN	ALA	ALA
PRO	VAL	MET	SER	LEU	GLN	LEU
ASP	THR	ASN	PRO	ALA	ILE	ASP
PRO	THR	THR	LEU	ALA	GLU	ALA
ALA	PHE	ARG	ALA	GLN	SER	ARG
PRO	MET	TYR	PRO	TYR	THR	ALA
PRO	VAL	PHE	PRO	GLN	GLN	ILE
THR	PRO	ASN	PRO	GLN	TYR	THR
GLN	ILE	GLN	ASP	TYR	PRO	VAL
ILE	SER	GLN	LEU	ASN	VAL	ALA
GLN	SER	PHE	ASP	GLY	ASP	VAL
LEU	ASP	ASP	PHE	LEU	ARG	LEU
PRO	HIS	ALA	ASP	THR	TYR	SER
GLU	ASP	TRP	ARG	PHE	LEU	GLY
VAL	ILE	ILE	ASP	ASP	LEU	LYS
VAL	ILE	ILE	ASP	VAL	TRP	PRO
THR	SER	THR	THR	VAL	ILE	TYR
ASP	SER	THR	PRO	ILE	ILE	PRO
LEU	ALA	GLY	GLY	PRO	PRO	ASP
TYR	PRO	GLU	VAL	GLU	SER	ASP
ASN	ALA	LEU	HIS	MET	LEU	LEU
VAL	VAL	ARG	ILE	PRO	ARG	VAL
VAL	GLN	ILE	PHE	ILE	ALA	THR
THR	THR	ARG	GLY	GLY	SER	ALA
ARG	ILE	ILE	ARG	VAL	ASN	VAL
TYR	ILE	ILE	ASP	ILE	ALA	TRP
ALA	SER	THR	CYS	ALA	THR	TYR
TYR	THR	THR	ARG	ASP	ALA	ALA
GLU	GLU	GLU	ILE	CYS	ALA	ASP
THR	THR	TYR	SER	TYR	VAL	ALA
PRO	ASN	PRO	PHE	GLN	PHE	ILE
PRO	ASP	TYR	GLY	LEU	LEU	TYR
ILE	ARG	MET	MET	THR	GLU	PRO
THR	SER	LEU	ASN	ALA	TRP	MET
ALA	LEU	HIS	GLY	GLU	VAL	TYR
VAL	PHE	TYR	ALA	VAL	ASN	ALA
VAL	CYS	TYR	ALA	PHE	THR	ASP
MET	THR	ASP	PRO	ASN	SER	THR
GLY	SER	PRO	MET	HIS	MET	GLU
VAL	SER	ARG	ILE	GLU	LYS	VAL
PRO	SER	GLN	ARG	TYR	THR	PHE
	SER	TYR	ASP	ASN	ALA	SER
	PRO	ALA	PRO	LEU	PHE	ASN
	GLN	THR	THR	PHE	ASP	LEU
	ILE	ALA	GLY	GLY	LEU	GLN
	ILE	TRP	MET	ILE	SER	ARG
	ALA	ASN	MET	ALA	ASP	ASP
	GLY	LEU	VAL	ARG	MET	LEU
	PRO	THR	PRO	GLY	LEU	ILE
	ASP	SER	PHE	ASP	LEU	THR
	LYS	ALA	GLY	ILE	GLU	CYS
	HIS	TRP	GLY	ILE	PRO	GLY
	ILE	THR	THR	ASN	LEU	VAL
	PRO	ILE	TRP	ILE	LEU	VAL
	THR	GLU	GLU	GLY	LEU	GLN
	GLU	ILE	PHE	VAL	CYS	THR

- Molecule 1: RNA helicase










[illegible]


- Molecule 1: RNA helicase

Chain 4:  9% 91%






- Molecule 1: RNA helicase















• Molecule 1: RNA helicase





• Molecule 1: RNA helicase







- Molecule 1: RNA helicase



- Molecule 1: RNA helicase
























• Molecule 1: RNA helicase





• Molecule 1: RNA helicase









• Molecule 2: Lambda-2 protein




• Molecule 2: Lambda-2 protein













• Molecule 2: Lambda-2 protein










LEU	PHE	LEU	SER	ALA	PRO	PRO	ASP	MET	ARG	GLU	TRP	ALA	VAL	LYS	GLU	SER	SER	GLY	ASN	THR	ILE	CYS	ILE	LEU	LEU	ASN	SER	PRO	PRO	GLY	PHE	ILE	PRO	PRO	GLN	ASP	ASP	THR	THR	ASP	ASP	VAL	LEU	THR	THR	THR	ILE	SER	TRP	SER	PRO	SER	LEU	PRO	THR	THR	THR	VAL	VAL	PRO	PRO	GLY	ASP	THR	THR	THR	LEU																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
PRO	LEU																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							</



• Molecule 3: RNA-directed RNA polymerase



MET	SER	S3	L6	E14	D21	D25	E28	K32	A33	F34	R39	S40	D41	K44	D47	E48	E53	D54	A55	M56	D70	S71	D76	A77	L78	N79	R82	R83	K84	D90	D91	E101	L102	L103	E104	P105	H106	E107	T108	L109	R114	L115	S116															
E117	E120	N121	R122	A123	K124	D125	G126	D127	E141	L151	E152	K153	F154	L158	E162	G165	D169	L172	E177	G180	L181	R191	R195	G199	P200	P202	D203	R204	Y209	L210	S211	A212	R221	L230	S231	D232	L245	R251	F277																			
E287	L300	E301	D305	Y306	K307	M314	K319	D328	K329	R349	D358	D367	L377	E388	E394	I395	K396	Q401	R402	D403	D416	R423	R435	R441	D444	P445	L446	F447	Q448	A449	M451	R452	S453	GLN	TYR	VAL	THR	ALA	ARG	GLY																		
GLY	SER	GLY	ALA	THR	LEU	ARG	GLU	SER	LEU	TYR	ALA	ILE	ASN	VAL	SER	LEU	PRO	ASP	PHE	LYS	GLY	LEU	PRO	VAL	LYS	ALA	ALA	THR	LYS	ILE	PHE	GLN	ALA	ALA	LEU	ASN	LEU	ALA	ILE	A511	D512	T513	S514	M515	G516	LEU	ARG	ASN	GLN									
VAL	GLN	ARG	ARG	PRO	ARG	SER	ILE	MET	PRO	LEU	ASN	VAL	P534	Q535	Q536	Q537	H552	M553	N554	L555	T558	S559	GLY	ALA	VAL	ILE	E565	K566	L570	D590	D596	M620	E630	V635	R636	R639	L651	R657	G658	F659	R662	V663	N664	D665	S666	F667												
G670	M671	D672	P681	S682	G683	S684	T685	A686	T687	E690	N695	D712	D715	K721	R727	Q732	G733	D734	E758	E765	E766	D772	L782	R791	R797	K803	E804	S808	Q820	I821	M822	Q834	W835	Q836	R837	F849	S850	R851	Q852																			
R853	T854	MET	GLY	GLU	SER	VAL	G861	Y862	L875	K879	D884	D896	R912	A916	N917	G918	D922	F928	D932	Y933	R934	E939	L940	L951	P952	R953	N954	P955	K956	K957	SER	GLY	ARG	ALA	ALA	PRO	ARG	GLU	VAL	GLU	GLN	PHE	THR	GLN	ALA	LEU												
SER	ASP	TYR	LEU	MET	GLN	ASN	PRO	GLU	LYS	ARG	SER	VAL	LEU	ARG	GLY	ARG	GLU	SER	GLU	TRP	GLY	LYS	TYR	GLY	ALA	ILE	ILE	HIS	ASN	PRO	PRO	SER	LEU	PHE	ASP	VAL	PRO	HIS	LYS	TRP	TYR	GLN	GLY	ALA	GLN	GLU	ALA	ALA	THR	ALA	T1027	R1028	E1029	E1030	L1031	A1032	E1033	M1034
D1035	E1036	T1037	M1038	R1039	R1040	A1041	R1042	K1043	E1054	L1057	R1062	E1065	E1068	D1072	L1073	R1074	L1077	D1082	N1085	M1098	L1099	Q1100	SER	THR	ARG	LYS	TYR	PHE	ALA	GLN	THR	PHE	MET	ALA	LYS	THR	VAL	SER	GLY	LEU	ASP	VAL	N1122	A1123	T1124	D1125	S1126	A1127										
L1128	L1129	R1130	L1131	L1132	T1133	L1134	G1135	A1136	ASP	LYS	LYS	ALA	THR	LEU	THR	GLN	ALA	MET	VAL	GLY	LEU	GLN	GLY	SER	GLU	ASP	ALA	L1158	A1159	G1160	K1161	I1162	M1163	L1164	Q1165	D1166	V1167	M1168	T1169	V1170	Q1171	L1172	A1173	R1174	M1177	D1182	M1185	D1190	K1202	D1203	L1207							
N1208	T1209	D1210	I1211	R1214	M1215	R1223	F1224	L1225	M1229	G1235	E1243	D1244	L1252	R1255	M1260	R1261	Q1262	E1263	GLY	ARG	SER	ALA																																				



• Molecule 4: Mu-2 protein





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	62584	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	30	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.764	Depositor
Minimum map value	-0.940	Depositor
Average map value	0.021	Depositor
Map value standard deviation	0.128	Depositor
Recommended contour level	0.5	Depositor
Map size (Å)	435.2, 435.2, 435.2	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.36, 1.36, 1.36	Depositor



## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	1	0.34	0/956	0.54	0/1290
1	2	0.34	0/956	0.56	0/1290
1	3	0.33	0/951	0.53	0/1283
1	4	0.32	0/888	0.54	0/1196
1	5	0.33	0/956	0.58	0/1290
1	A	0.38	0/8856	0.61	7/12127 (0.1%)
1	B	0.37	0/8586	0.60	2/11761 (0.0%)
1	C	0.37	0/8636	0.61	3/11827 (0.0%)
1	D	0.38	0/8553	0.61	7/11717 (0.1%)
1	E	0.38	0/8612	0.60	3/11798 (0.0%)
1	a	0.36	0/8727	0.59	2/11954 (0.0%)
1	b	0.37	0/8701	0.60	4/11919 (0.0%)
1	c	0.37	0/8730	0.61	5/11959 (0.0%)
1	d	0.37	0/8779	0.61	4/12027 (0.0%)
1	e	0.38	0/8779	0.60	2/12027 (0.0%)
2	H	0.31	0/8271	0.58	4/11279 (0.0%)
2	I	0.31	0/8271	0.58	4/11279 (0.0%)
2	J	0.31	0/8271	0.58	4/11279 (0.0%)
2	K	0.31	0/8271	0.58	4/11279 (0.0%)
2	L	0.31	0/8271	0.58	4/11279 (0.0%)
3	R	0.36	0/8672	0.61	6/11770 (0.1%)
4	U	0.34	0/5428	0.62	2/7364 (0.0%)
All	All	0.35	0/147121	0.60	67/200994 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	5	0	2

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	2
1	C	0	2
1	D	0	2
1	E	0	2
1	a	0	2
1	b	0	2
1	c	0	1
1	d	0	3
1	e	0	3
2	H	0	2
2	I	0	2
2	J	0	2
2	K	0	2
2	L	0	2
4	U	0	3
All	All	0	37

There are no bond length outliers.

All (67) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1170	ILE	C-N-CA	10.07	146.88	121.70
3	R	203	ASP	CB-CG-OD1	9.26	126.63	118.30
1	D	1070	ASP	CB-CG-OD1	9.15	126.53	118.30
1	C	616	ASP	CB-CG-OD1	8.25	125.72	118.30
1	A	739	LEU	CA-CB-CG	7.70	133.01	115.30
2	K	295	ASP	CB-CG-OD1	7.49	125.04	118.30
2	H	295	ASP	CB-CG-OD1	7.48	125.03	118.30
2	J	295	ASP	CB-CG-OD1	7.47	125.02	118.30
2	I	295	ASP	CB-CG-OD1	7.45	125.00	118.30
1	d	984	LEU	CA-CB-CG	7.44	132.42	115.30
2	L	295	ASP	CB-CG-OD1	7.43	124.99	118.30
1	C	984	LEU	CA-CB-CG	6.93	131.25	115.30
1	b	984	LEU	CA-CB-CG	6.89	131.14	115.30
1	B	984	LEU	CA-CB-CG	6.85	131.05	115.30
1	a	984	LEU	CA-CB-CG	6.74	130.80	115.30
2	H	988	LEU	CA-CB-CG	6.66	130.62	115.30
2	I	988	LEU	CA-CB-CG	6.66	130.62	115.30
1	A	1259	ARG	NE-CZ-NH1	-6.65	116.98	120.30
2	J	988	LEU	CA-CB-CG	6.65	130.59	115.30
2	K	988	LEU	CA-CB-CG	6.64	130.57	115.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	988	LEU	CA-CB-CG	6.64	130.57	115.30
1	E	846	MET	CA-CB-CG	6.47	124.30	113.30
1	c	984	LEU	CA-CB-CG	6.47	130.18	115.30
1	A	616	ASP	CB-CG-OD1	6.31	123.98	118.30
4	U	215	CYS	N-CA-C	-6.25	94.13	111.00
2	K	63	LEU	CA-CB-CG	6.25	129.67	115.30
2	L	63	LEU	CA-CB-CG	6.25	129.67	115.30
2	I	63	LEU	CA-CB-CG	6.23	129.63	115.30
2	H	63	LEU	CA-CB-CG	6.23	129.62	115.30
2	J	63	LEU	CA-CB-CG	6.21	129.58	115.30
1	b	367	LEU	CA-CB-CG	6.11	129.34	115.30
1	A	984	LEU	CA-CB-CG	6.07	129.27	115.30
1	D	616	ASP	CB-CG-OD1	6.06	123.76	118.30
1	d	248	LEU	CA-CB-CG	5.96	129.00	115.30
1	A	549	LEU	CA-CB-CG	5.93	128.93	115.30
1	E	984	LEU	CA-CB-CG	5.89	128.84	115.30
3	R	940	LEU	CA-CB-CG	5.76	128.54	115.30
1	c	1235	LEU	CA-CB-CG	5.76	128.54	115.30
3	R	1207	LEU	CA-CB-CG	5.72	128.47	115.30
1	a	875	LEU	CA-CB-CG	5.68	128.38	115.30
3	R	1215	MET	CA-CB-CG	5.64	122.88	113.30
1	D	308	THR	C-N-CA	5.61	135.72	121.70
4	U	249	ILE	C-N-CA	5.58	135.66	121.70
2	J	483	LEU	CA-CB-CG	5.50	127.95	115.30
2	H	483	LEU	CA-CB-CG	5.50	127.94	115.30
2	L	483	LEU	CA-CB-CG	5.50	127.94	115.30
2	K	483	LEU	CA-CB-CG	5.49	127.92	115.30
2	I	483	LEU	CA-CB-CG	5.47	127.87	115.30
1	D	578	LEU	CA-CB-CG	5.45	127.84	115.30
1	D	615	LYS	C-N-CA	5.45	135.33	121.70
1	c	949	LEU	CA-CB-CG	5.45	127.84	115.30
1	E	755	LEU	CA-CB-CG	5.42	127.75	115.30
1	b	895	LEU	CA-CB-CG	5.40	127.73	115.30
3	R	202	PRO	C-N-CA	5.36	135.10	121.70
1	c	875	LEU	CA-CB-CG	5.35	127.60	115.30
1	D	838	LEU	CA-CB-CG	5.28	127.45	115.30
1	e	1151	TYR	C-N-CA	-5.27	108.54	121.70
1	e	474	ILE	C-N-CA	5.26	134.86	121.70
1	b	875	LEU	CA-CB-CG	5.22	127.31	115.30
1	A	549	LEU	CB-CG-CD2	-5.20	102.17	111.00
1	d	740	LEU	CA-CB-CG	5.19	127.23	115.30
1	D	984	LEU	CA-CB-CG	5.17	127.19	115.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	1252	ASP	CB-CG-OD1	5.16	122.95	118.30
1	d	616	ASP	CB-CG-OD1	5.15	122.94	118.30
1	A	755	LEU	CA-CB-CG	5.13	127.09	115.30
1	c	1004	TYR	C-N-CA	5.10	134.44	121.70
3	R	651	LEU	CA-CB-CG	5.04	126.88	115.30

There are no chirality outliers.

All (37) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	5	54	LYS	Peptide
1	5	55	ALA	Peptide
1	A	1110	PHE	Peptide
1	A	697	ILE	Peptide
1	A	700	PRO	Peptide
1	B	501	VAL	Peptide
1	B	526	GLY	Peptide
1	C	1110	PHE	Peptide
1	C	526	GLY	Peptide
1	D	1213	ASN	Peptide
1	D	981	ASP	Peptide
1	E	309	ARG	Peptide
1	E	981	ASP	Peptide
2	H	1002	SER	Peptide
2	H	606	THR	Peptide
2	I	1002	SER	Peptide
2	I	606	THR	Peptide
2	J	1002	SER	Peptide
2	J	606	THR	Peptide
2	K	1002	SER	Peptide
2	K	606	THR	Peptide
2	L	1002	SER	Peptide
2	L	606	THR	Peptide
4	U	320	MET	Peptide
4	U	378	PRO	Peptide
4	U	453	GLU	Peptide
1	a	1110	PHE	Peptide
1	a	285	PHE	Peptide
1	b	1110	PHE	Peptide
1	b	945	VAL	Peptide
1	c	945	VAL	Peptide
1	d	1110	PHE	Peptide

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	d	338	LEU	Peptide
1	d	945	VAL	Peptide
1	e	1110	PHE	Peptide
1	e	563	VAL	Peptide
1	e	945	VAL	Peptide

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	126/1275 (10%)	114 (90%)	12 (10%)	0	100	100
1	2	126/1275 (10%)	116 (92%)	10 (8%)	0	100	100
1	3	125/1275 (10%)	115 (92%)	10 (8%)	0	100	100
1	4	116/1275 (9%)	108 (93%)	8 (7%)	0	100	100
1	5	126/1275 (10%)	110 (87%)	14 (11%)	2 (2%)	8	29
1	A	1090/1275 (86%)	1024 (94%)	65 (6%)	1 (0%)	48	78
1	B	1057/1275 (83%)	989 (94%)	65 (6%)	3 (0%)	37	66
1	C	1058/1275 (83%)	986 (93%)	70 (7%)	2 (0%)	44	72
1	D	1050/1275 (82%)	986 (94%)	61 (6%)	3 (0%)	37	66
1	E	1059/1275 (83%)	992 (94%)	67 (6%)	0	100	100
1	a	1071/1275 (84%)	999 (93%)	72 (7%)	0	100	100
1	b	1068/1275 (84%)	991 (93%)	76 (7%)	1 (0%)	48	78
1	c	1071/1275 (84%)	987 (92%)	83 (8%)	1 (0%)	48	78
1	d	1080/1275 (85%)	1000 (93%)	79 (7%)	1 (0%)	48	78

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	e	1080/1275 (85%)	997 (92%)	81 (8%)	2 (0%)	44	72
2	H	1021/1289 (79%)	949 (93%)	72 (7%)	0	100	100
2	I	1021/1289 (79%)	949 (93%)	72 (7%)	0	100	100
2	J	1021/1289 (79%)	949 (93%)	72 (7%)	0	100	100
2	K	1021/1289 (79%)	949 (93%)	72 (7%)	0	100	100
2	L	1021/1289 (79%)	948 (93%)	73 (7%)	0	100	100
3	R	1049/1267 (83%)	988 (94%)	61 (6%)	0	100	100
4	U	653/736 (89%)	599 (92%)	51 (8%)	3 (0%)	25	54
All	All	18110/27573 (66%)	16845 (93%)	1246 (7%)	19 (0%)	50	78

All (19) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	1214	SER
1	D	310	TRP
1	D	1214	SER
1	c	310	TRP
1	e	310	TRP
1	5	55	ALA
4	U	473	LEU
4	U	588	PHE
1	e	562	THR
1	A	339	LEU
1	5	56	ARG
1	B	528	ASN
1	C	527	ASN
1	C	1253	LEU
4	U	79	PRO
1	B	527	ASN
1	D	616	ASP
1	b	1058	PRO
1	d	620	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.



The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	101/1113 (9%)	98 (97%)	3 (3%)	36	61
1	2	101/1113 (9%)	97 (96%)	4 (4%)	27	52
1	3	101/1113 (9%)	99 (98%)	2 (2%)	50	70
1	4	94/1113 (8%)	90 (96%)	4 (4%)	25	50
1	5	101/1113 (9%)	98 (97%)	3 (3%)	36	61
1	A	969/1113 (87%)	949 (98%)	20 (2%)	48	69
1	B	936/1113 (84%)	928 (99%)	8 (1%)	75	86
1	C	941/1113 (84%)	931 (99%)	10 (1%)	70	81
1	D	934/1113 (84%)	920 (98%)	14 (2%)	60	76
1	E	940/1113 (84%)	929 (99%)	11 (1%)	67	80
1	a	951/1113 (85%)	940 (99%)	11 (1%)	67	80
1	b	948/1113 (85%)	937 (99%)	11 (1%)	67	80
1	c	952/1113 (86%)	938 (98%)	14 (2%)	60	76
1	d	958/1113 (86%)	948 (99%)	10 (1%)	73	83
1	e	958/1113 (86%)	941 (98%)	17 (2%)	54	73
2	H	884/1118 (79%)	872 (99%)	12 (1%)	62	77
2	I	884/1118 (79%)	872 (99%)	12 (1%)	62	77
2	J	884/1118 (79%)	872 (99%)	12 (1%)	62	77
2	K	884/1118 (79%)	872 (99%)	12 (1%)	62	77
2	L	884/1118 (79%)	872 (99%)	12 (1%)	62	77
3	R	921/1084 (85%)	906 (98%)	15 (2%)	58	75
4	U	590/650 (91%)	580 (98%)	10 (2%)	56	74
All	All	15916/24019 (66%)	15689 (99%)	227 (1%)	62	77

All (227) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1	76	ASN
1	1	93	ASN
1	1	146	ASN
1	2	76	ASN
1	2	93	ASN
1	2	129	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	2	146	ASN
1	3	76	ASN
1	3	129	ASN
1	4	49	ASN
1	4	117	LYS
1	4	129	ASN
1	4	146	ASN
1	5	76	ASN
1	5	129	ASN
1	5	146	ASN
1	A	392	ARG
1	A	410	ARG
1	A	415	ASN
1	A	441	ASN
1	A	502	ASN
1	A	503	ARG
1	A	585	ASN
1	A	720	ARG
1	A	763	ASN
1	A	778	ASN
1	A	840	ARG
1	A	854	ARG
1	A	970	ASN
1	A	1032	ASN
1	A	1049	ARG
1	A	1120	ARG
1	A	1158	ASN
1	A	1233	ASN
1	A	1237	ASN
1	A	1264	THR
1	B	241	ASN
1	B	415	ASN
1	B	725	ASN
1	B	732	LEU
1	B	749	ASN
1	B	778	ASN
1	B	840	ARG
1	B	1032	ASN
1	C	313	ASN
1	C	720	ARG
1	C	725	ASN
1	C	759	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	C	778	ASN
1	C	856	THR
1	C	1032	ASN
1	C	1095	ARG
1	C	1158	ASN
1	C	1237	ASN
1	D	313	ASN
1	D	415	ASN
1	D	436	ARG
1	D	528	ASN
1	D	585	ASN
1	D	725	ASN
1	D	749	ASN
1	D	778	ASN
1	D	837	ARG
1	D	994	MET
1	D	1032	ASN
1	D	1158	ASN
1	D	1205	ASN
1	D	1237	ASN
1	E	276	VAL
1	E	401	LYS
1	E	441	ASN
1	E	502	ASN
1	E	582	ARG
1	E	585	ASN
1	E	725	ASN
1	E	854	ARG
1	E	1032	ASN
1	E	1120	ARG
1	E	1158	ASN
2	H	21	ARG
2	H	23	ARG
2	H	44	ARG
2	H	112	ASN
2	H	324	ASN
2	H	351	VAL
2	H	380	ARG
2	H	507	ARG
2	H	733	ASN
2	H	809	MET
2	H	862	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
2	H	927	ASN
2	I	21	ARG
2	I	23	ARG
2	I	44	ARG
2	I	112	ASN
2	I	324	ASN
2	I	351	VAL
2	I	380	ARG
2	I	507	ARG
2	I	733	ASN
2	I	809	MET
2	I	862	ASN
2	I	927	ASN
2	J	21	ARG
2	J	23	ARG
2	J	44	ARG
2	J	112	ASN
2	J	324	ASN
2	J	351	VAL
2	J	380	ARG
2	J	507	ARG
2	J	733	ASN
2	J	809	MET
2	J	862	ASN
2	J	927	ASN
2	K	21	ARG
2	K	23	ARG
2	K	44	ARG
2	K	112	ASN
2	K	324	ASN
2	K	351	VAL
2	K	380	ARG
2	K	507	ARG
2	K	733	ASN
2	K	809	MET
2	K	862	ASN
2	K	927	ASN
2	L	21	ARG
2	L	23	ARG
2	L	44	ARG
2	L	112	ASN
2	L	324	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
2	L	351	VAL
2	L	380	ARG
2	L	507	ARG
2	L	733	ASN
2	L	809	MET
2	L	862	ASN
2	L	927	ASN
3	R	79	ASN
3	R	83	ARG
3	R	114	ARG
3	R	314	MET
3	R	423	ARG
3	R	441	ARG
3	R	452	ARG
3	R	636	ARG
3	R	657	ARG
3	R	695	ASN
3	R	954	ASN
3	R	1085	ASN
3	R	1122	ASN
3	R	1208	ASN
3	R	1261	ARG
4	U	90	ASN
4	U	103	ARG
4	U	119	ASN
4	U	312	ARG
4	U	560	LYS
4	U	561	ASN
4	U	695	LYS
4	U	711	MET
4	U	712	ARG
4	U	732	ARG
1	a	218	ARG
1	a	243	LYS
1	a	436	ARG
1	a	473	ASN
1	a	558	ASN
1	a	654	ASN
1	a	763	ASN
1	a	982	MET
1	a	1032	ASN
1	a	1154	ARG

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	a	1158	ASN
1	b	243	LYS
1	b	331	ASN
1	b	392	ARG
1	b	436	ARG
1	b	654	ASN
1	b	763	ASN
1	b	825	MET
1	b	840	ARG
1	b	1010	ASN
1	b	1032	ASN
1	b	1158	ASN
1	c	243	LYS
1	c	357	ASN
1	c	502	ASN
1	c	511	ASN
1	c	524	ASN
1	c	544	GLN
1	c	585	ASN
1	c	763	ASN
1	c	780	ARG
1	c	804	LYS
1	c	982	MET
1	c	994	MET
1	c	1032	ASN
1	c	1154	ARG
1	d	242	ARG
1	d	392	ARG
1	d	439	MET
1	d	511	ASN
1	d	528	ASN
1	d	763	ASN
1	d	840	ARG
1	d	982	MET
1	d	1123	ASN
1	d	1158	ASN
1	e	242	ARG
1	e	347	ARG
1	e	392	ARG
1	e	436	ARG
1	e	439	MET
1	e	473	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	e	524	ASN
1	e	528	ASN
1	e	654	ASN
1	e	686	ARG
1	e	720	ARG
1	e	763	ASN
1	e	812	GLN
1	e	840	ARG
1	e	994	MET
1	e	1032	ASN
1	e	1237	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (235) such sidechains are listed below:

Mol	Chain	Res	Type
1	1	63	GLN
1	1	93	ASN
1	2	76	ASN
1	2	86	ASN
1	2	93	ASN
1	2	129	ASN
1	2	131	ASN
1	3	129	ASN
1	3	141	ASN
1	3	146	ASN
1	4	49	ASN
1	4	109	GLN
1	4	119	GLN
1	4	129	ASN
1	4	146	ASN
1	5	76	ASN
1	5	129	ASN
1	5	146	ASN
1	A	278	GLN
1	A	375	HIS
1	A	382	HIS
1	A	502	ASN
1	A	527	ASN
1	A	537	GLN
1	A	585	ASN
1	A	625	ASN
1	A	763	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	778	ASN
1	A	970	ASN
1	A	1000	GLN
1	A	1002	GLN
1	A	1032	ASN
1	A	1116	GLN
1	A	1158	ASN
1	A	1233	ASN
1	A	1237	ASN
1	B	241	ASN
1	B	246	GLN
1	B	340	ASN
1	B	357	ASN
1	B	375	HIS
1	B	382	HIS
1	B	415	ASN
1	B	518	GLN
1	B	527	ASN
1	B	528	ASN
1	B	725	ASN
1	B	774	ASN
1	B	778	ASN
1	B	1000	GLN
1	B	1002	GLN
1	B	1032	ASN
1	B	1107	ASN
1	C	278	GLN
1	C	313	ASN
1	C	654	ASN
1	C	725	ASN
1	C	774	ASN
1	C	778	ASN
1	C	1000	GLN
1	C	1002	GLN
1	C	1032	ASN
1	C	1124	GLN
1	C	1158	ASN
1	C	1237	ASN
1	D	357	ASN
1	D	415	ASN
1	D	527	ASN
1	D	585	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	D	725	ASN
1	D	778	ASN
1	D	1032	ASN
1	D	1036	ASN
1	D	1107	ASN
1	D	1158	ASN
1	D	1237	ASN
1	E	249	HIS
1	E	278	GLN
1	E	357	ASN
1	E	375	HIS
1	E	415	ASN
1	E	421	ASN
1	E	502	ASN
1	E	585	ASN
1	E	654	ASN
1	E	725	ASN
1	E	1000	GLN
1	E	1032	ASN
1	E	1116	GLN
1	E	1123	ASN
1	E	1158	ASN
1	E	1244	GLN
2	H	112	ASN
2	H	223	HIS
2	H	232	HIS
2	H	310	ASN
2	H	313	GLN
2	H	510	GLN
2	H	549	GLN
2	H	733	ASN
2	H	862	ASN
2	H	927	ASN
2	I	112	ASN
2	I	223	HIS
2	I	232	HIS
2	I	310	ASN
2	I	313	GLN
2	I	549	GLN
2	I	733	ASN
2	I	862	ASN
2	I	927	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
2	J	112	ASN
2	J	155	GLN
2	J	223	HIS
2	J	232	HIS
2	J	240	GLN
2	J	310	ASN
2	J	313	GLN
2	J	549	GLN
2	J	733	ASN
2	J	862	ASN
2	J	927	ASN
2	K	112	ASN
2	K	223	HIS
2	K	232	HIS
2	K	310	ASN
2	K	313	GLN
2	K	549	GLN
2	K	733	ASN
2	K	862	ASN
2	K	927	ASN
2	L	112	ASN
2	L	223	HIS
2	L	232	HIS
2	L	310	ASN
2	L	313	GLN
2	L	549	GLN
2	L	733	ASN
2	L	862	ASN
2	L	927	ASN
3	R	241	GLN
3	R	387	GLN
3	R	550	ASN
3	R	580	GLN
3	R	645	GLN
3	R	695	ASN
3	R	754	GLN
3	R	834	GLN
3	R	836	GLN
3	R	864	GLN
3	R	954	ASN
3	R	1085	ASN
3	R	1122	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
3	R	1208	ASN
4	U	82	GLN
4	U	90	ASN
4	U	119	ASN
4	U	146	GLN
4	U	228	ASN
4	U	242	HIS
4	U	561	ASN
4	U	666	GLN
1	a	234	GLN
1	a	369	ASN
1	a	473	ASN
1	a	527	ASN
1	a	528	ASN
1	a	558	ASN
1	a	625	ASN
1	a	763	ASN
1	a	859	GLN
1	a	1032	ASN
1	a	1036	ASN
1	a	1075	HIS
1	a	1158	ASN
1	a	1213	ASN
1	a	1244	GLN
1	b	331	ASN
1	b	340	ASN
1	b	357	ASN
1	b	511	ASN
1	b	527	ASN
1	b	537	GLN
1	b	731	ASN
1	b	763	ASN
1	b	813	GLN
1	b	1010	ASN
1	b	1032	ASN
1	b	1158	ASN
1	c	182	GLN
1	c	229	ASN
1	c	249	HIS
1	c	357	ASN
1	c	502	ASN
1	c	527	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	c	544	GLN
1	c	682	HIS
1	c	763	ASN
1	c	1032	ASN
1	c	1075	HIS
1	c	1213	ASN
1	d	313	ASN
1	d	357	ASN
1	d	511	ASN
1	d	518	GLN
1	d	527	ASN
1	d	528	ASN
1	d	537	GLN
1	d	654	ASN
1	d	682	HIS
1	d	763	ASN
1	d	813	GLN
1	d	832	GLN
1	d	868	ASN
1	d	1025	GLN
1	d	1158	ASN
1	d	1205	ASN
1	e	206	HIS
1	e	246	GLN
1	e	357	ASN
1	e	473	ASN
1	e	524	ASN
1	e	527	ASN
1	e	528	ASN
1	e	550	GLN
1	e	558	ASN
1	e	731	ASN
1	e	763	ASN
1	e	868	ASN
1	e	1036	ASN
1	e	1075	HIS
1	e	1116	GLN
1	e	1233	ASN
1	e	1237	ASN
1	e	1244	GLN



### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 7 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.




## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-33780. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


### 6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 131




Y Index: 228




Z Index: 99


### 6.3.2 Raw map



X Index: 131



Y Index: 228




Z Index: 102

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.




## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

## 6.6 Mask visualisation [i](#)


This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis [i](#)

This section contains the results of statistical analysis of the map.


### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



## 7.2 Volume estimate [i](#)




The volume at the recommended contour level is 1254 nm<sup>3</sup>; this corresponds to an approximate mass of 1133 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.294 Å<sup>-1</sup>



## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.294 Å<sup>-1</sup>



## 8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.40	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.09	6.14	4.21


\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.09 differs from the reported value 3.4 by more than 10 %



## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-33780 and PDB model 7YF0. Per-residue inclusion information can be found in section [3](#) on page [6](#).


### 9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




## 9.2 Q-score mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.5).



## 9.4 Atom inclusion [i](#)

















































At the recommended contour level, 79% of all backbone atoms, 58% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5810	 0.4410
1	 0.5200	 0.4560
2	 0.5490	 0.4610
3	 0.5430	 0.4490
4	 0.4570	 0.4460
5	 0.5180	 0.4540
A	 0.6140	 0.4700
B	 0.6140	 0.4710
C	 0.6020	 0.4660
D	 0.6080	 0.4670
E	 0.6140	 0.4700
H	 0.5470	 0.3860
I	 0.5350	 0.3880
J	 0.5370	 0.3870
K	 0.5320	 0.3900
L	 0.5330	 0.3870
R	 0.5180	 0.4350
U	 0.4490	 0.4250
a	 0.6260	 0.4680
b	 0.6290	 0.4650
c	 0.6260	 0.4670
d	 0.6350	 0.4690
e	 0.6260	 0.4670

