



## Full wwPDB EM Validation Report ⓘ

Oct 21, 2024 – 04:37 PM JST

PDB ID : 7YQ4  
EMDB ID : EMD-34019  
Title : human insulin receptor bound with A62 DNA aptamer and insulin - locally refined  
Authors : Kim, J.; Yunn, N.; Ryu, S.; Cho, Y.  
Deposited on : 2022-08-05  
Resolution : 3.95 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	E	907	 8% 56% 8% 36%
1	F	907	 8% 58% 9% 32%
2	B	25	 88% 12%
3	A	21	 90% 10%
4	G	24	 33% 38% 29%

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 10618 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isoform Short of Insulin receptor.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	E	583	Total	C	N	O	S	1	0
			4708	2981	818	867	42		
1	F	614	Total	C	N	O	S	0	0
			4958	3139	859	918	42		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	144	HIS	TYR	conflict	UNP P06213
E	421	THR	ILE	conflict	UNP P06213
E	465	LYS	GLN	conflict	UNP P06213
F	144	HIS	TYR	conflict	UNP P06213
F	421	THR	ILE	conflict	UNP P06213
F	465	LYS	GLN	conflict	UNP P06213

- Molecule 2 is a protein called Insulin, isoform 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	25	Total	C	N	O	S	1	0
			212	138	35	37	2		

- Molecule 3 is a protein called Insulin A chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	A	21	Total	C	N	O	S	0	0
			163	99	25	35	4		

- Molecule 4 is a DNA chain called IR-A62 aptamer.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	G	24	Total	C	F	N	O	P	0	0
			577	298	6	94	155	24		





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	163150	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2250	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	3.537	Depositor
Minimum map value	-3.475	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.048	Depositor
Recommended contour level	0.3	Depositor
Map size ( $\text{\AA}$ )	357.0, 357.0, 357.0	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	0.85, 0.85, 0.85	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 85Y, OMG, CFZ, DUZ, OMC, AF2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	E	0.32	0/4826	0.64	3/6539 (0.0%)
1	F	0.31	0/5077	0.62	2/6875 (0.0%)
2	B	0.38	0/218	0.78	1/294 (0.3%)
3	A	0.37	0/164	0.68	1/220 (0.5%)
4	G	0.71	0/182	0.68	0/264
All	All	0.33	0/10467	0.64	7/14192 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	0	1
1	F	0	2
All	All	0	3

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	299	LEU	CA-CB-CG	9.57	137.30	115.30
1	E	79	LEU	CA-CB-CG	6.49	130.22	115.30
1	F	109	LEU	CA-CB-CG	5.74	128.50	115.30
2	B	15	LEU	CA-CB-CG	5.70	128.40	115.30
1	E	358	LEU	CA-CB-CG	5.15	127.16	115.30
1	F	126	CYS	CA-CB-SG	5.03	123.05	114.00
3	A	16	LEU	CA-CB-CG	5.02	126.86	115.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	E	243	PRO	Peptide
1	F	120	GLU	Peptide
1	F	451	ARG	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	4708	0	4573	41	0
1	F	4958	0	4818	45	0
2	B	212	0	192	1	0
3	A	163	0	149	1	0
4	G	577	0	256	10	0
All	All	10618	0	9988	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:G:3:DUZ:C4'	4:G:3:DUZ:O4'	1.64	1.28
4:G:14:DUZ:C4'	4:G:14:DUZ:O4'	1.63	1.24
1:F:464:ASP:HA	1:F:576:ARG:HE	1.61	0.65
1:F:473:LEU:HD21	1:F:492:TYR:HB2	1.79	0.65
2:B:25:PHE:HB2	3:A:21:ASN:H	1.66	0.60
1:F:65:ARG:HE	1:F:97:GLU:HG2	1.68	0.58
1:F:414:TRP:HB3	1:F:445:VAL:HG21	1.87	0.57
4:G:14:DUZ:N3	4:G:16:85Y:O21	2.32	0.57
1:F:20:LEU:HD22	1:F:49:LEU:HD21	1.85	0.57
1:E:390:GLY:O	1:E:423:GLN:NE2	2.39	0.56
1:F:218:GLN:HB2	1:F:224:LYS:HD2	1.86	0.56
1:F:344:ILE:HD11	1:F:376:LEU:HB3	1.87	0.56
1:E:487:LEU:HD11	1:E:564:ILE:HG21	1.87	0.56
1:F:266:CYS:HB3	1:F:270:ARG:HH12	1.70	0.56

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:332:GLY:HA2	1:F:360:LEU:HD21	1.89	0.55
1:F:463:GLY:O	1:F:576:ARG:NH2	2.40	0.55
4:G:10:85Y:O4	4:G:10:85Y:N22	2.39	0.55
1:E:57:ILE:HB	1:E:82:ILE:HG22	1.90	0.53
1:F:387:LEU:HD13	1:F:420:THR:HG23	1.90	0.53
1:F:55:ILE:HD11	1:F:226:VAL:HB	1.90	0.53
1:E:54:LEU:HD21	1:E:57:ILE:HD11	1.91	0.52
1:E:263:HIS:NE2	1:E:277:TYR:O	2.43	0.52
1:E:393:LEU:HD13	1:E:397:ASN:HA	1.91	0.52
1:E:234:ASP:O	1:E:236:ARG:NH1	2.43	0.52
1:F:230:ASN:ND2	1:F:239:GLU:O	2.44	0.51
1:E:575:GLU:OE1	1:E:577:ARG:NH2	2.43	0.51
1:E:484:LYS:HE3	1:E:554:ARG:HG2	1.93	0.50
1:F:343:ASN:ND2	1:F:371:ARG:O	2.44	0.50
1:F:368:LEU:HD23	1:F:400:PHE:HE1	1.75	0.50
1:F:309:PRO:HB2	1:F:311:VAL:HG22	1.94	0.50
4:G:11:OMG:N3	4:G:14:DUZ:H27	2.27	0.50
1:E:455:ASN:ND2	1:F:430:TYR:OH	2.45	0.49
1:E:87:LEU:HD11	1:E:114:ARG:HG2	1.94	0.49
1:E:451:ARG:O	1:E:452:GLN:NE2	2.46	0.49
1:E:496:ASP:HB3	1:E:499:ASP:HB2	1.95	0.48
1:F:435:CYS:SG	1:F:436:LEU:N	2.86	0.48
1:F:573:SER:OG	1:F:575:GLU:OE1	2.30	0.48
1:F:20:LEU:HB3	1:F:51:PHE:HZ	1.79	0.48
1:E:271:ARG:HD2	1:E:273:GLY:H	1.78	0.48
4:G:3:DUZ:O4	4:G:3:DUZ:N23	2.45	0.47
1:E:372:ARG:NH2	1:F:574:ASP:OD1	2.46	0.47
1:E:404:ASP:OD1	1:E:406:GLN:NE2	2.47	0.47
4:G:13:OMG:C6	4:G:14:DUZ:H30	2.49	0.47
1:E:110:MET:HG3	1:E:214:GLY:HA2	1.96	0.46
1:E:14:ARG:NH2	1:F:713:VAL:O	2.39	0.46
1:E:58:THR:O	1:E:84:GLY:N	2.47	0.46
1:F:389:ARG:O	1:F:423:GLN:NE2	2.49	0.46
1:F:465:LYS:HD3	1:F:572:PHE:HE2	1.80	0.46
1:E:169:CYS:HB3	1:E:188:CYS:HB2	1.70	0.46
1:E:170:PRO:HG2	1:E:191:VAL:HB	1.98	0.45
1:E:169:CYS:N	1:E:188:CYS:SG	2.89	0.45
1:E:584:ASP:OD1	1:E:584:ASP:N	2.40	0.45
1:F:583:SER:OG	1:F:584:ASP:N	2.50	0.44
1:E:383:ARG:HA	1:E:383:ARG:HD3	1.82	0.44
4:G:14:DUZ:O4'	4:G:14:DUZ:C5'	2.53	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:339:SER:OG	1:E:367:TYR:O	2.31	0.44
1:F:266:CYS:HB2	1:F:274:CYS:HB2	1.81	0.44
1:F:157:ASP:OD1	1:F:157:ASP:N	2.51	0.44
1:E:424:GLY:O	1:E:451:ARG:NH2	2.49	0.44
1:F:7:VAL:HG12	1:F:28:VAL:HG23	1.98	0.44
1:E:583:SER:OG	1:E:584:ASP:N	2.51	0.43
1:F:272:GLN:HA	1:F:273:GLY:HA2	1.59	0.43
1:E:127:TYR:HE1	1:E:157:ASP:HA	1.82	0.43
1:E:431:ASN:HD22	1:E:434:LEU:HD23	1.83	0.43
4:G:6:CFZ:H6	4:G:6:CFZ:H2'	1.72	0.43
1:F:95:ILE:HB	1:F:119:ILE:HG23	1.99	0.43
1:F:128:LEU:HD23	1:F:128:LEU:HA	1.90	0.43
4:G:14:DUZ:O4	4:G:14:DUZ:N23	2.46	0.43
1:F:182:CYS:HA	1:F:188:CYS:HA	2.00	0.43
1:E:314:LEU:HD11	1:E:319:LYS:HB2	2.01	0.43
1:E:484:LYS:HD3	1:E:552:LEU:HD21	2.00	0.43
1:F:92:ALA:HB3	1:F:112:ILE:HD11	2.01	0.43
1:E:458:ALA:O	1:E:462:ASN:ND2	2.52	0.42
1:E:169:CYS:N	1:E:189:GLN:O	2.52	0.42
1:E:345:ARG:NH2	1:F:700:SER:OG	2.52	0.42
1:F:365:SER:O	1:F:365:SER:OG	2.37	0.42
1:F:500:LEU:HA	1:F:570:VAL:HG12	2.00	0.42
1:F:377:VAL:HG11	1:F:521:GLN:HE22	1.84	0.42
1:E:428:PHE:O	1:E:429:HIS:ND1	2.53	0.42
1:E:190:LYS:NZ	1:E:215:ASN:OD1	2.53	0.42
1:E:538:LEU:O	1:E:547:ASN:ND2	2.41	0.41
1:F:145:ILE:HG22	1:F:148:ASN:HD21	1.85	0.41
1:F:263:HIS:CE1	1:F:276:GLN:HB2	2.55	0.41
1:F:309:PRO:HA	1:F:334:THR:HG21	2.02	0.41
1:F:93:LEU:HB3	1:F:117:VAL:HG23	2.02	0.41
1:E:312:CYS:HB2	1:E:333:CYS:HB2	1.35	0.41
1:F:519:ASP:N	1:F:519:ASP:OD1	2.53	0.41
1:E:487:LEU:HD12	1:E:505:LEU:HD11	2.02	0.41
1:F:416:LYS:HA	1:F:416:LYS:HD3	1.88	0.41
1:E:488:ARG:HD3	1:E:488:ARG:HA	1.92	0.41
1:F:131:ILE:HD11	1:F:183:TRP:HA	2.03	0.40
1:F:503:PHE:HB2	1:F:534:ILE:HG23	2.04	0.40
1:E:204:GLU:HG2	1:E:206:LEU:HG	2.02	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	580/907 (64%)	526 (91%)	54 (9%)	0	100	100
1	F	608/907 (67%)	554 (91%)	54 (9%)	0	100	100
2	B	24/25 (96%)	22 (92%)	2 (8%)	0	100	100
3	A	19/21 (90%)	19 (100%)	0	0	100	100
All	All	1231/1860 (66%)	1121 (91%)	110 (9%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	532/822 (65%)	530 (100%)	2 (0%)	89	91
1	F	562/822 (68%)	553 (98%)	9 (2%)	58	73
2	B	22/21 (105%)	20 (91%)	2 (9%)	7	26
3	A	20/20 (100%)	20 (100%)	0	100	100
All	All	1136/1685 (67%)	1123 (99%)	13 (1%)	69	79

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	135	ARG
1	E	270	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	26[A]	TYR
2	B	26[B]	TYR
1	F	267	LYS
1	F	274	CYS
1	F	314	LEU
1	F	334	THR
1	F	451	ARG
1	F	484	LYS
1	F	546	GLN
1	F	560	THR
1	F	590	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	34	GLN
1	E	405	ASN
1	E	431	ASN
1	F	148	ASN
1	F	209	HIS
1	F	541	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

16 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	CFZ	G	22	4	18,21,22	6.80	13 (72%)	26,30,33	1.34	3 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	AF2	G	12	4	18,24,25	4.59	10 (55%)	18,35,38	3.86	8 (44%)
4	OMC	G	21	4	19,22,23	0.81	0	26,31,34	1.07	3 (11%)
4	85Y	G	20	4	33,36,37	1.40	4 (12%)	47,51,54	1.52	4 (8%)
4	DUZ	G	24	4	28,31,32	3.78	15 (53%)	39,43,46	1.63	7 (17%)
4	CFZ	G	6	4	18,21,22	6.86	13 (72%)	26,30,33	1.16	2 (7%)
4	OMG	G	11	4	18,26,27	1.26	3 (16%)	19,38,41	1.72	2 (10%)
4	DUZ	G	4	4	28,31,32	3.80	15 (53%)	39,43,46	1.84	8 (20%)
4	DUZ	G	3	4	28,31,32	3.98	15 (53%)	39,43,46	2.33	15 (38%)
4	85Y	G	16	4	33,36,37	1.27	5 (15%)	47,51,54	1.38	6 (12%)
4	85Y	G	10	4	33,36,37	1.54	5 (15%)	47,51,54	1.53	6 (12%)
4	CFZ	G	8	4	18,21,22	6.80	13 (72%)	26,30,33	1.69	4 (15%)
4	OMG	G	13	4	18,26,27	1.31	3 (16%)	19,38,41	1.53	2 (10%)
4	DUZ	G	14	4	28,31,32	3.70	15 (53%)	39,43,46	1.93	9 (23%)
4	AF2	G	19	4	18,24,25	4.77	10 (55%)	18,35,38	3.30	6 (33%)
4	AF2	G	2	4	18,24,25	4.79	10 (55%)	18,35,38	3.42	5 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	CFZ	G	22	4	-	2/7/25/26	0/2/2/2
4	AF2	G	12	4	-	0/3/25/26	0/3/3/3
4	OMC	G	21	4	-	3/9/27/28	0/2/2/2
4	85Y	G	20	4	-	2/16/30/31	0/4/4/4
4	DUZ	G	24	4	-	8/16/30/31	0/3/3/3
4	CFZ	G	6	4	-	6/7/25/26	0/2/2/2
4	OMG	G	11	4	-	2/5/27/28	0/3/3/3
4	DUZ	G	4	4	-	4/16/30/31	0/3/3/3
4	DUZ	G	3	4	-	8/16/30/31	0/3/3/3
4	85Y	G	16	4	-	4/16/30/31	0/4/4/4
4	85Y	G	10	4	-	4/16/30/31	0/4/4/4
4	CFZ	G	8	4	-	2/7/25/26	0/2/2/2
4	OMG	G	13	4	-	4/5/27/28	0/3/3/3
4	DUZ	G	14	4	-	3/16/30/31	0/3/3/3

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	AF2	G	19	4	-	3/3/25/26	0/3/3/3
4	AF2	G	2	4	-	1/3/25/26	0/3/3/3

All (149) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	G	6	CFZ	C2'-C1'	-18.35	1.29	1.53
4	G	22	CFZ	C2'-C1'	-18.05	1.30	1.53
4	G	8	CFZ	C2'-C1'	-17.96	1.30	1.53
4	G	2	AF2	C2'-C3'	-15.38	1.31	1.52
4	G	19	AF2	C2'-C3'	-15.15	1.31	1.52
4	G	12	AF2	C2'-C3'	-13.65	1.33	1.52
4	G	22	CFZ	C2'-C3'	11.83	1.68	1.52
4	G	8	CFZ	C2'-C3'	11.75	1.68	1.52
4	G	6	CFZ	C2'-C3'	11.61	1.68	1.52
4	G	22	CFZ	C3'-C4'	-10.88	1.25	1.53
4	G	8	CFZ	C3'-C4'	-10.78	1.25	1.53
4	G	6	CFZ	C3'-C4'	-10.76	1.25	1.53
4	G	3	DUZ	C2-N1	9.69	1.54	1.38
4	G	3	DUZ	O4'-C4'	8.85	1.64	1.45
4	G	14	DUZ	O4'-C4'	8.30	1.63	1.45
4	G	4	DUZ	C2-N1	8.25	1.51	1.38
4	G	4	DUZ	O4'-C4'	8.16	1.63	1.45
4	G	24	DUZ	O4'-C4'	8.11	1.63	1.45
4	G	24	DUZ	C2-N1	8.05	1.51	1.38
4	G	6	CFZ	O4'-C4'	7.99	1.62	1.45
4	G	14	DUZ	C2-N1	7.83	1.51	1.38
4	G	8	CFZ	O4'-C4'	7.57	1.61	1.45
4	G	19	AF2	O4'-C1'	-7.46	1.30	1.41
4	G	22	CFZ	O4'-C4'	7.41	1.61	1.45
4	G	12	AF2	O4'-C1'	-7.31	1.30	1.41
4	G	2	AF2	O4'-C1'	-6.92	1.31	1.41
4	G	4	DUZ	C2-N3	6.76	1.50	1.38
4	G	3	DUZ	C3'-C4'	-6.74	1.34	1.53
4	G	3	DUZ	C2-N3	6.74	1.50	1.38
4	G	24	DUZ	C3'-C4'	-6.69	1.34	1.53
4	G	4	DUZ	C3'-C4'	-6.64	1.34	1.53
4	G	24	DUZ	O4'-C1'	-6.62	1.27	1.42
4	G	14	DUZ	O4'-C1'	-6.62	1.27	1.42
4	G	4	DUZ	O4'-C1'	-6.62	1.27	1.42
4	G	24	DUZ	C2-N3	6.61	1.49	1.38
4	G	14	DUZ	C2-N3	6.28	1.49	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	G	12	AF2	C2'-C1'	6.28	1.61	1.53
4	G	3	DUZ	O4'-C1'	-6.27	1.28	1.42
4	G	14	DUZ	C3'-C4'	-6.27	1.35	1.53
4	G	6	CFZ	C2-N3	6.20	1.48	1.36
4	G	2	AF2	C2'-C1'	6.20	1.60	1.53
4	G	8	CFZ	C2-N3	6.18	1.48	1.36
4	G	22	CFZ	C2-N3	6.14	1.48	1.36
4	G	8	CFZ	C6-C5	6.11	1.49	1.35
4	G	22	CFZ	C6-C5	6.09	1.49	1.35
4	G	6	CFZ	C6-C5	6.07	1.49	1.35
4	G	3	DUZ	C21-N23	5.77	1.43	1.33
4	G	24	DUZ	C21-N23	5.73	1.43	1.33
4	G	19	AF2	C2'-C1'	5.67	1.60	1.53
4	G	4	DUZ	C21-N23	5.58	1.43	1.33
4	G	14	DUZ	C21-N23	5.31	1.42	1.33
4	G	10	85Y	C2-N1	5.29	1.46	1.38
4	G	6	CFZ	C4-N3	5.08	1.44	1.34
4	G	8	CFZ	C4-N3	5.08	1.44	1.34
4	G	22	CFZ	C4-N3	4.99	1.44	1.34
4	G	6	CFZ	O4'-C1'	4.91	1.53	1.42
4	G	6	CFZ	C4-N4	4.87	1.45	1.33
4	G	22	CFZ	C4-N4	4.87	1.45	1.33
4	G	22	CFZ	O4'-C1'	4.86	1.53	1.42
4	G	8	CFZ	C4-N4	4.84	1.45	1.33
4	G	3	DUZ	C6-N1	4.78	1.46	1.38
4	G	8	CFZ	O4'-C1'	4.77	1.53	1.42
4	G	20	85Y	O5'-C5'	-4.73	1.33	1.44
4	G	12	AF2	O3'-C3'	4.53	1.53	1.43
4	G	8	CFZ	C2-N1	4.47	1.49	1.40
4	G	2	AF2	O4'-C4'	4.44	1.54	1.45
4	G	3	DUZ	C6-C5	4.41	1.50	1.38
4	G	16	85Y	O5'-C5'	-4.31	1.34	1.44
4	G	12	AF2	O4'-C4'	4.30	1.54	1.45
4	G	24	DUZ	C6-C5	4.27	1.49	1.38
4	G	19	AF2	O4'-C4'	4.24	1.54	1.45
4	G	4	DUZ	C6-C5	4.24	1.49	1.38
4	G	24	DUZ	C6-N1	4.19	1.45	1.38
4	G	4	DUZ	C6-N1	4.14	1.45	1.38
4	G	6	CFZ	C2-N1	4.11	1.48	1.40
4	G	14	DUZ	C6-N1	4.07	1.45	1.38
4	G	22	CFZ	C2-N1	4.02	1.48	1.40
4	G	14	DUZ	C6-C5	4.01	1.49	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	G	10	85Y	O5'-C5'	-3.92	1.35	1.44
4	G	24	DUZ	C5-C4	3.88	1.52	1.45
4	G	14	DUZ	C5-C4	3.87	1.52	1.45
4	G	13	OMG	C6-N1	3.84	1.43	1.37
4	G	3	DUZ	C5-C4	3.69	1.51	1.45
4	G	19	AF2	O5'-C5'	-3.67	1.35	1.44
4	G	12	AF2	O5'-C5'	-3.59	1.36	1.44
4	G	19	AF2	O3'-C3'	3.54	1.51	1.43
4	G	11	OMG	C6-N1	3.54	1.43	1.37
4	G	4	DUZ	C5-C4	3.52	1.51	1.45
4	G	2	AF2	C6-N6	3.47	1.46	1.34
4	G	14	DUZ	O3'-C3'	3.47	1.50	1.43
4	G	12	AF2	C6-N6	3.45	1.46	1.34
4	G	2	AF2	O5'-C5'	-3.45	1.36	1.44
4	G	19	AF2	C6-N6	3.35	1.46	1.34
4	G	4	DUZ	C4-N3	3.35	1.45	1.38
4	G	3	DUZ	O5'-C5'	-3.32	1.36	1.44
4	G	24	DUZ	C4-N3	3.30	1.45	1.38
4	G	24	DUZ	O5'-C5'	-3.24	1.36	1.44
4	G	2	AF2	O3'-C3'	3.21	1.50	1.43
4	G	4	DUZ	O5'-C5'	-3.18	1.37	1.44
4	G	8	CFZ	C6-N1	3.14	1.45	1.38
4	G	6	CFZ	C6-N1	3.11	1.45	1.38
4	G	14	DUZ	O5'-C5'	-3.08	1.37	1.44
4	G	2	AF2	C2-N3	3.03	1.37	1.32
4	G	19	AF2	C4-N3	-3.02	1.31	1.35
4	G	22	CFZ	C6-N1	3.01	1.45	1.38
4	G	4	DUZ	O3'-C3'	2.98	1.49	1.43
4	G	4	DUZ	C24-N23	2.96	1.51	1.46
4	G	2	AF2	C4-N3	-2.94	1.31	1.35
4	G	12	AF2	C2-N3	2.93	1.36	1.32
4	G	22	CFZ	O2-C2	-2.92	1.18	1.23
4	G	24	DUZ	C24-N23	2.91	1.51	1.46
4	G	3	DUZ	C24-N23	2.88	1.51	1.46
4	G	19	AF2	C2-N3	2.87	1.36	1.32
4	G	12	AF2	C4-N3	-2.85	1.31	1.35
4	G	14	DUZ	C4-N3	2.81	1.44	1.38
4	G	8	CFZ	O2-C2	-2.79	1.18	1.23
4	G	3	DUZ	C4-N3	2.79	1.44	1.38
4	G	6	CFZ	O2-C2	-2.75	1.18	1.23
4	G	3	DUZ	C2'-C1'	2.71	1.59	1.52
4	G	19	AF2	C5'-C4'	-2.71	1.43	1.51

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	G	24	DUZ	C5-C21	2.65	1.58	1.49
4	G	2	AF2	C5'-C4'	-2.64	1.43	1.51
4	G	12	AF2	C5'-C4'	-2.61	1.43	1.51
4	G	4	DUZ	C5-C21	2.58	1.57	1.49
4	G	11	OMG	C2-N2	2.56	1.40	1.34
4	G	14	DUZ	C24-N23	2.54	1.51	1.46
4	G	3	DUZ	C5-C21	2.53	1.57	1.49
4	G	14	DUZ	C5-C21	2.53	1.57	1.49
4	G	4	DUZ	C2'-C1'	2.52	1.59	1.52
4	G	20	85Y	C20-N22	2.52	1.38	1.33
4	G	13	OMG	C2-N2	2.51	1.40	1.34
4	G	14	DUZ	C2'-C1'	2.51	1.59	1.52
4	G	24	DUZ	C2'-C1'	2.49	1.59	1.52
4	G	20	85Y	C5'-C4'	2.48	1.59	1.51
4	G	8	CFZ	C5-C4	2.46	1.48	1.42
4	G	13	OMG	C5-C6	-2.44	1.42	1.47
4	G	22	CFZ	C5-C4	2.44	1.48	1.42
4	G	16	85Y	C20-N22	2.41	1.37	1.33
4	G	6	CFZ	C5-C4	2.40	1.48	1.42
4	G	20	85Y	C6-N1	-2.39	1.34	1.38
4	G	10	85Y	C5-C20	-2.36	1.42	1.49
4	G	11	OMG	C5-C6	-2.28	1.42	1.47
4	G	10	85Y	C1'-N1	2.25	1.53	1.48
4	G	10	85Y	O3'-C3'	-2.19	1.38	1.43
4	G	24	DUZ	O3'-C3'	2.16	1.47	1.43
4	G	16	85Y	C23-C24	-2.13	1.46	1.51
4	G	16	85Y	C2-N1	2.12	1.41	1.38
4	G	3	DUZ	O3'-C3'	2.10	1.47	1.43
4	G	16	85Y	O4'-C1'	-2.06	1.37	1.42

All (90) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	12	AF2	C1'-N9-C4	-9.63	109.72	126.64
4	G	2	AF2	C1'-N9-C4	-8.98	110.87	126.64
4	G	19	AF2	C1'-N9-C4	-8.22	112.21	126.64
4	G	12	AF2	C5-C6-N6	7.68	132.02	120.35
4	G	2	AF2	C5-C6-N6	7.64	131.96	120.35
4	G	19	AF2	C5-C6-N6	7.47	131.70	120.35
4	G	20	85Y	C23-N22-C20	-7.24	112.38	122.08
4	G	14	DUZ	C4-N3-C2	-6.26	119.25	127.35
4	G	4	DUZ	C4-N3-C2	-6.16	119.38	127.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	12	AF2	N3-C2-N1	-5.85	119.54	128.68
4	G	19	AF2	N3-C2-N1	-5.79	119.62	128.68
4	G	2	AF2	N3-C2-N1	-5.62	119.90	128.68
4	G	3	DUZ	C4-N3-C2	-5.43	120.32	127.35
4	G	8	CFZ	C3'-C2'-C1'	5.42	109.70	103.13
4	G	24	DUZ	C4-N3-C2	-5.35	120.42	127.35
4	G	12	AF2	N6-C6-N1	-5.06	108.07	118.57
4	G	2	AF2	N6-C6-N1	-5.04	108.12	118.57
4	G	10	85Y	C24-C23-N22	-4.95	102.44	113.05
4	G	19	AF2	N6-C6-N1	-4.95	108.31	118.57
4	G	3	DUZ	O4'-C1'-N1	4.74	116.33	107.86
4	G	11	OMG	O6-C6-N1	-4.61	115.20	120.65
4	G	3	DUZ	N3-C2-N1	4.36	120.67	114.89
4	G	12	AF2	C2'-C3'-C4'	4.19	107.81	102.40
4	G	16	85Y	C24-C23-N22	-4.16	104.14	113.05
4	G	14	DUZ	N3-C2-N1	4.09	120.32	114.89
4	G	12	AF2	C3'-C2'-C1'	3.98	107.95	103.13
4	G	10	85Y	O2-C2-N1	3.97	128.06	122.79
4	G	13	OMG	O6-C6-N1	-3.95	115.98	120.65
4	G	8	CFZ	C2'-C3'-C4'	3.91	107.45	102.40
4	G	4	DUZ	N3-C2-N1	3.86	120.01	114.89
4	G	3	DUZ	O4'-C1'-C2'	-3.85	98.98	106.25
4	G	22	CFZ	C3'-C2'-C1'	3.76	107.68	103.13
4	G	14	DUZ	C25-C24-N23	-3.70	105.13	113.05
4	G	24	DUZ	N3-C2-N1	3.67	119.77	114.89
4	G	3	DUZ	C25-C24-N23	-3.62	105.28	113.05
4	G	3	DUZ	C24-N23-C21	3.61	126.92	122.08
4	G	14	DUZ	C5-C4-N3	3.58	120.55	114.35
4	G	3	DUZ	C21-C5-C4	-3.56	112.58	120.32
4	G	4	DUZ	C5-C4-N3	3.51	120.43	114.35
4	G	16	85Y	C23-N22-C20	-3.50	117.39	122.08
4	G	12	AF2	O4'-C1'-C2'	3.47	109.37	105.79
4	G	11	OMG	O6-C6-C5	3.37	130.95	124.37
4	G	13	OMG	O6-C6-C5	3.36	130.93	124.37
4	G	10	85Y	C6-C5-C4	3.27	121.93	118.19
4	G	14	DUZ	C5-C6-N1	-3.15	118.91	123.10
4	G	3	DUZ	C4'-O4'-C1'	-3.11	101.92	109.45
4	G	3	DUZ	O2-C2-N3	-3.11	115.71	121.50
4	G	24	DUZ	C5-C4-N3	3.03	119.59	114.35
4	G	4	DUZ	O4-C4-C5	-3.01	118.93	125.99
4	G	3	DUZ	C5-C4-N3	3.00	119.55	114.35
4	G	4	DUZ	C5-C6-N1	-2.97	119.16	123.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	6	CFZ	O4'-C1'-C2'	-2.94	102.76	105.79
4	G	21	OMC	C5-C4-N3	2.92	126.30	121.33
4	G	22	CFZ	C2'-C1'-N1	-2.92	109.74	114.20
4	G	8	CFZ	C2'-C1'-N1	-2.81	109.91	114.20
4	G	3	DUZ	C6-N1-C2	-2.77	118.49	121.30
4	G	24	DUZ	O4-C4-C5	-2.73	119.60	125.99
4	G	19	AF2	C3'-C2'-C1'	2.72	106.42	103.13
4	G	22	CFZ	C4'-O4'-C1'	-2.71	103.49	109.47
4	G	20	85Y	C4-N3-C2	-2.71	123.85	127.35
4	G	14	DUZ	O4-C4-C5	-2.68	119.72	125.99
4	G	10	85Y	O2-C2-N3	-2.67	116.54	121.50
4	G	3	DUZ	C6-C5-C21	2.66	126.33	114.34
4	G	16	85Y	C4-N3-C2	-2.64	123.93	127.35
4	G	3	DUZ	O4-C4-C5	-2.61	119.87	125.99
4	G	14	DUZ	O2-C2-N1	-2.58	119.35	122.79
4	G	16	85Y	C5-C6-N1	-2.58	119.67	123.10
4	G	16	85Y	C4'-O4'-C1'	-2.57	103.23	109.45
4	G	20	85Y	C6-C5-C4	2.55	121.11	118.19
4	G	4	DUZ	C2'-C3'-C4'	2.52	108.02	102.76
4	G	3	DUZ	C6-C5-C4	2.51	121.07	118.19
4	G	24	DUZ	C5-C6-N1	-2.50	119.78	123.10
4	G	21	OMC	C4-N3-C2	-2.44	116.31	120.25
4	G	3	DUZ	C5-C6-N1	-2.42	119.88	123.10
4	G	10	85Y	C5-C6-N1	-2.40	119.91	123.10
4	G	24	DUZ	C25-C24-N23	-2.38	107.94	113.05
4	G	14	DUZ	O4'-C1'-N1	2.32	112.01	107.86
4	G	6	CFZ	C4'-O4'-C1'	-2.32	104.36	109.47
4	G	10	85Y	C4-N3-C2	-2.30	124.37	127.35
4	G	20	85Y	C23-C24-C29	-2.28	116.18	120.91
4	G	2	AF2	O4'-C4'-C3'	-2.24	100.68	105.11
4	G	4	DUZ	O2-C2-N1	-2.21	119.85	122.79
4	G	24	DUZ	O2-C2-N1	-2.16	119.91	122.79
4	G	21	OMC	CM2-O2'-C2'	-2.14	108.91	114.52
4	G	14	DUZ	C6-C5-C21	2.09	123.75	114.34
4	G	4	DUZ	C24-N23-C21	-2.07	119.30	122.08
4	G	8	CFZ	O2-C2-N3	-2.07	118.97	122.33
4	G	16	85Y	C6-C5-C4	2.04	120.53	118.19
4	G	19	AF2	C2'-C3'-C4'	2.01	105.00	102.40
4	G	12	AF2	F-C2'-C3'	2.01	113.43	109.22

There are no chirality outliers.

All (56) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	G	3	DUZ	O22-C21-C5-C4
4	G	3	DUZ	O22-C21-C5-C6
4	G	3	DUZ	N23-C21-C5-C6
4	G	3	DUZ	C3'-C4'-C5'-O5'
4	G	3	DUZ	O4'-C4'-C5'-O5'
4	G	4	DUZ	O22-C21-C5-C4
4	G	4	DUZ	N23-C21-C5-C4
4	G	4	DUZ	O22-C21-C5-C6
4	G	4	DUZ	N23-C21-C5-C6
4	G	6	CFZ	C2'-C1'-N1-C2
4	G	6	CFZ	C2'-C1'-N1-C6
4	G	8	CFZ	C3'-C4'-C5'-O5'
4	G	8	CFZ	O4'-C4'-C5'-O5'
4	G	10	85Y	O4'-C4'-C5'-O5'
4	G	10	85Y	C3'-C4'-C5'-O5'
4	G	11	OMG	O4'-C4'-C5'-O5'
4	G	13	OMG	C3'-C4'-C5'-O5'
4	G	14	DUZ	O4'-C4'-C5'-O5'
4	G	16	85Y	O21-C20-C5-C4
4	G	16	85Y	O21-C20-C5-C6
4	G	16	85Y	N22-C20-C5-C4
4	G	16	85Y	N22-C20-C5-C6
4	G	19	AF2	O4'-C4'-C5'-O5'
4	G	22	CFZ	C3'-C4'-C5'-O5'
4	G	22	CFZ	O4'-C4'-C5'-O5'
4	G	24	DUZ	O22-C21-C5-C6
4	G	24	DUZ	N23-C21-C5-C6
4	G	11	OMG	C3'-C4'-C5'-O5'
4	G	14	DUZ	C3'-C4'-C5'-O5'
4	G	19	AF2	C3'-C4'-C5'-O5'
4	G	6	CFZ	C3'-C4'-C5'-O5'
4	G	6	CFZ	O4'-C4'-C5'-O5'
4	G	10	85Y	O4'-C1'-N1-C6
4	G	13	OMG	O4'-C4'-C5'-O5'
4	G	20	85Y	O4'-C4'-C5'-O5'
4	G	3	DUZ	N23-C21-C5-C4
4	G	10	85Y	O4'-C1'-N1-C2
4	G	20	85Y	C3'-C4'-C5'-O5'
4	G	24	DUZ	C2'-C1'-N1-C6
4	G	3	DUZ	C2'-C1'-N1-C2
4	G	3	DUZ	C2'-C1'-N1-C6
4	G	24	DUZ	O22-C21-C5-C4
4	G	6	CFZ	O4'-C1'-N1-C2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	G	24	DUZ	C2'-C1'-N1-C2
4	G	2	AF2	C3'-C4'-C5'-O5'
4	G	6	CFZ	O4'-C1'-N1-C6
4	G	14	DUZ	C4'-C5'-O5'-P
4	G	13	OMG	C3'-C2'-O2'-CM2
4	G	24	DUZ	O4'-C1'-N1-C6
4	G	24	DUZ	O4'-C1'-N1-C2
4	G	21	OMC	O4'-C1'-N1-C6
4	G	21	OMC	C2'-C1'-N1-C6
4	G	13	OMG	C1'-C2'-O2'-CM2
4	G	21	OMC	O4'-C1'-N1-C2
4	G	24	DUZ	N23-C21-C5-C4
4	G	19	AF2	C4'-C5'-O5'-P

There are no ring outliers.

7 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	G	6	CFZ	1	0
4	G	11	OMG	1	0
4	G	3	DUZ	2	0
4	G	16	85Y	1	0
4	G	10	85Y	1	0
4	G	13	OMG	1	0
4	G	14	DUZ	6	0

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-34019. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 210




Y Index: 210



Z Index: 210


### 6.2.2 Raw map



X Index: 210



Y Index: 210




Z Index: 210

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 201




Y Index: 155




Z Index: 145


### 6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.3. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 98 nm<sup>3</sup>; this corresponds to an approximate mass of 89 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.253 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.253  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.95	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.55	7.63	4.60


\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.55 differs from the reported value 3.95 by more than 10 %



## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-34019 and PDB model 7YQ4. Per-residue inclusion information can be found in [section 3](#) on [page 4](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.3 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.3).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 85% of all backbone atoms, 80% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.3) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.8020	<div></div> 0.4100
A	<div></div> 0.8510	<div></div> 0.4290
B	<div></div> 0.8830	<div></div> 0.4210
E	<div></div> 0.8270	<div></div> 0.4280
F	<div></div> 0.7610	<div></div> 0.3920
G	<div></div> 0.9050	<div></div> 0.4080

