



## wwPDB EM Validation Summary Report ⓘ

Feb 5, 2025 – 11:46 AM JST

PDB ID : 8Z6Q  
EMDB ID : EMD-39801  
Title : SARS-CoV-2 XBB.1.16 Spike in complex with CYFN1006-1(S-CYFN1006-1 dimer trimer).  
Authors : Wang, Y.J.; Sun, L.  
Deposited on : 2024-04-19  
Resolution : 5.41 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.40


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 5.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.













Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1299	 67%      13%      19%
1	B	1299	 68%      13%      19%
1	C	1299	 68%      13%      19%
1	J	1299	 68%      13%      19%
1	K	1299	 68%      13%      19%
1	L	1299	 69%      12%      19%
2	D	215	 76%      13%      11%
2	F	215	 80%      9%      11%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	H	215	 80% 10% 11%
2	M	215	 7% 79% 10% 11%
2	O	215	 12% 81% 8% 11%
2	Q	215	 7% 82% 7% 11%
3	E	451	 40% 55%
3	G	451	 37% 7% 56%
3	I	451	 37% 8% 55%
3	N	451	 40% 55%
3	P	451	 37% 6% 56%
3	R	451	 39% 6% 55%

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 67108 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein,Fibritin,Expression Tag.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1051	Total	C	N	O	S	0	0
			8229	5274	1361	1554	40		
1	B	1050	Total	C	N	O	S	0	0
			8221	5270	1359	1552	40		
1	C	1051	Total	C	N	O	S	0	0
			8229	5274	1361	1554	40		
1	J	1051	Total	C	N	O	S	0	0
			8229	5274	1361	1554	40		
1	K	1050	Total	C	N	O	S	0	0
			8221	5270	1359	1552	40		
1	L	1051	Total	C	N	O	S	0	0
			8229	5274	1361	1554	40		

There are 486 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MET	-	initiating methionine	UNP P0DTC2
A	-5	PRO	-	expression tag	UNP P0DTC2
A	-4	MET	-	expression tag	UNP P0DTC2
A	-3	GLY	-	expression tag	UNP P0DTC2
A	-2	SER	-	expression tag	UNP P0DTC2
A	-1	LEU	-	expression tag	UNP P0DTC2
A	0	GLN	-	expression tag	UNP P0DTC2
A	1	PRO	-	expression tag	UNP P0DTC2
A	2	LEU	-	expression tag	UNP P0DTC2
A	3	ALA	-	expression tag	UNP P0DTC2
A	4	THR	-	expression tag	UNP P0DTC2
A	5	LEU	-	expression tag	UNP P0DTC2
A	6	TYR	-	expression tag	UNP P0DTC2
A	7	LEU	-	expression tag	UNP P0DTC2
A	8	LEU	-	expression tag	UNP P0DTC2
A	9	GLY	-	expression tag	UNP P0DTC2
A	10	MET	-	expression tag	UNP P0DTC2
A	11	LEU	-	expression tag	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	12	VAL	-	expression tag	UNP P0DTC2
A	13	ALA	-	expression tag	UNP P0DTC2
A	14	SER	-	expression tag	UNP P0DTC2
A	15	VAL	-	expression tag	UNP P0DTC2
A	16	LEU	-	expression tag	UNP P0DTC2
A	17	ALA	-	expression tag	UNP P0DTC2
A	23	ILE	THR	variant	UNP P0DTC2
A	?	-	LEU	deletion	UNP P0DTC2
A	?	-	PRO	deletion	UNP P0DTC2
A	?	-	PRO	deletion	UNP P0DTC2
A	28	SER	ALA	variant	UNP P0DTC2
A	84	ALA	VAL	variant	UNP P0DTC2
A	143	ASP	GLY	variant	UNP P0DTC2
A	?	-	TYR	deletion	UNP P0DTC2
A	146	GLN	HIS	variant	UNP P0DTC2
A	180	VAL	GLU	conflict	UNP P0DTC2
A	183	GLU	GLN	variant	UNP P0DTC2
A	213	GLU	VAL	variant	UNP P0DTC2
A	252	VAL	GLY	variant	UNP P0DTC2
A	339	HIS	GLY	variant	UNP P0DTC2
A	346	THR	ARG	variant	UNP P0DTC2
A	368	ILE	LEU	variant	UNP P0DTC2
A	371	PHE	SER	variant	UNP P0DTC2
A	373	PRO	SER	variant	UNP P0DTC2
A	375	PHE	SER	variant	UNP P0DTC2
A	376	ALA	THR	variant	UNP P0DTC2
A	405	ASN	ASP	variant	UNP P0DTC2
A	408	SER	ARG	variant	UNP P0DTC2
A	417	ASN	LYS	variant	UNP P0DTC2
A	440	LYS	ASN	variant	UNP P0DTC2
A	445	PRO	VAL	variant	UNP P0DTC2
A	446	SER	GLY	variant	UNP P0DTC2
A	460	LYS	ASN	variant	UNP P0DTC2
A	477	ASN	SER	variant	UNP P0DTC2
A	478	ARG	THR	conflict	UNP P0DTC2
A	484	ALA	GLU	variant	UNP P0DTC2
A	486	PRO	PHE	variant	UNP P0DTC2
A	490	SER	PHE	variant	UNP P0DTC2
A	498	ARG	GLN	variant	UNP P0DTC2
A	501	TYR	ASN	variant	UNP P0DTC2
A	505	HIS	TYR	variant	UNP P0DTC2
A	614	GLY	ASP	variant	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	655	TYR	HIS	variant	UNP P0DTC2
A	679	LYS	ASN	variant	UNP P0DTC2
A	681	HIS	PRO	variant	UNP P0DTC2
A	682	GLY	ARG	conflict	UNP P0DTC2
A	683	SER	ARG	conflict	UNP P0DTC2
A	685	SER	-	insertion	UNP P0DTC2
A	686	SER	-	insertion	UNP P0DTC2
A	687	LYS	-	insertion	UNP P0DTC2
A	689	SER	-	insertion	UNP P0DTC2
A	768	LYS	ASN	variant	UNP P0DTC2
A	800	TYR	ASP	variant	UNP P0DTC2
A	821	PRO	PHE	conflict	UNP P0DTC2
A	896	PRO	ALA	conflict	UNP P0DTC2
A	903	PRO	ALA	conflict	UNP P0DTC2
A	946	PRO	ALA	conflict	UNP P0DTC2
A	958	HIS	GLN	variant	UNP P0DTC2
A	973	LYS	ASN	variant	UNP P0DTC2
A	990	PRO	LYS	variant	UNP P0DTC2
A	991	PRO	VAL	variant	UNP P0DTC2
A	1213	GLY	-	linker	UNP P0DTC2
A	1214	SER	-	linker	UNP P0DTC2
B	-6	MET	-	initiating methionine	UNP P0DTC2
B	-5	PRO	-	expression tag	UNP P0DTC2
B	-4	MET	-	expression tag	UNP P0DTC2
B	-3	GLY	-	expression tag	UNP P0DTC2
B	-2	SER	-	expression tag	UNP P0DTC2
B	-1	LEU	-	expression tag	UNP P0DTC2
B	0	GLN	-	expression tag	UNP P0DTC2
B	1	PRO	-	expression tag	UNP P0DTC2
B	2	LEU	-	expression tag	UNP P0DTC2
B	3	ALA	-	expression tag	UNP P0DTC2
B	4	THR	-	expression tag	UNP P0DTC2
B	5	LEU	-	expression tag	UNP P0DTC2
B	6	TYR	-	expression tag	UNP P0DTC2
B	7	LEU	-	expression tag	UNP P0DTC2
B	8	LEU	-	expression tag	UNP P0DTC2
B	9	GLY	-	expression tag	UNP P0DTC2
B	10	MET	-	expression tag	UNP P0DTC2
B	11	LEU	-	expression tag	UNP P0DTC2
B	12	VAL	-	expression tag	UNP P0DTC2
B	13	ALA	-	expression tag	UNP P0DTC2
B	14	SER	-	expression tag	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	15	VAL	-	expression tag	UNP P0DTC2
B	16	LEU	-	expression tag	UNP P0DTC2
B	17	ALA	-	expression tag	UNP P0DTC2
B	23	ILE	THR	variant	UNP P0DTC2
B	?	-	LEU	deletion	UNP P0DTC2
B	?	-	PRO	deletion	UNP P0DTC2
B	?	-	PRO	deletion	UNP P0DTC2
B	28	SER	ALA	variant	UNP P0DTC2
B	84	ALA	VAL	variant	UNP P0DTC2
B	143	ASP	GLY	variant	UNP P0DTC2
B	?	-	TYR	deletion	UNP P0DTC2
B	146	GLN	HIS	variant	UNP P0DTC2
B	180	VAL	GLU	conflict	UNP P0DTC2
B	183	GLU	GLN	variant	UNP P0DTC2
B	213	GLU	VAL	variant	UNP P0DTC2
B	252	VAL	GLY	variant	UNP P0DTC2
B	339	HIS	GLY	variant	UNP P0DTC2
B	346	THR	ARG	variant	UNP P0DTC2
B	368	ILE	LEU	variant	UNP P0DTC2
B	371	PHE	SER	variant	UNP P0DTC2
B	373	PRO	SER	variant	UNP P0DTC2
B	375	PHE	SER	variant	UNP P0DTC2
B	376	ALA	THR	variant	UNP P0DTC2
B	405	ASN	ASP	variant	UNP P0DTC2
B	408	SER	ARG	variant	UNP P0DTC2
B	417	ASN	LYS	variant	UNP P0DTC2
B	440	LYS	ASN	variant	UNP P0DTC2
B	445	PRO	VAL	variant	UNP P0DTC2
B	446	SER	GLY	variant	UNP P0DTC2
B	460	LYS	ASN	variant	UNP P0DTC2
B	477	ASN	SER	variant	UNP P0DTC2
B	478	ARG	THR	conflict	UNP P0DTC2
B	484	ALA	GLU	variant	UNP P0DTC2
B	486	PRO	PHE	variant	UNP P0DTC2
B	490	SER	PHE	variant	UNP P0DTC2
B	498	ARG	GLN	variant	UNP P0DTC2
B	501	TYR	ASN	variant	UNP P0DTC2
B	505	HIS	TYR	variant	UNP P0DTC2
B	614	GLY	ASP	variant	UNP P0DTC2
B	655	TYR	HIS	variant	UNP P0DTC2
B	679	LYS	ASN	variant	UNP P0DTC2
B	681	HIS	PRO	variant	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	682	GLY	ARG	conflict	UNP P0DTC2
B	683	SER	ARG	conflict	UNP P0DTC2
B	685	SER	-	insertion	UNP P0DTC2
B	686	SER	-	insertion	UNP P0DTC2
B	687	LYS	-	insertion	UNP P0DTC2
B	689	SER	-	insertion	UNP P0DTC2
B	768	LYS	ASN	variant	UNP P0DTC2
B	800	TYR	ASP	variant	UNP P0DTC2
B	821	PRO	PHE	conflict	UNP P0DTC2
B	896	PRO	ALA	conflict	UNP P0DTC2
B	903	PRO	ALA	conflict	UNP P0DTC2
B	946	PRO	ALA	conflict	UNP P0DTC2
B	958	HIS	GLN	variant	UNP P0DTC2
B	973	LYS	ASN	variant	UNP P0DTC2
B	990	PRO	LYS	variant	UNP P0DTC2
B	991	PRO	VAL	variant	UNP P0DTC2
B	1213	GLY	-	linker	UNP P0DTC2
B	1214	SER	-	linker	UNP P0DTC2
C	-6	MET	-	initiating methionine	UNP P0DTC2
C	-5	PRO	-	expression tag	UNP P0DTC2
C	-4	MET	-	expression tag	UNP P0DTC2
C	-3	GLY	-	expression tag	UNP P0DTC2
C	-2	SER	-	expression tag	UNP P0DTC2
C	-1	LEU	-	expression tag	UNP P0DTC2
C	0	GLN	-	expression tag	UNP P0DTC2
C	1	PRO	-	expression tag	UNP P0DTC2
C	2	LEU	-	expression tag	UNP P0DTC2
C	3	ALA	-	expression tag	UNP P0DTC2
C	4	THR	-	expression tag	UNP P0DTC2
C	5	LEU	-	expression tag	UNP P0DTC2
C	6	TYR	-	expression tag	UNP P0DTC2
C	7	LEU	-	expression tag	UNP P0DTC2
C	8	LEU	-	expression tag	UNP P0DTC2
C	9	GLY	-	expression tag	UNP P0DTC2
C	10	MET	-	expression tag	UNP P0DTC2
C	11	LEU	-	expression tag	UNP P0DTC2
C	12	VAL	-	expression tag	UNP P0DTC2
C	13	ALA	-	expression tag	UNP P0DTC2
C	14	SER	-	expression tag	UNP P0DTC2
C	15	VAL	-	expression tag	UNP P0DTC2
C	16	LEU	-	expression tag	UNP P0DTC2
C	17	ALA	-	expression tag	UNP P0DTC2

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	23	ILE	THR	variant	UNP P0DTC2
C	?	-	LEU	deletion	UNP P0DTC2
C	?	-	PRO	deletion	UNP P0DTC2
C	?	-	PRO	deletion	UNP P0DTC2
C	28	SER	ALA	variant	UNP P0DTC2
C	84	ALA	VAL	variant	UNP P0DTC2
C	143	ASP	GLY	variant	UNP P0DTC2
C	?	-	TYR	deletion	UNP P0DTC2
C	146	GLN	HIS	variant	UNP P0DTC2
C	180	VAL	GLU	conflict	UNP P0DTC2
C	183	GLU	GLN	variant	UNP P0DTC2
C	213	GLU	VAL	variant	UNP P0DTC2
C	252	VAL	GLY	variant	UNP P0DTC2
C	339	HIS	GLY	variant	UNP P0DTC2
C	346	THR	ARG	variant	UNP P0DTC2
C	368	ILE	LEU	variant	UNP P0DTC2
C	371	PHE	SER	variant	UNP P0DTC2
C	373	PRO	SER	variant	UNP P0DTC2
C	375	PHE	SER	variant	UNP P0DTC2
C	376	ALA	THR	variant	UNP P0DTC2
C	405	ASN	ASP	variant	UNP P0DTC2
C	408	SER	ARG	variant	UNP P0DTC2
C	417	ASN	LYS	variant	UNP P0DTC2
C	440	LYS	ASN	variant	UNP P0DTC2
C	445	PRO	VAL	variant	UNP P0DTC2
C	446	SER	GLY	variant	UNP P0DTC2
C	460	LYS	ASN	variant	UNP P0DTC2
C	477	ASN	SER	variant	UNP P0DTC2
C	478	ARG	THR	conflict	UNP P0DTC2
C	484	ALA	GLU	variant	UNP P0DTC2
C	486	PRO	PHE	variant	UNP P0DTC2
C	490	SER	PHE	variant	UNP P0DTC2
C	498	ARG	GLN	variant	UNP P0DTC2
C	501	TYR	ASN	variant	UNP P0DTC2
C	505	HIS	TYR	variant	UNP P0DTC2
C	614	GLY	ASP	variant	UNP P0DTC2
C	655	TYR	HIS	variant	UNP P0DTC2
C	679	LYS	ASN	variant	UNP P0DTC2
C	681	HIS	PRO	variant	UNP P0DTC2
C	682	GLY	ARG	conflict	UNP P0DTC2
C	683	SER	ARG	conflict	UNP P0DTC2
C	685	SER	-	insertion	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	686	SER	-	insertion	UNP P0DTC2
C	687	LYS	-	insertion	UNP P0DTC2
C	689	SER	-	insertion	UNP P0DTC2
C	768	LYS	ASN	variant	UNP P0DTC2
C	800	TYR	ASP	variant	UNP P0DTC2
C	821	PRO	PHE	conflict	UNP P0DTC2
C	896	PRO	ALA	conflict	UNP P0DTC2
C	903	PRO	ALA	conflict	UNP P0DTC2
C	946	PRO	ALA	conflict	UNP P0DTC2
C	958	HIS	GLN	variant	UNP P0DTC2
C	973	LYS	ASN	variant	UNP P0DTC2
C	990	PRO	LYS	variant	UNP P0DTC2
C	991	PRO	VAL	variant	UNP P0DTC2
C	1213	GLY	-	linker	UNP P0DTC2
C	1214	SER	-	linker	UNP P0DTC2
J	-6	MET	-	initiating methionine	UNP P0DTC2
J	-5	PRO	-	expression tag	UNP P0DTC2
J	-4	MET	-	expression tag	UNP P0DTC2
J	-3	GLY	-	expression tag	UNP P0DTC2
J	-2	SER	-	expression tag	UNP P0DTC2
J	-1	LEU	-	expression tag	UNP P0DTC2
J	0	GLN	-	expression tag	UNP P0DTC2
J	1	PRO	-	expression tag	UNP P0DTC2
J	2	LEU	-	expression tag	UNP P0DTC2
J	3	ALA	-	expression tag	UNP P0DTC2
J	4	THR	-	expression tag	UNP P0DTC2
J	5	LEU	-	expression tag	UNP P0DTC2
J	6	TYR	-	expression tag	UNP P0DTC2
J	7	LEU	-	expression tag	UNP P0DTC2
J	8	LEU	-	expression tag	UNP P0DTC2
J	9	GLY	-	expression tag	UNP P0DTC2
J	10	MET	-	expression tag	UNP P0DTC2
J	11	LEU	-	expression tag	UNP P0DTC2
J	12	VAL	-	expression tag	UNP P0DTC2
J	13	ALA	-	expression tag	UNP P0DTC2
J	14	SER	-	expression tag	UNP P0DTC2
J	15	VAL	-	expression tag	UNP P0DTC2
J	16	LEU	-	expression tag	UNP P0DTC2
J	17	ALA	-	expression tag	UNP P0DTC2
J	23	ILE	THR	variant	UNP P0DTC2
J	?	-	LEU	deletion	UNP P0DTC2
J	?	-	PRO	deletion	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
J	?	-	PRO	deletion	UNP P0DTC2
J	28	SER	ALA	variant	UNP P0DTC2
J	84	ALA	VAL	variant	UNP P0DTC2
J	143	ASP	GLY	variant	UNP P0DTC2
J	?	-	TYR	deletion	UNP P0DTC2
J	146	GLN	HIS	variant	UNP P0DTC2
J	180	VAL	GLU	conflict	UNP P0DTC2
J	183	GLU	GLN	variant	UNP P0DTC2
J	213	GLU	VAL	variant	UNP P0DTC2
J	252	VAL	GLY	variant	UNP P0DTC2
J	339	HIS	GLY	variant	UNP P0DTC2
J	346	THR	ARG	variant	UNP P0DTC2
J	368	ILE	LEU	variant	UNP P0DTC2
J	371	PHE	SER	variant	UNP P0DTC2
J	373	PRO	SER	variant	UNP P0DTC2
J	375	PHE	SER	variant	UNP P0DTC2
J	376	ALA	THR	variant	UNP P0DTC2
J	405	ASN	ASP	variant	UNP P0DTC2
J	408	SER	ARG	variant	UNP P0DTC2
J	417	ASN	LYS	variant	UNP P0DTC2
J	440	LYS	ASN	variant	UNP P0DTC2
J	445	PRO	VAL	variant	UNP P0DTC2
J	446	SER	GLY	variant	UNP P0DTC2
J	460	LYS	ASN	variant	UNP P0DTC2
J	477	ASN	SER	variant	UNP P0DTC2
J	478	ARG	THR	conflict	UNP P0DTC2
J	484	ALA	GLU	variant	UNP P0DTC2
J	486	PRO	PHE	variant	UNP P0DTC2
J	490	SER	PHE	variant	UNP P0DTC2
J	498	ARG	GLN	variant	UNP P0DTC2
J	501	TYR	ASN	variant	UNP P0DTC2
J	505	HIS	TYR	variant	UNP P0DTC2
J	614	GLY	ASP	variant	UNP P0DTC2
J	655	TYR	HIS	variant	UNP P0DTC2
J	679	LYS	ASN	variant	UNP P0DTC2
J	681	HIS	PRO	variant	UNP P0DTC2
J	682	GLY	ARG	conflict	UNP P0DTC2
J	683	SER	ARG	conflict	UNP P0DTC2
J	685	SER	-	insertion	UNP P0DTC2
J	686	SER	-	insertion	UNP P0DTC2
J	687	LYS	-	insertion	UNP P0DTC2
J	689	SER	-	insertion	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
J	768	LYS	ASN	variant	UNP P0DTC2
J	800	TYR	ASP	variant	UNP P0DTC2
J	821	PRO	PHE	conflict	UNP P0DTC2
J	896	PRO	ALA	conflict	UNP P0DTC2
J	903	PRO	ALA	conflict	UNP P0DTC2
J	946	PRO	ALA	conflict	UNP P0DTC2
J	958	HIS	GLN	variant	UNP P0DTC2
J	973	LYS	ASN	variant	UNP P0DTC2
J	990	PRO	LYS	variant	UNP P0DTC2
J	991	PRO	VAL	variant	UNP P0DTC2
J	1213	GLY	-	linker	UNP P0DTC2
J	1214	SER	-	linker	UNP P0DTC2
K	-6	MET	-	initiating methionine	UNP P0DTC2
K	-5	PRO	-	expression tag	UNP P0DTC2
K	-4	MET	-	expression tag	UNP P0DTC2
K	-3	GLY	-	expression tag	UNP P0DTC2
K	-2	SER	-	expression tag	UNP P0DTC2
K	-1	LEU	-	expression tag	UNP P0DTC2
K	0	GLN	-	expression tag	UNP P0DTC2
K	1	PRO	-	expression tag	UNP P0DTC2
K	2	LEU	-	expression tag	UNP P0DTC2
K	3	ALA	-	expression tag	UNP P0DTC2
K	4	THR	-	expression tag	UNP P0DTC2
K	5	LEU	-	expression tag	UNP P0DTC2
K	6	TYR	-	expression tag	UNP P0DTC2
K	7	LEU	-	expression tag	UNP P0DTC2
K	8	LEU	-	expression tag	UNP P0DTC2
K	9	GLY	-	expression tag	UNP P0DTC2
K	10	MET	-	expression tag	UNP P0DTC2
K	11	LEU	-	expression tag	UNP P0DTC2
K	12	VAL	-	expression tag	UNP P0DTC2
K	13	ALA	-	expression tag	UNP P0DTC2
K	14	SER	-	expression tag	UNP P0DTC2
K	15	VAL	-	expression tag	UNP P0DTC2
K	16	LEU	-	expression tag	UNP P0DTC2
K	17	ALA	-	expression tag	UNP P0DTC2
K	23	ILE	THR	variant	UNP P0DTC2
K	?	-	LEU	deletion	UNP P0DTC2
K	?	-	PRO	deletion	UNP P0DTC2
K	?	-	PRO	deletion	UNP P0DTC2
K	28	SER	ALA	variant	UNP P0DTC2
K	84	ALA	VAL	variant	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
K	143	ASP	GLY	variant	UNP P0DTC2
K	?	-	TYR	deletion	UNP P0DTC2
K	146	GLN	HIS	variant	UNP P0DTC2
K	180	VAL	GLU	conflict	UNP P0DTC2
K	183	GLU	GLN	variant	UNP P0DTC2
K	213	GLU	VAL	variant	UNP P0DTC2
K	252	VAL	GLY	variant	UNP P0DTC2
K	339	HIS	GLY	variant	UNP P0DTC2
K	346	THR	ARG	variant	UNP P0DTC2
K	368	ILE	LEU	variant	UNP P0DTC2
K	371	PHE	SER	variant	UNP P0DTC2
K	373	PRO	SER	variant	UNP P0DTC2
K	375	PHE	SER	variant	UNP P0DTC2
K	376	ALA	THR	variant	UNP P0DTC2
K	405	ASN	ASP	variant	UNP P0DTC2
K	408	SER	ARG	variant	UNP P0DTC2
K	417	ASN	LYS	variant	UNP P0DTC2
K	440	LYS	ASN	variant	UNP P0DTC2
K	445	PRO	VAL	variant	UNP P0DTC2
K	446	SER	GLY	variant	UNP P0DTC2
K	460	LYS	ASN	variant	UNP P0DTC2
K	477	ASN	SER	variant	UNP P0DTC2
K	478	ARG	THR	conflict	UNP P0DTC2
K	484	ALA	GLU	variant	UNP P0DTC2
K	486	PRO	PHE	variant	UNP P0DTC2
K	490	SER	PHE	variant	UNP P0DTC2
K	498	ARG	GLN	variant	UNP P0DTC2
K	501	TYR	ASN	variant	UNP P0DTC2
K	505	HIS	TYR	variant	UNP P0DTC2
K	614	GLY	ASP	variant	UNP P0DTC2
K	655	TYR	HIS	variant	UNP P0DTC2
K	679	LYS	ASN	variant	UNP P0DTC2
K	681	HIS	PRO	variant	UNP P0DTC2
K	682	GLY	ARG	conflict	UNP P0DTC2
K	683	SER	ARG	conflict	UNP P0DTC2
K	685	SER	-	insertion	UNP P0DTC2
K	686	SER	-	insertion	UNP P0DTC2
K	687	LYS	-	insertion	UNP P0DTC2
K	689	SER	-	insertion	UNP P0DTC2
K	768	LYS	ASN	variant	UNP P0DTC2
K	800	TYR	ASP	variant	UNP P0DTC2
K	821	PRO	PHE	conflict	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
K	896	PRO	ALA	conflict	UNP P0DTC2
K	903	PRO	ALA	conflict	UNP P0DTC2
K	946	PRO	ALA	conflict	UNP P0DTC2
K	958	HIS	GLN	variant	UNP P0DTC2
K	973	LYS	ASN	variant	UNP P0DTC2
K	990	PRO	LYS	variant	UNP P0DTC2
K	991	PRO	VAL	variant	UNP P0DTC2
K	1213	GLY	-	linker	UNP P0DTC2
K	1214	SER	-	linker	UNP P0DTC2
L	-6	MET	-	initiating methionine	UNP P0DTC2
L	-5	PRO	-	expression tag	UNP P0DTC2
L	-4	MET	-	expression tag	UNP P0DTC2
L	-3	GLY	-	expression tag	UNP P0DTC2
L	-2	SER	-	expression tag	UNP P0DTC2
L	-1	LEU	-	expression tag	UNP P0DTC2
L	0	GLN	-	expression tag	UNP P0DTC2
L	1	PRO	-	expression tag	UNP P0DTC2
L	2	LEU	-	expression tag	UNP P0DTC2
L	3	ALA	-	expression tag	UNP P0DTC2
L	4	THR	-	expression tag	UNP P0DTC2
L	5	LEU	-	expression tag	UNP P0DTC2
L	6	TYR	-	expression tag	UNP P0DTC2
L	7	LEU	-	expression tag	UNP P0DTC2
L	8	LEU	-	expression tag	UNP P0DTC2
L	9	GLY	-	expression tag	UNP P0DTC2
L	10	MET	-	expression tag	UNP P0DTC2
L	11	LEU	-	expression tag	UNP P0DTC2
L	12	VAL	-	expression tag	UNP P0DTC2
L	13	ALA	-	expression tag	UNP P0DTC2
L	14	SER	-	expression tag	UNP P0DTC2
L	15	VAL	-	expression tag	UNP P0DTC2
L	16	LEU	-	expression tag	UNP P0DTC2
L	17	ALA	-	expression tag	UNP P0DTC2
L	23	ILE	THR	variant	UNP P0DTC2
L	?	-	LEU	deletion	UNP P0DTC2
L	?	-	PRO	deletion	UNP P0DTC2
L	?	-	PRO	deletion	UNP P0DTC2
L	28	SER	ALA	variant	UNP P0DTC2
L	84	ALA	VAL	variant	UNP P0DTC2
L	143	ASP	GLY	variant	UNP P0DTC2
L	?	-	TYR	deletion	UNP P0DTC2
L	146	GLN	HIS	variant	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
L	180	VAL	GLU	conflict	UNP P0DTC2
L	183	GLU	GLN	variant	UNP P0DTC2
L	213	GLU	VAL	variant	UNP P0DTC2
L	252	VAL	GLY	variant	UNP P0DTC2
L	339	HIS	GLY	variant	UNP P0DTC2
L	346	THR	ARG	variant	UNP P0DTC2
L	368	ILE	LEU	variant	UNP P0DTC2
L	371	PHE	SER	variant	UNP P0DTC2
L	373	PRO	SER	variant	UNP P0DTC2
L	375	PHE	SER	variant	UNP P0DTC2
L	376	ALA	THR	variant	UNP P0DTC2
L	405	ASN	ASP	variant	UNP P0DTC2
L	408	SER	ARG	variant	UNP P0DTC2
L	417	ASN	LYS	variant	UNP P0DTC2
L	440	LYS	ASN	variant	UNP P0DTC2
L	445	PRO	VAL	variant	UNP P0DTC2
L	446	SER	GLY	variant	UNP P0DTC2
L	460	LYS	ASN	variant	UNP P0DTC2
L	477	ASN	SER	variant	UNP P0DTC2
L	478	ARG	THR	conflict	UNP P0DTC2
L	484	ALA	GLU	variant	UNP P0DTC2
L	486	PRO	PHE	variant	UNP P0DTC2
L	490	SER	PHE	variant	UNP P0DTC2
L	498	ARG	GLN	variant	UNP P0DTC2
L	501	TYR	ASN	variant	UNP P0DTC2
L	505	HIS	TYR	variant	UNP P0DTC2
L	614	GLY	ASP	variant	UNP P0DTC2
L	655	TYR	HIS	variant	UNP P0DTC2
L	679	LYS	ASN	variant	UNP P0DTC2
L	681	HIS	PRO	variant	UNP P0DTC2
L	682	GLY	ARG	conflict	UNP P0DTC2
L	683	SER	ARG	conflict	UNP P0DTC2
L	685	SER	-	insertion	UNP P0DTC2
L	686	SER	-	insertion	UNP P0DTC2
L	687	LYS	-	insertion	UNP P0DTC2
L	689	SER	-	insertion	UNP P0DTC2
L	768	LYS	ASN	variant	UNP P0DTC2
L	800	TYR	ASP	variant	UNP P0DTC2
L	821	PRO	PHE	conflict	UNP P0DTC2
L	896	PRO	ALA	conflict	UNP P0DTC2
L	903	PRO	ALA	conflict	UNP P0DTC2
L	946	PRO	ALA	conflict	UNP P0DTC2

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
L	958	HIS	GLN	variant	UNP P0DTC2
L	973	LYS	ASN	variant	UNP P0DTC2
L	990	PRO	LYS	variant	UNP P0DTC2
L	991	PRO	VAL	variant	UNP P0DTC2
L	1213	GLY	-	linker	UNP P0DTC2
L	1214	SER	-	linker	UNP P0DTC2

- Molecule 2 is a protein called CYFN1006-1 light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	D	191	Total	C	N	O	S	0	0
			1419	889	234	289	7		
2	F	192	Total	C	N	O	S	0	0
			1429	895	237	290	7		
2	H	192	Total	C	N	O	S	0	0
			1429	895	237	290	7		
2	M	191	Total	C	N	O	S	0	0
			1419	889	234	289	7		
2	O	192	Total	C	N	O	S	0	0
			1429	895	237	290	7		
2	Q	192	Total	C	N	O	S	0	0
			1429	895	237	290	7		

- Molecule 3 is a protein called CYFN1006-1 heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	E	202	Total	C	N	O	S	0	0
			1544	992	251	293	8		
3	G	198	Total	C	N	O	S	0	0
			1510	971	245	287	7		
3	I	202	Total	C	N	O	S	0	0
			1544	992	251	293	8		
3	N	202	Total	C	N	O	S	0	0
			1544	992	251	293	8		
3	P	198	Total	C	N	O	S	0	0
			1510	971	245	287	7		
3	R	202	Total	C	N	O	S	0	0
			1544	992	251	293	8		










Frequency	Percentage
Daily	68%
Weekly	13%
Monthly	19%







GLU  
LYS  
THR  
VAL  
ALA  
PRO  
THR  
GLU  
CYS  
SER


• Molecule 2: CYFN1006-1 light chain

Chain H:  80% 10% 11%





• Molecule 2: CYFN1006-1 light chain

Chain M:  7% 79% 10% 11%





• Molecule 2: CYFN1006-1 light chain

Chain O:  12% 81% 8% 11%




• Molecule 2: CYFN1006-1 light chain

Chain Q:  7% 82% 7% 11%





• Molecule 3: CYFN1006-1 heavy chain



Chain E:  40% 55%



- Molecule 3: CYFN1006-1 heavy chain




- Molecule 3: CYFN1006-1 heavy chain




VAL	ASP	LYS	SER	ARG	TRP	GLN	GLN	GLY	ASN	VAL	PHE	SER	CYS	SER	VAL	MET	HIS	GLU	ALA	LEU	HIS	ASN	HIS	TYR	THR	GLN	LYS	SER	SER	LEU	SER	LEU	SER	PRO	GLY	LYS
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Chain N:  40% 55%

Chain P: 





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	38112	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.917	Depositor
Minimum map value	-0.277	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.024	Depositor
Recommended contour level	0.05	Depositor
Map size (Å)	559.2, 559.2, 559.2	wwPDB
Map dimensions	600, 600, 600	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.93200004, 0.93200004, 0.93200004	Depositor

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.24	0/8424	0.41	0/11465
1	B	0.24	0/8415	0.41	0/11451
1	C	0.24	0/8424	0.41	0/11465
1	J	0.24	0/8424	0.41	0/11465
1	K	0.24	0/8415	0.41	0/11451
1	L	0.24	0/8424	0.41	0/11465
2	D	0.24	0/1449	0.42	0/1971
2	F	0.24	0/1460	0.42	0/1986
2	H	0.24	0/1460	0.42	0/1986
2	M	0.23	0/1449	0.42	0/1971
2	O	0.24	0/1460	0.42	0/1986
2	Q	0.24	0/1460	0.42	0/1986
3	E	0.24	0/1584	0.42	0/2151
3	G	0.24	0/1550	0.42	0/2106
3	I	0.24	0/1584	0.42	0/2151
3	N	0.24	0/1584	0.42	0/2151
3	P	0.24	0/1550	0.42	0/2106
3	R	0.24	0/1584	0.42	0/2151
All	All	0.24	0/68700	0.41	0/93464

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8229	0	8031	106	0
1	B	8221	0	8024	103	0
1	C	8229	0	8031	103	0
1	J	8229	0	8031	99	0
1	K	8221	0	8024	106	0
1	L	8229	0	8031	97	0
2	D	1419	0	1368	17	0
2	F	1429	0	1375	12	0
2	H	1429	0	1375	11	0
2	M	1419	0	1368	13	0
2	O	1429	0	1375	11	0
2	Q	1429	0	1375	9	0
3	E	1544	0	1519	11	0
3	G	1510	0	1480	17	0
3	I	1544	0	1519	20	0
3	N	1544	0	1519	11	0
3	P	1510	0	1480	16	0
3	R	1544	0	1519	15	0
All	All	67108	0	65444	701	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 701 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:1051:TYR:HB2	1:C:1071:TYR:HB3	1.72	0.70
1:L:1051:TYR:HB2	1:L:1071:TYR:HB3	1.72	0.70
1:B:102:ILE:HG21	1:B:240:THR:HB	1.74	0.69
1:J:1051:TYR:HB2	1:J:1071:TYR:HB3	1.75	0.69
1:A:123:ASN:H	1:A:127:VAL:HG12	1.58	0.69

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1027/1299 (79%)	1009 (98%)	18 (2%)	0	100	100
1	B	1024/1299 (79%)	1000 (98%)	24 (2%)	0	100	100
1	C	1027/1299 (79%)	1001 (98%)	26 (2%)	0	100	100
1	J	1027/1299 (79%)	1010 (98%)	17 (2%)	0	100	100
1	K	1024/1299 (79%)	998 (98%)	26 (2%)	0	100	100
1	L	1027/1299 (79%)	1003 (98%)	24 (2%)	0	100	100
2	D	181/215 (84%)	177 (98%)	4 (2%)	0	100	100
2	F	182/215 (85%)	179 (98%)	3 (2%)	0	100	100
2	H	182/215 (85%)	179 (98%)	3 (2%)	0	100	100
2	M	181/215 (84%)	177 (98%)	4 (2%)	0	100	100
2	O	182/215 (85%)	180 (99%)	2 (1%)	0	100	100
2	Q	182/215 (85%)	179 (98%)	3 (2%)	0	100	100
3	E	194/451 (43%)	188 (97%)	6 (3%)	0	100	100
3	G	190/451 (42%)	183 (96%)	7 (4%)	0	100	100
3	I	194/451 (43%)	186 (96%)	8 (4%)	0	100	100
3	N	194/451 (43%)	187 (96%)	7 (4%)	0	100	100
3	P	190/451 (42%)	182 (96%)	8 (4%)	0	100	100
3	R	194/451 (43%)	186 (96%)	8 (4%)	0	100	100
All	All	8402/11790 (71%)	8204 (98%)	198 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	919/1122 (82%)	909 (99%)	10 (1%)	70	80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	918/1122 (82%)	910 (99%)	8 (1%)	75	83
1	C	919/1122 (82%)	910 (99%)	9 (1%)	73	82
1	J	919/1122 (82%)	909 (99%)	10 (1%)	70	80
1	K	918/1122 (82%)	912 (99%)	6 (1%)	81	87
1	L	919/1122 (82%)	910 (99%)	9 (1%)	73	82
2	D	161/181 (89%)	161 (100%)	0	100	100
2	F	162/181 (90%)	162 (100%)	0	100	100
2	H	162/181 (90%)	162 (100%)	0	100	100
2	M	161/181 (89%)	161 (100%)	0	100	100
2	O	162/181 (90%)	162 (100%)	0	100	100
2	Q	162/181 (90%)	162 (100%)	0	100	100
3	E	171/399 (43%)	168 (98%)	3 (2%)	54	71
3	G	167/399 (42%)	165 (99%)	2 (1%)	67	79
3	I	171/399 (43%)	168 (98%)	3 (2%)	54	71
3	N	171/399 (43%)	168 (98%)	3 (2%)	54	71
3	P	167/399 (42%)	165 (99%)	2 (1%)	67	79
3	R	171/399 (43%)	169 (99%)	2 (1%)	67	79
All	All	7500/10212 (73%)	7433 (99%)	67 (1%)	74	83

5 of 67 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	K	517	LEU
1	L	361	CYS
1	L	599	THR
1	B	468	ILE
1	B	377	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 102 such sidechains are listed below:

Mol	Chain	Res	Type
1	J	641	ASN
2	Q	95	GLN
1	L	1075	GLN
1	J	917	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	N	72	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-39801. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 300




Y Index: 300




Z Index: 300


### 6.2.2 Raw map



X Index: 300



Y Index: 300



Z Index: 300


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 295




Y Index: 306




Z Index: 378


### 6.3.2 Raw map



X Index: 295



Y Index: 306




Z Index: 378


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2436  $\text{nm}^3$ ; this corresponds to an approximate mass of 2200 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.185  $\text{\AA}^{-1}$



## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.185 Å<sup>-1</sup>



## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	5.41	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	7.53	20.33	8.01

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 7.53 differs from the reported value 5.41 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-39801 and PDB model 8Z6Q. Per-residue inclusion information can be found in section [3](#) on page [17](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).







































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 97% of all backbone atoms, 97% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9660	 0.1350
A	 0.9940	 0.2890
B	 0.9900	 0.2810
C	 0.9920	 0.2770
D	 0.9810	 0.1500
E	 0.9590	 0.1650
F	 0.9970	 0.1270
G	 0.9950	 0.1460
H	 0.9520	 0.1100
I	 0.9030	 0.1250
J	 0.9640	 0.0220
K	 0.9370	 0.0170
L	 0.9760	 0.0220
M	 0.9200	 0.0530
N	 0.9390	 0.0430
O	 0.8330	 0.0460
P	 0.9180	 0.0470
Q	 0.9100	 0.0450
R	 0.9580	 0.0330

