



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 26, 2024 – 07:18 AM EDT

PDB ID : 6ZGZ  
Title : Structure of human galactokinase 1 bound with 2-(4-chlorophenyl)-N-(pyrimidin-2-yl)acetamide  
Authors : Mackinnon, S.R.; Bezerra, G.A.; Zhang, M.; Foster, W.; Krojer, T.; Brandao-Neto, J.; Douangamath, A.; Arrowsmith, C.; Edwards, A.; Bountra, C.; Brennan, P.; Lai, K.; Yue, W.W.  
Deposited on : 2020-06-20  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	399	<div> <div>4%</div> <div>70% 22% 5% ..</div> </div>
1	B	399	<div> <div>83% 14% ..</div> </div>
1	D	399	<div> <div>2%</div> <div>72% 16% .. 8%</div> </div>
1	E	399	<div> <div>83% 14% ..</div> </div>

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 11599 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Galactokinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	388	Total	C	N	O	S	0	0	0
			2700	1692	476	516	16			
1	B	388	Total	C	N	O	S	0	1	0
			2765	1738	486	525	16			
1	E	390	Total	C	N	O	S	0	1	0
			2834	1780	497	541	16			
1	D	368	Total	C	N	O	S	0	2	0
			2594	1628	452	501	13			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MET	-	initiating methionine	UNP P51570
A	-5	ALA	-	expression tag	UNP P51570
A	-4	HIS	-	expression tag	UNP P51570
A	-3	HIS	-	expression tag	UNP P51570
A	-2	HIS	-	expression tag	UNP P51570
A	-1	HIS	-	expression tag	UNP P51570
A	0	HIS	-	expression tag	UNP P51570
A	1	HIS	-	expression tag	UNP P51570
A	252	ALA	LYS	engineered mutation	UNP P51570
A	253	ALA	GLU	engineered mutation	UNP P51570
B	-6	MET	-	initiating methionine	UNP P51570
B	-5	ALA	-	expression tag	UNP P51570
B	-4	HIS	-	expression tag	UNP P51570
B	-3	HIS	-	expression tag	UNP P51570
B	-2	HIS	-	expression tag	UNP P51570
B	-1	HIS	-	expression tag	UNP P51570
B	0	HIS	-	expression tag	UNP P51570
B	1	HIS	-	expression tag	UNP P51570
B	252	ALA	LYS	engineered mutation	UNP P51570
B	253	ALA	GLU	engineered mutation	UNP P51570
E	-6	MET	-	initiating methionine	UNP P51570

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-5	ALA	-	expression tag	UNP P51570
E	-4	HIS	-	expression tag	UNP P51570
E	-3	HIS	-	expression tag	UNP P51570
E	-2	HIS	-	expression tag	UNP P51570
E	-1	HIS	-	expression tag	UNP P51570
E	0	HIS	-	expression tag	UNP P51570
E	1	HIS	-	expression tag	UNP P51570
E	252	ALA	LYS	engineered mutation	UNP P51570
E	253	ALA	GLU	engineered mutation	UNP P51570
D	-6	MET	-	initiating methionine	UNP P51570
D	-5	ALA	-	expression tag	UNP P51570
D	-4	HIS	-	expression tag	UNP P51570
D	-3	HIS	-	expression tag	UNP P51570
D	-2	HIS	-	expression tag	UNP P51570
D	-1	HIS	-	expression tag	UNP P51570
D	0	HIS	-	expression tag	UNP P51570
D	1	HIS	-	expression tag	UNP P51570
D	252	ALA	LYS	engineered mutation	UNP P51570
D	253	ALA	GLU	engineered mutation	UNP P51570

- Molecule 2 is beta-D-galactopyranose (three-letter code: GAL) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			12	6	6		
2	B	1	Total	C	O	0	0
			12	6	6		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	E	1	Total	C	O	0	0
			12	6	6		

- Molecule 3 is 2-(1,3-benzoxazol-2-ylamino)spiro[1,6,7,8-tetrahydroquinazoline-4,1'-cyclohexane]-5-one (three-letter code: HFK) (formula: C<sub>20</sub>H<sub>22</sub>N<sub>4</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			26	20	4	2		
3	B	1	Total	C	N	O	0	0
			26	20	4	2		
3	E	1	Total	C	N	O	0	0
			26	20	4	2		

- Molecule 4 is {N}-(3-ethanoylphenyl)-2,2,2-tris(fluoranyl)ethanamide (three-letter code: SSY) (formula: C<sub>10</sub>H<sub>8</sub>F<sub>3</sub>NO<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	D	1	Total	C	F	N	O	0	0
			16	10	3	1	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	130	Total	O	0	0
			130	130		
5	B	131	Total	O	0	0
			131	131		
5	E	207	Total	O	0	0
			207	207		
5	D	108	Total	O	0	0
			108	108		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Galactokinase




#### • Molecule 1: Galactokinase




#### • Molecule 1: Galactokinase







• Molecule 1: Galactokinase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	73.21Å 114.30Å 120.81Å 90.00° 100.54° 90.00°	Depositor
Resolution (Å)	82.49 – 2.30 82.36 – 2.07	Depositor EDS
% Data completeness (in resolution range)	99.8 (82.49-2.30) 99.6 (82.36-2.07)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.58 (at 2.07Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, $R_{free}$	0.214 , 0.256 0.217 , 0.257	Depositor DCC
$R_{free}$ test set	5872 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	30.0	Xtriage
Anisotropy	0.673	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 42.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	11599	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.52% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HFK, GAL, SSY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	1.43	37/2749 (1.3%)	1.16	13/3756 (0.3%)
1	B	0.84	4/2819 (0.1%)	0.95	2/3846 (0.1%)
1	D	1.05	11/2641 (0.4%)	0.95	3/3602 (0.1%)
1	E	0.85	3/2891 (0.1%)	0.94	0/3939
All	All	1.07	55/11100 (0.5%)	1.00	18/15143 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	10
1	B	0	1
All	All	0	11

All (55) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	24	PHE	C-O	20.97	1.63	1.23
1	A	316	ASP	CG-OD1	15.68	1.61	1.25
1	A	299	ASP	CG-OD2	14.80	1.59	1.25
1	A	295	LEU	C-O	13.99	1.50	1.23
1	A	207	GLU	CD-OE2	13.07	1.40	1.25
1	A	301	ARG	C-O	12.55	1.47	1.23
1	A	299	ASP	CG-OD1	12.36	1.53	1.25
1	A	43	GLU	CD-OE2	11.08	1.37	1.25
1	D	29	GLU	CD-OE2	10.51	1.37	1.25
1	A	328	LEU	C-O	10.32	1.43	1.23
1	A	370	GLU	C-O	9.90	1.42	1.23
1	A	43	GLU	CD-OE1	9.72	1.36	1.25

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	334	ALA	C-O	9.63	1.41	1.23
1	A	41	ILE	C-O	9.57	1.41	1.23
1	A	207	GLU	CG-CD	9.26	1.65	1.51
1	A	284	GLU	CD-OE1	9.22	1.35	1.25
1	D	33	SER	CB-OG	9.12	1.54	1.42
1	D	157	CYS	CB-SG	9.03	1.97	1.82
1	A	308	VAL	C-O	8.70	1.39	1.23
1	A	294	ALA	C-O	7.94	1.38	1.23
1	A	298	GLY	C-O	7.69	1.35	1.23
1	B	23	GLU	CD-OE1	-7.49	1.17	1.25
1	A	290	GLN	C-O	7.47	1.37	1.23
1	D	391	CYS	C-O	7.44	1.37	1.23
1	A	289	ALA	C-O	7.41	1.37	1.23
1	B	268	ASP	CB-CG	7.30	1.67	1.51
1	A	40	LEU	C-O	7.19	1.37	1.23
1	A	282	VAL	C-N	6.99	1.45	1.33
1	D	29	GLU	CD-OE1	6.94	1.33	1.25
1	A	282	VAL	C-O	6.90	1.36	1.23
1	A	353	VAL	C-O	6.73	1.36	1.23
1	A	51	LEU	C-O	6.68	1.36	1.23
1	A	207	GLU	CD-OE1	6.67	1.32	1.25
1	A	198	ALA	C-O	6.50	1.35	1.23
1	D	124	GLY	C-O	6.41	1.33	1.23
1	E	74	SER	CB-OG	6.37	1.50	1.42
1	A	310	SER	CB-OG	6.21	1.50	1.42
1	A	295	LEU	CA-C	6.19	1.69	1.52
1	D	392	LEU	C-O	6.10	1.34	1.23
1	B	264	GLU	CD-OE2	6.02	1.32	1.25
1	B	309	GLU	CD-OE1	5.96	1.32	1.25
1	A	313	SER	CB-OG	5.84	1.49	1.42
1	A	284	GLU	CG-CD	5.75	1.60	1.51
1	A	316	ASP	CG-OD2	5.74	1.38	1.25
1	D	127	ALA	C-O	5.67	1.34	1.23
1	A	279	ARG	C-O	5.66	1.34	1.23
1	A	89	GLN	C-O	5.49	1.33	1.23
1	A	39	ASN	CB-CG	5.31	1.63	1.51
1	E	138	GLY	C-O	5.27	1.32	1.23
1	A	293	ALA	C-N	5.26	1.46	1.34
1	D	266	ALA	C-O	5.23	1.33	1.23
1	A	275	PHE	C-O	5.18	1.33	1.23
1	E	23	GLU	CG-CD	5.13	1.59	1.51
1	A	291	ALA	C-N	5.10	1.45	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	250	LEU	C-O	5.02	1.32	1.23

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	299	ASP	CB-CG-OD2	-20.32	100.01	118.30
1	A	316	ASP	CB-CG-OD1	-8.78	110.40	118.30
1	A	295	LEU	O-C-N	7.61	134.87	122.70
1	A	207	GLU	OE1-CD-OE2	7.21	131.95	123.30
1	A	297	ARG	NE-CZ-NH2	-7.18	116.71	120.30
1	A	87	ARG	NE-CZ-NH2	-6.87	116.87	120.30
1	B	23	GLU	OE1-CD-OE2	-6.47	115.53	123.30
1	A	297	ARG	NE-CZ-NH1	6.41	123.50	120.30
1	A	43	GLU	OE1-CD-OE2	6.11	130.63	123.30
1	B	268	ASP	CB-CG-OD2	5.75	123.47	118.30
1	D	315	ARG	CG-CD-NE	5.64	123.64	111.80
1	A	295	LEU	CB-CA-C	5.63	120.90	110.20
1	D	67	PRO	CA-C-O	-5.55	106.88	120.20
1	D	37	ARG	CG-CD-NE	-5.50	100.26	111.80
1	A	291	ALA	CB-CA-C	5.42	118.23	110.10
1	A	284	GLU	CB-CA-C	-5.40	99.59	110.40
1	A	299	ASP	OD1-CG-OD2	5.19	133.16	123.30
1	A	299	ASP	CA-C-O	5.11	130.83	120.10

There are no chirality outliers.

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	282	VAL	Mainchain
1	A	284	GLU	Mainchain
1	A	289	ALA	Mainchain
1	A	293	ALA	Mainchain
1	A	295	LEU	Mainchain
1	A	298	GLY	Mainchain
1	A	299	ASP	Sidechain
1	A	301	ARG	Mainchain
1	A	303	PHE	Peptide
1	A	312	ARG	Mainchain
1	B	23	GLU	Sidechain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2700	0	2527	60	0
1	B	2765	0	2632	26	0
1	D	2594	0	2411	44	0
1	E	2834	0	2754	30	0
2	A	12	0	12	0	0
2	B	12	0	12	0	0
2	E	12	0	11	0	0
3	A	26	0	0	1	0
3	B	26	0	0	0	0
3	E	26	0	0	0	0
4	D	16	0	0	3	0
5	A	130	0	0	4	1
5	B	131	0	0	0	0
5	D	108	0	0	1	0
5	E	207	0	0	1	1
All	All	11599	0	10359	159	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:37:ARG:NH1	1:D:186:ASP:OD1	1.80	1.12
1:A:314:LEU:HB3	1:A:343:MET:HE3	1.49	0.94
1:A:223:THR:HG22	5:A:569:HOH:O	1.73	0.87
1:A:299:ASP:OD2	1:A:302:ALA:HB2	1.75	0.85
1:E:192:MET:HE1	1:E:208:THR:HG21	1.59	0.82
1:A:314:LEU:HB3	1:A:343:MET:CE	2.08	0.82
1:D:159:ASP:O	1:D:159:ASP:OD1	2.05	0.74
1:A:63:LEU:HD11	1:A:129:VAL:HG22	1.73	0.70
1:B:23:GLU:HG3	1:B:76:LEU:HD22	1.73	0.69
1:A:72:LEU:C	1:A:72:LEU:HD12	2.14	0.68
1:D:315:ARG:NH1	1:D:316:ASP:OD1	2.26	0.68
1:B:83[A]:ASP:OD1	1:B:84:GLU:N	2.27	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:236:TYR:HB3	1:B:237:PRO:HD3	1.77	0.67
1:A:280:HIS:O	1:A:284:GLU:N	2.27	0.65
1:B:147:VAL:HG21	1:B:190:SER:HB3	1.79	0.65
1:D:249:ALA:HB1	1:D:269:LEU:HD22	1.80	0.63
1:D:230:SER:OG	1:D:235:GLU:OE1	2.15	0.63
1:A:354:THR:HG23	5:A:569:HOH:O	1.98	0.62
1:A:239:ARG:HD3	1:A:242:GLN:HE21	1.66	0.61
1:E:361:ALA:HB3	1:E:362:PRO:HD3	1.82	0.60
1:E:30:LEU:CD2	1:D:391:CYS:HB2	2.33	0.59
1:D:121:PRO:HD2	1:D:157:CYS:SG	2.43	0.59
1:D:312:ARG:HD3	5:D:514:HOH:O	2.03	0.59
1:D:295:LEU:HD13	1:D:303:PHE:CD2	2.38	0.58
1:A:105:ARG:NH1	3:A:402:HFK:O01	2.37	0.58
1:A:59:LEU:HD11	1:A:379:TYR:CD2	2.40	0.56
1:A:320:VAL:HG23	1:A:343:MET:CE	2.35	0.56
1:D:31:ALA:HB2	1:D:392:LEU:HD21	1.87	0.56
1:D:18:ARG:O	1:D:22:GLU:HG3	2.06	0.55
1:B:213:LEU:HD12	1:B:383:ALA:HB2	1.89	0.55
1:E:38:VAL:HG23	1:E:344:THR:HG21	1.89	0.55
1:E:192:MET:HE1	1:E:208:THR:CG2	2.33	0.55
1:A:63:LEU:CD1	1:A:129:VAL:HG22	2.36	0.54
1:A:259:GLN:O	1:A:262:GLU:N	2.40	0.54
1:B:150:TYR:CZ	1:B:166:ARG:HG2	2.42	0.54
1:D:20:PHE:CE2	1:D:65:GLY:HA2	2.42	0.54
1:D:120:ALA:HB3	1:D:121:PRO:HD3	1.90	0.54
1:D:159:ASP:OD1	1:D:159:ASP:C	2.47	0.53
1:A:54:PRO:HD2	1:A:199:LEU:O	2.08	0.53
1:A:168:GLN:NE2	5:A:506:HOH:O	2.36	0.53
1:B:101:PRO:HG3	1:B:177:PHE:HA	1.91	0.53
1:B:54:PRO:HD2	1:B:199:LEU:O	2.09	0.52
1:E:192:MET:CE	1:E:208:THR:HG21	2.37	0.52
1:A:30:LEU:HD21	1:A:155:GLN:HB3	1.92	0.52
1:A:109:TYR:CE1	1:A:142:SER:HB2	2.45	0.52
1:D:44:HIS:CD2	1:D:236:TYR:CE1	2.97	0.52
1:A:43:GLU:HB3	1:A:314:LEU:HD21	1.92	0.51
1:D:205:SER:O	1:D:205:SER:OG	2.23	0.51
1:A:68:ARG:CZ	1:A:72:LEU:HD11	2.40	0.51
1:A:223:THR:CG2	1:A:352:THR:OG1	2.59	0.51
1:D:44:HIS:CD2	1:D:236:TYR:HE1	2.29	0.50
1:D:24:PHE:CE1	1:D:126:SER:HB3	2.47	0.50
1:A:28:PRO:HG3	1:A:64:VAL:CG1	2.41	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:6:GLN:NE2	1:E:379:TYR:HB3	2.27	0.50
1:D:194[B]:GLN:HG3	1:D:197:HIS:ND1	2.27	0.50
1:D:43:GLU:CB	1:D:44:HIS:ND1	2.75	0.49
1:D:276:ARG:NH1	1:D:317:ASP:OD1	2.46	0.49
1:E:109:TYR:CE1	1:E:142:SER:HB2	2.47	0.49
1:A:306:LEU:N	1:A:306:LEU:HD12	2.27	0.49
1:A:214:SER:O	1:A:215:ASP:C	2.51	0.49
1:B:105:ARG:HA	1:B:108:ASN:ND2	2.28	0.49
1:A:289:ALA:O	1:A:292:ALA:HB3	2.14	0.48
1:E:213:LEU:O	1:E:213:LEU:HG	2.11	0.48
1:D:54:PRO:HD2	1:D:199:LEU:O	2.14	0.48
1:A:314:LEU:HB3	1:A:343:MET:HE2	1.95	0.48
1:D:300:TYR:CD1	4:D:401:SSY:C	2.97	0.48
1:D:30:LEU:HD21	1:D:155:GLN:HG3	1.96	0.48
1:E:199:LEU:HD23	1:E:201:ILE:HD11	1.95	0.48
1:E:273:GLU:O	1:E:277:ARG:HG2	2.13	0.48
1:A:72:LEU:HD12	1:A:72:LEU:O	2.12	0.48
1:E:259:GLN:CB	5:E:642:HOH:O	2.62	0.48
1:D:30:LEU:O	1:D:64:VAL:HA	2.14	0.48
1:A:43:GLU:HB2	1:A:342:ARG:NH2	2.29	0.48
1:E:40:LEU:O	1:E:342:ARG:HD3	2.13	0.47
1:A:232:ALA:HA	1:A:348:PHE:CD2	2.50	0.47
1:E:320:VAL:HA	1:E:348:PHE:CZ	2.50	0.47
1:D:30:LEU:HD21	1:D:155:GLN:CB	2.45	0.47
1:A:354:THR:CG2	5:A:569:HOH:O	2.59	0.47
1:A:341:SER:HA	1:A:353:VAL:O	2.15	0.46
1:A:184:ILE:HD11	1:A:203:CYS:SG	2.55	0.46
1:B:23:GLU:OE1	1:B:87:ARG:NE	2.42	0.46
1:E:385:ASP:OD2	1:E:388:LYS:HE3	2.15	0.46
1:A:299:ASP:CG	1:A:302:ALA:HB2	2.36	0.46
1:A:320:VAL:HG23	1:A:343:MET:HE1	1.98	0.46
1:A:30:LEU:HD21	1:A:155:GLN:CB	2.45	0.46
1:A:52:VAL:O	1:A:200:LEU:HD12	2.16	0.46
1:A:290:GLN:O	1:A:294:ALA:N	2.48	0.46
1:A:320:VAL:C	1:A:343:MET:HE1	2.35	0.46
1:E:335:VAL:HG11	1:E:364:ALA:HA	1.97	0.46
1:D:23:GLU:HB3	1:D:24:PHE:CE2	2.51	0.46
1:E:218:LEU:HD11	1:E:355:LEU:CD1	2.45	0.45
1:D:194[B]:GLN:CG	1:D:197:HIS:ND1	2.79	0.45
1:A:152:PHE:HE1	1:A:156:LEU:HD11	1.82	0.45
1:E:174:GLU:HG2	1:E:182:CYS:SG	2.55	0.45

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:73:VAL:O	1:A:89:GLN:HA	2.15	0.45
1:A:320:VAL:HG23	1:A:343:MET:HE3	1.97	0.45
1:A:78:THR:OG1	1:A:130:VAL:HG12	2.17	0.45
1:B:43:GLU:HB2	1:B:342:ARG:NH2	2.32	0.45
1:D:200:LEU:O	1:D:208:THR:HA	2.17	0.45
1:D:300:TYR:CE1	4:D:401:SSY:C	3.00	0.44
1:A:361:ALA:HA	1:A:363:HIS:H	1.82	0.44
1:D:75:LEU:HA	1:D:127:ALA:O	2.17	0.44
1:D:320:VAL:O	1:D:347:GLY:HA3	2.18	0.44
1:B:356:LEU:HD11	1:B:361:ALA:HA	1.99	0.44
1:D:51:LEU:HD23	1:D:202:ASP:HA	1.99	0.44
1:A:283:GLY:O	1:A:286:ARG:N	2.49	0.44
1:B:76:LEU:O	1:B:128:VAL:HA	2.18	0.43
1:B:175:HIS:CD2	1:B:181:PRO:HA	2.52	0.43
1:B:246:VAL:HG12	1:B:250:LEU:HD12	2.00	0.43
1:E:92:LEU:HD11	1:E:124:GLY:N	2.34	0.43
1:B:109:TYR:CE1	1:B:142:SER:HB2	2.53	0.43
1:E:147:VAL:HG21	1:E:190:SER:HB3	1.99	0.43
1:D:205:SER:C	1:D:207:GLU:H	2.21	0.43
1:A:340:GLY:O	1:A:354:THR:HA	2.18	0.43
1:E:54:PRO:HD2	1:E:199:LEU:O	2.18	0.43
1:A:152:PHE:CE1	1:A:156:LEU:HD11	2.53	0.43
1:B:38:VAL:HG23	1:B:344:THR:HG21	1.99	0.43
1:E:63:LEU:HA	1:E:128:VAL:O	2.19	0.43
1:A:64:VAL:O	1:A:127:ALA:HA	2.19	0.43
1:D:141:SER:O	1:D:144:SER:HB3	2.17	0.43
1:B:295:LEU:HD13	1:B:303:PHE:CD2	2.54	0.43
1:E:83:ASP:OD2	1:E:105:ARG:N	2.47	0.43
1:D:133:VAL:HG11	1:D:141:SER:HA	2.01	0.43
1:B:246:VAL:O	1:B:249:ALA:N	2.51	0.42
1:E:92:LEU:HD11	1:E:123:PRO:C	2.39	0.42
1:A:184:ILE:HD12	1:A:184:ILE:C	2.40	0.42
1:B:146:GLU:OE2	1:B:174:GLU:OE1	2.37	0.42
1:A:72:LEU:C	1:A:72:LEU:CD1	2.84	0.42
1:A:199:LEU:HD23	1:A:201:ILE:HD11	2.01	0.42
1:A:380:LEU:HD23	1:A:380:LEU:HA	1.81	0.42
1:D:163:ILE:O	1:D:166:ARG:HB2	2.19	0.42
1:D:194[B]:GLN:HG3	1:D:197:HIS:HD1	1.85	0.42
1:A:254:SER:OG	1:A:256:ARG:HB3	2.20	0.42
1:E:184:ILE:O	1:E:188:PHE:HB2	2.20	0.41
1:B:150:TYR:CE1	1:B:166:ARG:HG2	2.55	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:175:HIS:CD2	1:A:181:PRO:HA	2.55	0.41
1:A:306:LEU:HD12	1:A:306:LEU:H	1.86	0.41
1:D:311:HIS:HB2	1:D:342:ARG:CB	2.50	0.41
1:A:278:ALA:O	1:A:282:VAL:HB	2.21	0.41
1:B:33:SER:O	1:B:387:ALA:HA	2.20	0.41
1:B:65:GLY:HA3	1:B:126:SER:O	2.20	0.41
1:E:163:ILE:HG21	1:E:192:MET:CG	2.50	0.41
1:E:6:GLN:OE1	1:E:58:GLU:HB2	2.20	0.41
1:D:33:SER:O	1:D:387:ALA:HA	2.21	0.41
1:D:140:SER:O	1:D:144:SER:HB2	2.20	0.41
1:D:146:GLU:OE2	1:D:174:GLU:OE1	2.38	0.41
1:B:33:SER:HA	1:B:61:THR:O	2.21	0.41
1:B:48:ASN:HD21	1:B:243:CYS:CB	2.34	0.41
1:B:149:THR:O	1:B:153:LEU:HG	2.21	0.41
1:E:192:MET:HE3	1:E:199:LEU:HD11	2.03	0.41
1:A:361:ALA:HA	1:A:363:HIS:N	2.35	0.41
1:D:76:LEU:HD12	1:D:77:THR:N	2.36	0.41
1:A:305:ARG:O	1:A:309:GLU:CB	2.69	0.40
1:E:175:HIS:CD2	1:E:181:PRO:HA	2.56	0.40
1:A:283:GLY:C	1:A:287:ARG:HE	2.24	0.40
1:A:68:ARG:HD2	1:A:126:SER:OG	2.21	0.40
1:D:213:LEU:O	4:D:401:SSY:F	2.30	0.40
1:A:255:LEU:HD12	1:A:255:LEU:HA	1.93	0.40
1:E:23:GLU:CD	1:E:87:ARG:HE	2.25	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:564:HOH:O	5:E:609:HOH:O[1_656]	2.18	0.02

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	384/399 (96%)	360 (94%)	20 (5%)	4 (1%)	15	17
1	B	385/399 (96%)	367 (95%)	17 (4%)	1 (0%)	41	50
1	D	360/399 (90%)	334 (93%)	24 (7%)	2 (1%)	25	31
1	E	389/399 (98%)	377 (97%)	12 (3%)	0	100	100
All	All	1518/1596 (95%)	1438 (95%)	73 (5%)	7 (0%)	29	35

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	105	ARG
1	A	96	GLN
1	A	215	ASP
1	A	232	ALA
1	B	7	PRO
1	A	271	SER
1	D	206	LEU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/315 (80%)	233 (92%)	19 (8%)	13	17
1	B	266/315 (84%)	253 (95%)	13 (5%)	25	35
1	D	244/315 (78%)	225 (92%)	19 (8%)	12	16
1	E	285/315 (90%)	275 (96%)	10 (4%)	36	50
All	All	1047/1260 (83%)	986 (94%)	61 (6%)	20	27

All (61) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	GLN
1	A	9	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	37	ARG
1	A	41	ILE
1	A	84	GLU
1	A	103	THR
1	A	122	LEU
1	A	188	PHE
1	A	209	SER
1	A	228	ARG
1	A	254	SER
1	A	287	ARG
1	A	338	VAL
1	A	341	SER
1	A	343	MET
1	A	354	THR
1	A	355	LEU
1	A	362	PRO
1	A	363	HIS
1	B	9	VAL
1	B	23	GLU
1	B	30	LEU
1	B	37	ARG
1	B	83[A]	ASP
1	B	83[B]	ASP
1	B	84	GLU
1	B	135	LEU
1	B	172	GLN
1	B	188	PHE
1	B	264	GLU
1	B	269	LEU
1	B	381	SER
1	E	11	GLU
1	E	37	ARG
1	E	188	PHE
1	E	192	MET
1	E	264	GLU
1	E	318	TYR
1	E	321	SER
1	E	356	LEU
1	E	377	THR
1	E	381	SER
1	D	30	LEU
1	D	37	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	63	LEU
1	D	64	VAL
1	D	66	SER
1	D	75	LEU
1	D	140	SER
1	D	190	SER
1	D	213	LEU
1	D	218	LEU
1	D	267	ARG
1	D	269	LEU
1	D	271	SER
1	D	295	LEU
1	D	318	TYR
1	D	357	GLU
1	D	359	SER
1	D	375	THR
1	D	392	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	226	ASN
1	A	242	GLN
1	A	363	HIS
1	B	48	ASN
1	B	172	GLN
1	E	172	GLN
1	E	327	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 5.6 Ligand geometry

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	HFK	A	402	-	26,30,30	3.00	10 (38%)	24,44,44	1.46	5 (20%)
3	HFK	E	402	-	26,30,30	2.71	8 (30%)	24,44,44	1.76	8 (33%)
2	GAL	E	401	-	12,12,12	1.04	1 (8%)	17,17,17	2.92	8 (47%)
2	GAL	B	401	-	12,12,12	0.97	0	17,17,17	2.43	6 (35%)
4	SSY	D	401	-	16,16,16	1.49	3 (18%)	23,23,23	1.37	3 (13%)
3	HFK	B	402	-	26,30,30	2.75	7 (26%)	24,44,44	1.68	7 (29%)
2	GAL	A	401	-	12,12,12	0.73	0	17,17,17	2.18	5 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HFK	A	402	-	-	2/2/43/43	0/5/5/5
3	HFK	E	402	-	-	2/2/43/43	0/5/5/5
2	GAL	E	401	-	-	2/2/22/22	0/1/1/1
2	GAL	B	401	-	-	1/2/22/22	0/1/1/1
4	SSY	D	401	-	-	0/14/14/14	0/1/1/1
3	HFK	B	402	-	-	2/2/43/43	0/5/5/5
2	GAL	A	401	-	-	2/2/22/22	0/1/1/1

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	402	HFK	C06-C07	9.85	1.49	1.37
3	B	402	HFK	C06-C07	9.47	1.49	1.37
3	E	402	HFK	C06-C07	8.76	1.48	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	402	HFK	C15-N14	6.56	1.47	1.30
3	B	402	HFK	C15-N14	5.40	1.44	1.30
3	E	402	HFK	C15-N14	5.06	1.43	1.30
3	A	402	HFK	C15-N17	4.80	1.45	1.36
3	B	402	HFK	C15-N17	4.42	1.44	1.36
3	E	402	HFK	C15-N17	4.41	1.44	1.36
3	E	402	HFK	C18-N17	4.25	1.44	1.36
3	E	402	HFK	C03-C02	4.06	1.56	1.50
3	A	402	HFK	C08-N14	4.00	1.50	1.46
3	B	402	HFK	C05-C06	3.67	1.55	1.49
3	A	402	HFK	C18-N17	3.66	1.43	1.36
4	D	401	SSY	C9-C8	3.61	1.62	1.53
3	B	402	HFK	C18-N17	3.56	1.43	1.36
3	B	402	HFK	C15-N16	3.33	1.42	1.36
3	E	402	HFK	C05-C06	3.01	1.54	1.49
3	A	402	HFK	C15-N16	3.01	1.41	1.36
4	D	401	SSY	C8-N	2.47	1.41	1.35
3	A	402	HFK	C25-C26	2.45	1.42	1.36
2	E	401	GAL	O1-C1	-2.36	1.32	1.39
3	E	402	HFK	C15-N16	2.32	1.40	1.36
3	A	402	HFK	C18-N19	2.29	1.38	1.35
3	B	402	HFK	C03-C02	2.20	1.53	1.50
3	A	402	HFK	C06-N16	2.14	1.41	1.37
3	E	402	HFK	C06-N16	2.09	1.41	1.37
4	D	401	SSY	F1-C9	2.03	1.40	1.32
3	A	402	HFK	C05-C06	2.01	1.53	1.49

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	401	GAL	C1-O5-C5	-8.07	98.43	113.66
2	B	401	GAL	C1-O5-C5	-7.14	100.19	113.66
2	E	401	GAL	C1-C2-C3	-6.10	97.66	110.31
2	A	401	GAL	C1-C2-C3	-4.93	100.09	110.31
2	A	401	GAL	C1-O5-C5	-4.80	104.61	113.66
3	E	402	HFK	C09-C10-C11	4.07	117.67	111.37
3	B	402	HFK	C09-C10-C11	3.98	117.53	111.37
3	A	402	HFK	N17-C15-N14	3.84	124.19	117.81
2	A	401	GAL	O1-C1-C2	3.46	118.78	109.03
2	B	401	GAL	C1-C2-C3	-3.13	103.81	110.31
2	B	401	GAL	O5-C5-C6	3.01	113.91	106.44
2	E	401	GAL	C3-C4-C5	3.00	115.60	110.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	402	HFK	N17-C15-N14	2.98	122.76	117.81
2	B	401	GAL	O2-C2-C3	2.97	117.22	110.35
3	E	402	HFK	C13-C12-C11	2.94	115.92	111.37
3	B	402	HFK	C05-C06-N16	2.93	119.86	115.34
2	A	401	GAL	O2-C2-C1	2.75	115.54	109.16
3	A	402	HFK	C05-C06-N16	2.70	119.50	115.34
2	E	401	GAL	O6-C6-C5	-2.69	102.06	111.29
4	D	401	SSY	F1-C9-C8	2.68	119.69	111.90
3	E	402	HFK	C05-C06-N16	2.65	119.42	115.34
2	E	401	GAL	C6-C5-C4	2.60	119.09	113.00
3	A	402	HFK	C04-C03-C02	-2.55	109.05	113.58
4	D	401	SSY	C3-C2-C1	-2.53	114.99	120.86
3	E	402	HFK	C15-N16-C06	2.52	123.69	120.67
3	B	402	HFK	C08-C07-C06	-2.49	118.94	121.75
3	B	402	HFK	C02-C07-C06	-2.42	116.87	119.17
3	A	402	HFK	C05-C06-C07	-2.42	119.78	122.97
2	A	401	GAL	O5-C1-C2	-2.42	105.97	110.28
3	B	402	HFK	C04-C03-C02	2.39	117.82	113.58
3	B	402	HFK	C13-C12-C11	-2.37	107.71	111.37
2	B	401	GAL	C4-C3-C2	-2.33	106.76	110.82
3	E	402	HFK	O01-C02-C07	-2.31	118.36	121.54
3	B	402	HFK	C05-C04-C03	2.30	119.43	112.02
3	A	402	HFK	C18-N17-C15	-2.28	121.42	126.49
3	E	402	HFK	C18-N17-C15	-2.26	121.48	126.49
2	B	401	GAL	O5-C5-C4	2.15	113.60	109.69
2	E	401	GAL	O3-C3-C4	2.14	115.31	110.35
2	E	401	GAL	O1-C1-O5	-2.12	104.02	110.38
4	D	401	SSY	O1-C8-N	2.05	128.22	123.23
2	E	401	GAL	O4-C4-C5	-2.04	104.24	109.30
3	E	402	HFK	N16-C15-N14	-2.01	120.52	123.88

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	401	GAL	O5-C5-C6-O6
2	A	401	GAL	O5-C5-C6-O6
2	B	401	GAL	O5-C5-C6-O6
2	A	401	GAL	C4-C5-C6-O6
2	E	401	GAL	C4-C5-C6-O6
3	A	402	HFK	N14-C15-N17-C18
3	A	402	HFK	N16-C15-N17-C18

*Continued on next page...*



*Continued from previous page...*



Mol	Chain	Res	Type	Atoms
3	B	402	HFK	N14-C15-N17-C18
3	B	402	HFK	N16-C15-N17-C18
3	E	402	HFK	N16-C15-N17-C18
3	E	402	HFK	N14-C15-N17-C18


There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	402	HFK	1	0
4	D	401	SSY	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	388/399 (97%)	0.13	15 (3%) 39 46	26, 50, 100, 128	0
1	B	388/399 (97%)	-0.19	1 (0%) 94 96	26, 44, 77, 113	0
1	D	368/399 (92%)	0.05	6 (1%) 72 77	23, 53, 111, 147	0
1	E	390/399 (97%)	-0.35	0 100 100	20, 36, 59, 73	0
All	All	1534/1596 (96%)	-0.09	22 (1%) 75 80	20, 44, 96, 147	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	268	ASP	4.3
1	D	102	GLY	3.8
1	D	104	PRO	3.8
1	D	120	ALA	3.2
1	A	334	ALA	3.1
1	A	229	HIS	3.0
1	A	249	ALA	2.8
1	B	214	SER	2.8
1	D	43	GLU	2.8
1	A	270	VAL	2.7
1	A	300	TYR	2.6
1	A	328	LEU	2.5
1	A	308	VAL	2.4
1	A	332	ALA	2.3
1	A	246	VAL	2.3
1	A	340	GLY	2.3
1	D	24	PHE	2.3
1	A	288	THR	2.2
1	A	295	LEU	2.1
1	D	373	GLY	2.0
1	A	260	LEU	2.0
1	A	253	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	SSY	D	401	16/16	0.78	0.27	37,44,50,52	16
3	HFK	B	402	26/26	0.85	0.15	51,56,65,66	0
3	HFK	A	402	26/26	0.89	0.17	48,55,59,60	0
3	HFK	E	402	26/26	0.90	0.14	33,38,44,45	0
2	GAL	B	401	12/12	0.90	0.13	29,35,38,41	0
2	GAL	A	401	12/12	0.95	0.12	36,40,44,44	0
2	GAL	E	401	12/12	0.95	0.12	24,25,27,30	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around SSY D 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around HFK B 402:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around HFK A 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around HFK E 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.