



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 12, 2025 – 12:29 PM JST

PDB ID : 8ZYK
Title : Crystal structure of hemagglutinin from HN/4-10 H3N8 influenza virus S228 mutant
Authors : Hao, T.J.; Chai, Y.; Song, H.; Gao, G.F.
Deposited on : 2024-06-18
Resolution : 3.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.21
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 3.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	2927 (3.04-3.00)
Clashscore	180529	3300 (3.04-3.00)
Ramachandran outliers	177936	3188 (3.04-3.00)
Sidechain outliers	177891	3191 (3.04-3.00)
RSRZ outliers	164620	2939 (3.04-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	331	<div><div>0%</div><div>88%8%</div><div>.</div></div>
1	B	331	<div><div>2%</div><div>88%7%</div><div>.</div></div>
1	C	331	<div><div>0%</div><div>89%7%</div><div>.</div></div>
1	D	331	<div><div>2%</div><div>86%10%</div><div>.</div></div>
1	E	331	<div><div>0%</div><div>88%8%</div><div>.</div></div>
1	F	331	<div><div>0%</div><div>87%9%</div><div>.</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	R	177	
2	S	177	
2	T	177	
2	U	177	
2	V	177	
2	W	177	
3	G	3	
3	J	3	
3	P	3	
4	H	2	
4	I	2	
4	K	2	
4	N	2	
4	Q	2	
5	L	5	
6	M	4	
7	O	4	

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 23628 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	317	Total	C	N	O	S	0	0	0
			2452	1533	434	472	13			
1	B	317	Total	C	N	O	S	0	0	0
			2452	1533	434	472	13			
1	C	318	Total	C	N	O	S	0	0	0
			2461	1538	435	475	13			
1	D	318	Total	C	N	O	S	0	0	0
			2464	1541	436	474	13			
1	E	317	Total	C	N	O	S	0	0	0
			2455	1535	434	473	13			
1	F	318	Total	C	N	O	S	0	0	0
			2461	1538	435	475	13			

- Molecule 2 is a protein called Hemagglutinin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	R	171	Total	C	N	O	S	0	0	0
			1394	865	245	278	6			
2	S	170	Total	C	N	O	S	0	0	0
			1385	860	243	276	6			
2	T	172	Total	C	N	O	S	0	0	0
			1398	867	246	279	6			
2	U	172	Total	C	N	O	S	0	0	0
			1402	871	246	279	6			
2	V	171	Total	C	N	O	S	0	0	0
			1394	865	245	278	6			
2	W	171	Total	C	N	O	S	0	0	0
			1394	865	245	278	6			

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	G	3	Total	C	N	O	0	0	0
			39	22	2	15			
3	J	3	Total	C	N	O	0	0	0
			39	22	2	15			
3	P	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	H	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	K	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	N	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	Q	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	L	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranoside-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	M	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranoside-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
7	O	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total 14	C 8	N 1	O 5	0	0
8	B	1	Total 14	C 8	N 1	O 5	0	0
8	C	1	Total 14	C 8	N 1	O 5	0	0
8	C	1	Total 14	C 8	N 1	O 5	0	0
8	D	1	Total 14	C 8	N 1	O 5	0	0
8	E	1	Total 14	C 8	N 1	O 5	0	0
8	E	1	Total 14	C 8	N 1	O 5	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Hemagglutinin




• Molecule 1: Hemagglutinin



• Molecule 1: Hemagglutinin




• Molecule 1: Hemagglutinin








• Molecule 1: Hemagglutinin





• Molecule 1: Hemagglutinin




• Molecule 2: Hemagglutinin




• Molecule 2: Hemagglutinin



• Molecule 2: Hemagglutinin




• Molecule 2: Hemagglutinin






- Molecule 2: Hemagglutinin




- Molecule 2: Hemagglutinin



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  50% 50%

NAG1
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%

NAG1
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%

NAG1
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  100%

NAG1
NAG2

- Molecule 5: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  60% 40%

NAG1
NAG2
BMA3
MAN4
MAN5

- Molecule 6: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%

NAG1
NAG2
BMA3
MAN4

- Molecule 7: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	136.83Å 167.32Å 206.84Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.53 – 3.01 28.53 – 3.01	Depositor EDS
% Data completeness (in resolution range)	96.2 (28.53-3.01) 96.0 (28.53-3.01)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.54 (at 3.00Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.238 , 0.278 0.239 , 0.277	Depositor DCC
R_{free} test set	4626 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	61.9	Xtriage
Anisotropy	0.108	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 21.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	23628	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, NAG, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.24	0/2509	0.49	0/3417
1	B	0.24	0/2509	0.49	0/3417
1	C	0.25	0/2518	0.49	0/3429
1	D	0.25	0/2521	0.49	0/3432
1	E	0.24	0/2512	0.49	0/3421
1	F	0.24	0/2518	0.49	0/3429
2	R	0.24	0/1418	0.46	0/1906
2	S	0.24	0/1409	0.46	0/1894
2	T	0.24	0/1422	0.45	0/1911
2	U	0.24	0/1426	0.47	0/1917
2	V	0.24	0/1418	0.46	0/1906
2	W	0.24	0/1418	0.47	0/1906
All	All	0.24	0/23598	0.48	0/31985

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2452	0	2390	18	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2452	0	2391	16	0
1	C	2461	0	2397	15	0
1	D	2464	0	2405	23	0
1	E	2455	0	2392	18	0
1	F	2461	0	2398	18	0
2	R	1394	0	1311	13	0
2	S	1385	0	1303	13	0
2	T	1398	0	1314	10	0
2	U	1402	0	1322	13	0
2	V	1394	0	1311	11	0
2	W	1394	0	1311	12	0
3	G	39	0	34	1	0
3	J	39	0	34	1	0
3	P	39	0	34	0	0
4	H	28	0	25	0	0
4	I	28	0	25	0	0
4	K	28	0	25	0	0
4	N	28	0	25	0	0
4	Q	28	0	25	0	0
5	L	61	0	52	2	0
6	M	50	0	43	1	0
7	O	50	0	43	0	0
8	A	14	0	13	0	0
8	B	14	0	13	0	0
8	C	28	0	26	0	0
8	D	14	0	13	1	0
8	E	28	0	26	0	0
All	All	23628	0	22701	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:326:PRO:HG2	1:E:144:GLY:HA2	1.70	0.73
3:J:2:NAG:H62	3:J:3:BMA:H2	1.70	0.73
1:B:79:ASP:OD2	1:B:143:ARG:NH1	2.23	0.68
2:U:343:ASN:OD1	2:U:344:GLY:N	2.27	0.68
1:C:79:ASP:OD2	1:C:143:ARG:NH1	2.27	0.67
1:A:79:ASP:OD2	1:A:143:ARG:NH1	2.25	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:218:ASN:HB3	1:C:214:THR:HG21	1.79	0.64
2:W:494:ARG:HH11	2:W:498:LEU:HD11	1.62	0.64
2:R:462:GLU:OE2	2:T:458:ARG:NH2	2.30	0.64
2:T:334:PHE:HB2	2:T:443:ASP:HB3	1.78	0.63
2:W:359:ASN:HD21	2:W:476:ASP:HA	1.63	0.63
2:T:332:GLY:N	2:T:443:ASP:OD2	2.31	0.63
1:D:52:LYS:HG3	1:D:275:PRO:HG2	1.81	0.62
1:E:104:VAL:HG22	1:E:234:ILE:HB	1.82	0.62
2:T:359:ASN:HD21	2:T:476:ASP:HA	1.64	0.61
1:C:57:PRO:O	1:D:261:LYS:NZ	2.33	0.61
1:F:52:LYS:HD3	1:F:277:GLU:HG3	1.82	0.61
2:S:359:ASN:HD21	2:S:476:ASP:HA	1.66	0.60
5:L:1:NAG:H62	5:L:2:NAG:H82	1.84	0.60
2:S:341:ILE:HD11	2:S:446:MET:HG2	1.84	0.59
2:W:384:ASN:HA	2:W:387:ILE:HG22	1.82	0.59
2:V:460:ASN:HD22	2:V:493:TYR:HB2	1.68	0.59
6:M:1:NAG:H62	6:M:2:NAG:H82	1.84	0.58
1:B:224:TRP:CE2	1:B:227:GLY:HA2	2.38	0.58
1:D:320:THR:HG21	8:D:701:NAG:H81	1.86	0.58
2:R:359:ASN:HD21	2:R:476:ASP:HA	1.69	0.58
2:U:463:ASP:OD2	2:W:455:ARG:NH1	2.37	0.57
1:E:214:THR:HG21	1:F:218:ASN:HB3	1.85	0.57
1:F:104:VAL:HG22	1:F:234:ILE:HB	1.87	0.57
1:D:282:GLU:OE1	1:D:292:ASN:ND2	2.38	0.57
1:B:104:VAL:HG22	1:B:234:ILE:HB	1.86	0.56
1:C:131:GLY:HA3	1:C:164:PRO:HG2	1.88	0.55
1:E:19:HIS:CD2	2:V:337:ILE:HG12	2.42	0.54
2:W:451:GLU:HA	2:W:454:ARG:HG2	1.89	0.54
1:D:143:ARG:NH2	1:D:151:SER:HB3	2.21	0.54
1:E:63:GLY:HA2	1:E:81:PHE:CZ	2.41	0.54
1:A:119:THR:HG21	1:A:263:ARG:HH11	1.73	0.54
2:R:334:PHE:HB2	2:R:443:ASP:HB3	1.89	0.54
1:A:295:PRO:HD3	2:R:387:ILE:HD12	1.89	0.54
1:A:214:THR:HG21	1:B:218:ASN:HB3	1.90	0.54
1:A:63:GLY:HA2	1:A:81:PHE:CZ	2.43	0.53
2:S:334:PHE:HB2	2:S:443:ASP:HB3	1.89	0.53
1:B:119:THR:HG21	1:B:263:ARG:HH11	1.73	0.53
1:D:63:GLY:HA2	1:D:81:PHE:CZ	2.45	0.52
1:C:282:GLU:OE2	1:D:174:TYR:HA	2.09	0.52
3:G:1:NAG:H62	3:G:2:NAG:H82	1.92	0.52
1:F:224:TRP:CE2	1:F:227:GLY:HA2	2.43	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:285:THR:HG22	1:F:303:THR:HG22	1.92	0.52
2:U:359:ASN:HD21	2:U:476:ASP:HA	1.75	0.52
1:B:285:THR:HG22	1:B:303:THR:HG22	1.92	0.52
1:D:21:SER:HB3	2:U:346:GLU:HB3	1.92	0.52
2:U:334:PHE:HB2	2:U:443:ASP:HB3	1.92	0.51
5:L:3:BMA:H61	5:L:5:MAN:H3	1.91	0.51
2:T:341:ILE:HD11	2:T:446:MET:HG2	1.92	0.51
1:E:20:HIS:ND1	2:V:352:TRP:HA	2.26	0.51
1:E:119:THR:HG21	1:E:263:ARG:HH11	1.75	0.51
1:D:218:ASN:HB3	1:F:214:THR:HG21	1.92	0.50
1:C:174:TYR:HA	1:D:282:GLU:OE2	2.11	0.50
1:C:20:HIS:ND1	2:T:352:TRP:HA	2.26	0.50
2:T:462:GLU:HG2	2:T:472:TYR:HE2	1.77	0.49
1:F:20:HIS:ND1	2:W:352:TRP:HA	2.27	0.49
1:D:222:ARG:HD3	1:D:231:ARG:HG2	1.93	0.49
1:B:19:HIS:CD2	2:S:337:ILE:HG12	2.48	0.49
1:F:131:GLY:HA3	1:F:164:PRO:HG2	1.95	0.48
2:R:384:ASN:HA	2:R:387:ILE:HG22	1.94	0.48
1:B:36:ILE:HD11	1:B:323:ARG:HD2	1.95	0.48
2:V:359:ASN:HD21	2:V:476:ASP:HA	1.77	0.48
2:W:451:GLU:O	2:W:455:ARG:HG3	2.13	0.48
1:B:20:HIS:ND1	2:S:352:TRP:HA	2.29	0.48
1:D:104:VAL:HG22	1:D:234:ILE:HB	1.96	0.48
2:R:454:ARG:HH22	2:R:455:ARG:HE	1.61	0.48
1:D:79:ASP:OD2	1:D:143:ARG:NH1	2.40	0.48
2:W:345:TRP:CH2	2:W:356:ARG:HG3	2.49	0.48
1:C:285:THR:HG22	1:C:303:THR:HG22	1.96	0.47
1:E:307:CYS:O	2:V:391:ASN:ND2	2.45	0.47
1:C:104:VAL:HG22	1:C:234:ILE:HB	1.97	0.47
1:D:131:GLY:HA3	1:D:164:PRO:HG2	1.96	0.47
1:F:63:GLY:HA2	1:F:81:PHE:CZ	2.50	0.47
1:A:20:HIS:ND1	2:R:352:TRP:HA	2.29	0.47
1:F:79:ASP:OD2	1:F:143:ARG:NH1	2.44	0.46
2:V:457:LEU:HD23	2:V:488:TYR:CE2	2.50	0.46
1:D:214:THR:HG21	1:E:218:ASN:HB3	1.97	0.46
1:D:20:HIS:ND1	2:U:352:TRP:HA	2.31	0.46
2:W:341:ILE:O	2:W:342:GLU:HB2	2.16	0.46
1:A:224:TRP:CE2	1:A:227:GLY:HA2	2.50	0.46
2:U:451:GLU:O	2:U:455:ARG:HG3	2.16	0.46
2:T:341:ILE:O	2:T:342:GLU:HB2	2.16	0.45
2:V:334:PHE:HB2	2:V:443:ASP:HB3	1.96	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:63:GLY:HA2	1:E:81:PHE:HZ	1.81	0.45
2:W:460:ASN:ND2	2:W:490:HIS:HB2	2.31	0.45
1:D:327:GLU:HG3	2:U:346:GLU:OE2	2.16	0.45
2:R:501:ARG:NH2	2:T:459:GLU:OE2	2.49	0.45
2:S:383:LEU:HG	2:S:387:ILE:HD12	1.98	0.45
1:A:19:HIS:CD2	2:R:337:ILE:HG12	2.51	0.45
1:B:197:TYR:O	1:B:199:GLN:N	2.46	0.45
2:T:379:ILE:HD11	2:T:438:THR:HG23	1.97	0.45
2:U:346:GLU:HG2	2:U:346:GLU:O	2.17	0.45
1:D:327:GLU:O	1:D:328:LYS:HB3	2.17	0.45
2:U:457:LEU:HD23	2:U:488:TYR:CE2	2.52	0.45
2:V:343:ASN:OD1	2:V:343:ASN:N	2.47	0.45
1:F:119:THR:HG21	1:F:263:ARG:HH11	1.81	0.44
1:D:19:HIS:CD2	2:U:337:ILE:HG12	2.52	0.44
1:E:45:VAL:HG23	1:E:316:LEU:HB2	2.00	0.44
1:A:16:CYS:HA	2:R:468:CYS:HA	2.00	0.44
1:C:261:LYS:NZ	1:D:57:PRO:O	2.51	0.44
1:F:19:HIS:CD2	2:W:337:ILE:HG12	2.53	0.44
1:F:45:VAL:HG23	1:F:316:LEU:HB2	2.00	0.44
1:F:222:ARG:HD3	1:F:231:ARG:HG2	2.00	0.44
1:E:285:THR:HG22	1:E:303:THR:HG22	1.99	0.43
1:B:63:GLY:HA2	1:B:81:PHE:CZ	2.53	0.43
1:A:15:LEU:O	2:R:469:PHE:N	2.49	0.43
1:D:224:TRP:NE1	1:D:227:GLY:HA2	2.33	0.43
1:E:177:ASP:OD1	1:E:241:PRO:HD3	2.18	0.43
1:F:176:PHE:CZ	1:F:261:LYS:HE2	2.53	0.43
1:A:285:THR:HG22	1:A:303:THR:HG22	2.01	0.43
1:E:184:VAL:HG21	1:E:215:ILE:HB	2.01	0.43
1:A:153:LEU:HD23	1:A:153:LEU:HA	1.87	0.43
1:C:153:LEU:HD23	1:C:153:LEU:HA	1.89	0.42
2:U:459:GLU:O	2:U:501:ARG:NH1	2.52	0.42
1:E:212:GLN:HE22	1:F:186:HIS:CD2	2.37	0.42
1:E:224:TRP:CZ3	1:E:229:SER:HB2	2.53	0.42
2:V:457:LEU:HB3	2:V:461:ALA:HB3	2.01	0.42
1:F:153:LEU:HD23	1:F:153:LEU:HA	1.85	0.42
2:S:451:GLU:O	2:S:455:ARG:HG3	2.19	0.42
2:R:333:LEU:HD23	2:R:333:LEU:HA	1.84	0.42
1:D:277:GLU:HG2	1:D:278:THR:N	2.34	0.42
1:F:62:ASP:HB2	1:F:276:ILE:HD12	2.02	0.42
1:A:136:GLY:HA3	1:A:155:TRP:HB3	2.01	0.42
2:S:341:ILE:CD1	2:S:446:MET:HG2	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:81:PHE:HA	1:B:84:GLU:HG3	2.01	0.42
2:S:341:ILE:O	2:S:342:GLU:HB2	2.19	0.42
1:B:17:LEU:HD22	2:S:450:PHE:HA	2.02	0.42
1:A:104:VAL:HB	1:A:107:TYR:HD2	1.85	0.41
1:E:79:ASP:OD2	1:E:143:ARG:NH1	2.42	0.41
1:C:63:GLY:HA2	1:C:81:PHE:CZ	2.55	0.41
2:W:494:ARG:NH1	2:W:498:LEU:HD11	2.30	0.41
2:U:341:ILE:HD11	2:U:446:MET:HG2	2.03	0.41
1:A:218:ASN:CB	1:C:214:THR:HG21	2.46	0.41
1:C:187:PRO:O	1:C:219:ILE:HA	2.20	0.41
1:D:166:LEU:O	1:D:248:ASN:HA	2.21	0.41
2:S:345:TRP:CZ3	2:S:356:ARG:HG3	2.56	0.41
1:C:162:SER:HA	1:C:198:VAL:HG21	2.02	0.41
1:E:30:THR:HG22	2:V:435:ASN:HB3	2.02	0.41
1:B:69:ILE:HG13	1:B:107:TYR:CE2	2.55	0.41
2:S:452:LYS:HB3	2:S:452:LYS:HE3	1.97	0.40
1:A:222:ARG:HD3	1:A:231:ARG:HG2	2.03	0.40
1:B:153:LEU:HD23	1:B:153:LEU:HA	1.87	0.40
2:S:498:LEU:HD23	2:S:498:LEU:HA	1.91	0.40
2:V:460:ASN:ND2	2:V:493:TYR:HB2	2.35	0.40
1:B:119:THR:HG21	1:B:263:ARG:NH1	2.35	0.40
2:R:341:ILE:O	2:R:342:GLU:HB2	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	315/331 (95%)	309 (98%)	6 (2%)	0	100	100
1	B	315/331 (95%)	310 (98%)	5 (2%)	0	100	100
1	C	316/331 (96%)	308 (98%)	8 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	316/331 (96%)	306 (97%)	10 (3%)	0	100	100
1	E	315/331 (95%)	310 (98%)	5 (2%)	0	100	100
1	F	316/331 (96%)	309 (98%)	7 (2%)	0	100	100
2	R	169/177 (96%)	158 (94%)	11 (6%)	0	100	100
2	S	168/177 (95%)	162 (96%)	6 (4%)	0	100	100
2	T	170/177 (96%)	165 (97%)	5 (3%)	0	100	100
2	U	170/177 (96%)	161 (95%)	9 (5%)	0	100	100
2	V	169/177 (96%)	158 (94%)	11 (6%)	0	100	100
2	W	169/177 (96%)	160 (95%)	9 (5%)	0	100	100
All	All	2908/3048 (95%)	2816 (97%)	92 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	280/293 (96%)	279 (100%)	1 (0%)	89	95
1	B	280/293 (96%)	278 (99%)	2 (1%)	81	91
1	C	281/293 (96%)	280 (100%)	1 (0%)	89	95
1	D	281/293 (96%)	280 (100%)	1 (0%)	89	95
1	E	280/293 (96%)	278 (99%)	2 (1%)	81	91
1	F	281/293 (96%)	280 (100%)	1 (0%)	89	95
2	R	147/151 (97%)	146 (99%)	1 (1%)	81	91
2	S	146/151 (97%)	144 (99%)	2 (1%)	62	83
2	T	147/151 (97%)	146 (99%)	1 (1%)	81	91
2	U	148/151 (98%)	147 (99%)	1 (1%)	81	91
2	V	147/151 (97%)	146 (99%)	1 (1%)	81	91
2	W	147/151 (97%)	145 (99%)	2 (1%)	62	83

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	2565/2664 (96%)	2549 (99%)	16 (1%)	84	92

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	266	ARG
2	R	463	ASP
1	B	224	TRP
1	B	266	ARG
2	S	458	ARG
2	S	493	TYR
1	C	266	ARG
2	T	464	MET
1	D	266	ARG
2	U	385	ARG
1	E	224	TRP
1	E	266	ARG
2	V	503	GLN
1	F	266	ARG
2	W	443	ASP
2	W	454	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	F	191	GLN
1	F	195	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

32 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	G	1	3,1	14,14,15	0.36	0	17,19,21	0.53	0
3	NAG	G	2	3	14,14,15	0.30	0	17,19,21	0.51	0
3	BMA	G	3	3	11,11,12	0.65	0	15,15,17	1.05	1 (6%)
4	NAG	H	1	4,1	14,14,15	0.25	0	17,19,21	0.88	1 (5%)
4	NAG	H	2	4	14,14,15	0.37	0	17,19,21	0.40	0
4	NAG	I	1	4,1	14,14,15	0.70	1 (7%)	17,19,21	0.62	0
4	NAG	I	2	4	14,14,15	0.36	0	17,19,21	0.46	0
3	NAG	J	1	3,1	14,14,15	0.27	0	17,19,21	0.43	0
3	NAG	J	2	3	14,14,15	0.40	0	17,19,21	0.57	0
3	BMA	J	3	3	11,11,12	0.66	0	15,15,17	1.28	1 (6%)
4	NAG	K	1	4,1	14,14,15	0.26	0	17,19,21	0.39	0
4	NAG	K	2	4	14,14,15	0.24	0	17,19,21	0.39	0
5	NAG	L	1	5,1	14,14,15	0.40	0	17,19,21	0.60	0
5	NAG	L	2	5	14,14,15	0.22	0	17,19,21	0.58	0
5	BMA	L	3	5	11,11,12	0.89	0	15,15,17	1.26	2 (13%)
5	MAN	L	4	5	11,11,12	0.76	0	15,15,17	1.20	2 (13%)
5	MAN	L	5	5	11,11,12	1.53	2 (18%)	15,15,17	1.94	3 (20%)
6	NAG	M	1	6,1	14,14,15	0.31	0	17,19,21	0.56	0
6	NAG	M	2	6	14,14,15	0.23	0	17,19,21	0.63	0
6	BMA	M	3	6	11,11,12	1.34	2 (18%)	15,15,17	1.21	1 (6%)
6	MAN	M	4	6	11,11,12	0.62	0	15,15,17	1.01	2 (13%)
4	NAG	N	1	4,1	14,14,15	0.27	0	17,19,21	0.39	0
4	NAG	N	2	4	14,14,15	0.26	0	17,19,21	0.38	0
7	NAG	O	1	7,1	14,14,15	0.21	0	17,19,21	0.44	0
7	NAG	O	2	7	14,14,15	0.24	0	17,19,21	0.48	0
7	BMA	O	3	7	11,11,12	0.70	0	15,15,17	0.93	0
7	MAN	O	4	7	11,11,12	0.65	0	15,15,17	0.94	2 (13%)
3	NAG	P	1	3,1	14,14,15	0.28	0	17,19,21	0.57	0
3	NAG	P	2	3	14,14,15	0.25	0	17,19,21	0.56	0
3	BMA	P	3	3	11,11,12	0.67	0	15,15,17	0.87	0
4	NAG	Q	1	4,1	14,14,15	0.26	0	17,19,21	0.42	0
4	NAG	Q	2	4	14,14,15	0.25	0	17,19,21	0.38	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	G	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	G	2	3	-	0/6/23/26	0/1/1/1
3	BMA	G	3	3	-	0/2/19/22	0/1/1/1
4	NAG	H	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	H	2	4	-	0/6/23/26	0/1/1/1
4	NAG	I	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	I	2	4	-	0/6/23/26	0/1/1/1
3	NAG	J	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	J	2	3	-	2/6/23/26	0/1/1/1
3	BMA	J	3	3	-	0/2/19/22	0/1/1/1
4	NAG	K	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	K	2	4	-	0/6/23/26	0/1/1/1
5	NAG	L	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	L	2	5	-	0/6/23/26	0/1/1/1
5	BMA	L	3	5	-	1/2/19/22	0/1/1/1
5	MAN	L	4	5	-	0/2/19/22	0/1/1/1
5	MAN	L	5	5	-	0/2/19/22	0/1/1/1
6	NAG	M	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	M	2	6	-	1/6/23/26	0/1/1/1
6	BMA	M	3	6	-	0/2/19/22	0/1/1/1
6	MAN	M	4	6	-	0/2/19/22	0/1/1/1
4	NAG	N	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	N	2	4	-	0/6/23/26	0/1/1/1
7	NAG	O	1	7,1	-	2/6/23/26	0/1/1/1
7	NAG	O	2	7	-	0/6/23/26	0/1/1/1
7	BMA	O	3	7	-	0/2/19/22	0/1/1/1
7	MAN	O	4	7	-	0/2/19/22	0/1/1/1
3	NAG	P	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	P	2	3	-	0/6/23/26	0/1/1/1
3	BMA	P	3	3	-	2/2/19/22	0/1/1/1
4	NAG	Q	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	Q	2	4	-	0/6/23/26	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	L	5	MAN	C1-C2	4.08	1.61	1.52
6	M	3	BMA	C1-C2	2.76	1.58	1.52
4	I	1	NAG	O5-C1	-2.43	1.39	1.43
5	L	5	MAN	O5-C1	2.28	1.47	1.43
6	M	3	BMA	O5-C1	2.13	1.47	1.43

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	L	5	MAN	C1-O5-C5	5.20	119.24	112.19
5	L	5	MAN	C1-C2-C3	4.19	114.81	109.67
5	L	4	MAN	C1-O5-C5	3.64	117.12	112.19
3	J	3	BMA	C1-O5-C5	3.58	117.05	112.19
5	L	3	BMA	O3-C3-C2	3.11	115.95	109.99
4	H	1	NAG	C1-O5-C5	2.92	116.16	112.19
5	L	3	BMA	C1-O5-C5	2.65	115.78	112.19
6	M	4	MAN	C1-O5-C5	2.58	115.69	112.19
3	G	3	BMA	C1-O5-C5	2.47	115.54	112.19
5	L	5	MAN	O2-C2-C3	-2.42	105.28	110.14
5	L	4	MAN	O2-C2-C3	-2.35	105.43	110.14
6	M	4	MAN	O2-C2-C3	-2.22	105.69	110.14
6	M	3	BMA	O5-C1-C2	-2.21	107.36	110.77
7	O	4	MAN	O2-C2-C3	-2.18	105.77	110.14
7	O	4	MAN	C1-O5-C5	2.16	115.12	112.19

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	L	1	NAG	O5-C5-C6-O6
3	G	1	NAG	O5-C5-C6-O6
3	J	1	NAG	O5-C5-C6-O6
6	M	1	NAG	O5-C5-C6-O6
4	N	1	NAG	C4-C5-C6-O6
4	Q	1	NAG	C4-C5-C6-O6
4	K	1	NAG	C4-C5-C6-O6
5	L	1	NAG	C4-C5-C6-O6
4	K	1	NAG	O5-C5-C6-O6
4	Q	1	NAG	O5-C5-C6-O6
3	G	1	NAG	C4-C5-C6-O6
4	N	1	NAG	O5-C5-C6-O6
6	M	1	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	P	1	NAG	O5-C5-C6-O6
3	P	1	NAG	C4-C5-C6-O6
3	J	1	NAG	C4-C5-C6-O6
7	O	1	NAG	O5-C5-C6-O6
7	O	1	NAG	C4-C5-C6-O6
5	L	3	BMA	O5-C5-C6-O6
3	J	2	NAG	C4-C5-C6-O6
6	M	2	NAG	C4-C5-C6-O6
3	P	3	BMA	C4-C5-C6-O6
3	P	3	BMA	O5-C5-C6-O6
3	J	2	NAG	O5-C5-C6-O6


There are no ring outliers.


10 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	L	5	MAN	1	0
3	J	3	BMA	1	0
6	M	2	NAG	1	0
5	L	3	BMA	1	0
6	M	1	NAG	1	0
3	J	2	NAG	1	0
3	G	2	NAG	1	0
3	G	1	NAG	1	0
5	L	1	NAG	1	0
5	L	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.
























5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	NAG	E	702	1	14,14,15	0.24	0	17,19,21	0.44	0
8	NAG	C	601	1	14,14,15	0.23	0	17,19,21	0.38	0
8	NAG	D	701	1	14,14,15	0.55	0	17,19,21	0.49	0
8	NAG	E	701	1	14,14,15	0.27	0	17,19,21	0.48	0
8	NAG	A	601	1	14,14,15	0.25	0	17,19,21	0.40	0
8	NAG	B	901	1	14,14,15	0.28	0	17,19,21	0.51	0
8	NAG	C	602	1	14,14,15	0.20	0	17,19,21	0.39	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	E	702	1	-	0/6/23/26	0/1/1/1
8	NAG	C	601	1	-	2/6/23/26	0/1/1/1
8	NAG	D	701	1	-	0/6/23/26	0/1/1/1
8	NAG	E	701	1	-	1/6/23/26	0/1/1/1
8	NAG	A	601	1	-	2/6/23/26	0/1/1/1
8	NAG	B	901	1	-	0/6/23/26	0/1/1/1
8	NAG	C	602	1	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	C	601	NAG	C4-C5-C6-O6
8	C	601	NAG	O5-C5-C6-O6
8	A	601	NAG	C4-C5-C6-O6
8	A	601	NAG	O5-C5-C6-O6
8	E	701	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	D	701	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	317/331 (95%)	-0.06	2 (0%) 85 71	33, 51, 69, 89	0
1	B	317/331 (95%)	0.05	6 (1%) 66 44	37, 53, 73, 90	0
1	C	318/331 (96%)	-0.05	3 (0%) 81 63	35, 50, 70, 91	0
1	D	318/331 (96%)	0.05	6 (1%) 66 44	38, 54, 75, 98	0
1	E	317/331 (95%)	0.05	3 (0%) 81 63	37, 55, 74, 88	0
1	F	318/331 (96%)	0.16	2 (0%) 85 71	41, 56, 75, 92	0
2	R	171/177 (96%)	0.38	10 (5%) 30 17	30, 58, 82, 96	0
2	S	170/177 (96%)	0.19	2 (1%) 76 56	31, 56, 73, 86	0
2	T	172/177 (97%)	0.45	8 (4%) 37 21	32, 62, 89, 104	0
2	U	172/177 (97%)	0.42	7 (4%) 42 24	39, 63, 86, 94	0
2	V	171/177 (96%)	0.38	9 (5%) 33 19	40, 60, 74, 83	0
2	W	171/177 (96%)	0.59	12 (7%) 24 13	37, 66, 88, 103	0
All	All	2932/3048 (96%)	0.16	70 (2%) 59 38	30, 55, 78, 104	0

All (70) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	T	350	ASP	3.9
1	B	10	SER	3.3
1	D	11	SER	3.3
2	S	350	ASP	3.3
2	R	474	LYS	3.2
2	W	459	GLU	3.1
1	F	218	ASN	3.1
2	V	391	ASN	3.1
2	R	444	SER	3.0
2	W	475	CYS	2.9
2	T	474	LYS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	W	391	ASN	2.8
1	B	146	ALA	2.8
2	W	403	GLU	2.8
2	R	487	THR	2.8
2	W	474	LYS	2.8
2	R	359	ASN	2.8
2	U	346	GLU	2.8
2	T	503	GLN	2.7
2	U	475	CYS	2.7
2	U	499	ASN	2.7
2	V	346	GLU	2.7
2	W	354	GLY	2.6
2	U	443	ASP	2.6
2	W	460	ASN	2.6
1	F	224	TRP	2.5
2	T	478	ALA	2.5
2	V	333	LEU	2.5
1	C	250	ASN	2.5
2	W	472	TYR	2.5
2	V	465	GLY	2.5
1	E	198	VAL	2.4
2	R	457	LEU	2.4
2	W	440	ASP	2.4
1	B	224	TRP	2.4
2	U	487	THR	2.4
1	C	162	SER	2.3
1	D	191	GLN	2.3
2	T	341	ILE	2.3
2	V	362	GLY	2.3
2	V	461	ALA	2.3
1	E	49	SER	2.3
2	U	403	GLU	2.3
2	W	360	SER	2.3
2	R	349	ILE	2.2
2	T	343	ASN	2.2
2	T	358	GLN	2.2
2	W	473	HIS	2.2
1	D	218	ASN	2.2
1	A	198	VAL	2.2
2	V	503	GLN	2.2
1	B	145	PRO	2.2
1	E	145	PRO	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	R	443	ASP	2.2
2	T	332	GLY	2.1
1	B	11	SER	2.1
1	C	191	GLN	2.1
2	R	362	GLY	2.1
2	R	358	GLN	2.1
2	V	350	ASP	2.1
1	A	24	ASN	2.1
1	D	250	ASN	2.1
2	W	359	ASN	2.1
2	S	443	ASP	2.1
2	U	463	ASP	2.1
2	V	463	ASP	2.1
2	R	503	GLN	2.0
1	D	12	THR	2.0
1	D	42	THR	2.0
1	B	195	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

SUGAR-RSR INFOmissingINFO

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
8	NAG	E	702	14/15	0.47	0.22	73,83,97,104	0
8	NAG	C	602	14/15	0.61	0.17	72,91,101,101	0
8	NAG	B	901	14/15	0.62	0.16	82,89,100,100	0
8	NAG	E	701	14/15	0.74	0.14	53,69,73,80	0
8	NAG	D	701	14/15	0.74	0.16	80,88,95,98	0
8	NAG	A	601	14/15	0.81	0.13	56,62,66,77	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
8	NAG	C	601	14/15	0.89	0.09	49,55,66,73	0

6.5 Other polymers [i](#)

There are no such residues in this entry.