

Integrative Structure Validation Report ?

February 18, 2025 - 08:38 AM PST

The following software was used in the production of this report:

Integrative Modeling Validation Version 2.0

Python-IHM Version 1.8

MolProbity Version 4.5.2

ATSAS Version 3.2.1 (r14885)

PyMOL Version 2.5.0

| | |
|-------------------|---|
| PDB ID | 9A41 |
| PDB-Dev ID | PDBDEV_00000222 |
| Structure Title | F1N4 fully-glycosylated model of mouse N-cadherin EC4-EC5 |
| Structure Authors | Tsai, Y.-X.; Chang, H.-T.; Wang, Y.-S.; Hsu, M.-F.; Hanus, C.; Sikora, M.; Hsu, S.-T.D. |
| Deposited on | 2023-11-28 |

This is a PDB-IHM IM Structure Validation Report for a publicly released PDB-IHM entry.

We welcome your comments at helpdesk@pdb-ihm.org


A user guide is available at https://pdb-ihm.org/validation_help.html with specific help available everywhere you see the ? symbol.


List of references used to build this report is available [here](#).


Overall quality ?

This validation report contains model quality assessments for all structures, data quality and fit to model assessments for SAS and crosslinking-MS datasets. Data quality and fit to model assessments for other datasets and model uncertainty are under development. Number of plots is limited to 256.

Model Quality: MolProbity Analysis







Ensemble information ?

This entry consists of 1 distinct ensemble(s).

Summary ?

This entry consists of 20 model(s). A total of 2 datasets were used to build this entry.

Representation ?

This entry has 1 representation(s).

| ID | Model(s) | Entity ID | Molecule name | Chain(s) [auth] | Total residues | Rigid segments | Flexible segments | Model coverage/ Starting model coverage (%) | Scale |
|----|----------|-----------|---------------|-----------------|----------------|----------------|-------------------|---|--------|
| 1 | 1-20 | 1 | Cadherin-2 | A | 211 | - | 1-211 | 100.00 / 100.00 | Atomic |

| ID | Model(s) | Entity ID | Molecule name | Chain(s) [auth] | Total residues | Rigid segments | Flexible segments | Model coverage/ Starting model coverage (%) | Scale |
|----|----------|-----------|---|-----------------|----------------|----------------|-------------------|--|--------|
| | | 2 | N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose | B | Non-polymeric | - | - | Not available / Not available | Atomic |
| | | | | C | | | | | |
| | | | | D | | | | | |
| | | | | E | | | | | |

Datasets used for modeling ?

There are 2 unique datasets used to build the models in this entry.

| ID | Dataset type | Database name | Data access code |
|----|--------------------|---------------|-------------------------|
| 1 | SAS data | SASBDB | SASDT45 |
| 2 | Experimental model | PDB | 3Q2W |

Methodology and software ?

This entry is a result of 1 distinct protocol(s).

| Step number | Protocol ID | Method name | Method type | Method description | Number of computed models | Multi state modeling | Multi scale modeling |
|-------------|-------------|-------------|-------------|--------------------|---------------------------|----------------------|----------------------|
| | | | | | | | |

| Step number | Protocol ID | Method name | Method type | Method description | Number of computed models | Multi state modeling | Multi scale modeling |
|-------------|-------------|-------------|---|--------------------|---------------------------|----------------------|----------------------|
| 1 | 1 | None | Use GlycoSHIELD, the tool we have developed, to graft MD-simulated glycan ensemble onto the ectodomains 4 to 5 of x-ray protein structure (PDB ID: 3Q2W). | None | 20 | False | False |

There are 3 software packages reported in this entry.

| ID | Software name | Software version | Software classification | Software location |
|----|--|------------------|-------------------------|---|
| 1 | GlycoSHIELD | Not available | model building | https://github.com/GlycoSHIELD-MD/GlycoSHIELD-MD |
| 2 | GASBOR | Not available | model building | https://www.embl-hamburg.de/biosaxs/gasbor.html |
| 3 | FoXSDock | Not available | data analysis | https://modbase.compbio.ucsf.edu/foxsdock/ |

Data quality ?

SAS:Scattering profile

SAS data used in this integrative model could not be validated as the sascif file is currently unavailable.

Model quality ?

For models with atomic structures, MolProbity analysis is performed. For models with coarse-grained or multi-scale structures, excluded volume analysis is performed.

Standard geometry: bond outliers ?

There are 281 bond length outliers in this entry (0.62% of 45165 assessed bonds). A summary is provided below. The output is limited to 100 rows.

| Chain | Res | Type | Atoms | Z | Observed (Å) | Ideal (Å) | Model ID (Worst) | Models (Total) |
|-------|-----|------|-------|------|--------------|-----------|------------------|----------------|
| D | 12 | FUC | C1-O5 | 6.89 | 1.54 | 1.40 | 20 | 2 |
| E | 3 | BMA | C2-C3 | 6.88 | 1.41 | 1.54 | 6 | 4 |
| D | 5 | NAG | C5-O5 | 6.51 | 1.54 | 1.41 | 7 | 2 |
| D | 8 | MAN | C1-O5 | 6.26 | 1.52 | 1.40 | 3 | 1 |
| C | 8 | MAN | C1-O5 | 6.17 | 1.52 | 1.40 | 3 | 1 |
| E | 8 | MAN | C1-O5 | 6.10 | 1.52 | 1.40 | 3 | 1 |
| E | 7 | SIA | C5-C6 | 6.07 | 1.43 | 1.55 | 7 | 2 |

| Chain | Res | Type | Atoms | Z | Observed (Å) | Ideal (Å) | Model ID (Worst) | Models (Total) |
|-------|-----|------|-------|------|--------------|-----------|------------------|----------------|
| B | 7 | SIA | C5-C6 | 5.93 | 1.44 | 1.55 | 15 | 2 |
| C | 7 | SIA | C5-C6 | 5.89 | 1.44 | 1.55 | 18 | 3 |
| E | 5 | NAG | C5-O5 | 5.88 | 1.53 | 1.41 | 8 | 3 |
| D | 1 | NAG | C3-C4 | 5.84 | 1.41 | 1.52 | 7 | 2 |
| E | 1 | NAG | C3-C4 | 5.77 | 1.41 | 1.52 | 8 | 1 |
| D | 7 | SIA | C5-C6 | 5.75 | 1.44 | 1.55 | 14 | 1 |
| C | 10 | GAL | C4-C5 | 5.67 | 1.65 | 1.53 | 14 | 4 |
| B | 10 | GAL | C4-C5 | 5.66 | 1.65 | 1.53 | 13 | 5 |
| D | 12 | FUC | C5-C6 | 5.66 | 1.63 | 1.51 | 1 | 2 |
| C | 6 | GAL | C1-O5 | 5.62 | 1.52 | 1.41 | 7 | 2 |
| E | 6 | GAL | C1-O5 | 5.60 | 1.52 | 1.41 | 5 | 2 |
| B | 4 | MAN | C1-C2 | 5.60 | 1.41 | 1.53 | 8 | 1 |
| D | 6 | GAL | C1-O5 | 5.58 | 1.52 | 1.41 | 4 | 3 |
| B | 3 | BMA | C2-C3 | 5.56 | 1.43 | 1.54 | 18 | 5 |
| E | 10 | GAL | C4-C5 | 5.50 | 1.64 | 1.53 | 12 | 4 |
| E | 9 | NAG | C4-C5 | 5.48 | 1.42 | 1.53 | 8 | 1 |
| D | 10 | GAL | C4-C5 | 5.43 | 1.64 | 1.53 | 11 | 2 |
| D | 9 | NAG | C5-O5 | 5.42 | 1.52 | 1.41 | 3 | 2 |
| C | 3 | BMA | C2-C3 | 5.41 | 1.44 | 1.54 | 20 | 4 |
| D | 1 | NAG | C1-C2 | 5.41 | 1.42 | 1.53 | 12 | 2 |
| B | 12 | FUC | C5-C6 | 5.41 | 1.62 | 1.51 | 1 | 2 |
| D | 2 | NAG | C1-O5 | 5.35 | 1.51 | 1.41 | 6 | 1 |
| E | 2 | NAG | C1-O5 | 5.35 | 1.51 | 1.41 | 7 | 1 |
| B | 2 | NAG | C3-C4 | 5.31 | 1.42 | 1.52 | 4 | 1 |
| E | 9 | NAG | C5-O5 | 5.28 | 1.52 | 1.41 | 3 | 1 |
| B | 11 | SIA | C2-O6 | 5.25 | 1.36 | 1.47 | 2 | 2 |
| C | 2 | NAG | C3-C4 | 5.21 | 1.42 | 1.52 | 4 | 1 |
| C | 8 | MAN | C2-O2 | 5.20 | 1.51 | 1.41 | 8 | 1 |
| C | 9 | NAG | C5-O5 | 5.19 | 1.52 | 1.41 | 3 | 1 |
| C | 12 | FUC | C5-C6 | 5.18 | 1.62 | 1.51 | 1 | 3 |
| D | 9 | NAG | C4-C5 | 5.15 | 1.43 | 1.53 | 7 | 1 |
| C | 7 | SIA | C6-C7 | 5.11 | 1.65 | 1.55 | 15 | 1 |
| E | 8 | MAN | C2-O2 | 5.10 | 1.51 | 1.41 | 7 | 1 |
| B | 2 | NAG | C3-O3 | 5.04 | 1.50 | 1.40 | 9 | 1 |
| B | 8 | MAN | C2-C3 | 5.04 | 1.42 | 1.52 | 10 | 1 |

| Chain | Res | Type | Atoms | Z | Observed (Å) | Ideal (Å) | Model ID (Worst) | Models (Total) |
|-------|-----|------|-------|------|--------------|-----------|------------------|----------------|
| C | 8 | MAN | C2-C3 | 5.04 | 1.42 | 1.52 | 12 | 1 |
| C | 2 | NAG | C1-O5 | 5.03 | 1.51 | 1.41 | 8 | 1 |
| E | 12 | FUC | C5-C6 | 5.01 | 1.62 | 1.51 | 1 | 3 |
| D | 5 | NAG | C4-C5 | 4.97 | 1.43 | 1.53 | 19 | 2 |
| E | 10 | GAL | C5-O5 | 4.97 | 1.51 | 1.41 | 8 | 2 |
| C | 2 | NAG | C3-O3 | 4.96 | 1.50 | 1.40 | 11 | 1 |
| B | 4 | MAN | C1-O5 | 4.95 | 1.50 | 1.40 | 19 | 2 |
| B | 1 | NAG | C1-O5 | 4.95 | 1.50 | 1.41 | 20 | 2 |
| C | 4 | MAN | C1-C2 | 4.92 | 1.43 | 1.53 | 9 | 1 |
| D | 11 | SIA | C2-O6 | 4.92 | 1.37 | 1.47 | 12 | 1 |
| D | 10 | GAL | C5-O5 | 4.88 | 1.51 | 1.41 | 7 | 2 |
| D | 9 | NAG | C1-O5 | 4.87 | 1.50 | 1.41 | 12 | 1 |
| E | 1 | NAG | C1-O5 | 4.85 | 1.50 | 1.41 | 20 | 2 |
| B | 11 | SIA | C4-C5 | 4.85 | 1.44 | 1.53 | 10 | 2 |
| D | 7 | SIA | C6-C7 | 4.84 | 1.45 | 1.55 | 8 | 2 |
| B | 12 | FUC | C2-C3 | 4.82 | 1.43 | 1.53 | 17 | 1 |
| C | 12 | FUC | C3-O3 | 4.80 | 1.50 | 1.41 | 18 | 3 |
| E | 12 | FUC | C2-C3 | 4.79 | 1.43 | 1.53 | 17 | 1 |
| D | 7 | SIA | C4-C5 | 4.78 | 1.44 | 1.53 | 7 | 2 |
| E | 8 | MAN | C5-O5 | 4.77 | 1.51 | 1.42 | 6 | 1 |
| C | 10 | GAL | C5-O5 | 4.77 | 1.51 | 1.41 | 17 | 2 |
| C | 3 | BMA | C1-C2 | 4.74 | 1.61 | 1.52 | 15 | 1 |
| D | 1 | NAG | C1-O5 | 4.74 | 1.50 | 1.41 | 18 | 1 |
| E | 12 | FUC | C2-O2 | 4.73 | 1.50 | 1.40 | 19 | 1 |
| C | 3 | BMA | C3-O3 | 4.73 | 1.50 | 1.41 | 14 | 2 |
| E | 7 | SIA | C8-O8 | 4.71 | 1.52 | 1.43 | 20 | 1 |
| D | 10 | GAL | C4-O4 | 4.69 | 1.50 | 1.41 | 7 | 1 |
| C | 9 | NAG | C1-O5 | 4.69 | 1.50 | 1.41 | 14 | 1 |
| B | 2 | NAG | C4-O4 | 4.68 | 1.50 | 1.41 | 2 | 1 |
| D | 5 | NAG | C1-C2 | 4.68 | 1.44 | 1.53 | 1 | 2 |
| C | 1 | NAG | C1-C2 | 4.68 | 1.63 | 1.53 | 15 | 1 |
| D | 3 | BMA | C5-O5 | 4.68 | 1.51 | 1.42 | 18 | 1 |
| D | 11 | SIA | C3-C4 | 4.65 | 1.43 | 1.53 | 2 | 2 |
| C | 11 | SIA | C7-C8 | 4.65 | 1.45 | 1.55 | 9 | 2 |
| C | 11 | SIA | C4-C5 | 4.65 | 1.44 | 1.53 | 12 | 1 |

| Chain | Res | Type | Atoms | Z | Observed (Å) | Ideal (Å) | Model ID (Worst) | Models (Total) |
|-------|-----|------|-------|------|--------------|-----------|------------------|----------------|
| B | 1 | NAG | C1-C2 | 4.63 | 1.44 | 1.53 | 7 | 1 |
| C | 8 | MAN | C4-C5 | 4.63 | 1.44 | 1.53 | 13 | 1 |
| E | 12 | FUC | C3-O3 | 4.61 | 1.50 | 1.41 | 9 | 3 |
| B | 9 | NAG | C1-O5 | 4.61 | 1.50 | 1.41 | 13 | 1 |
| C | 2 | NAG | C2-C3 | 4.60 | 1.43 | 1.53 | 12 | 2 |
| D | 7 | SIA | C8-O8 | 4.60 | 1.52 | 1.43 | 18 | 1 |
| B | 6 | GAL | C1-O5 | 4.60 | 1.50 | 1.41 | 3 | 1 |
| C | 5 | NAG | C1-C2 | 4.60 | 1.44 | 1.53 | 1 | 1 |
| D | 12 | FUC | C2-C3 | 4.60 | 1.43 | 1.53 | 16 | 1 |
| D | 4 | MAN | C2-O2 | 4.59 | 1.50 | 1.41 | 19 | 1 |
| D | 7 | SIA | C3-C4 | 4.58 | 1.44 | 1.53 | 16 | 2 |
| B | 3 | BMA | C5-O5 | 4.58 | 1.51 | 1.42 | 20 | 1 |
| D | 12 | FUC | C2-O2 | 4.58 | 1.50 | 1.40 | 17 | 1 |
| C | 11 | SIA | C2-O6 | 4.58 | 1.38 | 1.47 | 16 | 1 |
| B | 3 | BMA | C3-O3 | 4.57 | 1.50 | 1.41 | 13 | 1 |
| C | 4 | MAN | C4-O4 | 4.57 | 1.50 | 1.41 | 6 | 1 |
| E | 8 | MAN | C4-C5 | 4.56 | 1.44 | 1.53 | 11 | 1 |
| C | 11 | SIA | C3-C4 | 4.56 | 1.44 | 1.53 | 2 | 2 |
| C | 7 | SIA | C8-C9 | 4.56 | 1.43 | 1.52 | 9 | 1 |
| E | 11 | SIA | C3-C4 | 4.56 | 1.44 | 1.53 | 2 | 2 |
| E | 1 | NAG | C1-C2 | 4.54 | 1.44 | 1.53 | 6 | 2 |
| E | 3 | BMA | C3-O3 | 4.54 | 1.50 | 1.41 | 7 | 2 |
| E | 5 | NAG | C1-C2 | 4.53 | 1.44 | 1.53 | 1 | 1 |

Standard geometry: angle outliers ?

There are 101 bond angle outliers in this entry (0.17% of 60252 assessed bonds). A summary is provided below.

| Chain | Res | Type | Atoms | Z | Observed (Å) | Ideal (Å) | Model ID (Worst) | Models (Total) |
|-------|-----|------|----------|-------|--------------|-----------|------------------|----------------|
| A | 171 | ASP | N-CA-CB | 11.69 | 90.63 | 110.50 | 4 | 20 |
| A | 171 | ASP | N-CA-C | 8.19 | 133.93 | 111.00 | 2 | 20 |
| D | 12 | FUC | C2-C3-O3 | 5.90 | 125.17 | 107.47 | 17 | 1 |
| E | 12 | FUC | C2-C3-O3 | 5.81 | 124.90 | 107.47 | 19 | 1 |
| C | 5 | NAG | C3-C4-O4 | 5.49 | 123.77 | 107.29 | 11 | 1 |
| B | 5 | NAG | C3-C4-O4 | 5.46 | 123.66 | 107.29 | 9 | 1 |
| C | 9 | NAG | C3-C4-O4 | 5.33 | 123.29 | 107.29 | 18 | 1 |
| D | 9 | NAG | C3-C4-O4 | 5.18 | 122.84 | 107.29 | 14 | 2 |

| Chain | Res | Type | Atoms | Z | Observed (Å) | Ideal (Å) | Model ID (Worst) | Models (Total) |
|-------|-----|------|----------|------|--------------|-----------|------------------|----------------|
| E | 9 | NAG | C3-C4-O4 | 5.15 | 122.75 | 107.29 | 15 | 2 |
| B | 9 | NAG | C3-C4-O4 | 5.09 | 122.56 | 107.29 | 15 | 2 |
| C | 6 | GAL | C2-C1-O5 | 4.93 | 95.24 | 110.03 | 10 | 1 |
| E | 6 | GAL | C2-C1-O5 | 4.85 | 95.49 | 110.03 | 10 | 1 |
| D | 3 | BMA | C1-O5-C5 | 4.82 | 104.37 | 118.82 | 6 | 1 |
| D | 6 | GAL | C2-C1-O5 | 4.81 | 95.60 | 110.03 | 9 | 1 |
| E | 4 | MAN | C1-O5-C5 | 4.68 | 101.76 | 115.81 | 1 | 1 |
| B | 4 | MAN | C1-O5-C5 | 4.67 | 101.81 | 115.81 | 1 | 1 |
| C | 7 | SIA | C5-C4-O4 | 4.66 | 120.86 | 106.87 | 11 | 1 |
| C | 6 | GAL | C4-C3-O3 | 4.63 | 99.37 | 113.26 | 7 | 1 |
| D | 6 | GAL | C4-C3-O3 | 4.62 | 99.40 | 113.26 | 4 | 1 |
| B | 7 | SIA | C5-C4-O4 | 4.62 | 120.72 | 106.87 | 9 | 1 |
| D | 4 | MAN | C1-O5-C5 | 4.60 | 102.02 | 115.81 | 1 | 1 |
| C | 11 | SIA | C1-C2-O6 | 4.59 | 122.77 | 109.00 | 13 | 1 |
| E | 6 | GAL | C4-C3-O3 | 4.57 | 99.56 | 113.26 | 5 | 1 |
| C | 4 | MAN | C1-O5-C5 | 4.56 | 102.13 | 115.81 | 1 | 1 |
| D | 11 | SIA | C1-C2-O6 | 4.55 | 122.64 | 109.00 | 11 | 1 |
| B | 11 | SIA | C1-C2-O6 | 4.53 | 122.58 | 109.00 | 12 | 1 |
| E | 11 | SIA | C1-C2-O6 | 4.50 | 122.51 | 109.00 | 11 | 1 |
| D | 4 | MAN | C1-C2-O2 | 4.44 | 120.13 | 106.80 | 11 | 2 |
| B | 8 | MAN | C5-C6-O6 | 4.39 | 122.26 | 109.08 | 9 | 1 |
| E | 10 | GAL | C2-C1-O5 | 4.37 | 96.92 | 110.03 | 6 | 1 |
| E | 4 | MAN | C1-C2-O2 | 4.35 | 119.86 | 106.80 | 11 | 2 |
| C | 4 | MAN | C1-C2-O2 | 4.35 | 119.86 | 106.80 | 13 | 1 |
| B | 4 | MAN | C1-C2-O2 | 4.34 | 119.82 | 106.80 | 12 | 1 |
| D | 11 | SIA | C6-C7-C8 | 4.33 | 124.59 | 111.59 | 19 | 1 |
| D | 1 | NAG | C3-C4-O4 | 4.30 | 120.18 | 107.29 | 5 | 2 |
| C | 2 | NAG | C5-C4-O4 | 4.19 | 99.14 | 111.70 | 19 | 1 |
| B | 2 | NAG | C5-C4-O4 | 4.17 | 99.19 | 111.70 | 17 | 1 |
| C | 7 | SIA | C7-C8-C9 | 4.17 | 123.55 | 111.05 | 5 | 1 |
| B | 11 | SIA | C7-C8-C9 | 4.16 | 123.54 | 111.05 | 2 | 1 |
| E | 11 | SIA | C5-C6-C7 | 4.16 | 123.05 | 110.56 | 12 | 1 |
| D | 1 | NAG | C5-C4-O4 | 4.12 | 99.33 | 111.70 | 5 | 1 |
| B | 11 | SIA | C5-C6-C7 | 4.12 | 122.91 | 110.56 | 13 | 1 |
| E | 1 | NAG | C3-C4-O4 | 4.10 | 119.58 | 107.29 | 9 | 1 |

| Chain | Res | Type | Atoms | Z | Observed (Å) | Ideal (Å) | Model ID (Worst) | Models (Total) |
|-------|-----|------|----------|------|--------------|-----------|------------------|----------------|
| D | 3 | BMA | C2-C3-O3 | 4.09 | 118.95 | 106.67 | 14 | 1 |
| B | 10 | GAL | C2-C1-O5 | 4.09 | 97.75 | 110.03 | 20 | 1 |
| B | 1 | NAG | C5-C4-O4 | 4.09 | 99.43 | 111.70 | 8 | 1 |
| D | 11 | SIA | C7-C6-O6 | 4.09 | 115.98 | 103.71 | 5 | 1 |
| C | 8 | MAN | C5-C6-O6 | 4.09 | 121.34 | 109.08 | 11 | 1 |
| B | 7 | SIA | C7-C8-C9 | 4.08 | 123.28 | 111.05 | 5 | 1 |
| C | 1 | NAG | C5-C4-O4 | 4.06 | 99.51 | 111.70 | 9 | 1 |
| C | 11 | SIA | C5-C6-C7 | 4.06 | 122.74 | 110.56 | 14 | 1 |
| B | 3 | BMA | C2-C3-O3 | 4.06 | 118.85 | 106.67 | 15 | 1 |
| E | 3 | BMA | C2-C3-O3 | 4.04 | 118.79 | 106.67 | 15 | 1 |
| E | 3 | BMA | C3-C4-O4 | 4.03 | 117.89 | 105.79 | 17 | 1 |
| B | 3 | BMA | C3-C4-O4 | 4.02 | 117.84 | 105.79 | 17 | 1 |
| C | 3 | BMA | C2-C3-O3 | 4.01 | 118.70 | 106.67 | 18 | 1 |
| D | 11 | SIA | C8-C9-O9 | 4.01 | 121.56 | 109.54 | 20 | 1 |

Too-close contacts ?

The following all-atom clashscore is based on a MolProbity analysis. All-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The table below contains clashscores for all atomic models in this entry.

| Model ID | Clash score | Number of clashes |
|----------|-------------|-------------------|
| 1 | 22.39 | 64 |
| 2 | 18.18 | 52 |
| 3 | 16.47 | 47 |
| 4 | 23.85 | 68 |
| 5 | 30.57 | 87 |
| 6 | 54.56 | 156 |
| 7 | 51.77 | 148 |
| 8 | 48.35 | 138 |
| 9 | 39.66 | 113 |
| 10 | 32.22 | 92 |
| 11 | 59.26 | 169 |
| 12 | 35.86 | 102 |
| 13 | 24.74 | 71 |
| 14 | 17.11 | 49 |
| 15 | 21.25 | 61 |
| 16 | 21.61 | 62 |

| Model ID | Clash score | Number of clashes |
|----------|-------------|-------------------|
| 17 | 25.80 | 74 |
| 18 | 20.62 | 59 |
| 19 | 28.68 | 82 |
| 20 | 29.00 | 83 |

There are 1777 clashes. The table below contains the detailed list of all clashes based on a MolProbity analysis. Bad clashes are ≥ 0.4 Angstrom. The output is limited to 100 rows.

| Atom 1 | Atom 2 | Clash(Å) | Model ID (Worst) | Models (Total) |
|----------------|-------------|----------|------------------|----------------|
| A:168:LEU:CD2 | C:1:NAG:C | 1.62 | 7 | 1 |
| A:101:THR:HG23 | B:11:SIA:C4 | 1.62 | 8 | 2 |
| A:168:LEU:HD21 | C:1:NAG:C6 | 1.62 | 8 | 1 |
| A:83:ASN:HD21 | B:1:NAG:C | 1.61 | 18 | 5 |
| A:199:PRO:HB2 | E:1:NAG:C | 1.61 | 12 | 3 |
| A:101:THR:CG2 | B:11:SIA:H4 | 1.59 | 8 | 2 |
| A:49:SER:HB3 | B:12:FUC:C2 | 1.59 | 6 | 1 |
| A:199:PRO:HB2 | E:1:NAG:C6 | 1.59 | 6 | 1 |
| A:168:LEU:CD2 | C:1:NAG:H61 | 1.58 | 8 | 1 |
| A:103:GLN:CD | B:12:FUC:C5 | 1.57 | 7 | 1 |
| A:161:ARG:CD | D:10:GAL:H2 | 1.57 | 6 | 1 |
| A:161:ARG:HD2 | D:10:GAL:C2 | 1.57 | 6 | 2 |
| A:199:PRO:HB2 | E:1:NAG:CT | 1.55 | 17 | 4 |
| A:130:ASN:ND2 | C:1:NAG:CT | 1.55 | 17 | 4 |
| A:103:GLN:CG | B:12:FUC:C3 | 1.53 | 7 | 1 |
| A:161:ARG:HD2 | D:10:GAL:C3 | 1.52 | 6 | 2 |
| A:131:SER:CA | C:1:NAG:CT | 1.52 | 12 | 1 |
| A:49:SER:HB3 | B:12:FUC:C1 | 1.51 | 6 | 1 |
| C:10:GAL:C4 | E:6:GAL:H61 | 1.51 | 5 | 1 |
| A:199:PRO:CB | E:1:NAG:H61 | 1.51 | 6 | 1 |
| A:199:PRO:HD2 | E:12:FUC:C2 | 1.51 | 5 | 1 |
| A:199:PRO:CD | E:12:FUC:H2 | 1.50 | 5 | 1 |
| A:103:GLN:CG | B:12:FUC:H3 | 1.50 | 7 | 1 |
| A:129:PRO:CG | C:9:NAG:CT | 1.48 | 11 | 1 |
| A:103:GLN:HG3 | B:12:FUC:C3 | 1.48 | 7 | 1 |
| A:105:TYR:CZ | B:2:NAG:H61 | 1.45 | 16 | 1 |
| A:174:GLN:CA | C:1:NAG:CT | 1.45 | 18 | 1 |
| A:133:ASN:HD22 | C:1:NAG:C1 | 1.45 | 13 | 5 |

| Atom 1 | Atom 2 | Clash(Å) | Model ID (Worst) | Models (Total) |
|----------------|--------------|----------|------------------|----------------|
| A:129:PRO:HG2 | C:9:NAG:CT | 1.45 | 11 | 1 |
| A:130:ASN:OD1 | C:1:NAG:C5 | 1.44 | 7 | 1 |
| C:10:GAL:C5 | E:6:GAL:H61 | 1.43 | 5 | 1 |
| A:130:ASN:HD22 | C:1:NAG:CT | 1.43 | 11 | 3 |
| A:83:ASN:ND2 | B:1:NAG:C | 1.43 | 18 | 5 |
| A:174:GLN:CG | C:1:NAG:CT | 1.42 | 18 | 1 |
| A:85:THR:CG2 | B:1:NAG:H3 | 1.42 | 2 | 1 |
| A:199:PRO:HD2 | E:12:FUC:C1 | 1.42 | 6 | 2 |
| A:161:ARG:NE | D:10:GAL:H2 | 1.42 | 6 | 4 |
| A:151:ASP:OD2 | E:12:FUC:C2 | 1.41 | 1 | 1 |
| A:174:GLN:CB | C:10:GAL:O3 | 1.41 | 11 | 1 |
| A:130:ASN:ND2 | C:1:NAG:N | 1.41 | 11 | 3 |
| A:161:ARG:CG | D:10:GAL:O3 | 1.41 | 6 | 2 |
| A:158:THR:HA | D:1:NAG:CT | 1.41 | 7 | 2 |
| A:130:ASN:CG | C:1:NAG:N | 1.40 | 11 | 5 |
| A:79:ASN:OD1 | B:9:NAG:C | 1.40 | 12 | 1 |
| A:101:THR:CG2 | B:11:SIA:C4 | 1.40 | 8 | 2 |
| A:103:GLN:OE1 | B:12:FUC:C5 | 1.39 | 7 | 1 |
| A:161:ARG:CZ | D:10:GAL:H2 | 1.39 | 7 | 4 |
| A:199:PRO:CB | E:1:NAG:O | 1.39 | 12 | 4 |
| A:79:ASN:HD21 | B:11:SIA:C6 | 1.38 | 7 | 1 |
| A:174:GLN:HB2 | C:1:NAG:C | 1.37 | 18 | 1 |
| A:85:THR:OG1 | B:12:FUC:H4 | 1.37 | 4 | 1 |
| A:172:PHE:HD1 | C:11:SIA:CT | 1.37 | 11 | 3 |
| A:161:ARG:CG | D:11:SIA:H32 | 1.36 | 8 | 1 |
| A:79:ASN:ND2 | B:11:SIA:H6 | 1.36 | 7 | 1 |
| A:161:ARG:NH2 | D:1:NAG:C | 1.36 | 6 | 1 |
| A:172:PHE:CA | C:11:SIA:O | 1.36 | 11 | 1 |
| A:149:ALA:O | E:11:SIA:N | 1.35 | 12 | 1 |
| A:83:ASN:OD1 | B:1:NAG:C1 | 1.34 | 16 | 4 |
| A:79:ASN:CG | B:2:NAG:H62 | 1.34 | 17 | 2 |
| A:168:LEU:CD2 | C:1:NAG:H5 | 1.34 | 20 | 1 |
| A:174:GLN:CB | C:1:NAG:C | 1.34 | 18 | 1 |
| A:174:GLN:CG | C:12:FUC:O2 | 1.33 | 8 | 1 |
| A:161:ARG:HG2 | D:11:SIA:C3 | 1.33 | 8 | 2 |

| Atom 1 | Atom 2 | Clash(Å) | Model ID (Worst) | Models (Total) |
|----------------|--------------|----------|------------------|----------------|
| A:168:LEU:CB | C:12:FUC:O4 | 1.33 | 5 | 1 |
| A:79:ASN:OD1 | B:2:NAG:C5 | 1.33 | 3 | 1 |
| A:199:PRO:CD | E:12:FUC:C2 | 1.33 | 5 | 1 |
| A:128:GLU:C | C:11:SIA:CT | 1.33 | 8 | 1 |
| A:199:PRO:CB | E:1:NAG:CT | 1.33 | 17 | 4 |
| A:158:THR:OG1 | D:1:NAG:CT | 1.32 | 1 | 1 |
| A:79:ASN:OD1 | B:11:SIA:H7 | 1.32 | 7 | 1 |
| A:168:LEU:HD23 | C:11:SIA:C3 | 1.31 | 13 | 1 |
| A:172:PHE:CB | C:11:SIA:C | 1.31 | 11 | 1 |
| A:172:PHE:HB3 | C:11:SIA:N | 1.30 | 11 | 1 |
| A:133:ASN:ND2 | C:1:NAG:C1 | 1.30 | 13 | 8 |
| A:131:SER:HA | C:1:NAG:CT | 1.30 | 12 | 1 |
| A:168:LEU:CB | C:11:SIA:O9 | 1.30 | 11 | 1 |
| A:161:ARG:HD3 | D:10:GAL:O4 | 1.30 | 6 | 3 |
| A:85:THR:HG22 | B:11:SIA:O | 1.30 | 10 | 2 |
| A:172:PHE:C | C:11:SIA:N | 1.29 | 11 | 1 |
| A:131:SER:C | C:1:NAG:CT | 1.29 | 12 | 1 |
| A:172:PHE:CA | C:11:SIA:C | 1.29 | 11 | 1 |
| A:49:SER:CB | B:12:FUC:C1 | 1.28 | 6 | 1 |
| A:79:ASN:OD1 | B:2:NAG:C6 | 1.28 | 17 | 4 |
| A:161:ARG:HG2 | D:1:NAG:O | 1.28 | 14 | 1 |
| A:197:ASN:CB | E:10:GAL:H62 | 1.27 | 8 | 1 |
| A:79:ASN:HB2 | B:1:NAG:O3 | 1.26 | 13 | 8 |
| A:168:LEU:HB2 | C:12:FUC:O4 | 1.26 | 5 | 1 |
| A:161:ARG:CZ | D:1:NAG:CT | 1.26 | 6 | 2 |
| A:172:PHE:HA | C:11:SIA:C | 1.26 | 11 | 1 |
| A:161:ARG:HD2 | D:10:GAL:O3 | 1.26 | 8 | 1 |
| A:130:ASN:C | C:1:NAG:CT | 1.26 | 19 | 2 |
| A:161:ARG:O | D:11:SIA:H31 | 1.26 | 6 | 1 |
| A:129:PRO:CB | C:9:NAG:CT | 1.25 | 11 | 1 |
| A:83:ASN:ND2 | B:1:NAG:N | 1.25 | 18 | 10 |
| A:12:PRO:CB | B:12:FUC:H2 | 1.25 | 7 | 1 |
| A:168:LEU:CD2 | C:11:SIA:H32 | 1.25 | 13 | 1 |
| A:79:ASN:OD1 | B:2:NAG:H62 | 1.25 | 17 | 3 |
| A:133:ASN:CG | C:1:NAG:C1 | 1.25 | 18 | 3 |

| Atom 1 | Atom 2 | Clash(Å) | Model ID (Worst) | Models (Total) |
|----------------|------------|----------|------------------|----------------|
| A:168:LEU:HD23 | C:1:NAG:C | 1.25 | 7 | 1 |
| A:172:PHE:CA | C:11:SIA:N | 1.25 | 11 | 1 |

Torsion angles: Protein backbone ?

In the following table, Ramachandran outliers are listed. The Analysed column shows the number of residues for which the backbone conformation was analysed.

| Model ID | Analysed | Favored | Allowed | Outliers |
|----------|----------|---------|---------|----------|
| 1 | 207 | 178 | 26 | 3 |
| 2 | 207 | 178 | 26 | 3 |
| 3 | 207 | 178 | 26 | 3 |
| 4 | 207 | 178 | 26 | 3 |
| 5 | 207 | 178 | 26 | 3 |
| 6 | 207 | 178 | 26 | 3 |
| 7 | 207 | 178 | 26 | 3 |
| 8 | 207 | 178 | 26 | 3 |
| 9 | 207 | 178 | 26 | 3 |
| 10 | 207 | 178 | 26 | 3 |
| 11 | 207 | 178 | 26 | 3 |
| 12 | 207 | 178 | 26 | 3 |
| 13 | 207 | 178 | 26 | 3 |
| 14 | 207 | 178 | 26 | 3 |
| 15 | 207 | 178 | 26 | 3 |
| 16 | 207 | 178 | 26 | 3 |
| 17 | 207 | 178 | 26 | 3 |
| 18 | 207 | 178 | 26 | 3 |
| 19 | 207 | 178 | 26 | 3 |
| 20 | 207 | 178 | 26 | 3 |

There are 3 unique backbone outliers. Detailed list of outliers are tabulated below.

| Chain | Res | Type | Models (Total) |
|-------|-----|------|----------------|
| A | 12 | PRO | 20 |
| A | 170 | GLY | 20 |
| A | 171 | ASP | 20 |

Torsion angles : Protein sidechains ?


In the following table, sidechain rotameric outliers are listed. The Analysed column shows the number of residues for which the sidechain conformation was analysed.

| Model ID | Analysed | Favored | Allowed | Outliers |
|----------|----------|---------|---------|----------|
| 1 | 185 | 144 | 31 | 10 |
| 2 | 185 | 144 | 31 | 10 |
| 3 | 185 | 144 | 31 | 10 |
| 4 | 185 | 144 | 31 | 10 |
| 5 | 185 | 144 | 31 | 10 |
| 6 | 185 | 144 | 31 | 10 |
| 7 | 185 | 144 | 31 | 10 |
| 8 | 185 | 144 | 31 | 10 |
| 9 | 185 | 144 | 31 | 10 |
| 10 | 185 | 144 | 31 | 10 |
| 11 | 185 | 144 | 31 | 10 |
| 12 | 185 | 144 | 31 | 10 |
| 13 | 185 | 144 | 31 | 10 |
| 14 | 185 | 144 | 31 | 10 |
| 15 | 185 | 144 | 31 | 10 |
| 16 | 185 | 144 | 31 | 10 |
| 17 | 185 | 144 | 31 | 10 |
| 18 | 185 | 144 | 31 | 10 |
| 19 | 185 | 144 | 31 | 10 |
| 20 | 185 | 144 | 31 | 10 |

There are 10 unique sidechain outliers. Detailed list of outliers are tabulated below.


| Chain | Res | Type | Models (Total) |
|-------|-----|------|----------------|
| A | 8 | PHE | 20 |
| A | 18 | GLU | 20 |
| A | 43 | ILE | 20 |
| A | 73 | GLU | 20 |
| A | 79 | ASN | 20 |
| A | 135 | THR | 20 |
| A | 152 | LEU | 20 |
| A | 169 | ASN | 20 |
| A | 177 | LEU | 20 |
| A | 185 | ILE | 20 |

PrISM precision analysis

Regions of **low**  **high** precision, defined as the variability among the models that satisfy the input data and calculated as the density-weighted root mean-square fluctuation (RMSF) from the bead/atom center of density,

annotated and visualized using PrISM. The per-bead precision is computed from the deposited ensemble of superposed integrative models. High- and low-precision regions are then determined by clustering beads of similar precision based on their proximity in the structure. Only coarse-grained beads (or CA atoms for atomic models) of deposited models are used for assessment and visualization, and three projections for each representative model are generated.

PrISM analysis for Ensemble 1 (models deposited/total: 20/20).



Fit of model to data used for modeling ?

SAS data used in this integrative model could not be validated as the sascif file is currently unavailable.

Fit of model to data used for validation ?

Validation for this section is under development.

Acknowledgments

The development of integrative model validation metrics, implementation of a model validation pipeline, and creation of a validation report for integrative structures are funded by NSF awards to the [PDB-IHM team](#) (DBI-1756248, DBI-2112966, DBI-2112967, DBI-2112968, and DBI-1756250) and awards from NSF, NIH, and DOE to the [RCSB PDB](#) (DBI-2321666, R01GM157729, and DE-SC0019749). The PDB-IHM team and members of the [Sali lab](#) contributed model validation metrics and software packages.

Dr. Jill Trewhella, Dr. Dina Schneidman, and members of the [SASBDB](#) repository are acknowledged for their advice and support in implementing SAS validation methods. Team members from the labs of Dr. Juri Rappsilber, Dr. Alexander Leitner, Dr. Andrea Graziadei, and members of [PRIDE](#) database are acknowledged for their advice and support in implementing crosslinking-MS validation methods. We are grateful to Dr. Shruthi Viswanath for discussions about uncertainty assessment of integrative structural models.

Members of the [wwPDB Integrative/Hybrid Methods Task Force](#) provided recommendations and community support for the project.