



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 29, 2025 – 08:39 AM EDT

PDB ID : 4I0H / pdb_00004i0h
Title : SPR and structural analysis yield insight towards mechanism of inhibition of BACE inhibitors.
Authors : Yao, N.; Brecht, E.
Deposited on : 2012-11-16
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0rc1
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0rc1
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.006 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.43.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	5791 (2.20-2.20)
Clashscore	180529	6634 (2.20-2.20)
Ramachandran outliers	177936	6560 (2.20-2.20)
Sidechain outliers	177891	6561 (2.20-2.20)
RSRZ outliers	164620	5791 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	406	<div> <div>6%</div> <div> <div></div> <div>76%</div> <div>14%</div> <div>• 8%</div> </div> </div>
1	B	406	<div> <div>8%</div> <div> <div></div> <div>70%</div> <div>19%</div> <div>• 8%</div> </div> </div>
1	C	406	<div> <div>6%</div> <div> <div></div> <div>71%</div> <div>18%</div> <div>• 8%</div> </div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9252 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-secretase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	374	Total	C	N	O	S	0	0	0
			2941	1883	489	555	14			
1	B	375	Total	C	N	O	S	0	0	0
			2950	1894	490	552	14			
1	C	374	Total	C	N	O	S	0	0	0
			2942	1890	489	549	14			

There are 27 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP P56817
A	399	ARG	-	expression tag	UNP P56817
A	400	SER	-	expression tag	UNP P56817
A	401	HIS	-	expression tag	UNP P56817
A	402	HIS	-	expression tag	UNP P56817
A	403	HIS	-	expression tag	UNP P56817
A	404	HIS	-	expression tag	UNP P56817
A	405	HIS	-	expression tag	UNP P56817
A	406	HIS	-	expression tag	UNP P56817
B	1	MET	-	expression tag	UNP P56817
B	399	ARG	-	expression tag	UNP P56817
B	400	SER	-	expression tag	UNP P56817
B	401	HIS	-	expression tag	UNP P56817
B	402	HIS	-	expression tag	UNP P56817
B	403	HIS	-	expression tag	UNP P56817
B	404	HIS	-	expression tag	UNP P56817
B	405	HIS	-	expression tag	UNP P56817
B	406	HIS	-	expression tag	UNP P56817
C	1	MET	-	expression tag	UNP P56817
C	399	ARG	-	expression tag	UNP P56817
C	400	SER	-	expression tag	UNP P56817
C	401	HIS	-	expression tag	UNP P56817
C	402	HIS	-	expression tag	UNP P56817

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	403	HIS	-	expression tag	UNP P56817
C	404	HIS	-	expression tag	UNP P56817
C	405	HIS	-	expression tag	UNP P56817
C	406	HIS	-	expression tag	UNP P56817

- Molecule 2 is (2R)-5-{[(2S,3R)-4-{[1-(3-tert-butylphenyl)cyclohexyl]amino}-1-(3,5-difluorophenyl)-3-hydroxybutan-2-yl]amino}-2-hydroxy-5-oxopentanoic acid (CCD ID: 1BL) (formula: C₃₁H₄₂F₂N₂O₅).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	0	0
			40	31	2	2	5		
2	B	1	Total	C	F	N	O	0	0
			40	31	2	2	5		
2	C	1	Total	C	F	N	O	0	0
			40	31	2	2	5		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	106	Total	O	0	0
			106	106		
3	B	95	Total	O	0	0
			95	95		
3	C	98	Total	O	0	0
			98	98		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Beta-secretase 1




• Molecule 1: Beta-secretase 1



• Molecule 1: Beta-secretase 1





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	83.20Å 105.47Å 100.27Å 90.00° 105.11° 90.00°	Depositor
Resolution (Å)	60.00 – 2.20 60.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.1 (60.00-2.20) 99.1 (60.00-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.28 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.217 , 0.267 0.218 , 0.263	Depositor DCC
R_{free} test set	4232 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	51.1	Xtriage
Anisotropy	0.075	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 41.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9252	wwPDB-VP
Average B, all atoms (Å ²)	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 1BL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.25	7/3015 (0.2%)	1.25	9/4095 (0.2%)
1	B	1.29	7/3026 (0.2%)	1.28	16/4111 (0.4%)
1	C	1.25	9/3018 (0.3%)	1.21	10/4100 (0.2%)
All	All	1.26	23/9059 (0.3%)	1.24	35/12306 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	1
1	C	0	1
All	All	0	4

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	5	PHE	N-CA	9.19	1.58	1.46
1	B	236	GLY	C-O	-7.67	1.18	1.24
1	C	300	GLN	C-O	-6.35	1.16	1.24
1	A	367	VAL	CA-CB	6.29	1.62	1.54
1	A	175	SER	N-CA	6.25	1.54	1.46
1	B	377	GLU	CA-C	-6.18	1.44	1.52
1	B	246	VAL	CA-CB	6.02	1.62	1.54
1	A	4	SER	N-CA	6.01	1.57	1.46
1	A	13	ARG	CG-CD	5.91	1.70	1.52
1	A	181	ILE	CA-C	-5.82	1.46	1.52
1	C	175	SER	CA-C	5.77	1.60	1.52
1	B	93	ILE	CA-CB	5.74	1.59	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	13	ARG	CD-NE	5.73	1.54	1.46
1	B	335	THR	CA-CB	5.67	1.61	1.53
1	C	6	VAL	C-O	-5.45	1.17	1.24
1	C	380	PHE	C-O	5.42	1.30	1.23
1	B	362	VAL	C-O	-5.40	1.18	1.24
1	C	237	THR	CA-CB	5.35	1.61	1.53
1	C	22	VAL	N-CA	-5.30	1.40	1.46
1	A	13	ARG	NE-CZ	5.20	1.38	1.33
1	C	353	ARG	CA-C	5.05	1.59	1.52
1	C	297	VAL	C-O	5.04	1.29	1.24
1	C	341	ALA	CA-CB	5.03	1.61	1.53

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	96	GLY	CA-C-N	-14.08	106.51	120.31
1	A	96	GLY	C-N-CA	-14.08	106.51	120.31
1	B	96	GLY	CA-C-N	-9.70	110.92	120.52
1	B	96	GLY	C-N-CA	-9.70	110.92	120.52
1	C	175	SER	N-CA-C	8.86	129.67	110.80
1	C	381	VAL	CB-CA-C	-7.97	101.31	110.96
1	A	369	ASP	N-CA-C	-7.40	97.37	108.99
1	B	345	GLU	CA-C-N	-7.13	109.83	122.16
1	B	345	GLU	C-N-CA	-7.13	109.83	122.16
1	B	5	PHE	N-CA-C	6.90	125.51	110.80
1	B	277	GLN	N-CA-C	-6.89	100.23	110.23
1	A	176	VAL	N-CA-C	6.63	123.14	109.34
1	C	381	VAL	N-CA-CB	6.50	118.41	111.00
1	B	248	GLU	N-CA-C	-6.41	104.22	111.14
1	A	13	ARG	NE-CZ-NH2	6.31	124.88	119.20
1	C	373	THR	N-CA-C	6.19	119.58	109.24
1	B	391	ASN	N-CA-C	6.03	121.03	113.43
1	A	51	HIS	N-CA-C	-6.02	100.35	108.11
1	C	326	TYR	N-CA-C	5.79	118.94	108.69
1	B	302	PHE	N-CA-C	-5.67	100.52	108.96
1	B	297	VAL	CB-CA-C	5.59	118.95	110.90
1	B	297	VAL	N-CA-CB	-5.47	103.28	112.47
1	B	365	CYS	CB-CA-C	5.38	120.43	112.03
1	C	325	CYS	N-CA-C	5.35	118.17	109.24
1	C	343	ILE	N-CA-C	-5.34	105.92	111.58
1	B	263	PHE	N-CA-C	5.29	117.86	109.40
1	C	313	ARG	CB-CA-C	5.27	116.45	108.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	118	GLY	N-CA-C	-5.25	100.75	113.18
1	A	316	GLU	N-CA-C	5.13	116.95	110.33
1	B	257	ALA	N-CA-C	-5.10	107.04	114.12
1	C	252	LYS	N-CA-C	5.09	117.22	111.11
1	A	281	THR	CA-C-N	5.05	126.15	119.84
1	A	281	THR	C-N-CA	5.05	126.15	119.84
1	C	106	ALA	N-CA-C	-5.04	100.51	108.73
1	B	75	VAL	CB-CA-C	-5.02	102.22	111.36

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	203	TRP	Peptide
1	A	4	SER	Peptide
1	B	4	SER	Peptide
1	C	4	SER	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2941	0	2848	36	0
1	B	2950	0	2865	37	0
1	C	2942	0	2861	46	0
2	A	40	0	41	0	0
2	B	40	0	41	3	0
2	C	40	0	41	0	0
3	A	106	0	0	1	0
3	B	95	0	0	2	0
3	C	98	0	0	4	0
All	All	9252	0	8697	121	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:4:SER:N	1:C:5:PHE:HB2	1.82	0.95
1:A:297:VAL:HG12	1:A:300:GLN:HG2	1.55	0.86
1:C:5:PHE:CE1	1:C:7:GLU:HG3	2.13	0.83
1:C:248:GLU:HG2	3:C:665:HOH:O	1.79	0.82
1:C:247:PHE:O	1:C:251:VAL:HG13	1.80	0.80
1:B:200:ARG:HD2	1:B:208:ILE:HD11	1.64	0.78
1:C:5:PHE:CD1	1:C:7:GLU:HG3	2.19	0.78
1:B:116:ILE:O	1:B:119:SER:HB3	1.84	0.77
1:C:297:VAL:CG2	1:C:300:GLN:HG2	2.15	0.77
1:B:101:VAL:HG11	1:B:146:LEU:HA	1.68	0.76
1:A:180:MET:HE3	1:A:182:ILE:HD11	1.69	0.75
1:A:262:LYS:HA	3:A:652:HOH:O	1.85	0.75
1:C:297:VAL:HG22	1:C:300:GLN:CG	2.17	0.74
1:B:391:ASN:O	1:B:392:ILE:HB	1.91	0.70
1:A:296:GLU:H	1:A:300:GLN:NE2	1.91	0.69
1:C:297:VAL:HG22	1:C:300:GLN:HG2	1.75	0.69
1:C:272:GLN:HG3	3:C:687:HOH:O	1.95	0.67
1:B:131:GLU:OE2	1:B:201:ARG:NH1	2.29	0.64
1:A:384:ASP:OD1	1:A:387:ASP:OD1	2.16	0.63
1:C:282:PRO:O	1:C:285:ILE:HG12	1.99	0.62
1:B:214:ILE:HG13	1:B:219:LEU:HD13	1.81	0.62
1:A:4:SER:O	1:A:4:SER:OG	2.03	0.61
1:A:297:VAL:HG12	1:A:300:GLN:CG	2.26	0.61
2:B:501:1BL:H23	2:B:501:1BL:H43	1.82	0.61
1:B:4:SER:O	1:B:5:PHE:HB2	2.00	0.60
1:B:265:ASP:HB3	3:B:609:HOH:O	2.00	0.60
1:A:174:ALA:O	1:A:175:SER:HB3	2.02	0.59
1:C:200:ARG:HD2	1:C:208:ILE:HD11	1.85	0.58
1:A:8:MET:HG2	1:A:96:GLY:HA2	1.84	0.58
1:C:5:PHE:HE1	1:C:7:GLU:HG3	1.66	0.58
1:B:288:VAL:HG12	1:B:307:LEU:HD23	1.86	0.57
1:C:346:GLY:C	1:C:363:SER:HB2	2.29	0.57
1:A:379:PRO:HG2	1:B:381:VAL:HG12	1.85	0.56
1:A:297:VAL:CG1	1:A:300:GLN:HG2	2.33	0.56
1:B:244:LYS:O	1:B:248:GLU:HG2	2.05	0.56
1:A:297:VAL:H	1:A:300:GLN:HE21	1.56	0.54
1:B:306:ILE:HG12	1:B:343:ILE:HD12	1.88	0.54
1:C:299:ASN:HA	1:C:381:VAL:HA	1.89	0.54
1:C:291:LEU:HD13	1:C:339:MET:HE3	1.90	0.54
1:C:294:MET:HE1	1:C:385:MET:HA	1.89	0.53
1:A:296:GLU:H	1:A:300:GLN:HE22	1.57	0.53
1:C:305:THR:C	1:C:306:ILE:HD13	2.34	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:131:GLU:OE2	1:C:201:ARG:NH1	2.31	0.53
1:B:204:TYR:CE2	1:B:230:LYS:HE3	2.44	0.52
1:A:131:GLU:OE1	1:A:201:ARG:NH1	2.43	0.51
1:B:282:PRO:O	1:B:283:TRP:C	2.54	0.51
1:C:29:PRO:O	1:C:30:PRO:C	2.54	0.50
1:B:278:ALA:O	1:B:280:THR:HG23	2.12	0.50
1:A:101:VAL:HG11	1:A:146:LEU:HA	1.94	0.50
1:B:196:TYR:CD2	1:B:357:ARG:HG3	2.48	0.49
1:B:202:GLU:OE2	1:B:356:LYS:HE3	2.12	0.49
1:C:241:ARG:HB2	1:C:338:VAL:HB	1.95	0.49
1:B:217:GLN:HA	1:B:217:GLN:HE21	1.78	0.49
1:C:208:ILE:HG21	1:C:294:MET:CE	2.43	0.48
1:C:297:VAL:HG23	1:C:300:GLN:HG2	1.93	0.48
1:C:369:ASP:OD1	1:C:369:ASP:C	2.55	0.48
1:A:296:GLU:N	1:A:300:GLN:NE2	2.61	0.47
1:A:273:LEU:HD21	1:A:315:VAL:HG11	1.97	0.47
1:B:119:SER:O	1:B:120:ASN:HB2	2.15	0.47
1:B:296:GLU:H	1:B:300:GLN:HE22	1.61	0.47
2:B:501:1BL:H23	2:B:501:1BL:C31	2.44	0.47
1:C:208:ILE:HG21	1:C:294:MET:HE3	1.96	0.47
1:A:240:LEU:HB2	1:A:343:ILE:HD11	1.96	0.47
1:A:263:PHE:CD2	1:A:274:VAL:HG21	2.50	0.47
1:C:276:TRP:CE3	1:C:281:THR:HG23	2.50	0.47
1:B:228:TYR:O	1:B:336:GLY:HA2	2.14	0.46
1:A:155:LEU:HD22	1:A:184:GLY:HA2	1.97	0.46
1:B:307:LEU:HB3	1:B:308:PRO:HD2	1.97	0.46
1:A:241:ARG:HG3	1:A:338:VAL:HB	1.96	0.46
1:C:201:ARG:HG2	1:C:203:TRP:CD1	2.50	0.46
1:B:282:PRO:HB2	1:B:285:ILE:HG23	1.98	0.46
1:C:54:LEU:HD21	1:C:115:PHE:CE2	2.51	0.46
1:A:15:LYS:HE3	1:A:118:GLY:O	2.16	0.45
1:A:262:LYS:HD2	1:A:262:LYS:N	2.31	0.45
1:A:148:LYS:HB3	1:A:148:LYS:HE2	1.69	0.45
1:B:69:LEU:HD23	1:B:69:LEU:HA	1.83	0.45
1:B:294:MET:HE2	1:B:385:MET:HB3	1.99	0.45
1:B:160:LEU:O	1:B:345:GLU:HA	2.17	0.45
1:C:214:ILE:O	1:C:217:GLN:HG2	2.17	0.45
1:B:89:ASP:OD1	1:B:90:LEU:N	2.45	0.44
1:C:248:GLU:CG	3:C:665:HOH:O	2.48	0.44
1:B:132:ILE:HG23	1:B:203:TRP:HB2	1.99	0.44
1:B:221:MET:HE2	1:B:225:GLU:HG3	1.98	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:299:ASN:O	1:B:381:VAL:HA	2.16	0.44
1:B:218:ASP:OD1	1:B:219:LEU:N	2.50	0.44
1:C:307:LEU:HB3	1:C:308:PRO:HD2	1.99	0.44
1:C:82:TRP:HB2	1:C:108:ILE:HG23	2.00	0.43
1:C:101:VAL:HG11	1:C:146:LEU:HD12	2.01	0.43
1:C:291:LEU:CD1	1:C:339:MET:HE3	2.49	0.43
1:C:306:ILE:HD13	1:C:306:ILE:N	2.33	0.43
1:A:32:THR:HG22	1:A:56:ARG:NH1	2.34	0.43
1:A:155:LEU:HD22	1:A:184:GLY:CA	2.49	0.43
1:B:36:LEU:CD2	1:B:38:ASP:HB2	2.49	0.43
1:A:46:VAL:O	1:A:47:GLY:C	2.62	0.42
1:C:356:LYS:NZ	3:C:662:HOH:O	2.51	0.42
1:B:195:TRP:CD1	1:B:376:VAL:HG12	2.54	0.42
1:C:286:PHE:CE2	1:C:312:LEU:HD11	2.54	0.42
1:B:39:THR:HG21	1:B:351:PHE:CZ	2.55	0.42
1:C:208:ILE:CG2	1:C:294:MET:HE3	2.50	0.42
1:A:228:TYR:HA	1:A:229:ASP:HA	1.57	0.42
1:A:8:MET:SD	1:A:96:GLY:HA2	2.60	0.41
2:B:501:1BL:H9	3:B:601:HOH:O	2.19	0.41
1:C:5:PHE:HD1	1:C:7:GLU:HG3	1.77	0.41
1:C:240:LEU:HD23	1:C:330:ILE:HG12	2.02	0.41
1:C:275:CYS:HA	1:C:324:ASP:O	2.21	0.41
1:C:346:GLY:O	1:C:363:SER:CB	2.68	0.41
1:C:346:GLY:O	1:C:363:SER:HB2	2.20	0.41
1:C:299:ASN:HD22	1:C:299:ASN:C	2.27	0.41
1:A:263:PHE:HD2	1:A:274:VAL:HG21	1.86	0.41
1:A:248:GLU:HA	1:A:251:VAL:HG22	2.02	0.41
1:B:8:MET:HG2	1:B:96:GLY:HA2	2.02	0.41
1:B:205:TYR:HB3	1:B:358:ILE:HD11	2.02	0.41
1:C:273:LEU:H	1:C:273:LEU:HG	1.69	0.41
1:B:240:LEU:HD22	1:B:343:ILE:HD11	2.03	0.41
1:C:116:ILE:HB	1:C:119:SER:HB3	2.02	0.41
1:A:350:VAL:O	1:A:358:ILE:HA	2.21	0.40
1:A:273:LEU:HD13	1:A:325:CYS:HB3	2.04	0.40
1:C:141:PRO:O	1:C:142:PHE:C	2.63	0.40
1:A:8:MET:CG	1:A:96:GLY:HA2	2.49	0.40
1:A:211:ARG:HB3	1:A:292:TYR:HB2	2.03	0.40
1:A:51:HIS:CG	1:A:52:PRO:HD2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	368/406 (91%)	340 (92%)	24 (6%)	4 (1%)	12	10
1	B	369/406 (91%)	345 (94%)	20 (5%)	4 (1%)	12	10
1	C	368/406 (91%)	342 (93%)	23 (6%)	3 (1%)	16	16
All	All	1105/1218 (91%)	1027 (93%)	67 (6%)	11 (1%)	13	12

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	175	SER
1	B	5	PHE
1	C	369	ASP
1	B	260	THR
1	A	272	GLN
1	B	278	ALA
1	A	278	ALA
1	B	70	ARG
1	C	30	PRO
1	C	278	ALA
1	A	76	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	318/348 (91%)	301 (95%)	17 (5%)	19	24

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	319/348 (92%)	298 (93%)	21 (7%)	14	16
1	C	318/348 (91%)	295 (93%)	23 (7%)	12	13
All	All	955/1044 (92%)	894 (94%)	61 (6%)	14	17

All (61) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	GLN
1	A	64	SER
1	A	70	ARG
1	A	131	GLU
1	A	179	SER
1	A	203	TRP
1	A	217	GLN
1	A	241	ARG
1	A	252	LYS
1	A	265	ASP
1	A	274	VAL
1	A	297	VAL
1	A	298	THR
1	A	317	ASP
1	A	358	ILE
1	A	381	VAL
1	A	384	ASP
1	B	5	PHE
1	B	9	VAL
1	B	37	VAL
1	B	56	ARG
1	B	70	ARG
1	B	113	LYS
1	B	203	TRP
1	B	214	ILE
1	B	217	GLN
1	B	232	ILE
1	B	245	LYS
1	B	251	VAL
1	B	259	SER
1	B	262	LYS
1	B	274	VAL
1	B	281	THR
1	B	297	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	323	ASP
1	B	356	LYS
1	B	381	VAL
1	B	392	ILE
1	C	42	SER
1	C	56	ARG
1	C	65	THR
1	C	70	ARG
1	C	94	PRO
1	C	101	VAL
1	C	120	ASN
1	C	148	LYS
1	C	217	GLN
1	C	244	LYS
1	C	245	LYS
1	C	251	VAL
1	C	253	SER
1	C	273	LEU
1	C	274	VAL
1	C	297	VAL
1	C	299	ASN
1	C	334	SER
1	C	367	VAL
1	C	381	VAL
1	C	383	LEU
1	C	385	MET
1	C	386	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	104	ASN
1	A	300	GLN
1	A	391	ASN
1	B	79	GLN
1	B	104	ASN
1	B	217	GLN
1	B	239	ASN
1	B	284	ASN
1	B	300	GLN
1	C	18	GLN
1	C	104	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	117	ASN
1	C	217	GLN
1	C	284	ASN
1	C	299	ASN
1	C	332	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	1BL	C	501	-	39,42,42	1.08	2 (5%)	52,60,60	1.59	11 (21%)
2	1BL	A	501	-	39,42,42	1.07	3 (7%)	52,60,60	1.64	10 (19%)
2	1BL	B	501	-	39,42,42	1.05	2 (5%)	52,60,60	1.98	13 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1BL	C	501	-	-	6/39/49/49	0/3/3/3
2	1BL	A	501	-	-	8/39/49/49	0/3/3/3
2	1BL	B	501	-	-	7/39/49/49	0/3/3/3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	1BL	O22-C21	-2.26	1.23	1.30
2	B	501	1BL	C35-C30	2.24	1.42	1.39
2	C	501	1BL	O22-C21	-2.18	1.23	1.30
2	A	501	1BL	C4-C5	2.16	1.41	1.37
2	A	501	1BL	C12-C11	-2.11	1.50	1.52
2	B	501	1BL	C12-N13	2.03	1.49	1.46
2	C	501	1BL	C33-C34	2.02	1.42	1.39

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	1BL	C9-C10-N16	-5.44	102.36	110.08
2	A	501	1BL	O40-C11-C12	-4.49	100.83	109.67
2	B	501	1BL	C6-C5-C4	-4.42	118.13	123.50
2	B	501	1BL	C3-C4-C5	4.11	122.33	118.75
2	C	501	1BL	C3-C2-C1	3.98	122.22	118.75
2	A	501	1BL	C28-C29-C14	3.82	117.91	112.41
2	C	501	1BL	C3-C9-C10	-3.77	107.00	113.40
2	A	501	1BL	C3-C9-C10	-3.73	107.07	113.40
2	B	501	1BL	C25-C14-C29	-3.68	104.72	109.28
2	B	501	1BL	C10-N16-C17	-3.49	117.58	123.40
2	C	501	1BL	C25-C14-C29	3.32	113.39	109.28
2	C	501	1BL	C38-C36-C34	3.04	117.52	110.35
2	A	501	1BL	O22-C21-C20	3.01	119.11	112.74
2	B	501	1BL	C18-C17-N16	2.98	121.12	115.86
2	B	501	1BL	O22-C21-C20	2.95	118.98	112.74
2	C	501	1BL	C28-C29-C14	2.95	116.66	112.41
2	B	501	1BL	C1-C6-C5	2.86	120.25	116.08
2	B	501	1BL	O23-C21-C20	-2.82	116.97	122.60
2	C	501	1BL	O40-C11-C10	-2.81	104.35	109.88
2	A	501	1BL	C38-C36-C34	2.71	116.73	110.35
2	C	501	1BL	C19-C18-C17	-2.46	107.58	113.06
2	C	501	1BL	C3-C4-C5	2.43	120.87	118.75
2	C	501	1BL	O24-C17-C18	-2.34	117.77	122.02
2	B	501	1BL	C26-C25-C14	-2.29	109.11	112.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	1BL	F8-C5-C4	2.28	121.52	118.28
2	A	501	1BL	C37-C36-C39	2.26	115.07	108.36
2	C	501	1BL	O41-C20-C21	-2.23	104.70	110.36
2	B	501	1BL	C6-C1-C2	-2.19	120.84	123.50
2	B	501	1BL	C28-C29-C14	2.17	115.54	112.41
2	C	501	1BL	C9-C10-N16	-2.14	107.04	110.08
2	A	501	1BL	F7-C1-C2	2.12	121.30	118.28
2	B	501	1BL	O24-C17-C18	-2.12	118.17	122.02
2	A	501	1BL	C3-C2-C1	2.10	120.58	118.75
2	A	501	1BL	O24-C17-C18	-2.02	118.36	122.02

There are no chirality outliers.

All (21) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	501	1BL	C29-C14-C30-C35
2	A	501	1BL	C29-C14-C30-C31
2	C	501	1BL	N13-C14-C30-C31
2	B	501	1BL	C29-C14-C30-C35
2	B	501	1BL	C29-C14-C30-C31
2	C	501	1BL	C29-C14-C30-C35
2	C	501	1BL	C29-C14-C30-C31
2	A	501	1BL	N13-C14-C30-C31
2	B	501	1BL	N13-C14-C30-C31
2	C	501	1BL	N13-C14-C30-C35
2	A	501	1BL	C19-C20-C21-O22
2	B	501	1BL	O24-C17-C18-C19
2	A	501	1BL	O41-C20-C21-O22
2	B	501	1BL	O41-C20-C21-O22
2	C	501	1BL	O41-C20-C21-O23
2	C	501	1BL	O41-C20-C21-O22
2	B	501	1BL	N16-C17-C18-C19
2	A	501	1BL	C19-C20-C21-O23
2	A	501	1BL	O41-C20-C21-O23
2	B	501	1BL	O41-C20-C21-O23
2	A	501	1BL	O24-C17-C18-C19

There are no ring outliers.


1 monomer is involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	1BL	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand 1BL A 501





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	374/406 (92%)	0.49	23 (6%)	28 25	49, 65, 94, 109	0
1	B	375/406 (92%)	0.57	31 (8%)	19 16	47, 66, 94, 104	0
1	C	374/406 (92%)	0.53	23 (6%)	28 25	50, 65, 93, 103	0
All	All	1123/1218 (92%)	0.53	77 (6%)	24 22	47, 65, 94, 109	0

All (77) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	174	ALA	6.5
1	B	166	PRO	5.8
1	C	315	VAL	5.4
1	B	392	ILE	5.2
1	C	4	SER	5.1
1	A	174	ALA	5.0
1	B	118	GLY	4.7
1	B	5	PHE	4.7
1	C	368	HIS	4.3
1	C	371	PHE	4.3
1	A	5	PHE	4.3
1	A	315	VAL	3.6
1	C	5	PHE	3.5
1	C	367	VAL	3.5
1	B	371	PHE	3.4
1	B	263	PHE	3.2
1	C	260	THR	3.1
1	A	252	LYS	3.1
1	B	165	PHE	3.0
1	C	284	ASN	3.0
1	C	373	THR	3.0
1	A	264	PRO	3.0
1	A	368	HIS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	367	VAL	2.9
1	B	55	HIS	2.9
1	C	71	LYS	2.8
1	C	325	CYS	2.8
1	A	164	GLY	2.8
1	A	219	LEU	2.8
1	A	367	VAL	2.7
1	B	269	LEU	2.7
1	B	174	ALA	2.7
1	B	368	HIS	2.7
1	A	217	GLN	2.6
1	A	4	SER	2.6
1	A	163	ALA	2.6
1	C	55	HIS	2.5
1	C	288	VAL	2.5
1	C	142	PHE	2.4
1	C	167	LEU	2.4
1	B	313	ARG	2.4
1	B	119	SER	2.4
1	B	17	GLY	2.4
1	C	61	GLN	2.4
1	B	16	SER	2.4
1	A	317	ASP	2.4
1	B	365	CYS	2.4
1	B	53	PHE	2.3
1	B	251	VAL	2.3
1	B	315	VAL	2.3
1	C	324	ASP	2.3
1	A	371	PHE	2.3
1	A	220	LYS	2.3
1	A	253	SER	2.3
1	B	268	TRP	2.2
1	A	118	GLY	2.2
1	B	163	ALA	2.2
1	B	373	THR	2.2
1	B	366	HIS	2.2
1	A	274	VAL	2.2
1	A	262	LYS	2.2
1	B	323	ASP	2.2
1	A	278	ALA	2.2
1	B	270	GLY	2.1
1	B	26	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	273	LEU	2.1
1	B	260	THR	2.1
1	C	390	TYR	2.1
1	B	259	SER	2.1
1	A	249	ALA	2.1
1	B	92	SER	2.1
1	C	313	ARG	2.0
1	A	10	ASP	2.0
1	C	64	SER	2.0
1	B	262	LYS	2.0
1	A	373	THR	2.0
1	C	29	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	1BL	B	501	40/40	0.96	0.09	44,58,66,71	0
2	1BL	A	501	40/40	0.97	0.08	47,57,66,69	0
2	1BL	C	501	40/40	0.97	0.08	49,54,66,71	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 1BL B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around 1BL A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 1BL C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.